

DAFTAR PUSTAKA

- A-Dan, W. dan Jun-Qi, L., (2011). Factors associated with the oral health-related quality of life in elderly persons in dental clinic: validation of a Mandarin Chinese version of GOHAI. *Gerodontology*, 28(3): 84-191.
- Agustina D., Yahdini F., (2013). Uji Validasi, Reliabilitas dan Aplikasi Instrumen GOHAI Pada Lanjut Usia di Kodya Yogyakarta (Laporan Damas FKG UGM, unpublished).
- Akbar, F.H. dan Syahidah, I., (2019). Relation of socioeconomic status to quality of life related to dental and oral health in rural and urban communities of Gowa Regency on 2018. *Makassar Dental Journal*, 8(3).
- Akifusa, S., Soh, I., Ansai, T., Hamasaki, T., Takata, Y., Yohida, A., Fukuhara, M., Sonoki, K. dan Takehara, T., (2005). Relationship of number of remaining teeth to health-related quality of life in community-dwelling elderly. *Gerodontology*, 22(2): 91-97.
- Al-Omiri, M.K., Karasneh, J.A., Lynch, E., Lamey, P.J. dan Clifford, T.J., (2009). Impacts of missing upper anterior teeth on daily living. *International dental journal*, 59(3): 127-132 (Abstr.).
- Angraini, D. I., Supartinah, A., dan Wachid, D. N. (2013). Status kesehatan mulut dan asupan makan sebagai faktor risiko underweight pada lansia. *The Indonesian Journal of Clinical Nutrition*, 9(4), 188-196 (Abstr.).
- Atchison, K.A. dan Dolan, T.A., (1990). Development of the geriatric oral health assessment index. *Journal of dental education*. 54(11): 680-687.
- Badan Pusat Statistik. (2013). *Indonesia population projection 2010-2035*. Statistics Indonesia.
- Balogh M.B. dan Fehrenbach M.J., (2011). *Illustrated Dental Embryology, Histology and Anatomy*. USA: Elsevier. <http://evolve.elsevier.com> (09/11/2021).
- Bernardo, C. D. O., Boing, A. F., Vasconcelos, F. D. A. G. D., Peres, K. G., & Peres, M. A. (2012). Association between tooth loss and obesity in Brazilian adults: a population-based study. *Revista de Saúde Pública*, 46, 834-842.
- Barnes J.R., (2015). *Oral Health Anasthetic Management, Social Determinants, Role of Nutrition and impact on Quality of Life*. New York: Nova Science Publishers.

- Bortoluzzi, M. C., Traebert, J., Lasta, R., Da Rosa, T. N., Capella, D. L., & Presta, A. A. (2012). Tooth loss, chewing ability and quality of life. *Contemporary clinical dentistry*, 3(4): 393.
- Cappelli, D.P. and Mobley, C.C., (2007). *Prevention in Clinical Oral Health Care-E-Book*. Elsevier Health Sciences. <https://www.elsevier.com/books/prevention-in-clinical-oral-health-care> (07/09/2021).
- Coqueiro, R. D. S., Barbosa, A. R., dan Borgatto, A. F. (2010). Nutritional status, health conditions and socio-demographic factors in the elderly of Havana, Cuba: data from SABE survey. *The journal of nutrition, health & aging*, 14(10): 803-808.
- Dable, R. A., Nazirkar, G. S., Singh, S. B., & Wasnik, P. B. (2013). Assessment of oral health related quality of life among completely edentulous patients in Western India by using GOHAI. *Journal of clinical and diagnostic research: JCDR*, 7(9), 2063.
- Dahlan A.K., Umrah A.S., Abeng T. (2018). *Kesehatan Lansia Kajian Teori Gerodontologi dan Pendekatan Asuhan pada Lansia*. Malang: Intimedia. <https://id1lib.org/book> (01/11/2021).
- de Medeiros, M. M. D., Pinheiro, M. A., de Figueredo, O. M. C., de Oliveira, L. F. S., Wanderley, R. L., Cavalcanti, Y. W., & Rodrigues Garcia, R. C. M. (2020). Masticatory function in nursing home residents: correlation with the nutritional status and oral health-related quality of life. *Journal of Oral Rehabilitation*, 47(12): 1511-1520.
- do Nascimento, T.L.H., Liberalesso, N.A., Balbinot, H.J. and Neves, H.F., (2013). Association between underweight and overweight/obesity with oral health among independently living Brazilian elderly. *Nutrition*, 29(1): 152-157.
- Echeverria, M. S., Wunsch, I. S., Langlois, C. O., Cascaes, A. M., & Ribeiro Silva, A. E. (2019). Oral health-related quality of life in older adults—Longitudinal study. *Gerodontology*, 36(2): 118-124.
- Fisher, E. B., Cameron, L. D., Christensen, A. J., Ehlert, U., Guo, Y., Oldenburg, B., & Snoek, F. J. (Eds.). (2018). *Principles and Concepts of Behavioral Medicine: A Global Handbook*. USA: Springer. pp 988.
- Gerritsen, A. E., Allen, P. F., Witter, D. J., Bronkhorst, E. M., & Creugers, N. H. (2010). Tooth loss and oral health-related quality of life: a systematic review and meta-analysis. *Health and quality of life outcomes*, 8(1): 1-11.
- Ghodang, H. (2020). *Path Analysis (Analisis Jalur)*. Penerbit Mitra Grup.

- Gil-Montoya, J. A., Subirá, C., Ramón, J. M., & González-Moles, M. A. (2008). Oral health-related quality of life and nutritional status. *Journal of public health dentistry*, 68(2): 88-93.
- Hiramatsu, T., Kataoka, H., Osaki, M., & Hagino, H. (2015). Effect of aging on oral and swallowing function after meal consumption. *Clinical interventions in aging*, (10): 229.
- Hobdell, M., Clarkson, J., Petersen, P.E. and Johnson, N., (2003). Global goals for oral health 2020. *International dental journal*, 53(5): 285-288.
- Hoeksema, A.R., Spoorenberg, S.L.W., Peters, L.L., Meijer, H.J.A., Raghoobar, G.M., Vissink, A., Wynia, K. and Visser, A., (2017). Elderly with remaining teeth report less frailty and better quality of life than edentulous elderly: a cross-sectional study. *Oral diseases*, 23(4): 526-536 (Abstr.).
- Hsu, K. J., Yen, Y. Y., Lan, S. J., Wu, Y. M., Chen, C. M., & Lee, H. E. (2011). Relationship between remaining teeth and self-rated chewing ability among population aged 45 years or older in Kaohsiung City, Taiwan. *The Kaohsiung journal of medical sciences*, 27(10): 457-465.
- Indrayani, I. and Ronoatmodjo, S., (2018). Faktor-faktor yang berhubungan dengan kualitas hidup lansia di desa Cipasung kabupaten Kuningan tahun 2017. *Jurnal Kesehatan Reproduksi*, 9(1): 69-78.
- Jain, M., Kaira, L. S., Sikka, G., Singh, S. K., Gupta, A., Sharma, R., ... & Mathur, A. (2012). How do age and tooth loss affect oral health impacts and quality of life? A study comparing two state samples of gujarat and rajasthan. *Journal of Dentistry (Tehran, Iran)*, 9(2), 135. (Abstr.).
- Kementerian Kesehatan RI. (2017). *Analisis Lansia di Indonesia*. Jakarta: Pusat Data dan Informasi.
- Kementerian Kesehatan RI. (2018). *Laporan Nasional Riset Kesehatan Dasar tahun 2018*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Khan, S. U., Ghani, F., & Nazir, Z. (2018). The effect of some missing teeth on a subjects' oral health related quality of life. *Pakistan journal of medical sciences*, 34(6), 1457.
- Kholifah S.N. (2016). *Keperawatan Gerontik*. Jakarta: BPPSDMK Kementerian Kesehatan RI. <http://bppsdmk.kemkes.go.id> (21/09/2021).

- Kikutani, T., Yoshida, M., Enoki, H., Yamashita, Y., Akifusa, S., Shimazaki, Y., Hirano, H. dan Tamura, F., (2013). Relationship between nutrition status and dental occlusion in community-dwelling frail elderly people. *Geriatrics & gerontology international*, 13(1): 50-54 (Abstr.).
- Kostecka, M., & Bojanowska, M. (2021). An evaluation of the nutritional status of elderly with the use of the MNA questionnaire and determination of factors contributing to malnutrition. A pilot study. *Roczniki Państwowego Zakładu Higieny*, 72(2).
- Larasati, R., (2012). Hubungan Kebersihan Mulut dengan Penyakit Sistemik dan Usia Harapan Hidup. *Jurnal Skala Husada*, 9(1): 97-104.
- Lwanga S.K., Lemeshow, S., Hosmer, D. W., Klar, J., Lwanga, S. K., & World Health Organization. (1991). Sample Size Determination in Health Studies: WHO Library Cataloguing in Publication Data.
- Maulana, E.G.S., Adhani, R. dan Heriyani, F., (2016). Faktor Yang Mempengaruhi Kehilangan Gigi Pada Usia 35-44 Tahun Di Kecamatan Juai Kabupaten Balangan Tahun 2014 Tinjauan Terhadap Pengetahuan Dan Sosial Ekonomi. *Dentino: Jurnal Kedokteran Gigi*, 1(1): 98-103.
- Mesas, A.E., Andrade, S.M.D., Cabrera, M.A.S. dan Bueno, V.L.R.D.C., (2010). Oral health status and nutritional deficit in noninstitutionalized older adults in Londrina, Brazil. *Revista Brasileira de Epidemiologia*, 13: 434-445.
- Murphy, M. C., Brooks, C. N., New, S. A., & Lumbers, M. L. (2000). The use of the Mini-Nutritional Assessment (MNA) tool in elderly orthopaedic patients. *European journal of clinical nutrition*, 54(7): 555-562.
- Notoatmodjo S. (2018). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Nursilmi, N., Kusharto, C. M., & Dwiriani, C. M. (2017). Hubungan Status Gizi dan Kesehatan dengan Kualitas Hidup Lansia di Dua Lokasi Berbeda. *Media Kesehatan Masyarakat Indonesia Universitas Hasanuddin*, 13(4): 369-379.
- Olasunbo, O. I., dan Olubode, K. A. (2006). Socio-demographic and nutritional assessment of the elderly Yorubas in Nigeria. *Asia Pacific Journal of Clinical Nutrition*, 15(1), 95 (Abstr.).
- Par'i HM, Wiyono S, Harjatmo TP. 2017. *Penilaian Status Gizi*. Jakarta: Pusat Pendidikan Sumber Daya Manusia Kesehatan. <https://id1lib.org/book/11755546/ca18bb> (10/08/2021).

- Patel, P., Shivakumar, K. M., Patil, S., Suresh, K. V., & Kadashetti, V. (2015). Association of oral health-related quality of life and nutritional status among elderly population of Satara district, Western Maharashtra, India. *Journal of Indian Association of Public Health Dentistry*, 13(3): 269.
- Pioh, C., Siagian, K.V. and Tendean, L., (2018). Hubungan antara Jumlah Kehilangan Gigi dengan Status Gizi pada Lansia di Desa Kolongan Atas II Kecamatan Sonder. *e-GiGi*, 6(2).
- Pusdatin Kementerian Kesehatan RI. (2021). Profil Puskesmas Gulai Bancah Kota Bukittinggi. Bukittinggi: <https://komdat.kemkes.go.id/>.
- Pusat Data dan Informasi Kemenkes RI. (2014). *Situasi dan Analisis Lanjut Usia*. Jakarta: InfoDatin.
- Putri M.H, Herijulianti E, Nurjannah N. (2010). *Ilmu Pencegahan Penyakit Jaringan Keras dan Jaringan Pendukung Gigi*. Jakarta: EGC.
- Rizkillah, M. N., Isnaeni, R. S., & Fadilah, R. P. N. (2019). Pengaruh kehilangan gigi posterior terhadap kualitas hidup pada kelompok usia 45-65 tahun Effect of posterior tooth loss on the quality of life in the 45-65 years old age group. *Padjadjaran Journal of Dental Researchers and Students*, 3(1): 7-12.
- Rocha, E. K. T. G., Vanderlei, A. D., Ribeiro, C. M. B., de Oliveira Lima, A. L., dos Santos, A. F., & Trindade Filho, E. M. (2016). Impact of tooth loss on quality of life. *Pesquisa Brasileira em Odontopediatria e Clínica Integrada*, 16(1).
- Sirgy M.J. (2012). *The Psychology of Quality of Life: Hedonic Well Being, Life Satisfaction and Eudaimonia*. USA: Springer. <https://id1lib.org/book/07/11/2021>.
- Stajkovic, S., Aitken, E.M. and Holroyd-Leduc, J., (2011). Unintentional weight loss in older adults. *Cmaj*, 183(4): 443-449.
- Supariasa. (2012). *Penilaian Status Gizi*. Jakarta: Penerbit Buku Kedokteran EGC.
- Tulandi, J. D., Tendean, L., & Siagian, K. V. (2017). Persepsi pengguna gigi tiruan lepasan terhadap fungsi estetik dan fonetik di komunitas lansia Gereja International Full Gospel Fellowship Manado. *e-GiGi*, 5(2).
- Washio M, Kiyohara C. (2019). *Health Issue and Care System for The Elderly*. E book: Springer. <https://id1lib.org/book/07/11/2021>.

Webster-Gandy J, Madden A, Holdsworth M. (2014). *Gizi & Dietetika* Edisi 2. Penerbit Buku Kedokteran: EGC.

Yin, Z., Yang, J., Huang, C., Sun, H., & Wu, Y. (2020). Eating and communication difficulties as mediators of the relationship between tooth loss and functional disability in middle-aged and older adults. *Journal of Dentistry* (96)