

## DAFTAR PUSTAKA

- Adisyahputra, Sudarsono, Setiawan K. (2011). Pewarisan Sifat Densitas Stomata dan Laju Kehilangan Air Daun (Rate Leaf Water Loss RWL) pada kacang tanah (*Arachis hypogaea* L.). *Jurnal Natur Indonesia*, 14 (1):73-89.
- Aini, Q.N., Jamarun, S. Sowmen, dan R. Sriagtula (2019). Pengaruh Cekaman Kekeringan Terhadap Pertumbuhan Berbagai Galur Sorgum Mutan Brown Midrib Sebagai Pakan Ternak. *Pastura*, 8(2): 110-112.
- Anjum, S.A., Wang, L.C., Farooq, M., Hussain, M., Xue, L.L., and Zou, C.M. (2011a). Brassinolide Application Improves the Drought Tolerance in Maize Through Modulation of Enzymatic Antioxidants and Leaf Gas Exchange. *Journal of Agronomy and Crop Science*, 197(3):177 - 185
- Ashraf, M., and Fooland, M.R. (2007). Roles of Glycine Betaine and Proline in Improving Plant Abiotic Stress Resistance. *Environmental and Experimental Botany*, 59(2): 206-216.
- Astono, J. (2014). Pengaruh Frekuensi Belalang Kecek Termodifikasi Terhadap Pertumbuhan Tanaman Kacang Tanah di Desa Pucung Saptosari Gunungkidul. *Prosiding Pertemuan Ilmiah XXVIII HFI*. Yogyakarta: UNY Press.
- Azalia, A., Ramadhanti, D., Ana, H. (2022) Audacity Software Analysis In Analyzing The Frequency And Character Of The Sound Spectrum. *Jurnal pendidikan IPA*. 8(1):177-182
- Bass, A.H., Clark, C.W. (2003). The Physical Acoustics of Underwater Sound Communication. New York (NY): *Springer Handbook of Auditory Research*, (pp.15–64).
- Bates, L.S., Waldren, R.P., and Teare, I.D. (1973). Rapid Determination of Free Proline for Water Stress Studies. *Plant Soil*. 39:205-207
- Benolken R.M, Jacobson, S.L. (1970) Response Properties of a Sensory Hair Excised from Venus's Flytrap. *J Gen Physiol*. 56: 64–82
- Bibi, A., H. A. Sadaqat, H. M. Akram and M. I. Mohammed. (2010). Physiological Markers for Screening Sorghum (*Sorghum bicolor*L.). Germplasm Under Water Stress Condition. *Int. J. Agric. Biol*. 12(3): 451-455.
- BNPB.(2008). *Peraturan Kepala Badan Nasional Penanggulangan Bencana Nomor 4 Tahun 2008 Tentang Pedoman Umum Penyusunan Rencana Penanggulangan Bencana*. Jakarta: BNPB.
- Bouman, B.A.M., and Tuong, T.P. (2001) Field Water Management to Save Water and Increase its Productivity in Irrigated rice. *Agric Water Manage*, 49:11-30.

- Brunetti, C., Sebastiani, F., and Tattini M.(2018). Review: ABA, Flavonols, and the Evolvability of Land Plants. *Elsivier: Plant Science*, 280: 448-454.
- Brenner, E. D., Stahlberg, R., Mancuso, S., Vivanco, J., Baluška, F., and Van Volkenburgh, E. (2006). Plant neurobiology: an Integrated View of Plant Signaling. *Trends Plant Sci*, 11: 413–419.
- Buchen, B., Hensel D, Sievers, A. (1983). Polarity in Mechanoreceptor Cells of Trigger Hairs of *Dionaea muscipula*. *Planta*, 158: 458–68
- Cahyono, dan Bambang, (2008). *Tomat Usaha Tani dan Penanganan Pasca Panen (Edisi Revisiu)*. Yogyakarta: Kanisius.
- Campos-Rivero, G. P., Osorio-Montalvo, R. S´anchez-Borges, F. Duarte Ak´e , R. Us-Camas, C. De-la-Pe˜na. (2017). Plant Hormone Signaling in Flowering: An Epigenetic Point of View. *Plant Physiology*, 214:16-27.
- Campbell, N.A., Reece J.B., Urry, L.A, Cain M.A., Wasserman S.A, Minorsky P.V,and Jackson R.B. (2012) *Biologi Jilid 2* (Terjemahan) Edisi ke-8. Erlangga. Jakarta
- Cuin, T.A., Dreyer, I., and Michard, E. (2018). The role of Potassium Channels in Arabidopsis thaliana Long Distance Electrical Signalling: AKT2 modulates tissue excitability while GORK shapes action potentials. *Int. J. Mol. Sci*, 19: 926.
- Clifton-Brown, J. C., and I. Lewandowski, 2000, Water Use Efficiency and Biomass Partitioning of Three Different Miscanthus Genotypes with Limited and Unlimited Water Supply: *Annals of Botany*, 86: 191-200.
- Cornelius. (2010). Perancangan Program Simulasi Voice Recognition untuk Identifikasi Menggunakan Alogaritma fft dan Divide and Conque. Fakultas Teknik Universitas Bina Nusantara.
- Davies, W.J., Zhang J. (1991). Root Signals and the Regulation of Growth and Development of Plants in Drying Soil. *Annu Rev Plant Physiol Plant Mol Biol*, 42:55–76
- Debez, A. Chaibi W., Bouzid S. (2001). Effect du NaCl et de Regulateours de croissance sur la germination d’ Atriplex halimus L. *Cah. Agric*, 10: 135–138.
- Dingkuhn, M., et al. (1991). Concepts for A New Plant Type for Direct Seeded Flooded Tropical Rice In: Direct Seeded Flooded Rice in the Tropics. IRRI. Los Banos, Philippines. p17 -38.
- Du, H., Huang, F., Wu, N., Li, X., Hu, H., and Xiong, L, (2018). Integrative Regulation of Drought Escape through ABA Dependent and Independent Pathways in Rice. *Molecular Plant*, 11: 584–597.

- Dziubinska, H., Filek, M.; Koscielniak, J., Trebacz, K. (2003). Variation and Action Potentials Evoked by Thermal Stimuli Accompany Enhancement of Ethylene Emission in Distant Non-Stimulated Leaves of *Vicia faba* minor seedlings. *J. Plant Physiol*, 160:1203–1210
- Egamberdieva, D. (2009). Alleviation of Salt Stress by Plant Growth Regulators and IAA Producing Bacteria in Wheat. *Acta Physiol. Plantarum*, 31: 861–864.
- Efendi, Roy, dan Muhammad Azrai 2010. Metode dan Penentuan Karakter Seleksi Genotipe Jagung terhadap Cekaman Kekeringan pada Fase Awal Vegetatif. *Prosiding Pekan Serealia Nasional ISBN : 978-979-8940-29-3* : Balai Penelitian Serealia : Sulawesi Selatan
- FAO (Food and Agriculture Organization). (2007). Glosarry. Fao.org. Available from <http://www.fao.org/docrep/003/x3910E26.htm>. Diakses pada tanggal 29 Oktober 2021
- Fahn, A. (1991). *Anatomi Tumbuhan Edisi Ketiga*. Gadjah Mada University Press, Yogyakarta.
- Farmer, E.E. (2001). Surface-to-Air Signals. *Nature*. 411: 854–856.
- Farooq, M. A., Wahid, N., Kobayashi, D., Fujita. S.M.A., and Basra, (2009). Plant Drought Stress: Effects, Mechanisms and Management. *Agronomy for Sustainable Development*, 29: 185–212.
- Favre, P., Degli Agosti, R. (2007) Voltage-dependent action potentials in *Arabidopsis thaliana*. *Physiol. Plant*, 131: 263–272.
- Felle, H.H., Zimmermann, M.R.(2007). Systemic Signalling in Barley Through Action Potentials. *Planta*, 226: 203–214.
- Fromm, J., and Eschrich, W. (1988). Transport Processes in Stimulated and Non-Stimulated Leaves of *Mimosa pudica*. I. The Movement of <sup>14</sup>C-Labelled Photoassimilates. *Trees*, 2: 7–17.
- Fromm, J., and Fei, H. (1998). Electrical Signaling and Gas Exchange in Maize Plant of Drying Soil. *Plant Science*, 132: 203–213.
- Fromm, J., and Lautner, S. (2007). Electrical Signals and Their Physiological Significance in Plants. *Plant Cell Environ*, 30 (3): 249–257.
- Gagliano, M. (2013). Green Symphonies: a Call for Studies on Acoustic Communication in Plants. *Behavioral Ecology*, 24(4): 789–796.
- Grams, Thorsten E.E.(2007). Distinct Roles of Electric and Hydraulic Signals on the Reaction of Leaf Gas Exchange Upon Re-Irrigation in *Zea mays* L. *Plant Cell Environ*, 30 (1): 79–84.

- Hanum, C., Mugnisjah, W.Q., Yahyam, S., Sopandy, D., Idris, K., Sahar, A. (2007). Pertumbuhan Akar Kedelai pada Cekaman Aluminium, Kekeringan dan Cekaman Ganda Aluminium dan Kekeringan. *Agritrop*, 26(1):13-18.
- Haryati. (2008). *Pengaruh Cekaman Air Terhadap Pertumbuhan Dan Hasil Tanaman* <http://library.usu.ac.id/download/fp/hslpertanian-haryati2.pdf>. Diakses pada tanggal 29 Januari 2022
- Hassanien, R.H.E., HOU, T.Z., Li, Y.F., and Li, B.M., (2014). Advances in Effects of Sound Waves on Plants. *J Integrative Agric*,13(2): 335–340.
- Hedrich, R., Salvador-Recatala, V., and Dreyer, I. (2016). Electrical Wiring and Long-Distance Plant Communication. *Trends Plant Sci*, 21: 376–387.
- Hendriyani, I.S., dan Setiari, N. (2009). Kandungan Klorofil dan Pertumbuhan Kacang Panjang (*Vigna sinensis*) pada Tingkat Penyediaan Air yang Berbeda. *J. Sains & Mat.*, 17(3): 145-150.
- Hidayati, N., Hendrati, R.L., Triani, A., dan Sudjino. (2017). Pengaruh Kekeringan terhadap Pertumbuhan dan Perkembangan Tanaman Nyamplung (*Callophylum inophyllum* L.) dan Johar (*Cassia florida* Vahl.) dari Provenan yang Berbeda. *Jurnal Pemuliaan Tanaman Hutan*,11(2): 99 – 111.
- Hsiao, T.C., and Xu, L.K. (2000). Sensitivity of Growth of Roots Versus Leaves to Waterstress: Biophysical Analysis and Relation to Watertransport. *Journal of Experimental Botany*, 51(350): 1595–1616.
- Huber, A.E., and Bauerle, T.L. (2016). Long-Distance Plant Signaling Pathways in Response to Multiple Stressors: The Gap in Knowledge. *Journal of Experimental Botany*, 67: 2063–2079.
- Hong, Z., Lakkineni, K., Zhang, Z., Verma, D.P.S. (2000). Removal of Feedback Inhibition of D1-Pyrroline-5- Carboxylate Synthetase Results in Increased Proline Accumulation and Protection of Plants from Osmotic Stress1. *Plant Physiology*, 122: 1129-1136.
- Izza, F. dan Ainun,N.L., (2015). Karakteristik Stomata Tempuyung (*Sonchus arvensis* L.) dan Hubungannya dengan Transpirasi Tanaman di Universitas Islam Negri (UIN) Maulana Malik Ibrahim Malang. *Prosiding Seminar Nasional Konservasi dan Pemanfaatan Sumber Daya Alam*. Vol I No I. Malang: *UIN Maulana Malik Ibrahim*.
- Jacobson, S.L. (1965) Receptor Response in Venus's Flytrap. *Journal of General Physiology*, 49: 117–129
- Jaleel, C.A., Manivannan, P., Wahid, A., Farooq, M., Al-Juburi, H. J., Somasundaram, R. and Panneerselvam, R. (2009). Drought Stress in Plants: A Review on Morphological Characteristics and Pigments

Composition. *International Journal of Agriculture And Biology*, 11: 100–105.

- James, M. and Bryant, (2009). Voltage to Frequency Converters, Application Note AN-361, Analog Devices, Inc. (a good overview of VFCs).
- Jiang, F., and Hartung, W. (2007). Long-Distance Signalling of Abscisic Acid (ABA): The Factors Regulating The Intensity of The ABA Signal. *Journal of Experimental Botany*, 59 (1): 37–43.
- Johns, S., Hagihara, T., Toyota, M., and Gilroy, S. (2021) The Fast and The Furious: Rapid long-range signaling in plants. *Plant Physiol*, 185: 694–706
- Juairiah, L. (2014). Studi Karakteristik Stomata Beberapa Jenis Tanaman Revegetasi di Lahan Pasca Penambangan Timah di Bangka. *Widyariset*, 17 (2): 213-218.
- Kaur,G., Asthir, B., and Bains N.S.(2018).Modulation of Proline Metabolism Under Drought and Salt Stress Conditions in Wheat Seedlings. *Indian Journal of Biochemistry & Biophysics*, 55(2):114-124
- Kavar, T., Maras, M., Kidric, M., Sustar-Vozlic, J., and Meglic V. (2007) Identification of Genes Involved in The Response of Leaves of Phaseolus Vulgaris to Drought Stress, *Molecular Breeding*, 21: 159–172.
- Keyvan, S. (2010). The Effects of Drought Stress on Yield, Relative Water Content, Proline, Soluble Carbohydrates and Chlorophyll of Bread Wheat Cultivars. *Journal of Animal & Plant Sciences*, 8(3):1051- 1060.
- Khan, M. I. R., Asgher, M., and Khan, N. A. (2014). Alleviation of salt-induced photosynthesis and growth inhibition by salicylic acid involves glycine betaine and ethylene in mungbean (*Vigna radiata* L.). *Plant Physiology and Biochemistry*, 80:67–74.
- Konstantinova, T., Parvanova, D., Attanassov, A, Djilianov D. (2002). Freezing Tolerant Tobacco, Transformed To Accumulate Osmoprotectants. *Plant Science*, 163: 157-164.
- Koselski, M., Pupkis, V., Hashimoto, K., Lapeikaite, I., Hanaka, A., Wasko, P., Plukaite, E., Kuchitsu, K., Kisnieriene, V., Trebacz, K. (2021) Impact of Mammalian Two-pore Channel Inhibitors on Long-Distance Electrical Signals in the *Characean macroalga, Nitellopsis obtusa* and the Early Terrestrial Liverwort Marchantia Polymorpha. *Plants*, 10: 647
- Krol, E. Dziubinska, H. Stolarz, M. Trebacz, K. (2006) Effects of ion channel Inhibitors on Cold- and Electrically-Induced Action Potentials in *Dionaea muscipula*. *Biol. Plant*, 50: 411–416.

- Ksenzhek, O.S., and Volkov, A.G. (1998). *Plant Energetics*. San Diego: *Academic Press*
- Kurniasih, B, and Wulandhany, F. (2009) Penggulungan Daun, Pertumbuhan Tajuk dan Akar Beberapa Varietas Padi Gogo pada Kondisi Cekaman Air yang Berbeda. *Agrivita*, 31 (2): 118- 128
- Kurniasari, A. M. Adisyahputra, R. Rosman. (2010). Pengaruh Kekeringan pada Tanah Bergaram NaCl terhadap Pertumbuhan Tanaman Nilam. Jurusan Biologi FMIPA UI. Jakarta
- Kusumaningrum, I., Rini, B. H., Haryanti, S. (2007) Pengaruh Perasan *Sargassum crassifolium* dengan Konsentrasi yang Berbeda terhadap Pertumbuhan Tanaman Kedelai (*Glycine max* (L) Merrill. Buletin Anatomi dan Fisiologi. Vol. XV, No. 2
- Ladeynova, M., Mudrilov, M., Berezina, E., Kior, D., Grinberg, M., Brilkina, A., Sukhov, V., Vodeneev, V. (2020) Spatial and temporal dynamics of electrical and photosynthetic activity and the content of phytohormones induced by local stimulation of pea plants. *Plants*, 9: 1364
- Lang, R.D., Volkov, A.G. (2008) Solitary Waves in Soybean Induced by Localized Thermal Stress. *Plant Signal. Behav*, 3: 224–228.
- Lakitan, B., (2010). *Dasar-dasar Fisiologi Tumbuhan*. Jakarta: *Rajawali Press*.
- Lakitan, B. (2013). *Dasar-Dasar Fisiologi Tumbuhan*. Jakarta: *Rajawali Press*.
- Lastdrager, J., Hanson, J., and Smeekens, S. (2014). Sugar Signals and The Control of Plant Growth and Development. *Journal of Experimental Botany*, 65 (3): 799-807.
- Lestari E. (2003). Simulasi Potensi Hasil dan Pengaruh Cekaman Air pada Tanaman Kentang (*Solanum tuberosum* L.) di Kecamatan Lembang Kabupaten Bandung. *Skripsi*. Institut Pertanian Bogor.
- Lestari, E. G. (2006). The Relation Between Stomata Index and Drought Resistant at Rice Somaclones of Gajahmungkur, Towuti, and IR 64. *Biodiversitas Journal of Biological Diversity*, 7(1): 44–48.
- Lopes, M.S., Araus, J.L., var Herdeen, P.D.R., and Foyer, C.H. (2011). Enhancing Drought Tolerance in C4 Crops. *Journal of Experimental Botany*, 62 (9) : 3135-3153.
- Mahajan, S. and Tuteja, N. (2005). Cold, Salinity and Drought Stresses: An Overview. *Biochem Biophys*, 444: 139-158.
- Mahajan, S., and Tuteja, N. (2010). Cold, Salinity, and Drought Stress. *Plant Stress Biology: From Genomics to Systems Biology*, 444: 137–159.

- Mapegau. (2006). Pengaruh Cekaman Air Terhadap Pertumbuhan dan Hasil Tanaman Kedelai. Fakultas Pertanian. Universitas Jambi. Jambi
- Munns, R. (2002). Comparative Physiology of Salt and Water Stress. *Plant, Cell and Environment*, 25: 239-250.
- Nonami, H. (1998). Plant water relations and control of cell elongation at low water potentials. *Journal of Plant Research*, 111: 373–382.
- Nilsen, E.T & Orcutt DM. (1996). *The Physiology of Plants Under Stress: Abiotic Factors*. U.S.: John Wiley and Sons.Inc.
- Oukarroum, A., El-Madidi, S., Schansker, G., and Strasser, R.J. (2007) Probing The Responses of Barley Cultivars ( *Hordeum vulgare* L.) by Chlorophyll a Fluorescence OLCJIP Under Drought Stress and Re-Watering. *Environ Exp Bot*, 60: 438–446
- Oyarcea, P., and Gurovich, L. (2010). Electrical Signals in Avocado Trees: Responses to Light and Water Availability Conditions. *Plant Signal. Behav*, 5 (1): 34–41.
- Pandey, S.K., and Singh, H.(2011). A Simple, Cost-Effective Method for Leaf Area Estimation. *Journal of Botany*, Volume 201, Article ID 658240,p6
- Pavlovič, A., Slováková, L., Pandolfi, C., Mancuso, S.( 2011) On the mechanism underlying photosynthetic limitation upon trigger hair irritation in the carnivorous plant Venus flytrap (*Dionaea muscipula* Ellis). *J. Exp. Bot*, 62, 1991–2000.
- Peña-Cortés, H., Fisahn, J.; Willmitzer, L.(1995) Signals involved in wound-induced proteinase inhibitor II gene expression in tomato and potato plants. *Proc. Natl. Acad. Sci. USA*, 92: 4106–4113.
- Pervez, M.A., Ayub C.M., Khan H.A., Shahid M.A. and Ashraf I. (2009) Effect Drought Stress On Growth, Yield and Seed Quality of Tomato (*Lycopersicon esculatum* L.), *Pakistan Journal of Agricultural Science*, 46 (3): 174.
- Petrovic, I., Jovanović, Z., Stikić, R., Marjanović, M. and Savić S., (2020). Influence of Severe Drought on Leaf Response in ABA Contrasting Tomato Genotypes (wild type and flacca mutant). *The 1st International Electronic Conference on Plant Science*, sciforum, 3:12
- Pracaya, (1998). *Bertanam Tomat*. Yogyakarta: Karnisius.
- Quilambo, Q.A. (2004). Proline Content, Water Retention Capability and Cell Membrane Integrity as Parameters for Drought Tolerance in Two Peanut Cultivars. *South African Journal Of Botany*, 70: 227-234.

- Ranawake, A. L., Dahanayaka, N., Amarasingha, U. G. S., Rodrigo, W. D. R. J., and Rodrigo, U.T. D. (2011). Effect of water stress on growth and yield of mung bean (*Vigna radiata* L). *Tropical Agricultural Research and Extension*, 14(4): 76-79.
- Roelfsema, M.R., Steinmeyer, R., Staal, M., and Hedrich, R. (2001). Single Guard Cell Recordings in Intact Plants: Light-Induced Hyperpolarization of the Plasma membrane. *Plant J*, 26: 1–13
- Salisbury, F. B., and Ross, C.W. (1992) *Plant Physiology*, 4th Ed. Wadsworth Publishing Company. California
- Salisbury, B. F. dan Ross, C.W. (1995). *Fisiologi Tumbuhan Jilid 1*. Penerbit ITB. Bandung.
- Sastrosayono, S. (2005). *Kiat Mengatasi Masalah Praktif. Budidaya Kelapa Sawit*. PPKS Medan.
- Schuppler, U., He, P., John, P. C. L., and Munns, R. (1998). Effect of Water Stress on Cell Division and Cell-Division-Cycle 2-like Cell-Cycle Kinase Activity in Wheat Leaves. *Plant Physiol*. 117: 667–678.
- Shipman, J., Wilson, J. D., and Higgins, C. A. (2012). *Waves and Sound, in An Introduction to Physical Science, eds J. Shipman, J. D. Wilson, and C. A. Higgins*. Boston, MA: Cole Cengage Learning.
- Sintia, M. (2011). Pengaruh Beberapa Dosis Kompos Jerami Padi dan Pupuk Nitrogen Terhadap Pertumbuhan dan Hasil Jagung Manis (*Zea mays saccharata* Srurt.). *Jurnal Tanaman Pangan*, 1(1): 1-7.
- Stahlberg, R., Cleland, R.E., van Volkenburgh, E. Slow wave potentials (2006) A propagating electrical signal unique to higher plants. In *Communication in Plants. Neuronal Aspects of Plant Life*. Springer: Berlin/Heidelberg, Germany; New York, NY, USA, pp. 291–308.
- Stankovic, B., Davies, E. (1998) The wound response in tomato involves rapid growth and electrical responses, systemically up-regulated transcription of proteinase inhibitor and calmodulin and down-regulated translation. *Plant Cell Physiol*, 39, 268–274.
- Stoneytiti, (2013). *Aplikasi Pendeteksi Sinyal Operator dengan Sinyal Progres dan Maps Berbasis Android*. Amikom Yogyakarta.
- Sukarman, J., Thomas, A., Kalangi, J. I., dan Lasut, M. T. (2012). Pengaruh Frekuensi Pemberian Air Terhadap Pertumbuhan Bibit Jabon Merah (*Anthocephalus macropyllus* (Roxb.)). Universitas Sam Ratulangi. Manado

- Sukhov, V., Sherstneva, O., Surova, L.; Katicheva, L., Vodeneev, V. (2014) Proton cellular influx as a probable mechanism of variation potential influence on photosynthesis in pea. *Plant Cell Environ.*, 37: 2532–2541
- Sukhov, V., Surova, L., Morozova, E., Sherstneva, O., and Vodeneev, V. (2016). Changes in H<sup>+</sup>-ATP Synthase Activity, Proton Electrochemical Gradient, and pH in Pea Chloroplast Can be Connected with Variation Potential. *Frontiers in Plant Science*. 7: 1092.
- Sukhov, V.S., Gaspirovich, V.V., Gromova, E.N., Ladeynova, M.M., Sinitsyna, Y.V., Berezina, E.V., Akinchits, E.K., Vodeneev, V.A., (2017). Decrease of Mesophyll Conductance to CO<sup>2</sup> is a Possible Mechanism of Abscisic Acid Influence on Photosynthesis in Seedlings of Pea and Wheat. *Biochem. Mosc. Suppl. Ser. A*, 11: 237–247.
- Sukhova, E.M., Sukhov, V.S. (2018) Dependence of the CO<sup>2</sup> uptake in a plant cell on the plasma membrane H<sup>+</sup>-ATPase activity: Theoretical analysis. *Biochem. Mosc. Suppl. Ser. A Membr. Cell Biol.*, 12: 146–159.
- Sukhov, V.; Sukhova, E.; Vodeneev, V. (2019). Long-Distance Electrical Signals as a Link Between the Local Action of Stressors and the Systemic Physiological Responses in Higher Plants. *Progr. Biophys. Mol. Biol*, 146, 63–84.
- Sukhova, E., and Sukhov, V. (2021). Electrical Signals, Plant Tolerance to Actions of Stressors, and Programmed Cell Death: Is Interaction Possible?, *Plants*, 10: 1704
- Sutrian, Y. (2011). *Anatomi Tumbuh-Tumbuhan*. Jakarta: Rineka cipta.
- Suyitno, Al dan Ratnawati. (2004). Respons Konduktivitas Stomata dan Laju Transpirasi Rumput Blembem (*Ischaemum ciliare*, *Retzius*) di Sekitar Sumber Emisi Gas Kawah Sikidang. Dieng. Makalah yang disajikan dalam Seminar Nasional.
- Suzuki, N., Miller, G., Salazar, C., Mondal, H.A., Shulaev, E., Cortes, D.F. (2013). Temporal-Spatial Interaction Between Reactive Oxygen Species and Abscisic Acid Regulates Rapid Systemic Acclimation in Plants. *Plant Cell* 25 (9): 3553–3569.
- Szechyn´ska-Hebda, M., Marczyk, J.C., Ziejewska., N., Hordyn´ska, J., Mikula, and Hebda, M. (2019). *Materials* 12. 2999-3015.
- Taiz, L., and Zeiger, E. (2006). *Plant Physiology*, 4th Edn. Sunderland, MA: Sinauer Associates Inc.
- Tanaka, Y., Nose, T., Jikumaru, Y., & Kamiya, Y. (2013). ABA inhibits entry into stomatal-lineage development in Arabidopsis leaves. *Plant Journal*, 74 (3): 448–457.

- Tátrai, Z.A., Sanoubar, R., Pluhár, Z., Mancarella, S., Orsini, F., and Gianquinto, G. (2016). Morphological and Physiological Plant Responses to Drought Stress in *Thymus citriodorus*. *International Journal of Agronomy*, Volume 2016, pp 1-8.
- Thiel, G., MacRobbie, E.A., and Blatt, M.R. (1992). Membrane Transport in Stomatal Guard Cells: The Importance of Voltage Control. *J Membr Biol*, 126: 1–18.
- Tim Airputih. (2010). *Modul Panduan Audacity*. Jakarta: Creative Commons
- Trebacz, K., Dziubinska, H., Krol, E. (2006). Electrical Signals in Long-Distance Communication in Plants. In *Communication in Plants. Neuronal Aspects of Plant Life*. Springer: Berlin/Heidelberg, Germany; New York, NY, USA; pp. 277–290.
- Trovato, M., Mattioli, R., and Costantino, P. (2008). Multiple Roles of Proline in Plant Stress Tolerance and Development. *Rend. Lincei* 19:325–346.
- Vasellati, V., Oesterheld, M., Medan D., and Loreti J. (2001). Effects of Flooding and Drought on the Anatomy of *Paspalum dilatatum*. *Annals of Botany*, 88:355-360.
- Verslues1, P.E., and Sharma, S. (2010). Proline Metabolism and Its Implications for Plant-Environment Interaction. *Arabidopsis Book*.8: e0140.
- Vian, A., Henry-Vian, C., Davies, E. (1999) Rapid and systemic accumulation of chloroplast mrna-binding protein transcripts after flame stimulus in tomato. *Plant Physiol.*, 121, 517–524
- Violita. (2007). *Komparasi Respons Fisiologi Tanaman Kedelai yang Mendapat Cekaman Kekeringan dan Perlakuan Herbisida Paraquat*. *Skripsi*. Institut Pertanian Bogor.
- Vodeneev, V., Orlova, A., Morozova, E., Orlova, L., Akinchits, E., Orlova, O., Sukhov, V. (2012) The mechanism of propagation of variation potentials in wheat leaves. *J. Plant Physiol*, 169: 949–954
- Volkov, A.G., Mwesigwa, J. (1983). Interfacial Electrical Phenomena in Green Plants: Action Potentials. In: Volkov AG (ed) *Liquid Interfaces in Chemical, Biological, and Pharmaceutical Applications*. *Dekker*, New York, pp 649–681
- Volkov, A.G., Deamer DW, Tanelian DL, Markin VS. (1998). *Liquid Interfaces in Chemistry and Biology*. New York: *Wiley*.
- Volkov, A., Brown C. (2006) *Electrochemistry of plant life*. In: Volkov A, editor. *Plant Electrophysiology: Theory and Methods*. Berlin, Heidelberg: *Springer*. p. 437–59.

- Volkov, A.G., Adesina, T., Markin, V.S., Jovanov, E.(2008) Kinetics and mechanism of *Dionaea muscipula* trap closing. *Plant Physiol.*146: 694–702.
- Volkov, A.G., Adesina T, Markin VS, Jovanov E. (2008a) Kinetics and mechanism of *Dionaea muscipula* trap closing. *Plant Physiol*,146:694–702
- Volkov, A., Foster, J.C.,Markin, V.S (2010). Signal Transduction in *Mimosa pudica*: Biological Closed Electrical Circuit. *Journal of Plant, Cel & Environment*. Blacwell Publishing Ltd
- Volkov, A.G., Shtessel YB, (2016). Propagation of Electrotonic Potentials in Plants: Experimental Study and Mathematical Modeling. *AIMS Biophys.* 3(3): 358–378.
- Volkov, A.G., Toole S., and WaMaina M. (2019). Electrical Signal Transmission in The Plant-Wide Web. *Elsevier: Bioelectrochemistry*, 129: 70-78.
- Wahono, E., Izzati M., Parman S., (2014), Interaksi antara Tingkat Ketersediaan Air dan Varietas, Terhadap Kandungan Prolin serta Pertumbuhan Tanaman Kedelai (*Glycine max* L. Merr), *Jurnal Biologi*, 3(3): 65-74
- Wardani, E., Wahyudi, P., and Tantari, D. (2011). Uji Aktivitas Ekstrak Etanol 70% dan n-Heksan Jamur Shitake (*Lentinula edodes*(Berk.)Pegler) terhadap *E. coli* dan *S. aureus*. *Jurnal Farma Sains*, 1 (3): 1-6.
- Wegner, L.H., and DeBoer, A.H. (1999). Activation kinetics of the K<sup>+</sup> outward Rectifying Conductance (KORC) in Xylem Parenchyma Cells From Barley Roots. *J Membr Biol*, 170: 103–119.
- Wilhite, D. A., (2010). Quantification of Agricultural Drought for Effective Drought Mitigation, in Agricultural Drought Indices, Proceedings of an Expert Meeting 2-4 June, Murcia, Spain, WMO, Geneva.
- Wilkinson, S., Davies W.J. (2002) ABA-Based Chemical Signalling: the Coordination of Responses to Stress in Plants, *Plant Cell Environ.* 25: 195–210.
- Yusniwati, Y., Sudarsono, S., Aswidinnoor, H., Hendrastuti, S. and Santoso, D. (2008). Pengaruh Cekaman Kekeringan Terhadap Pertumbuhan, Hasil dan Kandungan Prolina Daun Cabai. *Jurnal Agrista*. 12(1): 19-27.
- Yusniwati, (2008). Galur Cabai Transgenik Toleran Kekeringan dengan Gen P5CS Penyandi Enzim Kunci Biosintesis Prolina: Regenerasi dan Karakterisasi Regenerasi. Disertasi. Institut pertanian Bogor.
- Zhou, R., Yu, X., Ottosen, C.O., Rosenqvist, E, Zhao, L, Wang, Y, Yu W, Tongmin, (2017) Drought Stress Had a Predominant Effect Over Heat

Stress on Three Tomato Cultivars Subjected to Combined Stress. *BMC Plant Biology*,17:24

Zimmermann, M.R., Maischak, H., Mithöfer, A., Boland, W., Felle, H.H., 2009. System Potentials, a Novel Electrical Long-Distance Apoplastic Signal in Plants, Induced by Wounding. *Plant Physiol.* 149 (3): 1593–1600.

Zlatev, Z, Lidon FC (2012) An Overview on Drought Induced Changes in Plant Growth, Water Relations and Photosynthesis. *Emir J Food Agric* 24: 57–72.

Zweifell, R., and Zeugin, F. (2008). Ultrasonic Acoustic Emissions in Drought-Stressed Trees – More Than Signals from Cavitation?. *New Phytologist*, 179: 1070–1079.