



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

### DAFTAR PUSTAKA

- Aggarwal, S., Ghilardi, N., Xie, M. H., De Sauvage, F. J., & Gurney, A. L. (2003). Interleukin-23 promotes a distinct CD4 T cell activation state characterized by the production of interleukin-17. *Journal of Biological Chemistry*, 278(3), 1910–1914. <https://doi.org/10.1074/jbc.M207577200>
- Aguirre, L., Arias,N ., Macarulla,M., Gracia, A.,Portillo M. 2011.Beneficial Effects of Quercetin on Obesity and Diabetes. *The Open Nutraceuticals Journal*, 4, 189-198
- Al-Akwa, A. A. Y., Zabara, A. Q. M. Q., Al-Shamahy, H. A., Al-labani, M. A., Al-Ghaffari, K. M., Al-Mortada, A. M., Al-Haddad, A. M., & Al-Sharani, A. A. (2020). Prevalence of *Staphylococcus aureus* in Dental Infections and the Occurrence of Mrsa in Isolates. *Universal Journal of Pharmaceutical Research*, 5(2), 23–27. <https://doi.org/10.22270/ujpr.v5i2.384>
- AlShwaimi, E., Berggreen, E., Furusho, H., Rossall, J. C., Dobeck, J., Yoganathan, S., Stashenko, P., & Sasaki, H. (2013). IL-17 Receptor A Signaling Is Protective in Infection-Stimulated Periapical Bone Destruction. *The Journal of Immunology*, 191(4), 1785–1791.<https://doi.org/10.4049/jimmunol.1202194>
- Amelia, R. (2016). Identifikasi Bakteri pada Gigi Nekrosis Disertai Absesb Periapikal.[Andalas University]. <http://scholar.unand.ac.id>
- Andrade, A. L. D. L. De, Nonaka, C. F. W., Gordón-Núñez, M. A., Freitas, R. D.A., & Galvão, H. C. (2013). Immunoexpression of interleukin 17, transforming growth factor  $\beta$  1, and forkhead box p3 in periapical granulomas, radicular cysts, and residual radicular cysts. *Journal of Endodontics*, 39(8), 990–994. <https://doi.org/10.1016/j.joen.2013.04.028>
- Aujla, S. J., Dubin, P. J., & Kolls, J. K. (2007). Th17 cells and mucosal host defense. *Seminars in Immunology*, 19(6), 377–382. <https://doi.org/10.1016/j.smim.2007.10. 009>
- Azuma, M. M., Gomes-Filho, J. E., Prieto, A. K. C., Samuel, R. O., de Lima, V. M. F., Sumida, D. H., Ervolino, E., & Cintra, L. T. A. (2017). Diabetes increases interleukin-17 levels in periapical, hepatic, and renal tissues in rats. *Archives of Oral Biology*, 83, 230–235. <https://doi.org/10.1016/j.archoralbio.2017.08.001>
- Azzahra, F., Arefadil Almalik, E., & Atkha Sari, A. (2019). Uji Aktivitas Antibakteri dari Ekstrak Etanol Daun Alpukat (*Persea americana* Mill.) Terhadap Bakteri *Salmonella typhi* dan *Staphylococcus aureus*. *Jurnal Kefarmasian Akfarindo*, 1–10. <https://doi.org/10.37089/jofar.v0i0.63>
- Balakrishnan, K., & Adams, L. E. (1995). *The Role of The Lymphocyte in An Immune Response Immunological Investigations*. 24, 233–244.
- Benetti, F., Gomes-Filho, J. E., Ferreira, L. L., Sivieri-Araujo, G., Ervolino, E., Briso, A., & Cintra, L. (2018). Concentration-dependent effect of bleaching agents on the immunolabelling of interleukin-6, interleukin-17 and positive cells in the dental pulp. *International Endodontic Journal*, 51(7), 789–799.



<https://doi.org/10.1111/iej.12891>

Berg, R. E., & Forman, J. (2006). The role of CD8 T cells in innate immunity and in antigen non-specific protection. *Current Opinion in Immunology*, 18(3), 338–343. <https://doi.org/10.1016/j.co.2006.03.010>

Beringer, A., Noack, M., & Miossec, P. (2016). IL-17 in Chronic Inflammation: From Discovery to Targeting. *Trends in Molecular Medicine*, 22(3), 230– 241. <https://doi.org/10.1016/j.molmed.2016.01. 001>

Berube, B. J., & Wardenburg, J. B. (2013). *Staphylococcus aureus* α-toxin: Nearly a century of intrigue. *Toxins*, 5(6), 1140–1166. <https://doi.org/10.3390/toxins5061140>

Boaventura-cui,Pompeii, C., Curi, R.(2005). Comparative toxicity of oleic acid and linoleic acid on Raji cells. *Nutrition* 21 (2005) 395-405

Buchner, N., Krumbein, A., Rohn, S., & Kroh, L. (2006). Effect of thermal processing on the flavonols rutin and quercetin. *Rapid Communications in Mass Spectrometry*, 20, 3229–3235. <https://doi.org/10.1002/rcm.2720>

Bureau, G., Longpre, H., & Martinoli, M. G. (2008). Resveratrol and Quercetin, Two Natural Polyphenols, Reduce Apoptotic Neuronal Cell Death Induced by Neuroinflammation.*Journal of Neuroscience Research*, 86, 40–410. <https://doi.org/10.1002/jnr.21503>

Chabaud, M., Durand, J. M., Buchs, N., Fossiez, F., Page, G., Frappart, L., & Miossec, P. (1999). Human interleukin-17: A T cell-derived proinflammatory cytokine produced by the rheumatoid synovium. *Arthritis and Rheumatism*, 42(5), 963–970. [https://doi.org/10.1002/1529-0131\(199905\)42:5<963::AID-ANR15>3.0.CO;2-E](https://doi.org/10.1002/1529-0131(199905)42:5<963::AID-ANR15>3.0.CO;2-E)

Chabaud, M., Garner, P., Dayer, J. M., Guerne, P. A., Fossiez, F., & Miossec, P. (2000). Contribution of interleukin 17 to synovium matrix destruction in rheumatoid arthritis. *Cytokine*, 12(7), 1092–1099. <https://doi.org/10.1006/cyto.2000.0681>

Chae, P., Im, M., Gibson, F., Jiang, Y., & Graves, D. T. (2002). Mice lacking monocyte chemoattractant protein 1 have enhanced susceptibility to an interstitial polymicrobial infection due to impaired monocyte recruitment. *Infection and Immunity*, 70(6), 3164–3169. <https://doi.org/10.1128/IAI.70.6.3164-3169.2002>

Chakravarti, A., Raquil, M. A., Tessier, P., & Poubelle, P. E. (2009). Surface RANKL of Toll-like receptor 4-stimulated human neutrophils activates osteoclastic bone resorption. *Blood*, 114(8), 1633–1644. <https://doi.org/10.1182/blood-2008-09-178301>

Chen, K., & Kolls, J. K. (2017). Interluekin-17A (IL17A). *Gene*, 614, 8–14. <https://doi.org/10.1016/j.gene.2017.01. 016>

Cintra, L. T. A., Samuel, R. O., Azuma, M. M., Ribeiro, C. P., Narciso, L. G., de Lima, V. M. F., Sumida, D. H., Coclete, G. A., Dezan-Júnior, E., & Gomes- Filho, J. E. (2014). Apical periodontitis and periodontal disease increase serum IL-17 levels in normoglycemic and diabetic rats. *Clinical Oral Investigations*, 18(9), 2123–2128.



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.1007/s00784-014-1192-7>

- Comalada, M., Camuesco, D., Sierra, S., Ballester, I., Xaus, J., Gálvez, J., & Zarzuelo, A. (2005). In vivo quercitrin anti-inflammatory effect involves release of quercetin, which inhibits inflammation through down-regulation of the NF-nB pathway. *European Journal of Immunology*, 35(2), 584–592. <https://doi.org/10.1002/eji.200425778>
- Cooper, M. D. (2015). The early history of B cells. *Nature Reviews Immunology*, 15(3), 191–197. <https://doi.org/10.1038/nri3801>
- Crotty, S., & Org, S. (2015). A brief history of T cell help to B cells A timeline of B cell help discoveries HHS Public Access. *Nat Rev Immunol*, 15(3), 185– 189. <https://doi.org/10.1038/nri3803.A>
- Cua, D., Tato, C., (2010) Innate IL-17-producing cells: the sentinels of the immune system. *Nat Rev Immunol* 10(7): 479–489. doi:[10.1038/nri2800](https://doi.org/10.1038/nri2800)
- Das, M., Abdullah, A. M. S., Zobayda, F. H., Nanda, B., Amrita, P., Md., M. M., Md., F. R. K., & Sukumar, S. (2019). Characterization of *Staphylococcus aureus* isolated from human dental infection. *African Journal of Microbiology Research*, 13(14), 273–278.<https://doi.org/10.5897/ajmr2019.9076>
- Day, A. J., Bao, Y., Morgan, M. R. A., & Williamson, G. (2000). Conjugation position of quercetin glucuronides and effect on biological activity. *Free Radical Biology and Medicine*, 29(12), 1234–1243.[https://doi.org/10.1016/S0891-5849\(00\)00416-0](https://doi.org/10.1016/S0891-5849(00)00416-0)
- Deurenberg, R. H., & Stobberingh, E. E. (2008). The evolution of *Staphylococcus aureus*. *Infection, Genetics and Evolution*, 8(6), 747–763<https://doi.org/10.1016/j.meegid.2008.07.007>
- Dona, R., Sulistyani, N., & Nurani, L. H. (2016). Uji sitotoksitas dan antiproliferaatif ekstrak etanol daun leunca (*Solanum Nigrum*L) terhadap sel raji. *Pharmaciana* <https://doi.org/10.12928/pharmaciana.v6i2.3506>
- Dueñas, M., González-Manzano, S., González-Paramás, A., & Santos-Buelga, C. (2010). Antioxidant evaluation of O-methylated metabolites of catechin, epicatechin and quercetin. *Journal of Pharmaceutical and Biomedical Analysis*, 51(2), 443–449. <https://doi.org/10.1016/j.jpba.2009.04.007>
- Fischer, C., Speth, V., Fleig-Eberenz, S., & Neuhaus, G. (1997). Induction of zygotic polyembryos in wheat: Influence of auxin polar transport. *Plant Cell*, 9(10), 1767–1780. <https://doi.org/10.1105/tpc.9.10.1767>
- Foksinski, M., Zarakowski, Gackowski, , Gajda, Hudy, Dorota., 2017. Profiles of a broad spectrum of epigenetic DNA modifications in normal and malignant human cell lines: Proliferation rate is not the major factor responsible for the 5-hydroxymethyl-20-deoxycytidine level in cultured cancerous cell lines.Plos One
- Fossiez, F., Djossou, O., Chomarat, P., Flores-Romo, L., Ait-Yahia, S., Maat, C., Pin, J., Garrone, P., Garcia, E., Saeland, S., Blanchard, D., Gaillard, C., Das Mahapatra, B., Rouvier, E., Golstein, P., Banchereau, J., & Lebecque, S. (1996). T cell interleukin-17 induces stromal cells to produce proinflammatory and hematopoietic cytokines. *Journal of Experimental Medicine*, 183(6), 2593–2603. <https://doi.org/10.1084/jem.183.6.2593>



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Foster, T. J., & Geoghegan, J. A. (2015). *Staphylococcus aureus*. In *Molecular Medical Microbiology: Second Edition* (Vols. 2–3). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-397169-2.00037-8>
- Gaffen, S. L., & Hajishengallis, G. (2008). A new inflammatory cytokine on the block: Re-thinking periodontal disease and the Th1/Th2 paradigm in the context of Th17 cells and IL-17. *Journal of Dental Research*, 87(9), 817– 828. <https://doi.org/10.1177/154405910808700908>
- Ganesan, S., Faris, A., Comstock, A., Wang, Q., Nanua, S., Hershenzon, M., Sajjan, U. 2012. Quercetin inhibits rhinovirus replication in vitro and in vivo. *Antiviral Research* 94 (2012) 258–271
- Ge, Y., Huang, M., & Yao, Y. M. (2020). Biology of Interleukin-17 and Its Pathophysiological Significance in Sepsis. *Frontiers in Immunology*, 11(July), 1–13. <https://doi.org/10.3389/fimmu.2020.01558>
- Geraets, L., Moonen, H. J. J., Brauers, K., Wouters, E. F. M., Bast, A., & Hageman, G. J. (2007). Dietary flavones and flavonoles are inhibitors of poly(ADP-ribose) polymerase-1 in pulmonary epithelial cells. *Journal of Nutrition*, 137(10), 2190–2195. <https://doi.org/10.1093/jn/137.10.2190>
- Gu, C., Wu, L., & Li, X. (2013). IL-17 family: Cytokines, receptors and signaling. *Cytokine*, 64(2), 477–485. <https://doi.org/10.1016/j.cyto.2013.07.022>
- Häkkinen, S. H., Kärenlampi, S. O., Heinonen, I. M., Mykkänen, H. M., & Törronen, A. R. (1999). Content of the flavonols quercetin, myricetin, and kaempferol in 25 edible berries. *Journal of Agricultural and Food Chemistry*, 47(6), 2274–2279. <https://doi.org/10.1021/jf9811065>
- Hennekinne JA, De Buyser ML, Dragacci S: *Staphylococcus aureus* and its food poisoning toxins: characterization and outbreak investigation. *FEMS Microbiol Rev* 2012,36:815-836.
- Henningsson, L., Jirholt, P., Lindholm, C., Enejung, T., Silverpil, E., Iwakura, Y., Linden, A., & Gjertsson, I. (2010). Interleukin-17A during local and systemic *Staphylococcus aureus*-induced arthritis in mice. *Infection and Immunity*, 78(9), 3783–3790. <https://doi.org/10.1128/IAI.00385-10>
- Henriques, L. C. F., De Brito, L. C. N., Tavares, W. L. F., Vieira, L. Q., & Ribeiro Sobrinho, A. P. (2011). Cytokine analysis in lesions refractory to endodontic treatment. *Journal of Endodontics*, 37(12), 1659–1662. <https://doi.org/10.1016/j.joen.2011.08.007>
- Hollman, P. 2004. Absorption, Bioavailability, and Metabolism of Flavonoids. *Pharmaceutical Biology* Vol. 42, Supplement, pp. 74–83
- Hou, L., Sasakj, H., & Stashenko, P. (2000). B-cell deficiency predisposes mice to disseminating anaerobic infections: Protection by passive antibody transfer. *Infection and Immunity*, 68(10), 5645–5651. <https://doi.org/10.1128/IAI.68.10.5645-5651.2000>
- Huang, R.-Y., Yu, Y.-L., Cheng, W.-C., OuYang, C.-N., Fu, E., & Chu, C.-L. (2010). Immunosuppressive Effect of Quercetin on Dendritic Cell Activation and



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Function. *The Journal of Immunology*, 184(12), 6815–6821.  
<https://doi.org/10.4049/jimmunol.0903991>
- Igual, M., García-Martínez, E., Camacho, M. M., & Martínez-Navarrete, N. (2011). Changes in flavonoid content of grapefruit juice caused by thermal treatment and storage. *Innovative Food Science and Emerging Technologies*, 12(2), 153–162.  
<https://doi.org/10.1016/j.ifset.2010.12.010>
- Inoshima, I., Inoshima, N., Wilke, G., Powers, M., Frank, K., Wang, Y., & Wredenburg, J. B. (2012). A *Staphylococcus aureus* Pore-Forming Toxin Subverts the Activity of ADAM10 to Cause Lethal Infection. *Nat Med*, 17(10), 1310–1314.  
<https://doi.org/10.1038/nm.2451>.
- Iwakura, Y., Ishigame, H., Saito, S., & Nakae, S. (2011). Functional Specialization of Interleukin-17 Family Members. *Immunity*, 34(2), 149–162.  
<https://doi.org/10.1016/j.immuni.2011.02.012>
- Kandere-Grzybowska, K., Kempuraj, D., Cao, J., Cetrulo, C. L., & Theoharides, T. C. (2006). Regulation of IL-1-induced selective IL-6 release from human mast cells and inhibition by quercetin. *British Journal of Pharmacology*, 148(2), 208–215.  
<https://doi.org/10.1038/sj.bjp.0706695>
- Kim, D.-H., Kim, S.-Y., Park, S.-Y., & Han, M. J. (1999). Metabolism of Quercitrin by Human Intestinal Bacteria and Its Relation to some Biological Activities. *Biology Pharmacies Bulletin*, 7(22), 749–751.
- Kim, J., Jordan, M. (2012). Diversity of IL-17-producing T lymphocytes. *Cell. Mol. Life Sci.*
- Kleemann, R., Verschuren, L., Morrison, M., Zadelaar, S., van Erk, M. J., Wielinga, P. Y., & Kooistra, T. (2011). Anti-inflammatory, anti-proliferative and anti-atherosclerotic effects of quercetin in human *in vitro* and *in vivo* models. *Atherosclerosis*, 218(1), 44–52.  
<https://doi.org/10.1016/j.atherosclerosis.2011.04.023>
- Koli, R., Erlund, I., Jula, A., Marniemi, J., Mattila, P., & Alftan, G. (2010). Bioavailability of various polyphenols from a diet containing moderate amounts of berries. *Journal of Agricultural and Food Chemistry*, 58(7), 3927–3932.  
<https://doi.org/10.1021/jf9024823>
- Kolls, J. K., & Lindén, A. (2004). Interleukin-17 family members and inflammation. *Immunity*, 21(4), 467–476.  
<https://doi.org/10.1016/j.immuni.2004.08.018>
- Kotake, S., Yago, T., Kawamoto, M., & Nanke, Y. (2012). Role of osteoclasts and interleukin-17 in the pathogenesis of rheumatoid arthritis: Crucial “human osteoclastology.” *Journal of Bone and Mineral Metabolism*, 30(2), 125–135.  
<https://doi.org/10.1007/s00774-011-0321-5>
- Kretschmer, D., Gleske, A.-K., Rautenberg, M., Wang, R., Köberle, M., Bohn, E., Schöneberg, T., Rabiet, M.-J., Boulay, F., Klebanoff, S. J., van Kessel, K. A., van Strijp, J. A., Otto, M., & Peschel, A. (2010). Human Formyl Peptide Receptor 2 (FPR2/ALX) Senses Highly Pathogenic *Staphylococcus aureus*. *Cell*



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

*Host Microbe*, 7(6), 463–473. <https://doi.org/10.1016/j.chom.2010.05.012>.Human

Kumari, A., Yadav, S. K., Pakade, Y. B., Singh, B., & Yadav, S. C. (2010). Development of biodegradable nanoparticles for delivery of quercetin. *Colloids and Surfaces B: Biointerfaces*, 80(2), 184–192. <https://doi.org/10.1016/j.colsurfb.2010.06.002>

Kuriyama, T., Williams, D. W., Yanagisawa, M., Iwahara, K., Shimizu, C., Nakagawa, K., Yamamoto, E., & Karasawa, T. (2007). Antimicrobial susceptibility of 800 anaerobic isolates from patients with dentoalveolar infection to 13 oral antibiotics. *Oral Microbiology and Immunology*, 22(4), 285–288. <https://doi.org/10.1111/j.1399-302X.2007.00365.x>

Laan, M., Cui, Z. H., Hoshino, H., Lötvall, J., Sjöstrand, M., Gruenert, D. C., Skoogh, B. E., & Lindén, A. (1999). Neutrophil recruitment by human IL-17 via C-X-C chemokine release in the airways. *Journal of Immunology (Baltimore, Md. : 1950)*, 162(4), 2347–2352. <http://www.ncbi.nlm.nih.gov/pubmed/9973514>

Lahrita, L. (2006). *Propagasi Sel Vero.Pdf*. Sanata Dharma Yogyakarta. LaRosa, D. F., & Orange, J. S. (2008). Lymphocytes. *Journal of Allergy and Clinical Immunology*, 121(2 SUPPL. 2), 364–369. <https://doi.org/10.1016/j.jaci.2007.06.016>

LaRosa, D., Orange, J. 2007. Lymphocytes. *J Allergy Clin Immunol*.(121):2  
Le Loir, Y., Baron, F., & Gautier, M. (2003). *Staphylococcus aureus* and food poisoning. *Genetics and Molecular Research. Genetics and Molecular Research*, 2(1), 63–76.

Lee, K. M., Hwang, M. K., Lee, D. E., Lee, K. W., & Lee, H. J. (2010). Protective effect of quercetin against arsenite-induced COX-2 expression by targeting PI3K in rat liver epithelial cells. *Journal of Agricultural and Food Chemistry*, 58(9), 5815–5820. <https://doi.org/10.1021/jf903698s>

Lekshmi, N. P., Viveka, S., Viswanathan, M. B., Mini Shobi, T., Jeeva, S., & Raja Brindha, J. (2015). High performance thin layer chromatography profile of quercetin in three cultivars of *Allium cepa* and its antimicrobial activity against bacterial cultures. *Asian Journal of Pharmaceutical and Clinical Research*, 8(3), 213–218.

Li,W.Li,N.(2019). Uji Sitotoksik dan Anti-Inflamasi Ekstrak Buah Bengkuang (*Pachyrizus erosus* (L.) Urb.) terhadap Sel RAW 264.7 yang Distimulasi Lipopolisakarida. 8(2):187-195

Liu, J., Li, X., Yue, Y., Li, J., He, T., & He, Y. (2005). The inhibitory effect of quercetin on IL-6 production by LPS-stimulated neutrophils. *Cellular & Molecular Immunology*, 2(6), 455–460.

Liu, C., Zhu, L., Fukuda, K. (2017). *The flavonoid cyanidin blocks binding of the cytokine interleukin-17A to the IL-17RA subunit to alleviate inflammation ivivo*.science signaling.vol 10

Lowy, F. (1998). Lowy1998. *The New England Journal of Medicine*, 339(8), 520–532.

Mahalakshmi, K., & Chandrasekaran, S. C. (2017). Frequency of *Staphylococcus*



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- aureus* in periodontal abscess. *Journal of Pharmacy and Biological Sciences*, 12(5), 27–28. <https://doi.org/10.9790/3008-1205052728>
- Manach, C., Scalbert, A., Morand, C., Rémy, C., & Jiménez, L. (2004). Polyphenols: Food sources and bioavailability. *American Journal of Clinical Nutrition*, 79(5), 727–747. <https://doi.org/10.1093/ajcn/79.5.727>
- Manjeet, R., & Ghosh, B. (1999). Quercetin inhibits LPS-induced nitric oxide and tumor necrosis factor- $\alpha$  production in murine macrophages. *International Journal of Immunopharmacology*, 21(7), 435–443. [https://doi.org/10.1016/S0192-0561\(99\)00024-7](https://doi.org/10.1016/S0192-0561(99)00024-7)
- Matsuzaki, G., & Umemura, M. (2007). Interleukin-17 as an effector molecule of innate and acquired immunity against infections. *Microbiology and Immunology*, 51(12), 1139–1147. <https://doi.org/10.1111/j.1348-0421.2007.tb04008.x>
- Matsuzaki, G., & Umemura, M. (2018). Interleukin-17 family cytokines in protective immunity against infections: role of hematopoietic cell-derived and non-hematopoietic cell-derived interleukin-17s. *Microbiology and Immunology*, 62(1), 1–13. <https://doi.org/10.1111/1348-0421.12560>
- Middleton, E. (1998). Effect of plant flavonoids on immune and inflammatory cell function. *Advances in Experimental Medicine and Biology*, 439, 175–182. [https://doi.org/10.1007/978-1-4615-5335-9\\_13](https://doi.org/10.1007/978-1-4615-5335-9_13)
- Miller, L. Cho, J. 2011. *Immunity against Staphylococcus aureus cutaneous infections*. *Nature Review*. (11):505-518
- Mohan, M., Thakral, A., & Bhat, S. K. (2012). Primary extranodal non-Hodgkin's lymphoma involving masseter and buccinator muscles. *International Journal of Oral and Maxillofacial Surgery*, 41(11), 1393–1396. <https://doi.org/10.1016/j.ijom.2011.09.025>
- Monin, L., & Gaffen, S. (2018). Interleukin 17 Family Cytokines: Signaling Mechanisms, Biological Activities, and Therapeutic Implications. *Cold Spring Harb Perspect Biol*, 34(22), 2815–2822.
- Moon, Y. J., Wang, L., DiCenzo, R., & Morris, M. E. (2008). Quercetin Pharmacokinetics in Humans. *Biopharmaceutics & Drug Disposition*, 29, 205–217. <https://doi.org/10.1002/bdd.605>
- Moskaug, J. Ø., Carlsen, H., Myhrstad, M., & Blomhoff, R. (2004). Molecular imaging of the biological effects of quercetin and quercetin-rich foods. *Mechanisms of Ageing and Development*, 125(4), 315–324. <https://doi.org/10.1016/j.mad.2004.01.007>
- Nabavi, S. F., Russo, G. L., Daglia, M., & Nabavi, S. M. (2015). Role of quercetin as an alternative for obesity treatment: You are what you eat! *Food Chemistry*, 179, 305–310. <https://doi.org/10.1016/j.foodchem.2015.02.006>
- Nair, M. P., Mahajan, S., Reynolds, J. L., Aalinkeel, R., Nair, H., Schwartz, S. A., & Kandaswami, C. (2006). The flavonoid quercetin inhibits proinflammatory cytokine (tumor necrosis factor alpha) gene expression in normal peripheral blood



- mononuclear cells via modulation of the NF- $\kappa$ B system. *Clinical and Vaccine Immunology*, 13(3), 319–328. <https://doi.org/10.1128/CVI.13.3.319-328.2006>
- Nirwana, A. (2015). Aktivitas Antiproliferasi Ekstrak Etanol Daun Benalu Kersen (*Dendrophoe pentandra L. Miq.*) terhadap Kultur Sel Kanker Nasofaring (*Raji Cell Line*). Skripsi. Universitas Sebelas Maret Surakarta.
- Nizet, V. (2007). Understanding how leading bacterial pathogens subvert innate immunity to reveal novel therapeutic targets. *Journal of Allergy and Clinical Immunology*, 120(1), 13–22. <https://doi.org/10.1016/j.jaci.2007.06.005>
- Oršolis, N., Knežević, A. H., Šver, L., Terzis, S., & Bašić, I. (2004). Immunomodulatory and antimetastatic action of propolis and related polyphenolic compounds. *Journal of Ethnopharmacology*, 94(2–3), 307–315. <https://doi.org/10.1016/j.jep.2004.06.006>
- Oseko, F., Yamamoto, T., Akamatsu, Y., Kanamura, N., Iwakura, Y., Imanishi, J., & Kita, M. (2009). IL-17 is involved in bone resorption in mouse periapical lesions. *Microbiology and Immunology*, 53(5), 287–294. <https://doi.org/10.1111/j.1348-0421.2009.00123.x>
- Otto, M. (2014). *Staphylococcus aureus* toxins. *Current Opinion in Microbiology*, 17(1), 32–37. <https://doi.org/10.1016/j.mib.2013.11.004>
- Philippi, C. K., Rados, P. V., Sant'ana Filho, M., Barbachan, J. J. D., & Quadros, O. F. de. (2003). Distribution of CD8 and CD20 lymphocytes in chronic periapical inflammatory lesions. *Brazilian Dental Journal*, 14(3), 182–186. <https://doi.org/10.1590/s0103-64402003000300008>
- Prastyianto, M. E., Rukmana, R. M., Saraswati, D. K., Darmawati, S., Maharani, E. T. W., & Tursinawati, Y. (2020). Anticancer potential of methanolic extracts from pleurotus species on raji cells and antibacterial activity against methicillin-resistant *Staphylococcus aureus*. *Biodiversitas*, 21(12), 5644–5649. <https://doi.org/10.13057/biodiv/d211221>
- Ranilla, L. G., Genovese, M. I., & Lajolo, F. M. (2009). Effect of different cooking conditions on phenolic compounds and antioxidant capacity of some selected Brazilian bean (*Phaseolus vulgaris* L.) cultivars. *Journal of Agricultural and Food Chemistry*, 57(13), 5734–5742. <https://doi.org/10.1021/jf900527v>
- Rattanachaikunsopon, P., & Phumkhachorn, P. (2010). Contents and antibacterial activity of flavonoids extracted from leaves of *Psidium guajava*. *Journal of Medicinal Plants Research*, 4(5), 393–396. <http://www.academicjournals.org/JMPR>
- Reader, C. M., Boniface, M., & Bujanda-Wagner, S. (1994). Refractory endodontic lesion associated with *Staphylococci aureus*. *Journal of Endodontics*, 20(12), 607–609. [https://doi.org/10.1016/S0099-2399\(06\)80087-7](https://doi.org/10.1016/S0099-2399(06)80087-7)
- Roescher, N., Tak, P. P., & Illei, G. G. (2009). Cytokines in sjögren's syndrome. *Oral Diseases*, 15(8), 519–526. <https://doi.org/10.1111/j.1601-0825.2009.01582.x>
- Rubió, L., Motilva, M. J., & Romero, M. P. (2013). Recent Advances in Biologically Active Compounds in Herbs and Spices: A Review of the Most Effective

Commented [AJ1]: Skripsi? Thesis? Disertasi?



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Antioxidant and Anti-Inflammatory Active Principles. *Critical Reviews in Food Science and Nutrition*, 53(9), 943–953. <https://doi.org/10.1080/10408398.2011.574802>
- Sah, S., Tirkey, N., Kuhad, A., & Chopra, K. (2011). Effect of quercetin on lipopolysaccharide induced-sickness behavior and oxidative stress in rats. *Indian Journal of Pharmacology*, 43(2), 192–196.  
<https://doi.org/10.4103/0253-7613.77365>
- Schroeter, H., Boyd, C., Spencer, J. P. E., Williams, R. J., Cadenas, E., & Rice-Evans, C. (2002). MAPK signaling in neurodegeneration: Influences of flavonoids and of nitric oxide. *Neurobiology of Aging*, 23(5), 861–880.  
[https://doi.org/10.1016/S0197-4580\(02\)00075-1](https://doi.org/10.1016/S0197-4580(02)00075-1)
- Sendi, P., & Proctor, R. A. (2009). *Staphylococcus aureus* as an intracellular pathogen: the role of small colony variants. *Trends in Microbiology*, 17(2), 54–58.  
<https://doi.org/10.1016/j.tim.2008.11.004>
- Setyani, N. (2012). *Jumlah Limfosit pada Mencit yang diberi Konsumsi Ekstrak Alkohol Daun Mimba dan diinduksi Ovalbumin* [universitas Jember]. <http://repository.unej.ac.id/handle/123456789/4114>
- Shan, B. E., Wang, M. X., & Li, R. Q. (2009). Quercetin inhibit human SW480 colon cancer growth in association with inhibition of cyclin D1 and survivin expression through Wnt/p-catenin signaling pathway. *Cancer Investigation*, 27(6), 604–612. <https://doi.org/10.1080/07357900802337191>
- Soemarie, Y. B. (2016). Aktivitas antiinflamasi kuersetin kulit bawang merah pada mencit jantan putih. *Jurnal Ilmiah Ibnu Sina*, 1(2):63-72
- Sudiono, J. (2014). Sistem Kekebalan Tubuh. In L. Juwono (Ed.), *Penerbit Buku Kedokteran EGC* (Issue June).
- Susanto, A. T. (2021). Optimasi Surfaktan pada Sediaan Antibakteri Nanoemulsi dengan Fase Minyak Olive Oil. Universitas Sanata Dharma Yogyakarta. <https://doi.org/10.1016/j.jfca.2019.103237>
- Sutton, C. E., Mielke, L. A., & Mills, K. H. G. (2012). IL-17-producing γδ T cells and innate lymphoid cells. *European Journal of Immunology*, 42(9), 2221–2231.  
<https://doi.org/10.1002/eji.201242569>
- Takahashi, K., Azuma, T., Motohira, H., Kinane, D. F., & Kitetsu, S. (2005). The potential role of interleukin-17 in the immunopathology of periodontal disease. *Journal of Clinical Periodontology*, 32(4), 369–374.  
<https://doi.org/10.1111/j.1600-051X.2005.00676.x>
- Tompkins, D. C., Hatcher, V. B., Patel, D., Orr, G. A., Higgins, L. L., & Lowy, F. (1990). A human endothelial cell membrane protein that binds *Staphylococcus aureus* in vitro. *Journal of Clinical Investigation*, 85(4), 1248–1254.  
<https://doi.org/10.1172/JCI114560>
- Toy, T., Lampus, B., Hutagalung, B. 2015.Uji Daya Hambat Ekstrak Rumput Laut *Gracilaria sp* terhadap Pertumbuhan Bakteri *Staphylococcus aureus*. Volume 3, Nomor 1, Januari-Juni 2015



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Van Bezooijen, R. L., Papapoulos, S. E., & Löwik, C. W. G. M. (2001). Effect of interleukin-17 on nitric oxide production and osteoclastic bone resorption: Is there dependency on nuclear factor-nB and receptor activator of nuclear factor nB (RANK)/RANK ligand signaling? *Bone*, 28(4), 378–386. [https://doi.org/10.1016/S8756-3282\(00\)00457-9](https://doi.org/10.1016/S8756-3282(00)00457-9)
- Vernal, R., Dutzan, N., Chaparro, A., Puente, J., Valenzuela, M. A., & Gamonal, J. (2005). Levels of interleukin-17 in gingival crevicular fluid and in supernatants of cellular cultures of gingival tissue from patients with chronic periodontitis. *Journal of Clinical Periodontology*, 32(4), 383–389. <https://doi.org/10.1111/j.1600-051X.2005.00684.x>
- Vesga, O., Groeschel, M. C., Otten, M. F., Brar, D. W., Vann, J. M., & Proctor, R. A. (1996). *Staphylococcus aureus* small colony variants are induced by the endothelial cell intracellular milieu. *Journal of Infectious Diseases*, 173(3), 739–742. <https://doi.org/10.1093/infdis/173.3.739>
- Walle, T. (2004). Absorption and metabolism of flavonoids. *Free Radical Biology and Medicine*, 36(7), 829–837. <https://doi.org/10.1016/j.freeradbiomed.2004.01.002>
- Wang, W., Sun, C., Mao, L., Ma, P., Liu, F., Yang, J., & Gao, Y. (2016). The biological activities, chemical stability, metabolism and delivery systems of quercetin: A review. *Trends in Food Science and Technology*, 56, 21–38. <https://doi.org/10.1016/j.tifs.2016.07.004>
- Weaver, C. T., Harrington, L. E., Mangan, P. R., Gavrieli, M., & Murphy, K. M. (2006). Th17: An Effector CD4 T Cell Lineage with Regulatory T Cell Ties. *Immunity*, 24(6), 677–688. <https://doi.org/10.1016/j.jimmuni.2006.06.002>
- Weklin, J., Jack, R., Dugaw, K., & Kapur, R. P. (2003). Quercetin, an Over-the-Counter Supplement, Causes Neuroblastoma-like Elevation of Plasma Homovanillic Acid. *Pediatric and Developmental Pathology*, 6(6), 547–551. <https://doi.org/10.1007/s10024-003-5061-7>
- Widhatiningsih, N. (2006). Aktivitas Sitotoksik ekstrak Kloroform Biji Rambutan terhadap Sel Raji. UNIVERSITAS ISLAM INDONESIA.
- Wulandari, A., Farida, Y., & Taurhesia, S. (2020). Perbandingan Aktivitas Ekstrak Daun Kelor Dan Teh Hijau Serta Kombinasi Sebagai Antibakteri Penyebab Jerawat. *Jurnal Fitofarmaka Indonesia*, 7(2), 23–29. <https://doi.org/10.33096/jffi.v7i2.535>
- Xiong, H., Wei, L., & Peng, B. (2009). Immunohistochemical Localization of IL-17 in Induced Rat Periapical Lesions. *Journal of Endodontics*, 35(2), 216–220. <https://doi.org/10.1016/j.joen.2008.10.022>
- Xiong, H., Wei, L., & Peng, B. (2019). The Presence and involvement of interleukin-17 in apical periodontitis. *International Endodontic Journal*, 52(8), 1128–1137. <https://doi.org/10.1111/iej.13112>
- Yang, S., Zhu, L., Xiao, L., Shen, Y., Wang, L., Peng, B., & Haapasalo, M. (2014). Imbalance of interleukin-17+ T-cell and Foxp3+ regulatory T-cell dynamics in rat periapical lesions. *Journal of Endodontics*, 40(1), 56–62.



UNIVERSITAS  
GADJAH MADA

## PENGARUH KUERSETIN TERHADAP PRODUKSI IL-17 A PADA SEL RAJI TERINDUKSI

*Staphylococcus aureus*

BINTANG CHARISMA P L, Dr. drg. Alma Linggar Jonarta, M.Kes., drg. Heribertus Dedy K Y, M. Biotech.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- [https://doi.org/10.1016/j.joen. 2013.09.033](https://doi.org/10.1016/j.joen.2013.09.033)
- Yoong, P., & Torres, V. J. (2013). The effects of *Staphylococcus aureus* leukotoxins on the host: Cell lysis and beyond. *Current Opinion in Microbiology*, 16(1), 63–69. <https://doi.org/10.1016/j.mib.2013.01.012>
- Yu, S., Min, H J., An, S Y., Won, H Y., Hong, J H., Hwang, S.(2008). Regulatory mechanisms of IL-2 and IFNg suppression by quercetin in T helper cells. *b i o c h e m i c a l pharmacology* 76 ( 20 0 8 ) 7 0 – 7 8
- Yunus, F. T., Suwondo, A., & Martini, M. (2020). Identifikasi Senyawa Garlsin dan Kuersetin sebagai Senyawa Antimikroba pada Sediaan Basah dan Kering Bawang Putih (*Allium sativum L.*). *Care : Jurnal Ilmiah Ilmu Kesehatan*, 8(2), 176. <https://doi.org/10.33366/jc.v8i2.1693>
- Yunita, E. Fatimah,S. Yulianto,D, Trikuncayyo,V. Khodijah,Z. 2019.potensi asam jawa (*Tamarindusindica L.*) sebagai alternatif anti inflamasi.Akfarindo. vol4(2): 42-50
- Zabadi, F. (2011). Daya Hambat Fraksi Semipolar Ekstrak Etanol Daun Benalu Mangga (*Dendrophthoe petandra (L.) Miq.*) Terhadap Pertumbuhan Escherichia coli serta Brine Shrimp Lethality Test. *UMS Repository*. <http://eprints.ums.ac.id/12696/>
- Zafrilla, P., Ferreres, F., & Tomas-Barberan, F. A. (2001). Effect of Processing and Storage on the Antioxidant Ellagic Acid.pdf. *J. Agric. Food Chem.*, 49(8), 3651–3655.