

DAFTAR PUSTAKA

- Achouri, I. E., Abatzoglou, N., Fauteux-lefebvre, C., & Braidy, N. (2013). Diesel steam reforming : Comparison of two nickel aluminate catalysts prepared by wet-impregnation and co-precipitation. *Catal. Today*, 207, 13-20.
- Ameen, M., Azizan, M. T., Ramli, A., Yusup, S., & Abdullah, B. (2020). The effect of metal loading over Ni/ γ -Al₂O₃ and Mo/ γ -Al₂O₃ catalysts on reaction routes of hydrodeoxygenation of rubber seed oil for green diesel production. *Catal. Today*, 355, 51-64.
- Anand, M., Sibi, M. G., Verma, D., & Sinha, A. (2014). Anomalous hydrocracking of triglycerides over CoMo-catalyst—influence of reaction intermediates. *J. Chem. Sci.*, 126(2), 473-480.
- Budiyanto, R., Donatus, Setyawan, & Andarini, N. (2018). AKTIVITAS DAN SELEKTIVITAS KATALIS Ni/H₅NZA TERHADAP HIDRORENGKAH METIL OLEATMENJADI SENYAWA HIDROKARBONFRAKSI PENDEK. *Jurnal Kimia Riset*, 3(1), 58-70.
- Cardoso, L. C., Almeida, F. C., Souza, G. K., Asanome, I. Y., & Pereira, N. C. (2019). Synthesis and optimization of ethyl esters from fish oil waste for biodiesel production. *Renew. Energ.*, 133, 743-748.
- Chang, F., Kuo, W., & Yang, H. (2005). Preparation of Cr₂O₃-promoted copper catalysts on rice husk ash by incipient wetness impregnation. *Applied Catalyst A: General*, 288, 53-61.
- Chen, R. C., & Wang, W. C. (2019). The production of renewable aviation fuel from waste cooking oil. Part I: Bio-alkane conversion through hydro processing of oil. *Renewable Energy*, 135, 819-835.
- Dik, P. P., Danilova, I. G., Golubev, I. S., Kazakov, M. O., Nadeina, K. A., Budukva, S. V., dkk. (2019). Hydrocracking of vacuum gas oil over NiMo/zeolite-Al₂O₃: Influence of zeolite properties. *Fuel*, 237, 178-190.
- Do, P. M., Foster, A. J., Chen, J., & Lobo, R. F. (2012). Bimetallic effects in the hydrodeoxygenation of meta-cresol on γ -Al₂O₃ supported Pt–Ni and Pt–Co catalyst. *Green Chem*, 14, 1388-1397.
- Galettia, A. E., Barroso, M. N., Monzón, A., & Abello, M. C. (2015). Synthesis of Nickel Nanoparticles Supported on Carbon Using a Filter Paper as Biomimetic Pattern for Application in Catalysis. *Mater. Res.*, 18(6), 1278-1283.
- Ginting, R. V., Trisunaryanti, W., & Armunanto, R. (2017). Hidrorengkah Alfa-Selulosa menggunakan Katalis Mordenit dan Co/MOR serta Studi Kinetika

Pembentukan Produk Cair. *Skripsi*, Departemen FMIPA, Universitas Gadjah Mada, Yogyakarta.

- Hapsari, M. T., Trisunaryanti, W., Falah, I. I., & Permata, M. L. (2020). Coating of Pd and Co on Mordenite for a Catalyst of Hydrotreating of Cashew Nut Shell Liquid into Biofuel. *Indones. J. Chem.*, 20(5), 1092-1100.
- Hidayu, A. R., Mohamad, N. F., Matali, S., & Sharifah, A. K. (2013). Characterization of activated carbon prepared from oil palm empty fruit bunch using BET and FT-IR techniques. *Procedia Engineering*, 68, 379-384.
- Huyen, P. T., Nam, L. T., Vinh, T. Q., Martinez, C., & Parvulescu, V. I. (2018). ZSM-5/SBA-15 versus Al-SBA-15 as Support for the hydrocracking/hydroisomerization of alkanes. *Catal. Today*, 306, 121-127.
- Iwamoto, R., Kagami, N., Sakoda, Y., & Iino, A. (2005). Effect of Polyethylene Glycol Addition on NiO-MoO₃/Al₂O₃ and NiO-MoO₃-P₂O₅/Al₂O₃ Hydrodesulfurization Catalyst. *J. Jpn. Petrol. Inst.*, 48(6), 351-357.
- Iwanow, M., Gärtner, T., Sieber, V., & König, B. (2020). Activated carbon as catalyst support: precursors, preparation, modification and characterization. *Beilstein. J. Org. Chem.*, 16, 1188-1202.
- Kataria, J., Mohapatra, S. K., & Kundu, K. (2019). Biodiesel production from waste cooking oil using heterogeneous catalysts and its operational characteristics on variable compression ratio CI engine. *J. Energy Inst.*, 92, 275-287.
- Kim, K., & Lee, Y. (2019). Active phase of dispersed MoS₂ catalysts for slurry phase hydrocracking of vacuum residue. *J. Catal.*, 369, 111-121.
- Kusumastuti, H., Trisunaryanti, W., Falah, I. I., & Marsuki, M. F. (2018). Synthesis of mesoporous silica-alumina from lapindo mud as a support of Ni and Mo metals catalysts for hydrocracking of pyrolyzed α -cellulose. *Rasayan. J. Chem*, 11(2), 522-530.
- Li, J., Tian, W.-P., & Shi, L. (2011). Highly Active and Selective Nickel-Platinum Catalyst for the Low Temperature Hydrogenation of Maleic Anhydride to Succinic Anhydride and Synthesis of Succinic Acid at 40 C. *Catal. Lett.*, 141, 565-571.
- Majka, M., Tomaszeicz, G., & Mianowski, A. (2017). Experimental study on the coal tar hydrocracking process over different catalysts. *J. Energy Inst.*, 91(6), 1164-1176.
- Meller, E., Gutkin, V., Aizenshtat, Z., & Sasson, Y. (2016). Catalytic Hydrocracking -Hydrogenation of Castor Oil Fatty Acid Methyl Esters over

- Nickel Substituted Polyoxometalate Catalyst. *Chemistry Select*, 1, 6396-6405.
- Mirzayanti, Y. W., Kurniawansyah, F., Prajitno, D. H., & Roesyadi, A. (2018). Zn-Mo/HZSM catalyst for gasoil range hydrocarbon production by catalytic hydrocracking of Ceiba pentandra oil. *Bull. Chem. React. Eng. Catal*, 13(1), 136-143.
- Mohadesi, M., Aghel, B., Maleki, M., & Ansari, A. (2019). Production of biodiesel from waste cooking oil using a homogeneous catalyst: Study of semi-industrial pilot of microreactor. *Renew. Energ.*, 136, 490-515.
- Mohammadi, M., Najafpour, G. D., & Mohamed, A. R. (2011). PRODUCTION OF CARBON MOLECULAR SIEVES FROM PALM SHELL THROUGH CARBON DEPOSITION FROM METHANE. *Chemical Industry & Chemical Engineering Quarterly*, 17(4), 525-533.
- Muderawan, I. W., & Daiwataningsih, N. K. (2016). PEMBUATAN BIODIESEL DARI MINYAK NYAMPLUNG. *Prosiding Seminar Nasional MIPA*, 324-331.
- Munir, D., Irfan, M. F., & Usman, M. R. (2018). Hydrocracking of virgin and waste plastics: A detailed review. *Renew. Sust. Energ. Rev*, 90, 490-515.
- Musta, R., Haetami, A., & Salmawati, M. (2017). Biodiesel Hasil Transesterifikasi Minyak Biji Nyamplung (*Calophyllum inophyllum*) Dengan Metanol. *Ind. J. Chem. Res.*, 4(2), 394-401.
- Nugrahaningtyas, K. D., Trisunaryanti, W., Triyono, Nuryono, N., Widjonarko, D. M., Yusnani, A., dkk. (2010). Preparation and characterization the non-sulfided metal catalyst: Ni/USY and NiMo/USY. *Indones. J. Chem*, 9, 177-183.
- Ong, H., Mahlia, T., Masjuki, H., & Norhasyima, R. (2011). Comparison of palm oil, *Jatropha curcas* and *Calophyllum inophyllum* for biodiesel: A review. *Renewable and Sustainable Energy Reviews*, 15(8), 3501-3515.
- Ooi, X. Y., Gao, W., Ong, C. H., Lee, H. V., Juan, J. C., Chen, W. H., dkk. (2019). Overview on catalytic deoxygenation for biofuel synthesis using metal oxide supported catalysts. *Renew. Sust. Energ. Rev*, 112, 834-852.
- Peng, H., Min, L., & Qiu-lian, C. (2020). MoO₃/Al-SBA-15 modified catalyst and its application in coal tar hydrocracking. *J. Fuel Chem. Technol*, 48(9), 1079-7086.
- Permata, M. L., Trisunaryanti, W., Falah, I. I., Hapsari, M. T., & Fatmawati, D. A. (2020). The effect of nickel content impregnated on zeolite toward catalytic

activity and selectivity for hydrotreating of cashew nut shell liquid oil. *Rasayan. J. Chem*, 13(1), 772-779.

Pongsedana, M., Trisunaryanti, W., Artanti, F. W., Falah, I. I., & Sutarno. (2017). Hydrocracking of waste lubricant into gasoline fraction over CoMo supported on mesoporous carbon from bovine bone gelatin. *Korean J. Chem*, 34, 2591-2596.

Prasiwi, A. D., Trisunaryanti, W., Triyono, Falah, I. I., Santi, D., & Marsuki, M. F. (2019). Synthesis of Mesoporous Carbon from Merbau Wood (*Intsia* spp.) by Microwave Method as Ni Catalyst Support for α -Cellulose Hydrocracking. *Indones. J. Chem.*, 19(3), 575-582.

Rasyid, R., Prihartantyo, A., Mahfud, & Roesyadi, A. (2015). Hydrocracking of Nyamplung Oil (*Calophyllum inophyllum* oil) Using CoMo/ γ -Al₂O₃ and CoMo/SiO₂ Catalysts. *Modern Applied Science*, 9(7), 43-47.

Regali, F., Paris, R. S., Aho, A., Boutonnet, M., & Jaras, S. (2013). Deactivation of a Pt/Silica–Alumina Catalyst and Effect on Selectivity in the Hydrocracking of n-Hexadecane. *Top. Catal.*, 56, 594-601.

Rio, E., Gaona, D., Hernandez-Garrido, J. C., Calvino, J. J., Basallote, M. G., Fernandez-Trujillo, M. J., dkk. (2014). Speciation-controlled incipient wetness impregnation: A rational synthetic approach to prepare sub-nanosized and highly active ceria-zirconia supported gold catalyst. *J. Catal*, 318, 119-127.

Rosdiansono, & Trisunaryanti, W. (2005). Activity test and regeneration of Ni/Mo/Z catalyst for hydrocracking waste plastic fraction to gasoline fraction. *Indones. J. Chem*, 5(3), 261-268.

Sahar, Sadaf, S., Iqbal, J., Ullah, I., Bhatti, H. N., Nouren, S., dkk. (2018). Biodiesel production from waste cooking oil : An efficient technique to convert waste into biodiesel. *Sustain. Cities. Soc*, 41, 220226.

Sari, D. K., Sundaryono, A., & Handayani, D. (2017). Uji BIOFUEL HASIL PERENKAHAN METIL ESTER DARI LIMBAH CAIR PABRIK MINYAK KELAPA SAWIT DENGAN KATALIS MoNi/HZ. *Jurnal Pendidikan dan Ilmu Kimia*, 1(2), 127-131.

Shamsuddin, M. S., Yusoff, N. N., & Sulaiman, M. A. (2016). Synthesis and characterization of activated carbon produced from kenaf core fiber using H₃PO₄ activation. *Procedia Chemistry*, 19, 558-565.

Siswodiharjo. (2006). Reaksi hidreregang katalis Ni/zeolit, Mo/zeolit, NiMo/zeolit terhadap parafin. *Skripsi*, 1-75.

- Srivasta, R. K., Shetti, N. P., Reddy, K. R., & Aminabhavi, T. M. (2020). Biofuels, biodiesel, and biohydrogen production using bioprocesses. A review. *Environ. Chem. Lett*, 18, 1049-1072.
- Sugianto, D. J., Wijaya, K., & Tahir, I. (2014). Karakterisasi dan aplikasi katalis nikel-molibdenum teremban pada zeolit alam aktif untuk hidrorengkah tir batubara. *J. Nat. Indones*, 16(1), 10-22.
- Sumbogo, S. D. (2019). Sintesis hireraki karbon aktif dari kayu merbabu Manokwari untuk pengemban logam Co, Ni, dan Pd sebagai katalis hidrorengkah minyak biji nyamplung menjadi fraksi bensin dan solar. *Skripsi*, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam UGM, Yogyakarta.
- Suseno, A., Wijaya, K., & Roto. (2018). Synthesis and Characterization of Ni-Cu Doped Zirconia-Pillared Bentonite. *Oriental Journal of Chemistry*, 34, 1427-1431.
- Trisunaryanti, W. (2015). *Material Katalis dan Karakterisasinya*. Yogyakarta: Gadjah Mada University Press.
- Trisunaryanti, W., Larasati, S., Bahri, S., Ni'mah, Y. L., Efiyanti, L., Amri, K., dkk. (2020). Performance comparison of Ni-Fe loaded on NH₂-functionalized mesoporous silica and beach sand in the hydrotreatment of waste palm cooking oil. *J. Environ. Chem. Eng*, 8(6), 104477.
- Trisunaryanti, W., Sumbogo, S. D., Novianti, S. A., Fatmawati, D. A., Ulfa, M., & Nikmah, Y. L. (2021). ZnO-Activated Carbon Blended as a Catalyst for Oxidative Desulfurization of Dibenzothiophene. *Bulletin of Chemical Reaction Engineering & Catalysis*, 16(4), 881-887.
- Trisunaryanti, W., Triyono, & Fatmawati, D. A. (2020). Synthesis of Co-NH₂/Mesoporous Silica Bifunctional catalyst using Sidoarjo mud and bovine gelatin template for conversion of used cooking oil into biofuel. *Rasayan J. Chem*, 13(1), 723-732.
- Trisunaryanti, W., Triyono, Armunanto, R., Hastuti, L. P., Ristiana, D. D., & Ginting, V. R. (2018). Hydrocracking of α -Cellulose Using Co, Ni, and Pd Supported on Mordenite Catalysts. *Indones. J. Chem*, 18(1), 166-172.
- Trisunaryanti, W., Triyono, Rizki, C. N., Saptoadi, H., Alimuddin, Z., Syamsiro, M., dkk. (2013). Characteristics of Metal Supported-Zeolite Catalysts for Hydrocracking of Polyethylene Terephthalat. *IOSR Journal of Applied Chemistry*, 3(4), 29-34.
- Upare, D. P., Park, S., Kim, M. S., Jeon, Y. P., Kim, J., Lee, D., dkk. (2017). Selective hydrocracking of pyrolysis fuel oil into benzene, toluene and

xylene over CoMo/beta zeolite catalyst. *Journal of Industrial and Engineering Chemistry*, 46, 356-363.

Upare, P., Park, S., Kim, S., Kim, J., Lee, D., Lee, J., dkk. (2016). Cobalt promoted mo/beta zeolite for selective hydrocracking of tetralin and pyrolysis fuel oil into monocyclic aromatic hydrocarbons. *J. Ind. Eng. Chem.*, 35, 99-107.

Utomo, S. (2014). Pengaruh waktu aktivasi dan ukuran partikel terhadap daya serap karbon aktif dari kulit singkong dengan aktivator NaOH. *Seminar Nasional Sains dan Teknologi*, Jakarta.

Viet, T. T., Lee, J. H., Ma, F., Kim, G. R., Ahn, I. S., & Lee, C. H. (2013). Hydrocracking of petroleum vacuum residue with activated carbon and metal additives in a supercritical m-xylene solvent. *Fuel*, 103, 553-561.

Xie, X., Zhang, T., Wang, L., & Huang, Z. (2017). Regional water footprints of potential biofuel production in China. *Biotechnol. Biofuels*, 10(95), 1-15.

Yamanaka, N., & Shimazu, S. (2022). Selective Hydrogenation Properties of Ni-Based Bimetallic Catalysts. *Eng*, 3, 60-77.

Zhao, J., Chen, W., Zheng, Y., Li, X., & Xu, Z. (2006). Microwave polyol synthesis of Pt/C catalysts with size-controlled Pt particles for methanol electrocatalytic oxidation. *J. Mater. Sci.*, 41(17), 5514-5518.

Zielinski, M., Wojcieszak, R., Monteverdi, S., Mercy, M., & Bettahar, M. M. (2007). Hydrogen storage in nickel catalysts supported on activated carbon. *International Journal of Hydrogen Energy*, 32, 1024-1032.