



DAFTAR PUSTAKA

- Abdollahi, M., Alboofetileh, M., Behrooz, R., Rezaei, M., dan Miraki, R. (2013). Reducing water sensitivity of alginate bio-nanocomposite film using cellulose nanoparticles. *International Journal of Biological Macromolecule*, 54, 166-173. <https://doi.org/10.1016/j.ijbiomac.2012.12.016>
- Abdulkhani, A., Hosseinzadeh, J., Dadashi, S., dan Mousavi, M. (2015). A study of morphological, thermal, mechanical and barrier properties of PLA based biocomposites prepared with micro and nano sized cellulosic fibers. *Cellulose Chemistry and Technology*, 49(7-8), 597-605.
- Abolhasani, M.M., Arefazar, A. dan Mozdianfard, M. (2009). Effect of dispersed phase composition on morphological and mechanical properties of PET/EVA/PP ternary blends. *Journal of Polymer Science Part B: Polymer Physics*, 48(3), 251-259. <https://doi.org/10.1002/polb.21857>
- Abral, H., Lawrensus, V., Handayani, D., dan Sugiarti, E. (2018a). Preparation of nano-sized particles from bacterial cellulose using ultrasonication and their characterization. *Carbohydrate Polymers*, 191, 161-167. <https://doi.org/10.1016/j.carbpol.2018.03.026>
- Abral, H., Hartono, A., Hafizulhaq, F., Handayani, D., Sugiarti, E., dan Golim, O. (2018b). Characterization of PVA/cassava starch biocomposites fabricated with and without sonication using bacterial cellulose fiber loadings. *Carbohydrate Polymers*, 206. DOI: 10.1016/j.carbpol.2018.11.054.
- Abral, H., Atmajaya, A., Mahardika, M., Hafizulhaq, F., Kadriadia, Handayani, D., Sapuan, S.M., dan Ilyas. R.A. (2020). Effect of ultrasonication duration of polyvinyl alcohol (PVA) gel on characterizations of PVA film. *Journal of Materials Research dan Technology*, 9(2), 2477-2486. <https://doi.org/10.1016/j.jmrt.2019.12.078>
- Agoda-Tandjawa, G., Sylvie, D., Bérot, S., Blassel, C., Gaillard, C., Garnier, C., dan Doublier, J. (2010). Rheological characterization of microfibrillated cellulose suspensions after freezing. *Carbohydrate Polymers*, 80, 677-686. DOI: 10.1016/j.carbpol.2009.11.045.
- Al-Hassan, A. dan Norziah, M. (2012). Starch-gelatin edible films, water vapor permeability dan mechanical properties as affected by plasticizers. *Food Hydrocolloids*, 26(1), 108-117.
- Ali, R.R., Rahman, W.A., Kasmainsi, R.M., Ibrahim, N., Hasbullah, H., Sadikin, A.N., Asli, U.A., dan Abouzari, E. (2017). Pineapple peel fibre biocomposite: characterisation and biodegradation studies. *Chemical Engineering Transactions*, 56, 1333-1338. <https://doi.org/10.3303/CET1756223>
- American Society for Testing and Materials. (1995). ASTM E 96 - 95. Standard Test Method for Water Vapor Transmissions for Materials. ASTM International, West Conshohocken, PA, USA.



- American Society for Testing and Materials. (2002). ASTM D 882 – 02. Standard Test Method for Tensile Properties of Thin Plastic Sheeting. ASTM International, West Conshohocken, PA, USA.
- Andrade, F.K., Morais, J.P.S., Muniz, C.R., Nascimento, J.H.O., Vieira, R.S., Gama, F.M.P., dan Rosa, M.F. (2019). Stable microfluidized bacterial cellulose suspension. *Cellulose*, 26, 5851–5864. <https://doi.org/10.1007/s10570-019-02512-y>
- Arrieta, M.P., Fortunati, E., Burgos, N., Peltzer, M.A., López, J., dan Peponi, L. (2016). Nanocellulose-based polymeric blends for food packaging applications. *Dalam: Puglia, D., Fortunati, E., dan Kenny, J. Multifunctional Polymeric Nanocomposites Based on Cellulosic Reinforcements*, hal 205–252. William Andrew Publishing, Oxford, UK.
- Asrofi, M., Abral, H., Putra, Y.K., Sapuan, S.M., dan Kim, H.J. (2018). Effect of duration of sonication during gelatinization on properties of tapioca starch water hyacinth fiber biocomposite. *International Journal of Biological Macromolecule*, 108, 167–176. <http://dx.doi.org/10.1016/j.ijbiomac.2017.11.165>.
- Atef, M., Rezaei, M., dan Behrooz, R. (2015). Characterization of physical, mechanical and antibacterial properties of agar-cellulose bionanocomposite films incorporated with savory essential oil. *Food Hydrocolloids*, 45, 150-157. <https://doi.org/10.1016/j.foodhyd.2014.09.037>
- Atiemo-Obeng, V.A., dan Calabrese, R. (2004). Rotor-stator mixing devices. *Dalam: Paul, E.L., Atiemo-Obeng, V.A. dan Kresta, S.M. (ed.). Handbook of Industrial Mixing*, hal 479–505. Wiley, Hoboken, New Jersey.
- Atykyan, N., Revin, V., dan Shutova, V. (2020). Raman and FT-IR Spectroscopy investigation the cellulose structural differences from bacteria *Gluconacetobacter sucrofermentans* during the different regimes of cultivation on a molasses media. *AMB Express*, 10, 84. <https://doi.org/10.1186/s13568-020-01020-8>
- Auta, R., Adamus, G., Kwiecien, M., Radecka, I., dan Hooley, P. (2017). Production and characterization of bacterial cellulose before and after enzymatic hydrolysis. *African Journal of Biotechnology*, 16(10), 470-482. DOI: 10.5897/AJB2016.15486
- Ballesteros-Mártinez, L., Pérez-Cervera, C., dan Andrade-Pizarro, R. (2020). Effect of glycerol dan sorbitol concentrations on mechanical, optical, and barrier properties of sweet potato starch film. *NFS Journal*, 20, 1-9. <https://doi.org/10.1016/j.nfs.2020.06.002>
- Bandyopadhyay, S., Saha, N., Brodnjak, U. V., dan Saha, P. (2018). Bacterial cellulose based greener packaging material: A bioadhesive polymeric film. *Materials Research Express*, 5(11), 115405. doi:10.1088/2053-1591/aadb01
- Baron, R.D., Pérez, L.L., Salcedo, J.M., Córdoba, L.P., dan Sobral, P.J. (2017). Production and characterization of films based on blends of chitosan from blue crab (*Callinectes sapidus*) waste and pectin from Orange (*Citrus*



- sinensis* Osbeck) peel. *International Journal of Biological Macromolecules*, 98, 676-683. doi: 10.1016/j.ijbiomac.2017.02.004.
- Barud, H.S., Ribeiro, C., Crespi1, M.S., Martines, M.A.U., Dexpert-Ghys, J., Marques, R.F.C., Messaddeq, Y., dan Ribeiro, S.J.L. (2007). Thermal characterization of bacterial cellulose – phosphate composite membranes. *Journal of Thermal Analysis and Calorimetry*, 87(3), 815-818. DOI: 10.1007/s10973-006-8170-5.
- Barud, H.S., Ribeiro, S.J.L., Carone, C.L.P., Ligabue, R., Einloft, S., Queiroz, P.V.S., Borges, A.P.B., dan Jano, V.D. (2013). Optically transparent membrane based on bacterial cellulose/polycaprolactone. *Polimeros*, 23(1), 135-138. DOI: 10.1590/S0104-14282013005000018
- Barud, H.G.O., Barud, H.S., Cavicchioli, M., do Amaral, T.S., Junior, O.B.d.O., Santos, D.M., dan Ribeiro, S.J.L. (2015). Preparation and characterization of a bacterial cellulose/silk fibroin sponge scaffold for tissue regeneration. *Carbohydrate Polymer*, 128, 41–51. <https://doi.org/10.1016/j.carbpol.2015.04.007>
- Bedane, A. H., Eic, M., Farmahini-Farahani, M., dan Xiao, H. (2015). Water vapor transport properties of regenerated cellulose and nanofibrillated cellulose films. *Journal of Membrane Science*, 493, 46–57. <https://doi.org/10.1016/j.memsci.2015.06.009>
- Bella, F.R., Widiyanti, P., dan Aminatun. (2020). The effect of glycerol concentration on biocomposite bacterial cellulose-chitosan characterization as dura mater artificial. *Journal of Biomimetics, Biomaterial and Biomedical Engineering*, 45, 40-48. doi:10.4028/www.scientific.net/JBBBE.45.40.
- Bertuzzi, M.A., Armada, M., dan Gottifredi, Jc. (2007). Physicochemical characterization of starch based films. *Journal of Food Engineering*, 82(1), 17-25.
- Bopp, A. F. (2019). The evolution of food preservation and packaging. Dalam: *Chemistry's role in food production and sustainability: Past and present* (pp. 211–228). American Chemical Society. <https://doi.org/10.1021/bk-2019-1314.ch015>.
- Bradley, E.L. (2010). Biobased materials used in food contact applications: an assessment of the migration potential. The Food and Environment Research Agency, Sand Hutton.
- Cacicedo, M. L., Islan, G. A., Drachemberg, M. F., Alvarez, V., Bartel, L., Bolzan, A., dan Castro, G. R. (2018). Hybrid bacterial cellulose – pectin films for delivery of bioactive molecules. *New Journal of Chemistry*, 42(9), 7457-7467. DOI: 10.1039/C7NJ03973E.
- Cai, Z., Chen, P., Jin, H., dan Kim, J. (2009). The effect of chitosan content on the crystallinity, thermal stability, and mechanical properties of bacterial cellulose-chitosan composites. *Proceedings of the Institution of Mechanical Engineers, Part C, Journal of Mechanical Engineering Science*, 223, 2225-2230. <https://doi.org/10.1243/09544062JMES1480>.
- Cai, Z., dan Kim, J. (2010). Preparation and characterization of novel bacterial cellulose/gelatin scaffold for tissue regeneration using bacterial cellulose



- hydrogel. *Journal of Nanotechnology in Engineering and Medicine*, 1(2), 021002. DOI:10.1115/1.4000858
- Cao, N., Yang, X., dan Fu, Y. (2009). Effects of various plasticizers on mechanical and water vapor barrier properties of gelatin films. *Food Hydrocolloids*, 23(3), 729–35.
- Cazon, P., Velazquez, G., Ramirez, J.A., dan Vazquez, M. (2017). Polysaccharide-based films and coatings for food packaging: A review. *Food Hydrocolloids*, 68, 136-148.
- Cazon, P., Gonzalo, V., Manuel, V. (2019). Characterization of bacterial cellulose films combined with chitosan and polyvinyl alcohol: Evaluation of mechanical and barrier properties. *Carbohydrate Polymers*, 216, 72-85. DOI: 10.1016/j.carbpol.2019.03.093
- Cazon, P., Velazquez, G., dan Vazquez, M. (2020). Characterization of mechanical dan barrier properties of bacterial cellulose, glycerol and polyvinyl alcohol (PVOH) composite films with eco-friendly UV protective properties. *Food Hydrocolloids*, 99, 105323. DOI: 10.1016/j.foodhyd.2019.105323
- Cazon, P., dan Vazquez, M. (2021). Bacterial cellulose as a biodegradable food packaging material: a review. *Food Hydrocolloids*, 113, 106530. DOI: 10.1016/j.foodhyd.2020.106530
- Chen, J.P. dan Chiang, Y. (2010). Bioactive electrospun silver nanoparticles-containing polyurethane nanofibers as wound dressings. *Journal of Nanoscience and Nanotechnology*, 10, 7560-7564. DOI: 10.1166/jnn.2010.2829
- Chen, P., Yu, H., Liu, Y., Chen, W., Wang, X., dan Ouyang, M. (2013). Concentration effects on the isolation and dynamic rheological behavior of cellulose nanofibers via ultrasonic processing. *Cellulose*, 20(1), 149–157. DOI:10.1007/s10570-012-9829-7
- Chen, W., Yu, H., Liu, Y., Chen, P., Zhang, M., dan Hai, Y. (2011). Individualization of cellulose nanofibers from wood using high-intensity ultrasonication combined with chemical pretreatments. *Carbohydrate Polymers*, 83, 1804–1811. DOI: 10.1016/j.carbpol.2010.10.040
- Cheng, K.-C., Catchmark, J. M., dan Demirci, A. (2009). Effect of different additives on bacterial cellulose production by *Acetobacter xylinum* and analysis of material property. *Cellulose*, 16(6), 1033–1045. doi:10.1007/s10570-009-9346-5
- Cheng, K.-C., Catchmark, J.M., dan Demirci, A. (2011). Effects of CMC addition on bacterial cellulose production in a biofilm reactor and its paper sheets analysis. *Biomacromolecules*, 12(3), 730-6. DOI: 10.1021/bm101363t.
- Chiaoprakobkij, N., Sanchavanakit, N., Subbalekha, K., Pavasant, P., dan Phisalaphong, M. (2011). Characterization and biocompatibility of bacterial cellulose/alginate composite sponges with human keratinocytes and gingival fibroblasts *Carbohydrate polymers*, 85(3), 548-553. DOI: 10.1016/j.carbpol.2011.03.011.
- Chiaoprakobkij, N., Seetabhawang, S., Sanchavanakit, N., dan Phisalaphong, M. (2019). Fabrication and characterization of novel bacterial



- cellulose/alginate/gelatin biocomposite film. *Journal of Biomaterials Science, Polymer Edition*, 30(11), 961-982. DOI: 10.1080/09205063.2019.1613292
- Choi, J.S., dan Park, W.H. (2004). Effect of biodegradable plasticizers on thermal and mechanical properties of poly(3-hydroxybutyrate). *Polymer Testing*, 23(4), 455–60. DOI: 10.1016/j.polymertesting.2003.09.005
- Cielecka, I., Szustak, M., Kalinowska, H., Gendaszewska-Darmach, E., Rynagajłło, M., Maniukiewicz, W., dan Bielecki, S. (2019). Glycerol-plasticized bacterial nanocellulose-based composites with enhanced flexibility and liquid sorption capacity. *Cellulose*, 26, 5409-5426. <https://doi.org/10.1007/s10570-019-02501-1>.
- Cofelice, M., Cuomo, F., dan Chiralt, A. (2019). Alginat Films Encapsulating Lemongrass Essential Oil as Affected by Spray Calcium Application. *Colloids Interfaces*, 3, 58, doi:10.3390/colloids3030058
- Cravotto, G., dan Cintas, P. (2007). Forcing and controlling chemical reactions with ultrasound. *Angewandte Chemie International Edition*, 46(29), 5476-5478. DOI: 10.1002/anie.200701567
- Csiszar, E., Kalic, P., Kobol, A., dan Ferreira, E.P. (2016). The effect of low frequency ultrasound on the production and properties of nanocrystalline cellulose suspensions and film. *Ultrasonics Sonochemistry*, 31, 473-480. DOI: 10.1016/j.ultsonch.2016.01.028
- Cuq, B., Gontard, N., Cuq, J., dan Guilbert, S. (1997). Selected functional properties of fish myofibrillar protein-based films as affected by hydrophilic plasticizers. *Journal of Agricultural and Food Chemistry*, 45(3), 622–6. DOI: 10.1021/jf960352i
- Czaja, W., Romanovicz, D. dan Brown, R. M. (2004). Structural investigations of microbial cellulose produced in stationary and agitated culture. *Cellulose*, 11, 403–411. DOI: 10.1023/B:CELL.0000046412.11983.61
- Czechowska-Biskup, R., Rokita, B., Lotfy, S., Ulanski, P., dan Rosiak, J. M. (2005). Degradation of chitosan and starch by 360 kHz ultrasound. *Carbohydrate Polymers*, 60, 175–184. DOI: 10.1016/j.carbpol.2004.12.001
- Dachriyanus. (2004). Analisis Struktur Senyawa Organik Secara Spektroskopi. Lembaga Pengembangan Teknologi Informasi dan Komunikasi, Universitas Andalas, Padang.
- Dayal, M. dan Catchmark, J. (2016). Mechanical and Structural Property Analysis of Bacterial Cellulose Composites. *Carbohydrate Polymers*, 144. DOI: 10.1016/j.carbpol.2016.02.055.
- De Groote, Ph., Devaux, J., dan Godard, P. (2002). Effect of benzenesulfonamide plasticizers on the glass-transition temperature of semicrystalline polydodecamide. *Journal of Polymer Science Part B – Polymer Physics*, 40(19), 2208-2218. <https://doi.org/10.1002/polb.10281>
- Dennis, H. R., Hunter, D. L., Chang, D., Kim, S., White, J. L., Cho, J. W., dan Paul, D.R. (2001). Effect of melt processing conditions on the extent of exfoliation in organoclay based nanocomposites. *Polymer*, 42, 9513–9522. DOI: 10.1016/S0032-3861(01)00473-6



- Egal, M. (2006). Structure and properties of cellulose/NaOH aqueous solutions, gel and regenerated objects. *Science de l'ingenieur [physics]*. Ecole Nationale Superiure des Mines de Paris, Perancis.
- Ersus, S., Melikoglu, A.Y., dan Cesur, S. (2020). Production of biocomposite packaging materials from fruit juice processing wastes. *Journal of the Institute of the Science and Technology*, 10(1), 250-259. DOI: 10.21597/jist.528965
- Esparza, Y., NgoC, T-D., Frascini, C., dan Boluk, Y. (2019). Effects of additives on the particle morphology and aqueous dispersibility of foam-spray dried cellulose nanocrystal suspensions. *Cellulose*, 26,8611–8623. DOI: 10.1007/s10570-019-02675-8
- Eyley, S., dan Thielemans, W. (2014). Surface modification of cellulose nanocrystals. *Nanoscale*, 6 7764-7779. DOI: 10.1039/C4NR01756K
- Fan, M., Dai, D., dan Huang, B. (2012). Fourier transform infrared spectroscopy for natural fibres. *Dalam: Salih, S.M. (ed.). Fourier Transform - Materials Analysis*. IntechOpen. <https://doi.org/10.5772/35482>.
- Fazilah, A., Maizura, M., Abd Karim, A., Bhupinder, K., Rajeev, B., Uthumporn, U. and Chew, S. H. (2011). Physical and mechanical properties of sago starch – alginat films incorporated with calcium chloride. *International Food Research Journal*, 18(3), 1027-1033.
- Feng, B., Tu, H., Yuan, H., Peng, H., dan Zhang, Y. (2012). Acetic-acid-mediated miscibility toward electrospinning homogeneous composite nanofibers of GT/PCL. *Biomacromolecules*, 13, 3917-3925.
- Focher, B., Palma, M.T., Canetti, M., Torri, G., Cosentino, C., dan Gastaldi, G. (2001). Structural differences between non-wood plant celluloses: evidence from solid state NMR, vibrational spectroscopy and X-ray diffractometry. *Industrial Crops and Products*, 13 (3), 193-208. DOI: 10.1016/S0926-6690(00)00077-7.
- Fontes, M. L., Meneguín, A. B., Tercjak, A., Gutierrez, J., Cury, B. S. F., dan Santos, A. M. (2018). Effect of *in situ* modification of bacterial cellulose with carboxymethylcellulose on its nano/microstructure and methotrexate release properties. *Carbohydrate Polymers.*, 179, 126–134. doi: 10.1016/j.carbpol.2017.09.061
- Friedlander, S.K. (2000). *Smoke, Dust, and Haze, Fundamentals of Aerosol Dynamics*, 2nd Edn. Oxford University Press, New York.
- Gao, C., Pollet, E., dan Avérous, L. (2017). Properties of glycerol-plasticized alginat films obtained by thermo-mechanical mixing. *Food Hydrocolloids*, 63, 414–420. doi:10.1016/j.foodhyd.2016.09.023
- Gardner, D.J., Oporto, G.S., Mills, R. dan Samir, M. (2008). Adhesion and surface issues in cellulose and nanocellulose. *Journal of Adhesion Science and Technology*, 22, 545-567. <https://doi.org/10.1163/156856108X295509>
- Gayathry, G., dan Gopalaswamy, G. (2014). Production and characterisation of microbial cellulosic fibre from *Acetobacter xylinum*. *Indian Journal of Fibre and Textile Research*, 39, 93–96.
- Gea, S., Bilotti, E., Reynolds, C.T., Soykeabkaew, N., dan Peijs, T. (2010). Bacterial cellulose–poly(vinyl alcohol) nanocomposites prepared by an *in-*



- situ* process. *Materials Letters*, 64, 901-904. DOI: 10.1016/j.matlet.2010.01.042.
- Gea, S., Reynolds, C., Roohpour, N., Wirjosentono, B., Soykeabkaew, N., Bilotti, E., dan Peijs, T. (2011). Investigation into the structural, morphological, mechanical and thermal behaviour of bacterial cellulose after a two-step purification process. *Bioresource Technology*, 102(19), 9105-9110. DOI: 10.1016/j.biortech.2011.04.077.
- George, J., dan Siddaramaiah. (2012). High performance edible nanocomposite films containing bacterial cellulose nanocrystal. *Carbohydrate Polymers*, 87(3), 2031-2037.
- George, J., Kumara, R., Sajeevkumara, V.A., Ramanaa, K.V., Rajamanickama, R., Abhisheka, V., Nadanasabapathya, S., dan Siddaramaiah. (2014). Hybrid HPMC nanocomposites containing bacterial cellulosenanocrystals and silver nanoparticles. *Carbohydrate Polymers*, 105, 285–292.
- Geyer, U., Heinze, T., Stein, A., Klemm, D., Marsch, S., Schumann, D., dan Schumauder, H.-P. (1994). Formation, derivatization and applications of bacterial cellulose. *International Journal of Biological Macromolecules*, 16(6), 343-347. DOI: 10.1016/0141-8130(94)90067-1
- Ghasemlou, M., Khodaiyan, F., Oromiehie, A., dan Yarmand, M.s. (2011). Development and characterisation of a new biodegradable edible film made from kefir, an exopolysaccharide obtained from kefir grains. *Food Chemistry*, 127, 1496-1502. DOI: 10.1016/j.foodchem.2011.02.003.
- Gholamipoor, S., Nikpour-Ghanavati, Y., Oromiehie, A.R. and Mohammadi, M. (2013). Extraction and Characterization of Alginate from *Sargassum angustifolium* Collected from Northern Coasts of Persian Gulf, Bushehr. 7th Symposium on Advances in Science and Technology, Bandar Abbas City, 2013. Civilica Publishing, Bandar Abbas.
- Gorgieva, S., dan Trcek, J. (2019). Bacterial cellulose: production, modification and perspectives in biomedical applications. *Nanomaterials*, 9(10), 1352-1372. doi:10.3390/nano9101352
- Grande, C., Torres, F., Gómez, C., Heros, O.P.T., Canet-Ferrer, J., dan Martinez-Pastor, J. (2009). Development of self-assembled bacterial cellulose-starch nanocomposites. *Materials Science and Engineering C-Biomimetic and Supramolecular Systems*, 29, 1098-1104. DOI: 10.1016/j.msec.2008.09.024.
- Gu, J., dan Catchmark, J.M. (2012). Impact of hemicelluloses and pectin on sphere-like bacterial cellulose assembly. *Carbohydrate Polymers*, 88, 547-557. doi:10.1016/j.carbpol.2011.12.040
- Guilbert, S. dan Gontard, N. (2005). Agro-polymers for edible and biodegradable films: review of agricultural polymeric materials, physical and mechanical characteristics. *Dalam: Han, J.H. (ed.). Food Science and Technology, Innovations in Food Packaging*. Academic Press, Massachusetts. doi:10.1016/b978-012311632-1/50048-6
- Guo, M.Q., Hu, X., Wang, C., dan Ai, L. (2017). Polysaccharides: Structure and Solubility. *Dalam: Xu, Z. (Ed.), Solubility of Polysaccharides*. Intech Open Ltd., London. <http://dx.doi.org/10.5772/intechopen.71570>.



- Han, J. W., Ruiz-Garcia, L., Qian, J. P., dan Yang, X. T. (2018). Food packaging: A comprehensive review and future trends. *Comprehensive Reviews in Food Science and Food Safety*, 17(4), 860–877. <https://doi.org/10.1111/1541-4337.12343>
- Hestrin, S. dan Schramm, M. (1954). Synthesis of cellulose by *Acetobacter xylinum*. 2. Preparation of freeze-dried cells capable of polymerizing glucose to cellulose. *Biochemical Journal*, 58(2), 345–352. doi, 10.1042/bj0580345.
- Hodzic, A. (2004). Re-use, recycling and degradation of composites. Dalam: Baillie, C., (Ed.) *Green Composites: polymer composites and the environment*. Woodhead Publishing, Cambridge, UK, pp. 252-271. doi:10.1016/b978-1-85573-739-6.50015-4
- Hong, F., dan Qiu, K. (2008). An alternative carbon source from konjac powder for enhancing production of bacterial cellulose in static cultures by a model strain *Acetobacter aceti* subsp. *xylinus* ATCC 23770. *Carbohydrate Polymers*, 72, 545-549. DOI: 10.1016/j.carbpol.2007.09.015.
- Hu, A., Jiao, S., Zheng, J., Li, L., Fan, Y., Chen, L., dan Zhang, Z. (2015). Ultrasonic frequency effect on corn starch and its cavitation. *LWT - Food Science and Technology*, 60(2), 941–947. DOI:10.1016/j.lwt.2014.10.048
- Hu, R., Zhang, M., Adhikari, B., dan Liu, Y. (2015b). Effect of homogenization and ultrasonication on the physical properties of insoluble wheat bran fibers. *International Agrophysics*, 29, 423-432. doi: 10.1515/intag-2015-0048
- Hu, W.L., Chen, S.Y., Xu, Q.S., dan Wang, H.P. (2011). Solvent-free acetylation of bacterial cellulose under moderate conditions. *Carbohydrate Polymers*, 83, 1575-1581. <https://doi.org/10.1016/j.carbpol.2010.10.016>.
- Huang, H.C., Chen, L.C., Lin, S.B., Hsu, C.P., dan Chen, H.H. (2010). *In situ* modification of bacterial cellulose network structure by adding interfering substances during fermentation. *Bioresource Technology*, 101, 6084–6091. doi:10.1016/j.biortech.2010.03.031
- Huang, Y., Zhu, C., Yang, J., Nie, Y., Chen, C., dan Sun, D. (2014). Recent advances in bacterial cellulose. *Cellulose*, 21,1-30.
- Huq, T., Salmieri, S., Khan, A., Khan, R.A., Tien, C.L., Riedl, B., Frascini, C., Bouchard, J., Uribe-Calderon, J., Kamal, M.R., dan Lacroix, M. (2012). Nanocrystalline cellulose (NCC) reinforced alginate based biodegradable nanocomposite film. *Carbohydrate Polymers*, 90(4), 1757-1763. <https://doi.org/10.1016/j.carbpol.2012.07.065>.
- Imran, M., El-Fahmy, S., Revol-Junelles, A., dan Desobry, S. (2010). Cellulose derivative based active coatings: Effects of nisin and plasticizer on physico-chemical and antimicrobial properties of hydroxypropyl methylcellulose films. *Carbohydrate Polymers*, 81, 219-225. <https://doi.org/10.1016/j.carbpol.2010.02.021>.
- Indrarti, L., Indriyati, Syampurwadi, A., dan Pujiastuti, S. (2016). Physical and mechanical properties of modified bacterial cellulose composite films. AIP Conference Proceedings 1711, 050007. <https://doi.org/10.1063/1.4941633>



- Ivankovic, A., Zeljko, K., Talic, S., Bevanda, A.M., dan Lasic, M. (2017). Biodegradable packaging in the food industry. *Journal of Food Safety and Food Quality*, 68(2), 26-38. DOI 10.2376/0003-925X-68-26
- Jamaluddin, N., Kanno, T., Asoh, T.-A., dan Uyama, H. (2019). Surface modification of cellulose nanofiber using acid anhydride for poly(lactic acid) reinforcement. *Materials Today Communications*, 21, 100587.
- Ji, L., Zhang, F., Zhu, L., dan Jiang, J. (2021). An in-situ fabrication of bamboo bacterial cellulose/sodium alginate nanocomposite hydrogels as carrier materials for controlled protein drug delivery. *International Journal of Biological Macromolecules*, 170, 459–468. doi:10.1016/j.ijbiomac.2020.12.13
- Jia, Y., Wang, X., Huo, M., Zhai, X., Li, F., dan Zhong, C. (2017). Preparation and characterization of a novel bacterial cellulose/chitosan bio-hydrogel. *Nanomaterials and Nanotechnology*, 7, 1-8. DOI: 10.1177/1847980417707172
- Jiménez-Gómez, C. P., dan Cecilia, J. A. (2020). Chitosan: A Natural Biopolymer with a Wide and Varied Range of Applications. *Molecules*, 25(17), 3981. <https://doi.org/10.3390/molecules25173981>
- John, M.J. dan Thomas, S. (2008). Biofibres and biocomposites. *Carbohydrate Polymer*, 71(3), 343-364. doi, 10.1016/j.carbpol.2007.05.040
- Kačuráková, M., Smith, A.C., Gidley, M.J., dan Wilson, R.H. (2002). Molecular interactions in bacterial cellulose composites studied by 1D FT-IR and dynamic 2D FT-IR spectroscopy. *Carbohydrate Research*, 337(12), 1145-1153. DOI: 10.1016/S0008-6215(02)00102-7.
- Kaczmarek, M., Jędrzejczak-Krzepkowska, M., dan Ludwicka, K. (2022). Comparative analysis of bacterial cellulose membranes synthesized by chosen *Komagataeibacter* strains and their application potential. *International Journal of Molecular Sciences*, 23(6), 3391. <https://doi.org/10.3390/ijms23063391>
- Kalia, S., Boufi, S., Celli, A., dan Kango, S. (2014). Nanofibrillated cellulose: surface modification and potential applications. *Colloid Polymer Science*, 292, 5-31. DOI 10.1007/s00396-013-3112-9
- Kanjanamosit, N., Muangnapoh, C., dan Phisalaphong, M. (2010). Biosynthesis and characterization of bacteria cellulose–alginate film. *Journal of Applied Polymer Science*, 115, 1581–1588.
- Karbowiak, T., Hervet, H., Leger, L., Champion, D., Debeaufort, F., dan Voiley A. (2006). Effect of plasticizers (water and glycerol) on the diffusion of a small molecule in iota-carrageenan biopolymer films for edible coating application. *Biomacromolecules*, 7(6), 2011–2019.
- Karki, S., Kim, H., Na, S-J., Shin, D., Jo, K., dan Lee, J. (2016). Thin films as emerging platform of drug delivery. *Asian Journal of Pharmaceutical Sciences II*, 559-574. <http://dx.doi.org/10.1016/j.ajps.2016.05.004>
- Kaur, S., dan Dhillon, G.S. (2014). The versatile biopolymer chitosan: Potential sources, evaluation of extraction methods and applications. *Critical Review in Microbiology*, 40, 155–175. doi: 10.3109/1040841X.2013.770385.



- Kaur, I., Ellis, L.J., Romer, I., Tantra, R., Carriere, M., Allard, S., Mayne-L'Hermite, M., Minelli, C., Unger, W., Potthoff, A., Rades, S., dan Valsami-Jones, E. (2017). Dispersion of nanomaterials in aqueous media, towards protocol optimization. *Journal of Visualized Experiments*, 130, 56074, doi,10.3791/56074
- Kibedi-Szabo, C.Z., Stroescu, M., Stoica-Guzun, A., Jinga, S.I., Szilveszter, S., Jipa, I., dan Dobre. T. (2012). Biodegradation behavior of composite films with poly (vinyl alcohol) matrix. *Journal of Polymers and the Environment*, 20, 422–430
- Klechkovskaya, V., Baklagina, Y., Stepina, N., Khripunov, A.K., Buffat, P., Suvorova, E., Zanaveskina, I., Tkachenko, A.A., dan Gladchenko, S. (2003). Structure of Cellulose *Acetobacter xylinum*. *Crystallography Reports*, 48, 755-762. DOI: 10.1134/1.1612596.
- Klemm, D., Heublein, B., Fink, H-P., dan Bohn, A. (2005). Cellulose, fascinating biopolymer and sustainable raw material. *Angewandte Chemie International Edition*, 44, 3358–3393. Doi: 10.1002/anie.200460587.
- Klemm, D., Schumann, D., Kramer, F., Hebler, N., Hornung, M., Schmauder, H-P., dan Marsch, S. (2006). Nanocelluloses as innovative polymers in research and application. *Dalam: Klemm, D. (ed.). Polysaccharides II. Advances in polymer science*, vol. 205, hal 49–96. Springer, Berlin.
- Kose, R., Mitani, I., Kasai, W. dan Kondo, T. (2011). Nanocellulose as a single nanofiber prepared from pellicle secreted by *Gluconacetobacter xylinus* using aqueous counter collision. *Biomacromolecules*, 12, 716-720.
- Kuldiloke, J. (2002). Effect of ultrasound, temperature and pressure treatments on enzyme activity and quality indicators of fruit and vegetable juices. Disertasi. Technischen Universitat Berlin, Berlin. DOI: 10.14279/depositonce-538
- Lange, J., dan Wyser, Y. (2003). Recent innovations in barrier technologies for plastic packaging: a review. *Packaging Technology and Science*, 16(4), 149–158. <https://doi.org/10.1002/pts.621>
- Leadley, C.E., dan Williams, A. (2006). Pulsed electric field processing, power ultrasound and other emerging technologies. *Dalam J. G. Brennan (Ed.), Food Processing Handbook*. Wanheim, Wiley.
- Lee, K. Y., Buldum, G., Mantalaris, A., dan Bismarck, A. (2014). More than meets the eye in bacterial cellulose: biosynthesis, bioprocessing, and applications in advanced fiber composites. *Macromolecular Bioscience*, 14, 10–32. doi: 10.1002/mabi.201300298
- Leong, T., Ashokkumar, M., dan Kentish, S. (2011). The fundamentals of power ultrasound. *Acoustics Australia*, 39(2), 54-63.
- Leppänen, K., Anderson, S., Torkkeli, M., Knaapila, M., Kotelnikova, N. dan Serimaa, R. (2009). Structure of Cellulose and Microcrystalline Cellulose from Various Species, Cotton and Flax Studied by X-Ray Scattering. *Cellulose*, 16, 999-1015.
- Li, Q., Zhou, J., dan Zhang, L. (2009). Structure and properties of the nanocomposite films of chitosan reinforced with cellulose whiskers. *Journal of Polymer Science* 47, 1069–1077.



- Li, Y., Fu, Q., Yu, S., Yan, M., dan Berglund, L. (2016). Optically transparent wood from a nanoporous cellulosic template: combining functional and structural properties. *Biomacromolecules*, 17, 1358-1364. DOI: 10.1021/acs.biomac.6b00145
- Lim, D.B.K., dan Gong, H. (2018). Highly stretchable and transparent films based on cellulose. *Carbohydrate Polymers*, 201, 446-453. <https://doi.org/10.1016/j.carbpol.2018.08.080>.
- Lim, W.S., Ock, S.Y., Park, G.D., Lee, I.W., Lee, M.H., dan Park, H.J. (2020). Heat-sealing property of cassava starch film plasticized with glycerol and sorbitol. *Food Packaging and Shelf Life*, 26, 100556. DOI: 10.1016/j.fpsl.2020.100556
- Lima, H.L.S., Goncalves, C., Cerqueira, M.A., do Nascimento, E.S., Gama, M.F., Rosa, M.F., Borges, M.F., Pastrama, L.M., dan Brigida, A.I.S. (2018). Bacterial cellulose nanofiber – based films incorporating gelatin hydrolysate from tilapia skin: production, characterization and cytotoxicity assessment. *Cellulose*, 25, 6011-6029. DOI: 10.1007/s10570-018-1983-0.
- Lin, D., Liu, Z., Shen, R., Chen, S., dan Yang, X. (2020). Bacterial cellulose in food industry: Current research and future prospects. *International Journal of Biological Macromolecules*, 158, 1007–1019. <https://doi.org/10.1016/j.ijbiomac.2020.04.230>
- Lin, D., Lopez-Sanchez, P., Selway, N., dan Gidley, M.J. (2018). Viscoelastic properties of pectin/cellulose composites studied by QCM-D and oscillatory shear rheology. *Food Hydrocolloids*, 79, 13-19. <https://doi.org/10.1016/j.foodhyd.2017.12.019>
- Lin, D., Lopez-Sanchez, P., and Gidley, M.J. (2019). Interactions of arabinogalactans with bacterial cellulose during its synthesis: Structure and physical properties. *Food Hydrocolloids*, 96, 644-652. <https://doi.org/10.1016/j.foodhyd.2019.06.010>
- Lin, W.C., Lien, C.C., Yeh, H.J., Yu, C.M., dan Hsu, S.H. (2013). Bacterial cellulose and bacterial cellulose-chitosan membranes for wound dressing applications. *Carbohydrate Polymer*, 94(1), 603-611. doi,10.1016/j.carbpol.2013.01.076
- Liu, P., Xie, F., Li, M., Yu, L., Halley, P.J., dan Chen, L. (2011). Phase transitions of maize starches with different amylose contents in glycerol-water systems. *Carbohydrate Polymer*, 85, 180–187.
- Liyaskina, E. V., Revin, V. V., Paramonova, E. N., Revina, N. V., dan Kolesnikova, S. G. (2018). Bacterial Cellulose/Alginat Nanocomposite for Antimicrobial Wound Dressing, The 2nd International Symposium on Physics, Engineering and Technologies for Biomedicine KnE Energy & Physics, pages 202–211. DOI 10.18502/ken.v3i2.1814
- Mahardika, M., Abrial, H., Kasim, A., Arief, S., dan Asrofi, M. (2018). Production of nanocellulose from pineapple leaf fibers via high-shear homogenization and ultrasonication. *Fibers*, 6, 28. <https://doi.org/10.3390/fib6020028>
- Mahbubul, I. M., Chong, T.H., Khaleduzzaman, S. S., Shahrul, I. M., Saidur, R., Long, B. D., dan Amalina, M. A. (2014). Effect of ultrasonication duration



- on colloidal structure and viscosity of alumina–water nanofluid. *Industrial and Engineering Chemistry Research*, 53, 6677-6684.
- Makhijani, K., Kumar, R., dan Sharma, S. K. (2015). Biodegradability of blended polymers: a comparison of various properties. *Critical Reviews in Environmental Science and Technology*, 45(16), 1801–1825. doi:10.1080/10643389.2014.970682
- Martínez-Sanz, M., Lopez-Rubio, A., dan Lagaron, J.M. (2011). Optimization of the nanofabrication by acid hydrolysis of bacterial cellulose nanowhiskers. *Carbohydrate Polymers*, 85(1), 228-236. <https://doi.org/10.1016/j.carbpol.2011.02.021>
- Martins, I.M.G, Magina, S., Oliveira, L., Freire, C.S.R., Silvestre, A.J.D., Neto, C.P., dan Gandini, A. (2009). New biocomposites based on thermoplastic starch and bacterial cellulose. *Composite Science and Technology*, 69(13), 2163-2168.
- Mekonnen, T., Mussone, P., Khalil, H., dan Bressler, D. (2013). Progress in bio-based plastics and plasticizing modifications. *Journal of Material Chemistry A*, 1, 13379-13398. <https://doi.org/10.1039/C3TA12555F>
- Miao, C., dan Hamad, W.Y. (2013). Cellulose reinforced polymer composites and nanocomposites, a critical review. *Cellulose*, 20, 2221–2262.
- Mirtalebi, S. S., Almasi, H., dan Alizadeh Khaledabad, M. (2019). Physical, morphological, antimicrobial and release properties of novel MgO-bacterial cellulose nanohybrids prepared by in-situ and ex-situ methods. *International Journal of Biological Macromolecules*, 128, 848-857. <https://doi.org/10.1016/j.ijbiomac.2019.02.007>.
- Mittal, V. (2011). *Nanocomposites with biodegradable polymers, synthesis, properties and future perspectives*. Hal 1-27. Oxford University Press, Oxford.
- Mohammadkazemi, F., Azin, M., dan Ashori, A. (2015). Production of bacterial cellulose using different carbon sources and culture media. *Carbohydrate Polymers*, 117, 518–523. <https://doi.org/10.1016/j.carbpol.2014.10.008>
- Moharram, M.A., dan Mahmoud, O.M. (2008). FTIR spectroscopic study of the effect of microwave heating on the transformation of cellulose I into cellulose II during mercerization. *Journal of Applied Polymer Science*, 107(1), 30-36. DOI: 10.1002/app.26748
- Mohnen, D. (2008). Pectin structure and biosynthesis. *Current Opinion in Plant Biology*, 11(3), 266-277.
- Montanari, C., Ogawa, Y., Olsén, P., dan Berglund, L.A. (2021). High performance, fully bio-based, and optically transparent wood biocomposites. *Advanced Science*, 8, 2100559. DOI: 10.1002/adv.202100559
- Moon, R. J., Martini, A., Nairn, J., Simonsen, J., dan Youngblood, J. (2011). Cellulose nanomaterials review, structure, properties and nanocomposites. *Chemical Society Reviews*, 40, 3941-3994. doi, 10.1039/c0cs00108b.
- Mortensen, H.H., Calabrese, R.V., Innings, F., dan Rosendahl, L. (2011). Characteristics of a batch rotor-stator mixer performance elucidated by



- shaft torque and angle resolved PIV measurements. *Canadian Journal of Chemical Engineering*, 89,1076 – 1095.
- Movasaghi, Z., Rehman, S., dan Rehman, I. (2008). Fourier transform infrared (FTIR) spectroscopy of biological tissues. *Applied Spectroscopy Reviews*, 43:2, 134-179. DOI: [10.1080/05704920701829043](https://doi.org/10.1080/05704920701829043)
- Nogi, M., Abe, K., Handa, K., Nakatsubo, F., Ifuku, S., dan Yano, H. (2006). Property enhancement of optically transparent bionanofiber composites by acetylation. *Applied Physics Letters*, 89(23), 233123. <https://doi.org/10.1063/1.2403901>
- Oh, S.Y., Yoo, D.I., Shin, Y., Kim, H.C., Kim, H.Y., Chung, Y.S., Park, W.H., dan Youk, J.H. (2005). Crystalline structure analysis of cellulose treated with sodium hydroxide and carbon dioxide by means of X-ray diffraction and FTIR spectroscopy. *Carbohydrate Research*, 340(15), 2376-91. doi: 10.1016/j.carres.2005.08.007. PMID: 16153620.
- Oshima, T., Taguchi, S., Ohe, K., dan Baba, Y. (2011). Phosphorylated bacterial cellulose for adsorption of proteins. *Carbohydrate Polymers*, 83(2), 953-958. DOI: 10.1016/j.carbpol.2010.09.005
- Ostadhosseini, F., Mahmoudi, N., Morales-Cid, G., Tamjid, E., Navas-Martos, F.J., Soriano-Cuadrado, B., Paniza, J.M.L., dan Simchi, A. (2015). Development of Chitosan/Bacterial Cellulose Composite Films Containing Nanodiamonds as a Potential Flexible Platform for Wound Dressing. *Materials*, 8, 6401-6418. DOI: 10.3390/ma8095309
- Paluch, M., Ostrowska, J., Tynski, P., Sadurski, W., dan Konkol, M. (2021). Structural and thermal properties of starch plasticized with glycerol/urea mixture. *Journal of Polymer and the Environment*. DOI: 10.1007/s10924-021-02235-x
- Pan, Y., Wu, T., Bao, H., dan Li, L. (2011). Green fabrication of chitosan films reinforced with parallel aligned graphene oxide. *Carbohydrate Polymer*, 83(4), 1908–1915.
- Pang, J., Liu, X., Zhang, X., Wu, Y., dan Sun, R. (2013). Fabrication of cellulose film with enhanced mechanical properties in ionic liquid 1-allyl-3-methylimidazolium chloride (AmimCl). *Materials*, 6, 1270-1284. doi:10.3390/ma6041270.
- Park, H-W., Liang, X., Mohanty, A.K., Misra, M., dan Drzal, L.T. (2004). Effect of Compatibilizer on Nanostructure of the Biodegradable Cellulose Acetate/Organoclay Nanocomposites. *Macromolecules*, 37(24), 9076-9082. DOI: 10.1021/ma048958s
- Pavaloiu, R. D., Stoica-Guzun, A., Stroescu, M., Jinga, S. I., dan Dobre, T. (2014). Composite films of poly(vinyl alcohol)-chitosan-bacterial cellulose for drug controlled release. *International Journal of Biological Macromolecules*, 68, 117-124. <https://doi.org/10.1016/j.ijbiomac.2014.04.040>.
- Pawar, P.A., dan Purwar, A.H. (2013). Biodegradable polymers in food packaging. *American Journal of Engineering Research*, 2(5), 151-164.
- Paximada, P., Dimitrakopoulou, E.A., Tsouko, E., Koutinas, A.A., Fasseas, C., Mandala, I.G. (2016). Structural modification of bacterial cellulose fibrils



- under ultrasonic irradiation. *Carbohydrate Polymers*, 150, 5-12. <https://doi.org/10.1016/j.carbpol.2016.04.125>.
- Peelman, N., Ragaert, P., Meulenaer, B., Adons, D., Peeters, R., Cardon, L., Impe, F., dan Devlieghere, F. (2013). Application of bioplastics for food packaging. *Trends in Food Science and Technology*, 32, 128–141. [10.1016/j.tifs.2013.06.003](https://doi.org/10.1016/j.tifs.2013.06.003).
- Peng, Y., dan Via, B. (2021). The effect of cellulose nanocrystal suspension treatment on suspension viscosity and casted film property. *Polymers*, 13, 2168. doi: 10.3390/polym13132168.
- Pereda, M., Amica, G., Rácz, I. dan Marcovich, N.E. (2011). Structure and properties of nanocomposite films based on sodium caseinate and nanocellulose fibers. *Journal of Food Engineering*, 103, 76–83. <https://doi.org/10.1016/j.jfoodeng.2010.10.001>.
- Pereira, V. A., de Arruda, I. N. Q., dan Stefani, R. (2015). Active chitosan/PVA films with anthocyanins from *Brassica oleraceae* (red cabbage) as time–temperature indicators for application in intelligent food packaging. *Food Hydrocolloids*, 43, 180–188. <https://doi.org/10.1016/J.FOODHYD.2014.05.014>
- Phisalaphong, M. dan Jatupaiboon, N. (2008). Biosynthesis and characterization of bacterial cellulose – chitosan film. *Carbohydrate Polymer*, 74, 482 – 488.
- Phisalaphong, M., Suwanmajo, T., dan Tammarate, P. (2008). Synthesis and characterization of bacterial cellulose/alginate blend membranes. *Journal of Applied Polymer Science*, 107, 3419-3424. DOI: 10.1002/app.27411
- Priya, K. N., Bhattacharyya, S., dan Babu, P. R. (2015). Formulation and evaluation of erodible ocular films of valacyclovir hydrochloride. *Dhaka University Journal of Pharmaceutical Sciences*, 13(1), 75–81. <https://doi.org/10.3329/dujps.v13i1.21866>
- Quero, F., Coveney, A., Lewandowska, A.E., Richardson, R.M., Díaz-Calderón, P., Lee, K.Y., Eichhorn, S.J., Alam, M.A., dan Enrione, J. (2015). Stress transfer quantification in gelatin-matrix natural composites with tunable optical properties. *Biomacromolecules*, 16(6), 1784-93. doi: 10.1021/acs.biomac.5b00345.
- Rahman, M., dan Brazel, C.S. (2004). The plasticizer market: an assessment of traditional plasticizers and research trends to meet new challenges. *Progress in Polymer Science*, 29(12), 1223-1248. <https://doi.org/10.1016/j.progpolymsci.2004.10.001>
- Rathinamoorthy, R., Aarthi, T., Shree, C. A. A., Haridharani, P., Shruthi, V., dan Vaishnikka, R. L. (2019). Development and characterization of self - assembled bacterial cellulose nonwoven film. *Journal of Natural Fibers*. DOI, 10.1080/15440478.2019.1701609
- Rechia, L.M., Morana, J.B.dJ., Zepon, K.M., Soldi, V., dan Kanis, L.A. (2010). Mechanical properties and total hydroxycinnamic derivative release of starch/glycerol/*Melissa officinalis* extract films. *Brazilian Journals of Pharmaceutical Science*, 46, 491-497.



- Rhim, J.W. (2004). Physical and chemical properties of water resistant sodium alginate films. *LWT – Food Science and Technology*, 37(3), 323-330. DOI: 10.1016/j.lwt.2003.09.008
- Rhim, J.W., Lee, S.B., dan Hong, S.I. (2011). Preparation and characterization of agar/clay nanocomposite films, the effect of clay type. *Journal of Food Science*, 76(3), N40–N48.
- Rhim, J.W., Park, H.M., Ha, C.S. (2013). Bio-nanocomposites for food packaging application. *Progress in Polymer Science*, 38, 1629-1652. Doi: 10.1016/j.progpolymsci.2013.05.008
- Ribba, L., Garcia, N., Dáccorso, N., dan Goyanes, S. (2017). Disadvantages of starch-based materials, feasible alternatives in order to overcome these limitations. Di dalam: Villar, M.A., Barbosa, S.E., García, M.A., Castillo, L.A., dan López, O.V. (Eds.). *Starch-Based Materials in Food Packaging*. Academic Press, Cambridge. DOI: 10.1016/B978-0-12-809439-6.00003-0
- Rodionova, G., Lenes, M., Eriksen, O., dan Gregersen, O. (2010). Surface chemical modification of microfibrillated cellulose: improvement of barrier properties for packaging applications. *Cellulose*, 18(1), 127–134. doi:10.1007/s10570-010-9474-y
- Rojhan, M., dan Nouri, L. (2013). Antimicrobial, Physicochemical, Mechanical, and Barrier Properties of Tapioca Starch Films Incorporated with Eucalyptus Extract. *Journal of Chemical Health Risks*, 3(3). doi: 10.22034/jchr.2018.544037
- Rosen, S.L. (1993). *Fundamental principles of polymeric materials*. Wiley, New York.
- Rouhi, M., Razavi, S. H., dan Mousavi, S. M. (2017). Optimization of crosslinked poly(vinyl alcohol) nanocomposite films for mechanical properties. *Materials Science and Engineering C*, 71, 1052–1063. <https://doi.org/10.1016/j.msec.2016.11.135>.
- Ruan, C., Zhu, Y., Zhou, X., Abidi, N., Hu, M., dan Catchmark, J. (2016). Effect of cellulose crystallinity on bacterial cellulose assembly. *Cellulose*. 23(6), 3417-3427. Doi:10.1007/s10570-016-1065-0.
- Ruka, D. R., Simon, G. P. dan Dean, K. M. (2012). Altering the growth conditions of *Gluconacetobacter xylinus* to maximize the yield of bacterial cellulose. *Carbohydrate Polymer*, 89(2), 613–622. doi, 10.1016/j.carbpol.2012.03.059.
- Ruka, D.R., Simon, G.P. dan Dean, K.M. (2013). *In situ* modifications to bacterial cellulose with the water insoluble polymer poly-3-hydroxybutyrate. *Carbohydrate Polymers*, 92, 1717-1723. <http://dx.doi.org/10.1016/j.carbpol.2012.11.007>
- Ruka, D.R., Simon, G.P. dan Dean, K.M. (2014). Bacterial Cellulose and its Use in Renewable Composites. Dalam Thakur, V.K. (ed.). *Nanocellulose Polymer Nanocomposites: Fundamentals and Applications*. Scrivener Publishing LLC, Massachusetts.
- Saibuatong O. A., dan Phisalaphong M. (2010). Novo aloe vera-bacterial cellulose composite film from biosynthesis. *Carbohydrate Polymer*, 79(2), 455-460.



- Santos, T.M., Filho, M. de S.M.S, Caceres, C.A., Rosa, M.F., Morais, J.P.S., Pinto, A.M.B., dan Azeredo, H.M.C. (2014). Fish gelatin films as affected by cellulose whiskers and sonication. *Food Hydrocolloids*, 41, 113-118. Doi: 10.1016/j.foodhyd.2014.04.001.
- Santos, S.M., Carbajo, J.M., Gomez, N., Ladero, M. dan Villar, J.C. (2017). Modification of bacterial cellulose biofilms with xylan polyelectrolites. *Bioengineering*, 4(4), 93. doi: 10.3390/bioengineering4040093
- Santos, T.A., dan Spinace, M.A.S. (2021). Sandwich panel biocomposite of thermoplastic corn starch and bacterial cellulose. *International Journal of Biological Macromolecules*, 167, 358-368. DOI: 10.1016/j.ijbiomac.2020.11.156.
- Saptorahardjo, A. (2016). Enviplast: Starch Based Bioplastik Compound. Prosiding Seminar Nasional Kulit, Karet dan Plastik ke-5. Yogyakarta, 26 Oktober 2016.
- Savitskaya, I.S., Kistaubayeva, A.S., Digel, I.E., dan Shokatayeva, D.H. (2017). Physicochemical and antibacterial properties of composite films based on bacterial cellulose and chitosan for wound dressing materials. *Eurasian Chemico-Technological Journal*, 19, 255-264.
- Schenzel, K., Fischer, S. dan Brendler, E. (2005). New method for determining the degree of cellulose I crystallinity by means of FT Raman spectroscopy. *Cellulose*, 12:223-231.
- Selke, S.E.M., dan Culter, J.D. (2016). Major Plastics in Packaging. Dalam: Selke, S.E.M., dan Culter, J.D. (ed.). *Plastics Packaging: Properties, Processing, Applications and Regulations* (3rd Ed.). Carl Hanser Verlag, Munich. <https://doi.org/10.3139/9783446437197.004>.
- Setiabudi, A., Hardian, R. dan Muzakir, A. (2012). Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia. UPI Press, Bandung.
- Shojaearani, J., Bajwa, D., dan Holt, G. (2020). Sonication amplitude and processing time influence the cellulose nanocrystals morphology and dispersion. *Nanocomposites*, 6(1), 41-46. DOI:10.1080/20550324.2019.1710974
- Silva, M.A., Bierhalz, A.C.K., dan Kieckbusch, T.G. (2009). Alginate and pectin composite films crosslinked with Ca²⁺ ions: effect of the plasticizer concentration. *Carbohydrate Polymer*, 77(4), 736-42.
- Siracusa, V., Rocculi, P., Romani, S., dan Rosa, M. D. (2008). Biodegradable polymers for food packaging: A review. *Trends in Food Science and Technology*, 19(12), 634-643. <https://doi.org/10.1016/j.tifs.2008.07.003>
- Sirviö, J.A., Kolehmainen, A., Liimatainen, H., Niinimäki, J. and Hormi, O.E.O. (2014). Biocomposite cellulose-alginate films: promising packaging materials. *Food Chemistry*, 151, 343-351. DOI: 10.1016/j.foodchem.2013.11.037.
- Sirviö, J.A., Visanko, M., Ukkola, J., dan Liimatainen, H. (2018). Effect of plasticizers on the mechanical and thermomechanical properties of cellulose-based biocomposite films. *Industrial Crops and Products*, 122, 513-521. <https://doi.org/10.1016/j.indcrop.2018.06.039>.



- Soni, B., Hassan, E.B., Schilling, M.W. dan Mahmoud, B. (2016). Transparent bionanocomposite films based on chitosan and TEMPO oxidized cellulose nanofibers with enhanced mechanical and barrier properties. *Carbohydrate Polymer*, 20(151), 779-789. doi: 10.1016/j.carbpol.2016.06.022
- Sorrentino, A., Tortora, M., dan Vittoria, V. (2007). Diffusion behavior in polymer-clay nanocomposites. *Journal of Polymer Science Part B, Polymer Physics*, 44(2), 265–274. doi, 10.1002/polb.20684.
- Su, J.-F., Huang, Z., Yang, C.-M., dan Yuan, X.-Y. (2008). Properties of soy protein isolate/poly(vinyl alcohol) blend “green” films: Compatibility, mechanical properties, and thermal stability. *Journal of Applied Polymer Science*, 110, 3706-3716. <https://doi.org/10.1002/app.28979>
- Sugiyama, J., Vuong, R. dan Chanzy, H. (1991). Electron diffraction study on the two crystalline phases occurring in native cellulose from an algal cell wall. *Macromolecules*, 24(14), 4168-4175. Doi: 10.1021/ma00014a033.
- Sujka, M., dan Jamroz, J. (2013). Ultrasound-treated starch, SEM and TEM imaging, and functional behaviour. *Food Hydrocolloids*, 31(2), 413–419.
- Sumari, Roesyadi, A., dan Sumarno. (2013). Effects of ultrasound on the morphology, particle size, crystallinity and crystallite size of cellulose. *Scientific Study and Research*, 14(4), 229-239.
- Sun, L., Li, B., Song, W., Si, L., dan Hou, H. (2017). Characterization of Pacific cod (*Gadus macrocephalus*) skin collagen and fabrication of collagen sponge as a good biocompatible biomedical material. *Process Biochemistry*, 63, 229-235.
- Sun, Y., Meng, C., Zheng, Y., Xie, Y., He, W., Wang, Y., Qiao, K., dan Yue, L. (2018). The effects of two biocompatible plasticizers on the performance of dry bacterial cellulose membrane: a comparative study. *Cellulose*, 25, 5893–5908. DOI: 10.1007/s10570-018-1968-z
- Susilowati, E., Kartini, I., Santosa, S.J., dan Triyono. (2016). Effect of glycerol on mechanical and physical properties of silver-chitosan nanocomposite films. IOP Conference Series, *Materials Science dan Engineering*, 107, 012041.
- Suslick, K.S. (1998). Sonochemistry. *Dalam: Kirk-Othmer Encyclopedia of Chemical Technology*, 4th edn., hal 517-541. J. Wiley dan Sons, New York.
- Suyatma, N.E., Tighzert, L., Copinet, A., dan Coma, V. (2005). Effects of hydrophilic plasticizers on mechanical, thermal, and surface properties of chitosan films. *Journal of Agricultural dan Food Chemistry*, 53(10), 3950–3957.
- Sya'di, Y.K., Wahyuni, E.T., Rahayu, E.S., dan Cahyanto, M.N. (2017a). The effect of polysaccharide in the fermentation medium on physical properties of bacterial cellulose from *Gluconacetobacter xylinus* BTCC B796. *Pakistan Journal of Biotechnology*, 14(3), 323-327.
- Sya'di, Y.K., Wahyuni, E.T., Rahayu, E.S., dan Cahyanto, M.N. (2017b). Effect of culture conditions on the properties of bacterial cellulose produced by *Gluconacetobacter xylinus* BTCC B796. *The International Journal of Science and Technoledge*, 5, 98-103.



- Syafri, E., Sudirman, Mashadi, Yulianti, E., Deswita, Asrofi, M., Abral, H., Sapuan, S.M., Ilyas, R.A., dan Fudholi, A. (2019). Effect of sonication time on the thermal stability, moisture absorption, and biodegradation of water hyacinth (*Eichhornia crassipes*) nanocellulose-filled bengkuang (*Pachyrhizus erosus*) starch biocomposites. *Journal of Materials Research and Technology*, 8(6), 6223-6231. DOI: 10.1016/j.jmrt.2019.10.016.
- Szymanska-Chargot, M., Chylinska, M., Cybulska, J., Koziol, A., Pieczywek, P.M., dan Zdunek, A. (2017). Simultaneous influence of pectin and xyloglucan on structure and mechanical properties of bacterial cellulose composites. *Carbohydrate Polymers*, 174, 970-979. <http://dx.doi.org/10.1016/j.carbpol.2017.07.004>
- Tarlak, F., Ozdemir, M., dan Melikoglu, M. (2016). Computer vision system approach in colour measurements of foods, Part II. validation of methodology with real foods. *Food Science dan Technology (Campinas)*, 36(3), 499-504.
- Tang, C., dan Liu, H. (2008). Cellulose nanofiber reinforced poly(vinyl alcohol) composite film with high visible light transmittance. *Composites Part A: Applied Science and Manufacturing*, 39(10), 1638-1643. DOI: 10.1016/j.compositesa.2008.07.005.
- Tang, X., Alavi, S., dan Herald, T.J. (2008). Effects of plasticizers on the structure and properties of starch–clay nanocomposite films. *Carbohydrate Polymers*, 74(3), 552-558. DOI:10.1016/j.carbpol.2008.04.022.
- Tayeb, A.H., Amini, E., Ghasemi, S., Tajvidi, M. (2018). Cellulose nanomaterials—binding properties and applications: a Review. *Molecules*, 23, 2684. <https://doi.org/10.3390/molecules23102684>
- Tischer, P.C.S.F., Sierakowski, M.R., Westfahl, H. dan Tischer, C.A. (2010). Nanostructural reorganization of bacterial cellulose by ultrasonic treatment. *Biomacromolecules*, 11, 1217-1224.
- Tome, L.C., Pinto, R.J.B, Trovatti, E., Freire, C.S.R., Silvestre, A.J.D., Neto, C.P., dan Gandini, A. (2019). Transparent bionanocomposites with improved properties prepared from acetylated bacterial cellulose and poly(lactid acid) through a simple approach. *Green Chemistry*, 13, 419-427. DOI: 10.1039/c0gc00545b
- Trinetta, V. (2016). *Biodegradable Packaging*. Reference Module in Food Science. doi. 10.1016/B978-0-08-100596-5.03351-5
- Uhlin, K.I., Atalla, R.H. dan Thompson, N.S. (1995). Influence of hemicellulose on the aggregation patterns of bacterial cellulose. *Cellulose*, 2, 129-144.
- Ul-Islam, M., Shah, N., Ha, J.H., dan Park, J.K. (2011). Effect of chitosan penetration on physico-chemical dan mechanical properties of bacterial cellulose. *Korean Journal of Chemical Engineering*, 28(8), 1736-1743.
- Ul-Islam, M., Ullah, M.W., Khan, S., Shah, N., Park, J.K. (2017). Strategies for cost-effective and enhanced production of bacterial cellulose. *International Journal of Biological Macromolecules*, 102, 1166-1173, DOI: 10.1016/j.ijbiomac.2017.04.110.
- Urbina, L., Guaresti, O., Requies, J., Gabilondo, N., Eceiza, A., Corcuera, M.A., dan Retegi, A. (2018). Design of reusable novel membranes based on



- bacterial cellulose and chitosan for the filtration of copper in wastewaters. *Carbohydrate Polymers*, 193(1), 362-372. <https://doi.org/10.1016/j.carbpol.2018.04.007>.
- Van Oosterhout, J.T., dan Gilbert, M. (2003). Interactions between PVC and binary or ternary blends of plasticizers. Part I. PVC/plasticizer compatibility. *Polymer*, 44(26), 8081–94.
- Vanin, F.M., Sobral, P.J.A., Menegalli, F.C., Carvalho, R.A., dan Habitante, A.M.Q.B. (2005). Effects of plasticizers and their concentrations on thermal and functional properties of gelatin-based films. *Food Hydrocolloids*, 19(5), 899-907. DOI: 10.1016/j.foodhyd.2004.12.003.
- Venkatesan, J., Lowe, B., Anil, S., Manivasagan, P., Al Kheraif, A.A., Kang, K.H., dan Kim, S.K. (2015). Seaweed polysaccharides and their potential biomedical applications. *Starch*, 67, 381-390.
- Verma, S., Kumar, N., dan Sharma, P.K. (2014). Buccal film: an advance technology for oral drug delivery. *Advance in Biological Research*, 8, 260–267.
- Vieira, M.G.A., Silva, M.A., Santos, L.O., dan Beppu, M.M. (2011). Natural-based plasticizers and biopolymer films. *European Polymer Journal*, 47, 254-263.
- Wahid, F., Hu, X-H., Chu, L-Q., Jia, S-R., Xie, Y-Y., dan Zhong, C. (2018). Development of bacterial cellulose/chitosan based semi interpenetrating hydrogels with improved mechanical and antibacterial properties. *International Biological Macromolecules*, 122, 380-387. DOI: 10.1016/j.ijbiomac.2018.10.105
- Wang, H., Qian, J., dan Ding, F. (2018). Emerging chitosan-based films for food packaging applications. *Journal of Agricultural and Food Chemistry*, 66(2), 395-413.
- Wang, J., Gardner, D. J., Stark, N. M., Bousfield, D. W., Tajvidi, M., dan Cai, Z. (2018). Moisture and oxygen barrier properties of cellulose nanomaterial-based films. *ACS Sustainable Chemistry and Engineering*, 6(1), 49–70. DOI: 10.1021/acssuschemeng.7b03523
- Wang, X., Guo, C., Hao, W., Ullah, N., Chen, L., Li, Z., dan Feng, X. (2018). Development and characterization of agar-based edible films reinforced with nano-bacterial cellulose. *International Journal of Biological Macromolecules*, 118, 722-730.
- Wang, X., Ullah, N., Sun, X., Guo, Y., Chen, L., Li, Z., dan Feng, X. (2017). Development and characterization of bacterial cellulose reinforced biocomposite films based on protein from buckwheat distiller's dried grains. *International Journal of Biological Macromolecules*, 96, 353–360.
- Wang, Y., Luo, Q.P., Peng, B.H., dan Pei, C.H. (2008). A novel thermotropic liquid crystalline – benzoylated bacterial cellulose. *Carbohydrate Polymers*, 74(4), 875-879. DOI:10.1016/j.carbpol.2008.05.007
- Wong, S-S., Kasapis, S., dan Huang, D. (2012). Molecular weight and crystallinity alteration of cellulose via prolonged ultrasound fragmentation. *Food Hydrocolloids*, 26, 365–369. DOI: 10.1016/j.foodhyd.2011.02.028.



- Wu, J., Liu, F., Yu, Z., Ma, Y., Goff, H.D., Ma, J., dan Zhong, F. (2020). Facile preparation of collagen fiber-glycerol-carboxymethyl cellulose composite film by immersing method. *Carbohydrate Polymers*, 229, 115429. DOI: 10.1016/j.carbpol.2019.115429
- Wypych, G. (2004). *Handbook of plasticizers*. ChemTec Publishing, Toronto.
- Xiang, C. dan Acevedo, N.C. (2017). In situ self assembled nanocomposites from bacterial cellulose reinforced with electrospun poly(lactic acid)/lipids nanofiber. *Polymers*, 9, 179. doi:10.3390/polym9050179
- Xiang, Z., Zhang, J., Liu, Q., Chen, Y., Li, J., dan Lu, F. (2019). Improved dispersion of bacterial cellulose fibers for the reinforcement of paper made from recycled fibers. *Nanomaterials*, 9, 58 – 71. DOI:10.3390/nano9010058
- Xiao, C., Zhang, Z., Zhang, J., Lu, Y., dan Zhang, L. (2002). Properties of regenerated cellulose films plasticized with α -monoglycerides. *Journal of Applied Polymer Science*, 89, 3500–3505.
- Yamada, Y., Yukphan, P., Vu, H., Muramatsu, Y., Ochaikul, D., Tanasupawat, S., dan Nakagawa, Y. (2012). Description of *Komagataeibacter* gen. nov., with proposals of new combinations (*Acetobacteraceae*). *The Journal of General and Applied Microbiology*, 58, 397-404. DOI: 10.2323/jgam.58.397.
- Yang, G. Zhang, L., Peng, T., dan Zhong, W. (2000). Effects of Ca^{2+} bridge crosslinking on structure and pervaporation of cellulose/alginate blend membranes. *Journals of Membrane Sciences*, 175(1), 53-60. DOI: 10.1016./S0376-7388(00)00407-5.
- Yang, J., Lv, X., Chen, S., Li, Z., Feng, C., Wang, H., dan Xu, Y. (2014). *In situ* fabrication of a microporous bacterial cellulose/potato starch composite scaffold with enhanced cell compatibility. *Cellulose*, 21(3), 1823–1835. doi:10.1007/s10570-014-0220-8
- Yang, X., Tu, Y., Li, L., Shang, S., dan Tao, X-M. (2010). Well-dispersed chitosan/graphene oxide nanocomposites. *ACS Applied Material and Interfaces*, 2(6),1707–1713.
- Yano, H., Sugiyama, J., Nakagaito, A., Nogi, M., Matsuura, T., Hikita, M. dan Handa, K. (2005). Optically transparent composites reinforced with networks of bacterial nanofibers. *Advanced Materials*, 17, 153-155. DOI: 10.1002/adma.200400597
- Ye, D., Yang, P., Lei, X., Zhang, D., Li, L., Chang, C., Sun, P., dan Zhang, L. (2018). Robust anisotropic cellulose hydrogels fabricated via strong self-aggregation forces for cardiomyocytes unidirectional growth. *Chemistry of Materials*, 30(15), 5175–5183. DOI: 10.1021/acs.chemmater.8b01799
- Yin, N., Du, R., Zhao, F., Han Y., dan Zhou, Z. (2019). Characterization of antibacterial bacterial cellulose composite membranes modified with chitosan or chitooligosaccharide. *Carbohydrate Polymer*, 229, 115520.
- Zakaria, N.H., Muhammad, N., dan Abdullah, M. M. A. B. (2018). Effect of glycerol content on mechanical, microstructure and physical properties of thermoplastic potato starch film. AIP Conference Proceedings 2030, 020230 <https://doi.org/10.1063/1.5066871>



- Zaman, H.U., dan Beg, Md.D.H. (2013). Preparation and properties of sodium alginate films. *Journal of Polymer Engineering*, 33(9), 829-836.
- Zhang, Y., dan Han, J.H. (2006). Mechanical and thermal characteristics of pea starch films plasticized with monosaccharides and polyols. *Journal of Food Science*, 71(2), 109–118.
- Zhao, J., Zhang, W., Zhang, X., Zhang, X., Lu, C., dan Deng, Y. (2013). Extraction of cellulose nanofibrils from dry softwood pulp using high shear homogenization. *Carbohydrate Polymer*, 97, 695-702. DOI: 10.1016/j.carbpol.2013.05.050
- Zhong, N., dan Yuan, Q. (2013). Preparation and properties of molded blends of wheat gluten and cationic water-borne polyurethanes. *Journal of Applied Polymer Science*, 128, 460-469. DOI: 10.1002/app.38198.
- Zhou J., dan L. Zhang. (2001). Structure and properties of blend membranes prepared from cellulose and alginate in NaOH/urea aqueous solution. *Journal of Polymer Science, Part B: Polymer Physics*, 39, 451–458.
- Zhou, L. L., Sun, D.P., Hu, L.Y., Li, Y.W., dan Yang, J.Z. (2007). Effect of addition of sodium alginate on bacterial cellulose production by *Acetobacter xylinum*. *Journal of Industrial Microbiology and Biotechnology*, 34(7), 483–489. doi: 10.1007/s10295-007-0218-4.
- Zhou, L., Ke, K., Yang, M.-B., & Yang, W. (2020). *Recent progress on chemical modification of cellulose for high mechanical-performance Poly(lactic acid)/Cellulose composite: A short review. Composites Communications*, 100548. doi:10.1016/j.coco.2020.100548