UNIVERSITAS
GADJAH MADA
Hubungan Antara Jenis Kelamin dengan Panjang Subnasion-Nasion dan Lebar Bigonial pada Tenaga Kesehatan di RSUP Dr. Sardjito
NUR'AINI, Dra. Neni Trilusiana Rahmawati., M.Kes., Ph.D; Janatin Hastuti, S.Si., M.Kes., PhD
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adelakun, S., Ogunlade, B., AKingbade, G., Fidelis, O. dan Ibiayo, A. 2018. Anthropometric characterization of nasal parameters in adults oyemekun ethnic group in Akure Southwest Nigeria. *International Journal of Anatomy and Research,* 6(2.2), pp.5272-5279. DOI: 10.16965/ijar.2018.178

Agnihotri, A., Kachhwaha, S., Googoolye, K. dan Allock, A. 2011. Estimation of stature from cephalo-facial dimensions by regression analysis in Indo-Mauritian population. *Journal of Forensic and Legal Medicine,* 18(4), pp.167-172. DOI: 10.1016/j.jflm.2011.02.006

Aragão, J., Santana, G., Sacramento, E., Marcelo, I., Aragão, I., Sant'Anna Aragão, F. *et al.* 2019. Estimation of adult human height from the bigonial width and mandibular arch. *Journal of Morphological Sciences,* 36(03), pp.196-201. DOI: 10.1055/s-0039-1692205

Arikunto, S., 2006. *Prosedur Penelitian (Suatu Pendekatan Praktek).* Jakarta: Rineka Cipta, pp.130

Asghari, A., Rajaeih, S., Hassannia, F., Tavakolifard, N., Neisyani, H., Kamrava, *et al.* 2014. Photographic facial soft tissue analysis of healthy Iranian young adults: anthropometric and angular measurements. *Medical Journal of The Islamic Republic of Iran,* 28(49), pp.1-8.

Chen, H., Hsiao, S. and Lee, K. 2021. Analysis of Facial Skeletal Morphology: Nasal Bone, Maxilla, and Mandible. *BioMed Research International*, 2021, pp.1-9. DOI: 10.1155/2021/5599949

Chandra, H., Ravi, M., Sharma, S. dan Prasad, B. 2012. Standards of facial esthetics: an anthropometric study. *Journal of Maxillofacial and Oral Surgery*, 11(4), pp.384-389. DOI: 10.1007/s12663-012-0355-9

Coblentz, A., Mollard, R. dan Ignazi, G. 1991. Three-dimensional face shape analysis of French adults, and its application to the design of protective equipment. *Ergonomics*, 34(4), pp.497-517

Daboul, A., Schwahn, C., Schaffner, G., Soehnel, S., Samietz, S., Aljaghsi, A., *et al.* 2012. Reproducibility of Frankfort horizontal plane on 3D multi-planar reconstructed mr images. *PLoS ONE,* 7(10), p.e48281. DOI: 10.1371/journal.pone.0048281

Du, L., Zhuang, Z., Guan, H., Xing, J., Tang, X., Wang, L., *et al.* 2008. Head-and-face anthropometric survey of Chinese workers. *The Annals of Occupational Hygiene,* 52(8), pp.773–782. DOI: 10.1093/annhyg/men056

Fananie, Z. 2001. *Telaah Sastra*. Surakarta: Universitas Muhammadiyah Surakarta Press, pp.58

UNIVERSITAS
GADJAH MADA
Hubungan Antara Jenis Kelamin dengan Panjang Subnasion-Nasion dan Lebar Bigonial pada Tenaga Kesehatan di RSUP Dr. Sardjito
NUR'AINI, Dra. Neni Trilusiana Rahmawati., M.Kes., Ph.D; Janatin Hastuti, S.Si., M.Kes., PhD
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Farkas, L., Eiben, O., Sivkov, S., Tompson, B., Katic, M. dan Forrest, C. 2004. Anthropometric measurements of the facial framework in adulthood: age-related changes in eight age categories in 600 healthy white North Americans of European ancestry from 16 to 90 years of age. *Journal of Craniofacial Surgery*, 15(2), pp.288-298

Farkas, L., Katic, M. dan Forrest, C. 2005. International anthropometric study of facial morphology in various ethnic groups/races. *Journal of Craniofacial Surgery*, 16(4), pp.615-646

Franklin, D., O'Higgins, P., Oxnard, C., Dadour, I. 2007. Sexual dimorphism in the subadult mandible: quantification using geometric morphometrics. *Journal of Forensic Science*, 52(1), p.6-10

Gulsen, A., Okay, C., Aslan, B., Uner, O. and Yavuzer, R. 2006. The relationship between craniofacial structures and the nose in Anatolian Turkish adults: A cephalometric evaluation. *American Journal of Orthodontics and Dentofacial Orthopedics*, 130(2), pp.131.e15-132.e25

Gurunathan, U. dan Myles, P. 2016. Limitations of body mass index as an obesity measure of perioperative risk. *British Journal of Anaesthesia*, 116(3) pp.319-321

Hsiao, S., Cheng, J., Tseng, Y., Chen, C. and Hsu, K. 2020. Nasomaxillary and mandibular bone growth in primary school girls aged 7 to 12 years. *Journal of Dental Sciences*, 15(2), pp.147-152. DOI: 10.1016/j.jds.2020.03.010

Hu, K., Fan, J., Li, X., Gou, X., Li, X. dan Zhou, X. 2020. The adverse skin reactions of health care workers using personal protective equipment for COVID-19. *Medicine*, 99(24), p.e20603

Husain, A. 2020. Komunikasi kesehatan dokter dan pasien berbasis kearifan lokal sipakatau di masa pandemi, *Jurnal Ilmu Komunikasi*, 18(2), p. 126. DOI: 10.31315/jik.v18i2.3546

Indrastuti, N. 2021. Studi pendahuluan pengembangan masker N95 hipoalergenik sebagai percepatan terminasi rantai penyebaran COVID-19.

Iswara, R., Bhima, S. dan Rohmah, I. 2016. Hubungan antropometri sefalofasial dengan jenis kelamin dan tinggi badan. *Medica Hospitalia*, 4(1), pp.17–22

Jayakaran, F., Rajangam, S., Janakiram, S., Thomas, I. 2000. Sexing of the mandible. *Anatomica Karnataka*, 1(1), pp.11–16

Kadhom, Z. dan Al-Janabi, M. 2011. Soft-tissue cephalometric norms for a sample of Iraqi adults with class I normal occlusion in natural head position. *Journal of Baghdad College of Dentistry*, 23(3), pp.160-166

UNIVERSITAS
GADJAH MADA
Hubungan Antara Jenis Kelamin dengan Panjang Subnasion-Nasion dan Lebar Bigonial pada Tenaga Kesehatan di RSUP Dr. Sardjito
NUR'AINI, Dra. Neni Trilusiana Rahmawati., M.Kes., Ph.D; Janatin Hastuti, S.Si., M.Kes., PhD
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kadri, A., Darkwah, W., Stassie, A., Aidoo, G. dan Ohene-Djan, A. 2018. Preliminary cephalometric study of the relationship between facial morphology and sex. *Beni-Suef University Journal of Basic and Applied Sciences*, 7(2), pp.215-219. DOI: 10.1016/j.bjbas.2018.03.004

Kataria, D., Ranjan, R. dan Perwaiz, S. 2015. Study of variation in total facial index of North Indian population. *International Journal of Health Sciences & Research*, 5(4), pp.122-127

Kementerian Kesehatan Republik Indonesia. 2009. Klasifikasi umur menurut kategiri. Jakarta: Direktorat Jendral Pelayanan Kesehatan, pp.8

Kementerian Kesehatan Republik Indonesia. 2020. *Pedoman pencegahan dan pengendalian coronavirus disease (COVID-19)*. 4th ed. Jakarta: Kementerian Kesehatan Republik Indonesia, pp.17-24

Kementerian Kesehatan Republik Indonesia. 2020. *Standar alat pelindung diri (apd) dalam manajemen penanganan COVID-19*. Jakarta: Kementerian Kesehatan Republik Indonesia, pp.5-6

Kim, H., Han, D., Roh, Y., Kim, K. dan Park, Y. 2003. Facial anthropometric dimensions of Koreans and their associations with fit of quarter-mask respirators. *Industrial Health*, 41(1), pp.8-18

Kumar, M. dan Gopichand, P. 2013. Estimation of stature from cephalo-facial anthropometry in 800 haryanvi adults. *Review article, International Journal of Plant, Animal and Environmental Sciences* Vol 3. 2013; 42–46.

Kwon, S., Choi, J., Kim, H., Lee, W., Kim, M., Shin, J., *et al.* 2021. Three-dimensional photogrammetric study on age-related facial characteristics in Korean females. *Annals of Dermatology*, 33(1), p.52. DOI: 10.5021/ad.2021.33.1.52.

Leversha, J., McKeough, G., Myrteza, A., Skjellrup-Wakefiled, H., Welsh, J. dan Sholapurkar, A. 2016. Age and gender correlation of gonial angle, ramus height and bigonial width in dentate subjects in a dental school in Far North Queensland. *Journal of Clinical and Experimental Dentistry*, 8(1), pp.e49–e54. DOI: 10.4317/jced.52683

Malkoç, S., İşeri, H. and Durmuş, E. 2012. Semirapid maxillary expansion and mandibular symphyseal distraction osteogenesis in adults: a five-year follow-up study. *Seminars in Orthodontics*, 18(2), pp.152-161

Martins, B., Florjanczyk, J., Jackson, N., Gatz, M. dan Mather, M. 2018. Age differences in emotion regulation effort: Pupil response distinguishes reappraisal and distraction for older but not younger adults. *Psychology and Aging*, 33(2), pp.338-349.

UNIVERSITAS
GADJAH MADA
Hubungan Antara Jenis Kelamin dengan Panjang Subnasion-Nasion dan Lebar Bigonial pada Tenaga Kesehatan di RSUP Dr. Sardjito
NUR'AINI, Dra. Neni Trilusiana Rahmawati., M.Kes., Ph.D; Janatin Hastuti, S.Si., M.Kes., PhD
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

McEwen, B. 1981. Neural Gonadal Steroid Actions. *Science*, 211(4488), pp.1303-1311. DOI: 10.1126/science.6259728

Must, A. dan Anderson, S. 2006. Body mass index in children and adolescents: considerations for population-based applications. *International Journal of Obesity*, 30(4), pp.590-594.

Nascimento, W., Cassiani, R. dan Dantas, R., 2013. Efeito do gênero, da altura corporal e da etnia nas medidas antropométricas orofaciais. *Communication Disorders, Audiology and Swallowing*, 25(2), pp.149-153. DOI: 10.1590/s2317-17822013000200010

Ongkana, N. dan Sudwan, P. 2009. Gender differences in Thai mandibles using metric analysis. *Chiang Mai Medical Journal*, 48(2), pp. 43-48

Omotoso, D., Oludiran, O. dan Sakpa, C. 2011. Nasofacial anthropometry of adult Bini tribe in Nigeria. *African Journal of Biomedical Research*, 14(3), pp.219-221

O'Kelly, E., Arora, A., Pirog, S., Ward, J. dan Clarkson, P. 2021. Comparing the fit of N95, KN95, surgical, and cloth face masks and assessing the accuracy of fit checking. *PLOS ONE*, 16(1), p.e0245688. DOI: 10.1371/journal.pone.0245688

Othman, S., Majawit, L., Wan Hassan, W., Wey, M. dan Mohd Razi, R. 2016. Anthropometric study of three-dimensional facial morphology in Malay adults. *PLOS ONE*, 11(10), p.e0164180

Peratiwi, I. dan Subratha, H. 2021. Studi kualitatif stigma negatif terhadap tenaga kesehatan yang terkena COVID-19. *Jurnal Ilmu Kesehatan*, 5(1), pp.38-42

Poosha, D., Byard, P., Satyanarayana, M., Rice, J. and Rao, D. 1984. Family resemblance for cranio-facial measurements in Velanti Brahmins from Andhra Pradesh, India. *American Journal of Physical Anthropology*, 65(1), pp.15-22

Priyatno, D. 2018. SPSS Panduan Mudah Olah Data bagi Mahasiswa dan Umum. 1st ed. Yogyakarta: Penerbit ANDI, pp.82, 179

Rachmadiani, D., Makes, B. dan Iskandar, H. 2017. The average value of mandible measurements in panoramic radiographs: a comparison of 14–35 and 50–70 year old subjects. *Journal of Physics: Conference Series*, 884, p.012049. DOI: 10.1088/1742-6596/884/1/012049

Rahmadi, A. 2016. Hubungan antara pengetahuan antroprometri dengan ketidakpuasan body image mahasiswa akbid gemilang husada kotabumi lampung utara. *Jurnal Kesehatan Metro Sai Wawai*, 8(2). ISSN: 19779-469X

UNIVERSITAS
GADJAH MADA
Hubungan Antara Jenis Kelamin dengan Panjang Subnasion-Nasion dan Lebar Bigonial pada Tenaga Kesehatan di RSUP Dr. Sardjito
NUR'AINI, Dra. Neni Trilusiana Rahmawati., M.Kes., Ph.D; Janatin Hastuti, S.Si., M.Kes., PhD
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Regli, A., Sommerfield, A. dan Ungern-Sternberg, B. 2020. The role of fit testing N95/FFP2/FFP3 masks: a narrative review. *Anaesthesia*, 76(1), pp.91-100. DOI:10.1111/anae.15261

Santika, I. 2015. Hubungan indeks masa tubuh (IMT) dan umur terhadap daya tahan umum (kardiovaskuler) mahasiswa putra semester II kelas A fakultas pendidikan olahraga dan kesehatan IKIP PGRI Bali tahun 2014. *Jurnal Pendidikan Kesehatan Rekreasi*, 1(1), pp.42-7

Saputra, P. 2014. *Kamus Bahasa Indonesia Edisi Baru*. Jakarta: Pandom Media Nusantara, pp.925;935

Scheid, J., Lupien, S., Ford, G. dan West, S. 2020. Commentary: physiological and psychological impact of face mask usage during the COVID-19 pandemic. *International Journal of Environmental Research and Public Health*, 17(18), p.6655. DOI: 10.3390/ijerph17186655

Setiyadi D. A., Gustopo D., dan Soemanto. 2021. Re-desain masker yang ergonomis dengan pendekatan antropometri untuk memaksimalkan proteksi diri di era pandemi COVID-19. *Jurnal Valtech*, 4(1), 55-62. Retrieved from https://ejournal.itn.ac.id/index.php/valtech/article/view/3347

Shastri, D., Tandon, P. dan Singh, A. 2021. Nasal changes in different age groups. *National Journal of Maxillofacial Surgery*, 12(3), pp.367–371. DOI: 10.4103/njms.NJMS_246_20

Shenal, B., Radonovich, L., Cheng, J., Hodgson, M. dan Bender, B. 2012. Discomfort and exertion associated with prolonged wear of respiratory protection in a health care setting. *Journal of Occupational and Environmental Hygiene*, 9(1), pp.59-64. DOI: 10.1080/15459624.2012.635133

Sinha, S. dan Sane, S., 2012. Nasofaciometric analysis: baseline study of regional population. *International Journal of Anatomy Radiology and Surgery*, 1(1), pp.1 – 6

Sukmana, B., Huldani and Hakim, A. 2020. Comparison of tooth crowns and roots between Banjarese and Javanese patients at gusti hasan aman dental hospital. *Dentino (Jurnal Kedokteran Gigi)*, 5(1), pp.49-52. DOI: 10.20527/dentino.v5i1.8121.g6017

Susilo, A., Rumende, C., Pitoyo, C., Santoso, W., Yulianti, M., Herikurniawan, H., *et al.* 2020. Coronavirus disease 2019: tinjauan literatur terkini. *Jurnal Penyakit Dalam Indonesia*, 7(1), p.45

Toomey, E., Conway, Y., Burton, C., Smith, S., Smalle, M., Chan, X., *et al.* 2020. Extended use or reuse of single-use surgical masks and filtering face-piece respirators during the coronavirus disease 2019 (COVID-19) pandemic:

UNIVERSITAS
GADJAH MADA
Hubungan Antara Jenis Kelamin dengan Panjang Subnasion-Nasion dan Lebar Bigonial pada Tenaga Kesehatan di RSUP Dr. Sardjito
NUR'AINI, Dra. Neni Trilusiana Rahmawati., M.Kes., Ph.D; Janatin Hastuti, S.Si., M.Kes., PhD
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

A rapid systematic review. *Infection Control & Hospital Epidemiology*, 42(1), pp.75-83. DOI: 10.1017/ice.2020.1243

Ueki, H., Furusawa, Y., Iwatsuki-Horimoto, K., Imai, M., Kabata, H., Nishimura, H. *et al.* 2020. Effectiveness of face masks in preventing airborne transmission of SARS-CoV-2. *mSphere*, 5(5), pp.1-5. DOI: 10.1128/mSphere.00637-20

Vallabhajosyula, R., Ravindranath, Y. dan Ravindranath, R. 2008. Sexual dimorphism in mandibular morphology: a study on South Indian sample. *South Asian Anthropologist*, 8(1), pp.9-11

Vinay, G., Mangala Gowri, S. dan Anbalagan, J. 2013. Sex determination of human mandible using metrical parameters. *Journal of Clinical and Diagnostic Research*, 7(12), pp.2671–2673. doi: 10.7860/JCDR/2013/7621.3728

Wang, J. dan Du, G. 2020. COVID-19 may transmit through aerosol. *Irish Journal of Medical Science*, 189(4), pp.1143-1144

Wen, Y., Wong, H., Lin, R., Yin, G. dan McGrath, C. 2015. Inter-ethnic/racial facial variations: a systematic review and bayesian meta-analysis of photogrammetric studies. *PLOS ONE*, 10(8), p.e0134525. DOI: 10.1371/journal.pone.0134525

World Health Organization. 2020. Anjuran mengenai penggunaan masker dalam konteks COVID-19'. *Panduan Interim*, pp.1-17.

Yavuz, I., Ikbal, A., Baydas, B. and Ceylan, I. 2004. Longitudinal posteroanterior changes in transverse and vertical craniofacial structures between 10 and 14 years of age. *Angle Orthodontist*, 74(5), pp.624-629.

Zainab, H. dan Nandyal, V. 2018. Estimation of age from dry human mandibles and correlation of age with mandibular parameters. *Journal of Evolution of Medical and Dental Sciences*, 7(36), pp.4027-4031. DOI: 10.14260/jemds/2018/899

Zhuang, Z., Landsittel, D., Benson, S., Roberge, R. dan Shaffer, R. 2010. Facial anthropometric differences among gender, ethnicity, and age groups. *The Annals of Occupational Hygiene*, 54(4), pp.391-402. DOI: 10.1093/annhyg/meq007