

DAFTAR PUSTAKA

- [1] S. Huang, X. (Gavin) Guan, and Y.-J. Chen, “Retailer Information Sharing with Supplier Encroachment,” *SSRN Electron. J.*, 2017, doi: 10.2139/ssrn.2967189.
- [2] T. Bowen, Z. Zhe, and Z. Yulin, “Forecasting method of e-commerce cargo sales based on ARIMA-BP model*,” *Proc. 2020 IEEE Int. Conf. Artif. Intell. Comput. Appl. ICAICA 2020*, pp. 133–136, 2020, doi: 10.1109/ICAICA50127.2020.9181926.
- [3] S. J. Taylor and B. Letham, “Forecasting at Scale,” *Am. Stat.*, vol. 72, no. 1, pp. 37–45, 2018, doi: 10.1080/00031305.2017.1380080.
- [4] P. Ramos, N. Santos, and R. Rebelo, “Performance of state space and ARIMA models for consumer retail sales forecasting,” *Robot. Comput. Integr. Manuf.*, vol. 34, pp. 151–163, 2015, doi: 10.1016/j.rcim.2014.12.015.
- [5] Y. Weng, X. Wang, J. Hua, H. Wang, M. Kang, and F. Y. Wang, “Forecasting Horticultural Products Price Using ARIMA Model and Neural Network Based on a Large-Scale Data Set Collected by Web Crawler,” *IEEE Trans. Comput. Soc. Syst.*, vol. 6, no. 3, pp. 547–553, 2019, doi: 10.1109/TCSS.2019.2914499.
- [6] P. W. Murray, P. W. Murray, B. Agard, and M. A. Barajas, “Forecast of individual customer ’ s demand from a large and noisy dataset Computers & Industrial Engineering Forecast of individual customer ’ s demand from a large and noisy dataset,” *Comput. Ind. Eng.*, vol. 118, pp. 33–43, 2018, doi: 10.1016/j.cie.2018.02.007.
- [7] K. Bandara, P. Shi, C. Bergmeir, H. Hewamalage, Q. Tran, and B. Seaman, “Sales demand forecast in E-commerce using a long short-term memory neural network methodology,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 11955 LNCS, no. January, pp. 462–474, 2019, doi: 10.1007/978-3-030-36718-3_39.
- [8] A. Jha, S. Ray, B. Seaman, and I. S. Dhillon, “Clustering to forecast sparse

- time-series data,” *Proc. - Int. Conf. Data Eng.*, vol. 2015-May, pp. 1388–1399, 2015, doi: 10.1109/ICDE.2015.7113385.
- [9] Y. Smirnov, A. Popov, O. Panichev, Y. Karplyuk, and V. Kharytonov, “Epileptic seizure prediction based on singular value decomposition of heart rate variability features,” *2017 Signal Process. Symp. SPSympo 2017*, pp. 31–34, 2017, doi: 10.1109/SPS.2017.8053648.
- [10] N. Chitsaz, A. Azarnivand, and S. Araghinejad, “Pre-processing of data-driven river flow forecasting models by singular value decomposition (SVD) technique,” *Hydrol. Sci. J.*, vol. 61, no. 12, pp. 2164–2178, 2016, doi: 10.1080/02626667.2015.1085991.
- [11] W. M. Wong, M. Y. Lee, A. S. Azman, and L. A. F. Rose, “Development of Short-term Flood Forecast Using ARIMA,” *Int. J. Math. Model. Methods Appl. Sci.*, vol. 15, pp. 68–75, 2021, doi: 10.46300/9101.2021.15.10.
- [12] A. M. Abadi and D. U. Wutsqa, “Decomposition for Forecasting,” *2014 11th Int. Conf. Fuzzy Syst. Knowl. Discov. Neuro*, pp. 178–182, 2014.
- [13] J. Fattah, L. Ezzine, Z. Aman, H. El Moussami, and A. Lachhab, “Forecasting of demand using ARIMA model,” *Int. J. Eng. Bus. Manag.*, vol. 10, pp. 1–9, 2018, doi: 10.1177/1847979018808673.
- [14] J. Wang, P. Han, Y. Miao, and F. Zhang, “A Collaborative Filtering Algorithm Based on SVD and Trust Factor,” vol. 88, no. Cnci, pp. 33–39, 2019, doi: 10.2991/cnci-19.2019.5.
- [15] R. Barathy and P. Chitra, “Applying Matrix Factorization In Collaborative Filtering Recommender Systems,” *Int. Conf. Adv. Comput. Commun. Syst. ICACCS*, 2020, doi: 10.1007/s10115-021-01628-7.
- [16] K. Taneja, S. Ahmad, K. Ahmad, and S. D. Attri, “Time series analysis of aerosol optical depth over New Delhi using Box–Jenkins ARIMA modeling approach,” *Atmos. Pollut. Res.*, vol. 7, no. 4, pp. 585–596, 2016, doi: 10.1016/j.apr.2016.02.004.
- [17] S. Carta, A. Medda, A. Pili, D. R. Recupero, and R. Saia, “Forecasting E-commerce products prices by combining an autoregressive integrated

- moving average (ARIMA) model and Google Trends data,” *Futur. Internet*, vol. 11, no. 1, pp. 1–19, 2018, doi: 10.3390/fi11010005.
- [18] J. Yang, L. Li, Y. Shi, and X. Xie, “An ARIMA Model with Adaptive Orders for Predicting Blood Glucose Concentrations and Hypoglycemia,” *IEEE J. Biomed. Heal. Informatics*, vol. 23, no. 3, pp. 1251–1260, 2019, doi: 10.1109/JBHI.2018.2840690.
- [19] W. Astuti, R. Akmeliawati, W. Sediono, and M. J. E. Salami, “Hybrid technique using singular value decomposition (SVD) and support vector machine (SVM) approach for earthquake prediction,” *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, vol. 7, no. 5, pp. 1719–1728, 2014, doi: 10.1109/JSTARS.2014.2321972.
- [20] W. Yindi and L. Hongjie, “Fresh agricultural products supply chain in the e-commerce environment vulnerability model,” *2015 Int. Conf. Logist. Informatics Serv. Sci. LISS 2015*, no. 71390034, pp. 1–4, 2015, doi: 10.1109/LISS.2015.7369818.
- [21] M. Išoraitė and N. Miniutienė, “Electronic Commerce: Theory and Practice,” *IJBE (Integrated J. Bus. Econ.*, vol. 2, no. 2, p. 73, 2018, doi: 10.33019/ijbe.v2i2.78.
- [22] S. Suguna, “Big Data Analysis in E-commerce System Using HadoopMapReduce,” *2016 Int. Conf. Inven. Comput. Technol.*, 2016, doi: 10.1109/INVENTIVE.2016.7824798.
- [23] I. Song and K. Whang, “Database design for real-world e-commerce systems,” *IEEE Data Eng. Bull.*, pp. 1–6, 2000, [Online]. Available: http://www.cis.drexel.edu/faculty/song/publications/p_ieee-de-final.pdf.
- [24] P. H. Hsieh, “A Study of Models for Forecasting E-Commerce Sales During a Price War in the Medical Product Industry,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 11588 LNCS, pp. 3–21, 2019, doi: 10.1007/978-3-030-22335-9_1.
- [25] V. S. Vineeth, “Forecasting Sales of Truck Components : A Machine Learning Approach,” *Proc. 2020 IEEE 10th Int. Conf. Intell. Syst.*, 2020, doi:

10.1109/IS48319.2020.9200128.

- [26] H. R. Makridakis S, Wheelwright SC, *1 / the Forecasting Perspective*. 1997.
- [27] L.-M. Liu and G. Hudak, *Forecasting and Time series analysis using the SCA statical system*, vol. 142, no. 3. 1992.
- [28] S. Siامي-namini and N. Tavakoli, “A Comparison of ARIMA and LSTM in Forecasting Time Series A Comparison of ARIMA and LSTM in Forecasting Time Series,” *2018 17th IEEE Int. Conf. Mach. Learn. Appl.*, 2018, doi: 10.1109/ICMLA.2018.00227.
- [29] M. A. & A. E. Hanaa Elgohari, “Application Sarima Models on Time Series to Forecast the Number of death in hospital,” *Int. J. Appl. Math. Stat. Sci.*, vol. 7, no. 4, pp. 9–18, 2018, [Online]. Available: http://www.iaset.us/view_archives.php.
- [30] I. R. Julianto, Indwiarti, and A. A. Rohmawati, “Prediksi Jumlah Kunjungan Wisatawan Di Jawa Barat Dengan Model ARIMAX Dan SARIMAX Menggunakan Data Google Trends,” *e-Proceeding Eng.*, vol. 8, no. 4, pp. 4229–4241, 2021.
- [31] K. Baker, “Singular Value Decomposition Tutorial,” *Ohio State Univ.*, vol. 2005, p. 24, 2005, doi: 10.1021/jo0008901.
- [32] R. Houari, A. Bounceur, M. T. Kechadi, A. K. Tari, and R. Euler, “Dimensionality reduction in data mining: A Copula approach,” *Expert Syst. Appl.*, vol. 64, pp. 247–260, 2016, doi: 10.1016/j.eswa.2016.07.041.
- [33] N. Akter, A. H. M. S. Hoque, R. Mustafa, and M. S. Chowdhury, “Accuracy Analysis of Recommendation System Using Singular Value Decomposition,” pp. 18–21, 2016.
- [34] D. Kalman, “A Singularly Valuable Decomposition: The SVD of a Matrix,” 2002. doi: 10.1007/s10951-008-0089-1.
- [35] I. S. Wahyudi, *Mesin Rekomendasi Film Menggunakan Metode Kemiripan Genre Berbasis Collaborative Filtering*. 2017.
- [36] M. H. Prami Swari, I. P. Susila Handika, and I. K. Susila Satwika,

- “Comparison of Simple Moving Average, Single and Modified Single Exponential Smoothing,” *2021 IEEE 7th Inf. Technol. Int. Semin. Surabaya, Indones. Oct. 6 – 8, 2021 Comp.*, pp. 1–5, 2022, doi: 10.1109/itis53497.2021.9791516.
- [37] “Defining Data Objects.” https://docs.oracle.com/cd/A91202_01/901_doc/olap.901/a86720/esdatao6.htm (accessed May 24, 2022).
- [38] L. Yan, “Representation and Efficient Computation of Sparse Matrix for Neural Networks in Customized Hardware Representation and Efficient Computation of Sparse Matrix for Neural Networks in Customized Hardware,” 2021.
- [39] D. Wu, X. Luo, M. Shang, Y. He, G. Wang, and M. Zhou, “A deep latent factor model for high-dimensional and sparse matrices in recommender systems,” *IEEE Trans. Syst. Man, Cybern. Syst.*, vol. 51, no. 7, pp. 4285–4296, 2021, doi: 10.1109/TSMC.2019.2931393.
- [40] Sugiyono, “Statistika Untuk Penelitian,” *Statistika Untuk Penelitian*, vol. 12. p. 29, 2007.
- [41] B. Yazici and S. Yolacan, “A comparison of various tests of normality,” *J. Stat. Comput. Simul.*, vol. 77, no. 2, pp. 175–183, 2007, doi: 10.1080/10629360600678310.
- [42] P. Khanarsa, “Automatic SARIMA Order Identification Convolutional Neural Network,” *Int. J. Mach. Learn. Comput.*, vol. 10, no. 5, pp. 662–668, 2020, doi: 10.18178/ijmlc.2020.10.5.988.
- [43] A. Kharista, A. E. Permanasari, and I. Hidayah, “The performance of GM (1,1) and ARIMA for forecasting of foreign tourists visit to Indonesia,” *2015 Int. Semin. Intell. Technol. Its Appl. ISITIA 2015 - Proceeding*, pp. 33–37, 2015, doi: 10.1109/ISITIA.2015.7219949.
- [44] X. Guo, S. C. Yin, Y. W. Zhang, W. Li, and Q. He, “Cold Start Recommendation Based on Attribute-Fused Singular Value Decomposition,” *IEEE Access*, vol. 7, pp. 11349–11359, 2019, doi:

10.1109/ACCESS.2019.2891544.

- [45] B. Benson, W. D. Pan, A. Prasad, G. A. Gary, and Q. Hu, "Forecasting Solar Cycle 25 Using Deep Neural Networks," *Sol. Phys.*, vol. 295, no. 5, 2020, doi: 10.1007/s11207-020-01634-y.