

## DAFTAR PUSTAKA

- Abakumov, M. A., Semkina, A. S., Skorikov, A. S., Vishnevskiy, D. A., Ivanova, A. V., Mironova, E., Davydova, G. A., Majouga, A. G., & Chekhonin, V. P. (2018). Toxicity of iron oxide nanoparticles: Size and coating effects. *Journal of Biochemical and Molecular Toxicology*, 32(12), e22225. doi: 10.1002/jbt.22225
- Acharya, D., Rani, A., Agarwal, S., & Singh, V. (2016). Application of adaptive Savitzky–Golay filter for EEG signal processing. *Perspectives in Science*, 8, 677–679. doi: 10.1016/j.pisc.2016.06.056
- Agnihotri, S., Mukherji, S., & Mukherji, S. (2013). Immobilized silver nanoparticles enhance contact killing and show highest efficacy: Elucidation of the mechanism of bactericidal action of silver. *Nanoscale*, 5(16), 7328–7340. doi: 10.1039/C3NR00024A
- Ahn, T., Kim, J. H., Yang, H.-M., Lee, J. W., & Kim, J.-D. (2012). Formation Pathways of Magnetite Nanoparticles by Coprecipitation Method. *The Journal of Physical Chemistry C*, 116(10), 6069–6076. doi: 10.1021/jp211843g
- Amirjani, A., & Haghshenas, D. F. (2018). Ag nanostructures as the surface plasmon resonance (SPR)-based sensors: A mechanistic study with an emphasis on heavy metallic ions detection. *Sensors and Actuators B: Chemical*, 273, 1768–1779. doi: 10.1016/j.snb.2018.07.089
- Amri, F., Septiani, N. L. W., Rezki, M., Iqbal, M., Yamauchi, Y., Golberg, D., Kaneti, Y. V., & Yulianto, B. (2021). Mesoporous TiO<sub>2</sub>-based architectures as promising sensing materials towards next-generation biosensing applications. *Journal of Materials Chemistry B*, 9(5), 1189–1207. doi: 10.1039/D0TB02292F
- Anonim. (2019, Mei 3). Vibrating Sample Magnetometer (VSM). Diambil 28 November 2019, dari <https://sro.txstate.edu/fac/arsc/equipment/echar/vsm.html>
- Antarnusa, G., Swastika, P. E., & Suharyadi, E. (2018). Wheatstone bridge-giant magnetoresistance (GMR) sensors based on Co/Cu multilayers for bio-detection applications. *Journal of Physics: Conference Series*, 1011, 012061. doi: 10.1088/1742-6596/1011/1/012061
- Antosiewicz, J. M., & Shugar, D. (2016). UV–Vis spectroscopy of tyrosine side-groups in studies of protein structure. Part 1: Basic principles and properties of tyrosine chromophore. *Biophysical Reviews*, 8(2), 151–161. doi: 10.1007/s12551-016-0198-6
- Arias, L. S., Pessan, J. P., Vieira, A. P. M., Lima, T. M. T. de, Delbem, A. C. B., & Monteiro, D. R. (2018). Iron Oxide Nanoparticles for Biomedical Applications: A Perspective on Synthesis, Drugs, Antimicrobial Activity, and Toxicity. *Antibiotics*, 7(2). doi: 10.3390/antibiotics7020046
- Azzazy, H. M. E., Mansour, M. M. H., Samir, T. M., & Franco, R. (2011). Gold nanoparticles in the clinical laboratory: Principles of preparation and applications. *Clinical Chemistry and Laboratory Medicine*, 50(2), 193–209. <https://doi.org/10.1515/CCLM.2011.732>
- Baibich, M., Broto, J., Fert, A., Nguyen, V., Petroff, F., Etienne, P., Creuzet, G., Friederich, A., & Chazelas, J. (1988). Giant Magnetoresistance of (001)Fe/(001)Cr Magnetic Superlattices. *Physical Review Letters*, 61(21), 2472–2475. doi: 10.1103/PhysRevLett.61.2472
- Barnaś, J., & Dugaev, V. K. (2015). Chapter 9—Giant Magnetoresistance and Applications. Dalam R. E. Camley, Z. Celinski, & R. L. Stamps (Ed.), *Handbook*

- of Surface Science* (hlm. 371–419). North-Holland. doi: 10.1016/B978-0-444-62634-9.00009-6
- Baselt, D. R., Lee, G. U., Natesan, M., Metzger, S. W., Sheehan, P. E., & Colton, R. J. (1998). A biosensor based on magnetoresistance technology. *Biosensors and Bioelectronics*, 13(7), 731–739. doi: 10.1016/S0956-5663(98)00037-2
- Berg, J. M., Tymoczko, J. L., & Stryer, L. (2002). Chemical Bonds in Biochemistry. Dalam *Biochemistry. 5th edition*. New York: W H Freeman. Diambil dari <https://www.ncbi.nlm.nih.gov/books/NBK22567/>
- Bertotti, G. (1998). Chapter 4—Magnetic Work and Thermodynamics. Dalam G. Bertotti (Ed.), *Hysteresis in Magnetism* (hlm. 103–125). San Diego: Academic Press. doi: 10.1016/B978-012093270-2/50053-2
- Bhalla, N., Jolly, P., Formisano, N., & Estrela, P. (2016). Introduction to biosensors. *Essays in Biochemistry*, 60(1), 1–8. doi: 10.1042/EBC20150001
- Binasch, G., Grünberg, P., Saurenbach, F., & Zinn, W. (1989). Enhanced magnetoresistance in layered magnetic structures with antiferromagnetic interlayer exchange. *Physical Review. B, Condensed Matter*, 39(7), 4828–4830. doi: 10.1103/PhysRevB.39.4828
- Birkner, N., & Wang, Q. (2020, Desember 3). How an FTIR Spectrometer Operates. Diambil 24 Desember 2021, dari Chemistry LibreTexts website: <https://chem.libretexts.org/@go/page/1844>
- Bruno, P. (1993). Interlayer exchange coupling: A unified physical picture. *Journal of Magnetism and Magnetic Materials*, 121(1), 248–252. doi: 10.1016/0304-8853(93)91197-F
- Bui, D. T., Tran, M. D., Nguyen, H. D., & Nguyen, H. B. (2012). Influence of CoFe and NiFe pinned layers on sensitivity of planar Hall biosensors based on spin-valve structures. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 3(4), 045019. doi: 10.1088/2043-6262/3/4/045019
- Buschow, K. H. J., & Boer, F. R. de. (2003). *Physics of Magnetism and Magnetic Materials*. Springer US. Diambil dari <https://www.springer.com/gp/book/9780306474217>
- Carbonaro, M., & Nucara, A. (2010). Secondary structure of food proteins by Fourier transform spectroscopy in the mid-infrared region. *Amino Acids*, 38(3), 679–690. doi: 10.1007/s00726-009-0274-3
- Carter, B. (2013). Chapter 2—Review of Op Amp Basics. Dalam B. Carter (Ed.), *Op Amps for Everyone (Fourth Edition)* (hlm. 7–17). Boston: Newnes. doi: 10.1016/B978-0-12-391495-8.00002-7
- Castilho, M. de S., Laube, T., Yamanaka, H., Alegret, S., & Pividori, M. I. (2011). Magneto Immunoassays for Plasmodium falciparum Histidine-Rich Protein 2 Related to Malaria based on Magnetic Nanoparticles. *Analytical Chemistry*, 83(14), 5570–5577. doi: 10.1021/ac200573s
- Cesare, F. D., Mattia, E. D., Zussman, E., & Macagnano, A. (2019). A study on the dependence of bacteria adhesion on the polymer nanofibre diameter. *Environmental Science: Nano*, 6(3), 778–797. doi: 10.1039/C8EN01237G
- Chaki, S. H., Malek, T. J., Chaudhary, M. D., Tailor, J. P., & Deshpande, M. P. (2015). Magnetite Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesis by wet chemical reduction and their characterization. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 6(3), 035009. doi: 10.1088/2043-6262/6/3/035009
- Chamuah, N., Saikia, A., Joseph, A. M., & Nath, P. (2019). Blu-ray DVD as SERS substrate for reliable detection of albumin, creatinine and urea in urine. *Sensors and Actuators B: Chemical*, 285, 108–115. doi: 10.1016/j.snb.2019.01.031

- Chen, W., Zhou, Q., Wan, F., & Gao, T. (2012). Gas Sensing Properties and Mechanism of Nano-SnO<sub>2</sub>-Based Sensor for Hydrogen and Carbon Monoxide. *Journal of Nanomaterials*, 2012, e612420. doi: 10.1155/2012/612420
- Chen, Y.-T., Kolhatkar, A. G., Zenasni, O., Xu, S., & Lee, T. R. (2017). Biosensing Using Magnetic Particle Detection Techniques. *Sensors (Basel, Switzerland)*, 17(10). doi: 10.3390/s17102300
- Chia, C. H., Zakaria, S., Farahiyah, R., Khong, L. T., Nguyen, K. L., Abdullah, M., & Ahmad, S. (2008). Size-controlled synthesis and characterization of Fe<sub>3</sub>O<sub>4</sub> nanoparticles by chemical coprecipitation method. *Sains Malaysiana*, 37(4), 389–394.
- Chin, S. F., Iyer, K. S., & Raston, C. L. (2009). Facile and Green Approach To Fabricate Gold and Silver Coated Superparamagnetic Nanoparticles. *Crystal Growth & Design*, 9(6), 2685–2689. doi: 10.1021/cg8013199
- Chudasama, B., Vala, A. K., Andhariya, N., Upadhyay, R. V., & Mehta, R. V. (2009). Enhanced antibacterial activity of bifunctional Fe<sub>3</sub>O<sub>4</sub>-Ag core-shell nanostructures. *Nano Research*, 2(12), 955–965. doi: 10.1007/s12274-009-9098-4
- Clark, J. (2016, Mei). UV-visible absorption spectra. Diambil 14 Desember 2018, dari <https://www.chemguide.co.uk/analysis/uvvisible/theory.html>
- Coey, J. M. D. (2010). *Magnetism and Magnetic Materials*. Cambridge University Press. doi: 10.1017/CBO9780511845000
- Coskun, A. F., Nagi, R., Sadeghi, K., Phillips, S., & Ozcan, A. (2013). Albumin testing in urine using a smart-phone. *Lab on a Chip*, 13(21), 4231–4238. doi: 10.1039/c3lc50785h
- CRNN. (t.t.). TRANSMISSION ELECTRON MICROSCOPY. Diambil 28 November 2019, dari <http://www.crncu.org/microscopy.html>
- Cullity, B. D., & Graham, C. D. (2008). *Introduction to Magnetic Materials* (2 ed.). Wiley-IEEE Press.
- De Clercq, J. (2017). *Modelling antiferromagnetic interfaces with MuMax3* (Dissertation, Ghent University). Ghent University. Diambil dari <http://hdl.handle.net/1854/LU-8530162>
- Dennis, C. L., Borges, R. P., Buda, L. D., Ebels, U., Gregg, J. F., Hehn, M., Jouguelet, E., Ounadjela, K., Petej, I., Prejbeanu, I. L., & Thornton, M. J. (2002). The defining length scales of mesomagnetism: A review. *Journal of Physics: Condensed Matter*, 14(49), R1175–R1262. doi: 10.1088/0953-8984/14/49/201
- Devi, L. B., Berchmans, S., & Mandal, A. B. (2012). Highly sensitive detection of proteins using voltammetric assay in the presence of silver nanostructures. *Journal of Electroanalytical Chemistry*, 665, 20–25. doi: 10.1016/j.jelechem.2011.11.013
- Dieny, B., Speriosu, V. S., Parkin, S. S. P., Gurney, B. A., Wilhoit, D. R., & Mauri, D. (1991). Giant magnetoresistive in soft ferromagnetic multilayers. *Physical Review B*, 43(1), 1297–1300. doi: 10.1103/PhysRevB.43.1297
- Dizaji, A. N., Yilmaz, M., & Piskin, E. (2016). Silver or gold deposition onto magnetite nanoparticles by using plant extracts as reducing and stabilizing agents. *Artificial Cells, Nanomedicine, and Biotechnology*, 44(4), 1109–1115. doi: 10.3109/21691401.2015.1019672
- Djamal, M. & Ramli. (2012). Development of Sensors Based on Giant Magnetoresistance Material. *Procedia Engineering*, 32, 60–68. doi: 10.1016/j.proeng.2012.01.1237

- Du, J., & Jing, C. (2011). Preparation of Fe<sub>3</sub>O<sub>4</sub>@Ag SERS substrate and its application in environmental Cr(VI) analysis. *Journal of Colloid and Interface Science*, 358(1), 54–61. doi: 10.1016/j.jcis.2011.02.044
- Du, Y., & Pong, P. W. T. (2016, Mei). A linear slope analyzing strategy of GMR sensor transfer curve for the detection of superparamagnetic nanoparticles. 1–2. IEEE. doi: 10.1109/ISNE.2016.7543348
- Dutrow, B. L., & Clark, C. M. (t.t.). X-Ray Powder Diffraction (XRD). Diambil 13 November 2019, dari Geochemical Instrumentation and Analysis website: [https://serc.carleton.edu/research\\_education/geochemsheets/techniques/XRD.htm](https://serc.carleton.edu/research_education/geochemsheets/techniques/XRD.htm)
- Dutta, A. (2017). Chapter 4—Fourier Transform Infrared Spectroscopy. Dalam S. Thomas, R. Thomas, A. K. Zachariah, & R. K. Mishra (Ed.), *Spectroscopic Methods for Nanomaterials Characterization* (hlm. 73–93). Elsevier. doi: 10.1016/B978-0-323-46140-5.00004-2
- Edelstein, R. L., Tamanaha, C. R., Sheehan, P. E., Miller, M. M., Baselt, D. R., Whitman, L. J., & Colton, R. J. (2000). The BARC biosensor applied to the detection of biological warfare agents. *Biosensors & Bioelectronics*, 14(10–11), 805–813. doi: 10.1016/S0956-5663(99)00054-8
- Ennen, I., Kappe, D., Rempel, T., Glenske, C., & Hütten, A. (2016). Giant Magnetoresistance: Basic Concepts, Microstructure, Magnetic Interactions and Applications. *Sensors (Basel, Switzerland)*, 16(6). doi: 10.3390/s16060904
- Ernest, V., Chandrasekaran, N., & Mukherjee, A. (2013). Colloidal Silver Nanoparticles and Bovine Serum Albumin. Dalam R. H. Kretsinger, V. N. Uversky, & E. A. Permyakov (Ed.), *Encyclopedia of Metalloproteins* (hlm. 701–706). New York, NY: Springer. doi: 10.1007/978-1-4614-1533-6\_526
- Faris, A. S., Al-Naseri, S. K., Jamal, N., Isse, R., Abed, M., Fouad, Z., Kazim, A., Reheem, N., Chalooob, A., Mohammad, H., Jasim, H., Sadeq, J., Salim, A., & Abas, A. (2012). Effects of Magnetic Field on Fuel Consumption and Exhaust Emissions in Two-Stroke Engine. *Energy Procedia*, 18(Supplement C), 327–338. doi: 10.1016/j.egypro.2012.05.044
- Fekete, S., Veuthey, J.-L., Beck, A., & Guillaume, D. (2016). Hydrophobic interaction chromatography for the characterization of monoclonal antibodies and related products. *Journal of Pharmaceutical and Biomedical Analysis*, 130, 3–18. doi: 10.1016/j.jpba.2016.04.004
- Fernando, G. W. (2008). Chapter 4—Magnetic Anisotropy in Transition Metal Systems. Dalam G. W. Fernando (Ed.), *Handbook of Metal Physics* (hlm. 89–110). Elsevier. doi: 10.1016/S1570-002X(07)00004-3
- Fleischmann, C., Almeida, F., Demeter, J., Paredis, K., Teichert, A., Steitz, R., Brems, S., Opperdoes, B., Van Haesendonck, C., Vantomme, A., & Temst, K. (2010). The influence of interface roughness on the magnetic properties of exchange biased CoO/Fe thin films. *Journal of Applied Physics*, 107(11), 113907. doi: 10.1063/1.3391470
- Gallagher, W. (t.t.). *FTIR Analysis of Protein Structure*. Diambil dari [https://www.chem.uwec.edu/chem455\\_s05/pages/manuals/FTIR\\_of\\_proteins.pdf](https://www.chem.uwec.edu/chem455_s05/pages/manuals/FTIR_of_proteins.pdf)
- Getzlaff, M. (2008). *Fundamentals of Magnetism*. Berlin Heidelberg: Springer-Verlag. Diambil dari <https://www.springer.com/gp/book/9783540311508>
- Ghazanfari, M., Johar, F., & Yazdani, A. (2014). Synthesis and characterization of Fe<sub>3</sub>O<sub>4</sub>@Ag core-shell: Structural, morphological, and magnetic properties. *Journal of Ultrafine Grained and Nanostructured Materials*, 47(2), 97–103. doi: 10.7508/jufgmsm.2014.02.006

- Ghazanfari, M. R., Kashefi, M., Shams, S. F., & Jaafari, M. R. (2016). Perspective of Fe<sub>3</sub>O<sub>4</sub> Nanoparticles Role in Biomedical Applications. *Biochemistry Research International*, 2016. doi: 10.1155/2016/7840161
- Ghorbani, M. M., & Taherian, R. (2019). 12—Methods of Measuring Electrical Properties of Material\*. In R. Taherian & A. Kausar (Eds.), *Electrical Conductivity in Polymer-Based Composites* (pp. 365–394). William Andrew Publishing. doi: 10.1016/B978-0-12-812541-0.00012-4
- Giouroudi, I., & Hristoforou, E. (2018). Perspective: Magnetoresistive sensors for biomedicine. *Journal of Applied Physics*, 124(3), 1–9. doi: 10.1063/1.5027035
- Giouroudi, I., & Keplinger, F. (2013). Microfluidic Biosensing Systems Using Magnetic Nanoparticles. *International Journal of Molecular Sciences*, 14(9), 18535–18556. doi: 10.3390/ijms140918535
- Gnanadhas, D. P., Ben Thomas, M., Thomas, R., Raichur, A. M., & Chakravorty, D. (2013). Interaction of Silver Nanoparticles with Serum Proteins Affects Their Antimicrobial Activity In Vivo. *Antimicrobial Agents and Chemotherapy*, 57(10), 4945–4955. <https://doi.org/10.1128/AAC.00152-13>
- Griffiths, P. R., & de Haseth, J. A. (2006). *Fourier Transform Infrared Spectrometry* (2 ed.). New Jersey: John Wiley & Sons, Ltd. Diambil dari <https://onlinelibrary.wiley.com/doi/book/10.1002/047010631X>
- Gu, H., Zhang, X., Wei, H., Huang, Y., Wei, S., & Guo, Z. (2013). An overview of the magnetoresistance phenomenon in molecular systems. *Chemical Society Reviews*, 42(13), 5907–5943. doi: 10.1039/C3CS60074B
- Guan, M., Mu, X., Zhang, H., Zhang, Y., Xu, J., Li, Q., Wang, X., Cao, D., & Li, S. (2019). Spindle-like Fe<sub>3</sub>O<sub>4</sub> nanoparticles for improving sensitivity and repeatability of giant magnetoresistance biosensors. *Journal of Applied Physics*, 126(6), 064505. doi: 10.1063/1.5096345
- Guo, S., Dong, S., & Wang, E. (2009). A General Route to Construct Diverse Multifunctional Fe<sub>3</sub>O<sub>4</sub>/Metal Hybrid Nanostructures. *Chemistry – A European Journal*, 15(10), 2416–2424. doi: 10.1002/chem.200801942
- Gupta, S., & Kakkar, V. (2019). DARPin based GMR Biosensor for the detection of ESAT-6 Tuberculosis Protein. *Tuberculosis*, 118, 101852. doi: 10.1016/j.tube.2019.07.003
- Habila, M. A., ALOthman, Z. A., El-Toni, A. M., Al-Tamrah, S. A., Soylak, M., & Labis, J. P. (2017). Carbon-coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles with surface amido groups for magnetic solid phase extraction of Cr(III), Co(II), Cd(II), Zn(II) and Pb(II) prior to their quantitation by ICP-MS. *Microchimica Acta*, 184(8), 2645–2651. doi: 10.1007/s00604-017-2283-3
- Handriani, L. S. (2019). *Monitoring Pertumbuhan Mikroalga Menggunakan Sensor Giant Magnetoresistance (GMR) Berbasis Lapisan Tipis Spin Valve dan Single Layer*. Universitas Gajah Mada, Yogyakarta.
- Hasegawa, S., Shiraki, I., Tanikawa, T., Petersen, C. L., Hansen, T. M., Boggild, P., & Grey, F. (2002). Direct measurement of surface-state conductance by microscopic four-point probe method. *Journal of Physics: Condensed Matter*, 14(35), 8379–8392. doi: 10.1088/0953-8984/14/35/309
- He, S.-B., Balasubramanian, P., Chen, Z.-W., Zhang, Q., Zhuang, Q.-Q., Peng, H.-P., Deng, H.-H., Xia, X.-H., & Chen, W. (2020). Protein-Supported RuO<sub>2</sub> Nanoparticles with Improved Catalytic Activity, In Vitro Salt Resistance, and Biocompatibility: Colorimetric and Electrochemical Biosensing of Cellular H<sub>2</sub>O<sub>2</sub>. *ACS Applied Materials & Interfaces*, 12(13), 14876–14883. doi: 10.1021/acsami.0c00778

- Hill, E. W. (2000). A comparison of GMR multilayer and spin-valve sensors for vector field sensing. *IEEE Transactions on Magnetics*, 36(5), 2785–2787. doi: 10.1109/20.908589
- Hoppe, J. D., Scriba, P. C., & Klüter, H. (2009). 5 Human Albumin. *Transfusion Medicine and Hemotherapy*, 36(6), 399. /pmc/articles/PMC2997295/
- Hott, M., Hoehner, P. A., & Reinecke, S. F. (2019). Magnetic Communication Using High-Sensitivity Magnetic Field Detectors. *Sensors*, 19(15), 3415. doi: 10.3390/s19153415
- Huang, H. T., Garu, P., Li, C. H., Chang, W. C., Chen, B. W., Sung, S. Y., Lee, C. M., Chen, J. Y., Hsieh, T. F., Sheu, W. J., Ouyang, H., Wang, W. C., Chang, C. R., Wang, C. L., Hsu, M. S., & Wei, Z. H. (2019). Magnetoresistive Biosensors for Direct Detection of Magnetic Nanoparticle Conjugated Biomarkers on a Chip. *SPIN*, 9(2), 1940002. doi: 10.1142/S2010324719400022
- Hughes, M. (2016, November 26). What is DC Sputtering? Diambil 4 Mei 2020, dari <http://www.semicore.com/news/94-what-is-dc-sputtering>
- Hughes, M. L. (2015). *Determining the Importance of Hydrogen Bond Strength on the Mechanical Stability of Proteins* (Phd, University of Leeds). University of Leeds, UK. Diambil dari <http://etheses.whiterose.ac.uk/12062/>
- Imran, M., Ansari, A. R., Shaik, A. H., Abdulaziz, Hussain, S., Khan, A., & Chandan, M. R. (2018). Ferrofluid synthesis using oleic acid coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles dispersed in mineral oil for heat transfer applications. *Materials Research Express*, 5(3), 036108. doi: 10.1088/2053-1591/aab4d7
- Ionescu, A., Llandro, J., & Darton, N. J. (Eds.). (2019). Sensing Magnetic Nanoparticles. In *Magnetic Nanoparticles in Biosensing and Medicine* (pp. 172–227). Cambridge University Press. doi: 10.1017/9781139381222.007
- Iskandar, D., Suprpto, Y. K., & Purnama, I. K. E. (2016). Determination of priority parameter for classification of poverty using Chi-square method and Cramer's V correlation. *2016 International Seminar on Application for Technology of Information and Communication (ISEMANTIC)*, 247–252. doi: 10.1109/ISEMANTIC.2016.7873846
- Issa, B., Obaidat, I. M., Albiss, B. A., & Haik, Y. (2013). Magnetic Nanoparticles: Surface Effects and Properties Related to Biomedicine Applications. *International Journal of Molecular Sciences*, 14(11), 21266–21305. doi: 10.3390/ijms141121266
- Ito, A., Shinkai, M., Honda, H., & Kobayashi, T. (2005). Medical application of functionalized magnetic nanoparticles. *Journal of Bioscience and Bioengineering*, 100(1), 1–11. doi: 10.1263/jbb.100.1
- Jacobs, A. J., Mongkolsapaya, J., Sreaton, G. R., McShane, H., & Wilkinson, R. J. (2016). Antibodies and tuberculosis. *Tuberculosis (Edinburgh, Scotland)*, 101, 102–113. <https://doi.org/10.1016/j.tube.2016.08.001>
- Jafari, A., Shayesteh, S. F., Salouti, M., & Boustani, K. (2015). Dependence of structural phase transition and lattice strain of Fe<sub>3</sub>O<sub>4</sub> nanoparticles on calcination temperature. *Indian Journal of Physics*, 6(89), 551–560. doi: 10.1007/s12648-014-0627-y
- Jahanban-Esfahlan, A., Ostadrahimi, A., Jahanban-Esfahlan, R., Roufegarinejad, L., Tabibiazar, M., & Amarowicz, R. (2019). Recent developments in the detection of bovine serum albumin. *International Journal of Biological Macromolecules*, 138, 602–617. doi: 10.1016/j.ijbiomac.2019.07.096

- Janyasupab, M., & Liu, C.-C. (2014). Enzymatic Electrochemical Biosensors. Dalam G. Kreysa, K. Ota, & R. F. Savinell (Ed.), *Encyclopedia of Applied Electrochemistry* (hlm. 872–882). New York, NY: Springer. doi: 10.1007/978-1-4419-6996-5\_77
- Ji, Y., Yang, X., Ji, Z., Zhu, L., Ma, N., Chen, D., Jia, X., Tang, J., & Cao, Y. (2020). DFT-Calculated IR Spectrum Amide I, II, and III Band Contributions of N-Methylacetamide Fine Components. *ACS Omega*, 5(15), 8572–8578. doi: 10.1021/acsomega.9b04421
- Jiang, C., Chan, P. H., Leung, C. W., & Pong, P. W. T. (2017). CoFe<sub>2</sub>O<sub>4</sub> Nanoparticle-Integrated Spin-Valve Thin Films Prepared by Interfacial Self-Assembly. *The Journal of Physical Chemistry C*, 121(40), 22508–22516. doi: 10.1021/acs.jpcc.7b07242
- Jogschies, L., Klaas, D., Kruppe, R., Rittinger, J., Taptimthong, P., Wienecke, A., Rissing, L., & Wurz, M. C. (2015). Recent Developments of Magnetoresistive Sensors for Industrial Applications. *Sensors (Basel, Switzerland)*, 15(11), 28665–28689. doi: 10.3390/s151128665
- Johnson, A. (2004). *Spin Valve Systems for Angle Sensor Applications* (Phd, Technische Universität). Technische Universität, Darmstadt. Diambil dari <http://elib.tu-darmstadt.de/diss/000511>
- Johnson, M. T., Bloemen, P. J. H., Broeder, F. J. A. den, & Vries, J. J. de. (1996). Magnetic anisotropy in metallic multilayers. *Reports on Progress in Physics*, 59(11), 1409–1458. doi: 10.1088/0034-4885/59/11/002
- Juharni. (2020). *Kajian Pengaruh Nanopartikel Core-Shell Fe<sub>3</sub>O<sub>4</sub>@Ag Terhadap Fenomena Surface Plasmon Resonance (SPR)* (Universitas Gadjah Mada). Universitas Gadjah Mada, Yogyakarta. Diambil dari [http://lib.ugm.ac.id/ind/?page\\_id=248](http://lib.ugm.ac.id/ind/?page_id=248)
- Kalantari, K., Ahmad, M. B., Shameli, K., Hussein, M. Z. B., Khandanlou, R., & Khanehzaei, H. (2014). Size-Controlled Synthesis of Fe<sub>3</sub>O<sub>4</sub> Magnetic Nanoparticles in the Layers of Montmorillonite. *Journal of Nanomaterials*, 2014(739485), 9. doi: 10.1155/2014/739485
- Khan, I., Saeed, K., & Khan, I. (2019). Nanoparticles: Properties, applications and toxicities. *Arabian Journal of Chemistry*, 12(7), 908–931. doi: 10.1016/j.arabjc.2017.05.011
- Kim, D. C., & Kang, D. J. (2008). Molecular Recognition and Specific Interactions for Biosensing Applications. *Sensors (Basel, Switzerland)*, 8(10), 6605–6641. doi: 10.3390/s8106605
- Kim, Y., Yuk, H., Zhao, R., Chester, S. A., & Zhao, X. (2018). Printing ferromagnetic domains for untethered fast-transforming soft materials. *Nature*, 558(7709), 274–279. doi: 10.1038/s41586-018-0185-0
- Kirupakar, B. B., Vishwanath, B. A., Sree, M. P., & Deenadayalan. (2016). Vibrating Sample Magnetometer and Its Application In Characterisation Of Magnetic Property Of The Anti Cancer Drug Magnetic Microspheres. *IJPDA*, 4(5), 227–233.
- Knetsch, M. L. W., & Koole, L. H. (2011). New Strategies in the Development of Antimicrobial Coatings: The Example of Increasing Usage of Silver and Silver Nanoparticles. *Polymers*, 3(1), 340–366. doi: 10.3390/polym3010340
- Kolen'Ko, Y. V., Bañobre-López, M., Rodríguez-Abreu, C., Carbó-Argibay, E., Sailsman, A., Piñeiro-Redondo, Y., Cerqueira, M. F., Petrovykh, D. Y., Kovnir, K., Lebedev, O. I., & Rivas, J. (2014). Large-Scale Synthesis of Colloidal Fe<sub>3</sub>O<sub>4</sub> Nanoparticles Exhibiting High Heating Efficiency in Magnetic Hyperthermia.

*The Journal of Physical Chemistry C*, 118(16), 8691–8701. doi:  
10.1021/jp500816u

- Kolhatkar, A. G., Chen, Y.-T., Chinwangso, P., Nekrashevich, I., Dannangoda, G. C., Singh, A., Jamison, A. C., Zenasni, O., Rusakova, I. A., Martirosyan, K. S., Litvinov, D., Xu, S., Willson, R. C., & Lee, T. R. (2017). Magnetic Sensing Potential of Fe<sub>3</sub>O<sub>4</sub> Nanocubes Exceeds That of Fe<sub>3</sub>O<sub>4</sub> Nanospheres. *ACS Omega*, 2(11), 8010–8019. doi: 10.1021/acsomega.7b01312
- Kreines, N. M., Kholin, D. I., & Demokritov, S. O. (2012). The interlayer exchange interaction in multilayer magnetic systems Fe/Cr/Fe (Review Article). *Low Temperature Physics*, 38(9), 826–834. doi: 10.1063/1.4752095
- Krishna, V. D., Wu, K., Perez, A. M., & Wang, J.-P. (2016). Giant Magnetoresistance-based Biosensor for Detection of Influenza A Virus. *Frontiers in Microbiology*, 7. doi: 10.3389/fmicb.2016.00400
- Krumeich, F. (2016, Januari 5). Transmission Electron Microscopy (TEM). Diambil 28 November 2019, dari Electron microscopy website: <https://www.microscopy.ethz.ch/TEM.htm>
- Kurtan, U., & Baykal, A. (2014). Fabrication and characterization of Fe<sub>3</sub>O<sub>4</sub>@APTES@PAMAM-Ag highly active and recyclable magnetic nanocatalyst: Catalytic reduction of 4-nitrophenol. *Materials Research Bulletin*, 60, 79–87. doi: 10.1016/j.materresbull.2014.08.016
- Kurti, N. (1988). *Selected Works of Louis Neel* (1 edition). New York: CRC Press.
- Kwizera, E. A., Chaffin, E., Wang, Y., & Huang, X. (2017). Synthesis and properties of magnetic-optical core-shell nanoparticles. *RSC Advances*, 7(28), 17137–17153. doi: 10.1039/C7RA01224A
- Lak, A. (2013). *Synthesis and Characterization of Magnetic Iron Oxide Nanoparticles* (Institut für Elektrische Messtechnik und Grundlagen der Elektrotechnik). Institut für Elektrische Messtechnik und Grundlagen der Elektrotechnik, Braunschweig, Germany. Diambil dari [https://publikationsserver.tu-braunschweig.de/servlets/MCRFileNodeServlet/dbbs\\_derivate\\_00034110/aidin\\_1ak\\_thesis.pdf](https://publikationsserver.tu-braunschweig.de/servlets/MCRFileNodeServlet/dbbs_derivate_00034110/aidin_1ak_thesis.pdf)
- Li, B.-R. (2014). Introduction of Biosensor. Diambil 9 November 2020, dari Bor-Ran Li Research Group website: <https://liborran.weebly.com/research.html>
- Li, G., Sun, S., Wilson, R. J., White, R. L., Pourmand, N., & Wang, S. X. (2006). Spin valve sensors for ultrasensitive detection of superparamagnetic nanoparticles for biological applications. *Sensors and Actuators. A, Physical*, 126(1), 98–106. doi: 10.1016/j.sna.2005.10.001
- Li, L., Mak, K. Y., Leung, C. W., Ng, S. M., Lei, Z. Q., & Pong, P. W. T. (2013). Detection of 10-nm Superparamagnetic Iron Oxide Nanoparticles Using Exchange-Biased GMR Sensors in Wheatstone Bridge. *IEEE Transactions on Magnetics*, 49(7), 4056–4059. doi: 10.1109/TMAG.2013.2237889
- Li, N., Huang, G.-W., Shen, X.-J., Xiao, H.-M., & Fu, S.-Y. (2013). Controllable fabrication and magnetic-field assisted alignment of Fe<sub>3</sub>O<sub>4</sub>-coated Ag nanowires via a facile co-precipitation method. *Journal of Materials Chemistry C*, 1(32), 4879–4884. doi: 10.1039/C3TC30270A
- Li, Q., Kartikowati, C. W., Horie, S., Ogi, T., Iwaki, T., & Okuyama, K. (2017). Correlation between particle size/domain structure and magnetic properties of highly crystalline Fe<sub>3</sub>O<sub>4</sub> nanoparticles. *Scientific Reports*, 7(1), 9894. doi: 10.1038/s41598-017-09897-5

- Li, Y., Moon, J.-H., & Lee, K.-J. (2011). Effect of Interface Roughness on Exchange Bias of an Uncompensated Interface :Monte Carlo Simulation. *Journal of Magnetism and Magnetic Materials*, 323(4), 323–327.
- Li, Z., Liao, C., Chen, D., Song, J., Jin, W., Peng, G.-D., Zhu, F., Wang, Y., He, J., & Wang, Y. (2017). Label-free detection of bovine serum albumin based on an in-fiber Mach-Zehnder interferometric biosensor. *Optics Express*, 25(15), 17105–17113. doi: 10.1364/OE.25.017105
- Liang, Y.-C., Chang, L., Qiu, W., Kolhatkar, A. G., Vu, B., Kourentzi, K., Lee, T. R., Zu, Y., Willson, R., & Litvinov, D. (2017). Ultrasensitive Magnetic Nanoparticle Detector for Biosensor Applications. *Sensors*, 17(6), 1–10. doi: 10.3390/s17061296
- Lin, H.-C., Chuang, C.-H., Cheng, M.-H., Lin, Y.-C., & Fang, Y.-P. (2019). High Potency of SN-38-Loaded Bovine Serum Albumin Nanoparticles Against Triple-Negative Breast Cancer. *Pharmaceutics*, 11(11), 569. doi: 10.3390/pharmaceutics11110569
- Lister, A. S. (2005). 7—Validation of HPLC Methods in Pharmaceutical Analysis. In S. Ahuja & M. W. Dong (Eds.), *Separation Science and Technology* (Vol. 6, 191–217). Academic Press. doi: 10.1016/S0149-6395(05)80051-0
- Liu, C. H., Zhou, Z. D., Yu, X., Lv, B. Q., Mao, J. F., & Xiao, D. (2008). Preparation and characterization of Fe<sub>3</sub>O<sub>4</sub>/Ag composite magnetic nanoparticles. *Inorganic Materials*, 44(3), 291–295. doi: 10.1134/S002016850803014X
- Liu, L., Leng, J., Yang, X., Liao, L., Cen, Y., Xiao, A., & Ma, L. (2016). Rapid Screening and Identification of BSA Bound Ligands from Radix astragali Using BSA Immobilized Magnetic Nanoparticles Coupled with HPLC-MS. *Molecules*, 21(11), 1471. doi: 10.3390/molecules21111471
- Lodish, H., Berk, A., Zipursky, S. L., Matsudaira, P., Baltimore, D., & Darnell, J. (2000). Section 2.2, Noncovalent Bonds. Dalam *Molecular Cell Biology*. 4th edition. New York: W. H. Freeman. Diambil dari <https://www.ncbi.nlm.nih.gov/books/NBK21726/>
- Long, X., Ren, J., Zhang, C., Ji, F., & Jia, L. (2019). Facile and Controllable Fabrication of Protein-Only Nanoparticles through Photo-Induced Crosslinking of Albumin and Their Application as DOX Carriers. *Nanomaterials*, 9(5). doi: 10.3390/nano9050797
- Lu, L., Wang, X., Xiong, C., & Yao, L. (2015). Recent advances in biological detection with magnetic nanoparticles as a useful tool. *Science China Chemistry*, 58(5), 793–809. doi: 10.1007/s11426-015-5370-5
- Mahmoudi, M., & Serpooshan, V. (2012). Silver-Coated Engineered Magnetic Nanoparticles Are Promising for the Success in the Fight against Antibacterial Resistance Threat. *ACS Nano*, 6(3), 2656–2664. doi: 10.1021/nn300042m
- Mariam, J., Dongre, P. M., & Kothari, D. C. (2011). Study of interaction of silver nanoparticles with bovine serum albumin using fluorescence spectroscopy. *Journal of Fluorescence*, 21(6), 2193–2199. doi: 10.1007/s10895-011-0922-3
- Marquina, C., De Teresa, J. M., Serrate, D., Marzo, J., Cardoso, F. A., Saurel, D., Cardoso, S., Freitas, P. P., & Ibarra, M. R. (2012). GMR sensors and magnetic nanoparticles for immuno-chromatographic assays. *Journal of Magnetism and Magnetic Materials*, 324(21), 3495–3498. doi: 10.1016/j.jmmm.2012.02.074
- Mascolo, M. C., Pei, Y., & Ring, T. A. (2013). Room Temperature Co-Precipitation Synthesis of Magnetite Nanoparticles in a Large pH Window with Different Bases. *Materials*, 6(12), 5549–5567. doi: 10.3390/ma6125549

- Masurkar, N., Varma, S., & Mohana Reddy Arava, L. (2020). Supported and Suspended 2D Material-Based FET Biosensors. *Electrochem*, 1(3), 260–277. doi: 10.3390/electrochem1030017
- Matula, R. A. (1979). *Electrical resistivity of copper, gold, palladium, and silver*. doi: 10.1063/1.555614
- Medeiros, S. F., Santos, A. M., Fessi, H., & Elaissari, A. (2011). Stimuli-responsive magnetic particles for biomedical applications. *International Journal of Pharmaceutics*, 403(1), 139–161. doi: 10.1016/j.ijpharm.2010.10.011
- Miller, J. N., & Miller, J. C. (2000). *Statistics and Chemometrics for Analytical Chemistry* (Edisi ke-6). Prentice Hall.
- Mohanty, S. P., & Kougianos, E. (2006). Biosensors: A tutorial review. *IEEE Potentials*, 25(2), 35–40. doi: 10.1109/MP.2006.1649009
- Moman, R. N., Gupta, N., & Varacallo, M. (2022). Physiology, Albumin. Dalam StatPearls. Treasure Island (FL): StatPearls Publishing. Diambil dari <http://www.ncbi.nlm.nih.gov/books/NBK459198/>
- Monazam, E. R., Breault, R. W., & Siriwardane, R. (2014). Kinetics of Magnetite (Fe<sub>3</sub>O<sub>4</sub>) Oxidation to Hematite (Fe<sub>2</sub>O<sub>3</sub>) in Air for Chemical Looping Combustion. *Industrial & Engineering Chemistry Research*, 53(34), 13320–13328. doi: 10.1021/ie501536s
- Moosavi, S. M., & Ghassabian, S. (2018). Dalam M. T. Stauffer (Ed.), *Calibration and Validation of Analytical Methods—A Sampling of Current Approaches*. IntechOpen. doi: 10.5772/intechopen.72932
- Morton, J. J. (2012). *Magnetic properties of materials*.
- Mørup, S., Hansen, M. F., & Frandsen, C. (2011). 1.14—Magnetic Nanoparticles. Dalam D. L. Andrews, G. D. Scholes, & G. P. Wiederrecht (Ed.), *Comprehensive Nanoscience and Technology* (hlm. 437–491). Amsterdam: Academic Press. doi: 10.1016/B978-0-12-374396-1.00036-2
- Mufti, N., Sari, D. R. P., Muyasaroh, A. F., Yudyanto, Sunaryono, & Taufiq, A. (2020). *Analyses of magnetic properties and crystal size on Fe<sub>3</sub>O<sub>4</sub> nanoparticle from local iron sand using PEG as soft template*. 1595, 012004. doi: 10.1088/1742-6596/1595/1/012004
- nanoComposix. (2021). Silver Nanoparticles: Optical Properties. Diambil 2 September 2021, dari NanoComposix website: <https://nanocomposix.com/pages/silver-nanoparticles-optical-properties>
- Nogués, J., & Schuller, I. K. (1999). Exchange bias. *Journal of Magnetism and Magnetic Materials*, 192(2), 203–232. doi: 10.1016/S0304-8853(98)00266-2
- Nurpriyanti, I., Pardede, I., Suharyadi, E., Kato, T., & Iwata, S. (2016). Detection of Fe<sub>3</sub>O<sub>4</sub> Magnetic Nanoparticles using Giant Magnetoresistance (GMR) Sensor Based on Multilayer and Spin Valve Thin Films by Wheatstone Bridge Circuit. *2016 International Seminar on Sensors, Instrumentation, Measurement and Metrology (ISSIMM)*, 32–36. doi: 10.1109/ISSIMM.2016.7803717
- NVE Corp. (2019, Juli). *AA/AB-Series Analog Magnetic Sensors*. Diambil dari [https://www.nve.com/Downloads/analog\\_catalog.pdf](https://www.nve.com/Downloads/analog_catalog.pdf)
- NVE Corp. (t.t.). *Application Notes for GMR Sensors*. Diambil dari <https://www.nve.com/Downloads/apps.pdf>
- Omidfar, K., Ahmadi, A., Syedmoradi, L., Khoshfetrat, S.M., Larijani, B. (2020). Point-of-care biosensors in medicine: a brief overview of our achievements in this field based on the conducted research in EMRI (endocrinology and metabolism research Institute of Tehran University of medical sciences) over the past fourteen

- years. *Journal of Diabetes & Metabolic Disorders*. doi: 10.1007/s40200-020-00668-0
- Ouyang, Y., He, J., Hu, J., & Wang, S. X. (2012). A Current Sensor Based on the Giant Magnetoresistance Effect: Design and Potential Smart Grid Applications. *Sensors*, 12(11), 15520–15541. doi: 10.3390/s121115520
- Paik, S. Y. R., Nguyen, H. H., Ryu, J., Che, J. H., Kang, T. S., Lee, J. K., Song, C. W., & Ko, S. (2013). Robust size control of bovine serum albumin (BSA) nanoparticles by intermittent addition of a desolvating agent and the particle formation mechanism. *Food Chemistry*, 141(2), 695–701. doi: 10.1016/j.foodchem.2013.04.059
- Phan, M.-H., Alonso, J., Khurshid, H., Lampen-Kelley, P., Chandra, S., Stojak Repa, K., Nemati, Z., Das, R., Iglesias, Ó., & Srikanth, H. (2016). Exchange Bias Effects in Iron Oxide-Based Nanoparticle Systems. *Nanomaterials*, 6(11), 221. doi: 10.3390/nano6110221
- PubChem Database. (t.t.). Silver;nitrate, CID=4125394. Diambil 4 Juni 2020, dari <https://pubchem.ncbi.nlm.nih.gov/compound/4125394>
- Quy, D. Van, Hieu, N. M., Tra, P. T., Nam, N. H., Hai, N. H., Thai Son, N., Nghia, P. T., Anh, N. T. Van, Hong, T. T., & Luong, N. H. (2013). Synthesis of Silica-Coated Magnetic Nanoparticles and Application in the Detection of Pathogenic Viruses. *Journal of Nanomaterials*, 2013, e603940. doi: 10.1155/2013/603940
- Quynh, L. M., Dung, C. T., Mai, B. T., Huy, H. Van, Loc, N. Q., Hoa, N. Q., Thach, P. T., Anh, B. V., Thao, C. T., Nam, N. H., Nhung, H. T. M., Long, N. N., & Vu, L. Van. (2018). Development of Fe<sub>3</sub>O<sub>4</sub>/Ag core/shell-based multifunctional immunomagnetic nanoparticles for isolation and detection of CD34+ stem cells. *Journal of Immunoassay & Immunochemistry*, 39(3), 308–322. doi: 10.1080/15321819.2018.1488725
- Radoń, A., Drygała, A., Hawełek, Ł., & Łukowicz, D. (2017). Structure and optical properties of Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesized by co-precipitation method with different organic modifiers. *Materials Characterization*, 131, 148–156. doi: 10.1016/j.matchar.2017.06.034.
- Rashdan, S., Bououdina, M., & Al-Saie, A. (2013). Effect of the preparation route, PEG and annealing on the phase stability of Fe<sub>3</sub>O<sub>4</sub> nanoparticles and their magnetic properties. *Journal of Experimental Nanoscience*, 8(2), 210–222. doi: 10.1080/17458080.2011.566632
- Ratner, B. (2009). The correlation coefficient: Its values range between +1/−1, or do they? *Journal of Targeting, Measurement and Analysis for Marketing*, 17(2), 139–142. doi: 10.1057/jt.2009.5
- Ravindran, A., Singh, A., Raichur, A. M., Chandrasekaran, N., & Mukherjee, A. (2010). Studies on interaction of colloidal Ag nanoparticles with Bovine Serum Albumin (BSA). *Colloids and Surfaces B: Biointerfaces*, 76(1), 32–37. doi: 10.1016/j.colsurfb.2009.10.005
- Reig, C., Cardoso, S., & Mukhopadhyay, S. C. (2013). *Giant Magnetoresistance (GMR) Sensors: From Basis to State-of-the-Art Applications*. Berlin Heidelberg: Springer-Verlag. Diambil dari <https://www.springer.com/gp/book/9783642371714>
- Reig, C., Cubells-Beltrán, M.-D., & Ramírez Muñoz, D. (2009). Magnetic Field Sensors Based on Giant Magnetoresistance (GMR) Technology: Applications in Electrical Current Sensing. *Sensors*, 9(10), 7919–7942. doi: 10.3390/s91007919
- Rife, J. C., Miller, M. M., Sheehan, P. E., Tamanaha, C. R., Tondra, M., & Whitman, L. J. (2003). Design and performance of GMR sensors for the detection of magnetic

- microbeads in biosensors. *Sensors and Actuators A: Physical*, 107(3), 209–218. doi: 10.1016/S0924-4247(03)00380-7
- Rodríguez, L. C., Campa[nbreve]Ta, A. M. G., Linares, C. J., & Ceba, M. R. (1993). Estimation of Performance Characteristics of an Analytical Method Using the Data Set Of The Calibration Experiment. *Analytical Letters*, 26(6), 1243–1258. doi: 10.1080/00032719308019900
- Ross, P. D., & Subramanian, S. (1981). Thermodynamics of protein association reactions: Forces contributing to stability. *Biochemistry*, 20(11), 3096–3102. <https://doi.org/10.1021/bi00514a017>
- RS Components. (t.t.). GF708AMA-AE Sensitec, Inclinator Sensor, 8-Pin LGA6S | Sensitec. Diambil 28 Oktober 2021, dari RS Components India website: <https://in.rsdelivers.com//product/sensitec/gf708ama-ae/gf708ama-ae-sensitec-inclinometer-sensor-8-pin/7924212>
- Sahu, D. P., & Jammalamadaka, S. N. (2019). Detection of bovine serum albumin using hybrid TiO<sub>2</sub> + graphene oxide based Bio – resistive random access memory device. *Scientific Reports*, 9(1), 16141. doi: 10.1038/s41598-019-52522-w
- Sandhyarani, N. (2019). Chapter 3—Surface modification methods for electrochemical biosensors. Dalam A. A. Ensafi (Ed.), *Electrochemical Biosensors* (hlm. 45–75). Elsevier. doi: 10.1016/B978-0-12-816491-4.00003-6
- Saragi, T., Depi, B. L., Butarbutar, S., Permana, B., & Risdiana. (2018). The impact of synthesis temperature on magnetite nanoparticles size synthesized by co-precipitation method. *Journal of Physics: Conference Series*, 1013, 012190. doi: 10.1088/1742-6596/1013/1/012190
- Sarkar, J. (2014). Chapter 7—Ferromagnetic Sputtering Targets and Thin Films for Silicides and Data Storage. Dalam J. Sarkar (Ed.), *Sputtering Materials for VLSI and Thin Film Devices* (hlm. 501–565). Boston: William Andrew Publishing. doi: 10.1016/B978-0-8155-1593-7.00007-2
- Schmid, F. (2001). Biological Macromolecules: UV-visible Spectrophotometry. *John Wiley & Sons Ltd*. doi: 10.1038/npq.els.0003142
- Seabra, A. B., Pelegrino, M. T., & Haddad, P. S. (2017). Chapter 24 - Antimicrobial Applications of Superparamagnetic Iron Oxide Nanoparticles: Perspectives and Challenges. Dalam A. Ficaí & A. M. Grumezescu (Ed.), *Nanostructures for Antimicrobial Therapy* (hlm. 531–550). Elsevier. doi: 10.1016/B978-0-323-46152-8.00024-X
- Serway, R. A. (2006). *College Physics*, edited by Serway, Raymond A., Faughn, Jerry S., Vuille, Chris, Bennett (7 edition). Thompson, 2006.
- Shah, R. S., Pawar, R. B., & Gayakar, P. P. (2015). UV - VISIBLE SPECTROSCOPY - A REVIEW. *International Journal of Institutional Pharmacy and Life Sciences*, 5(5). Diambil dari [http://www.ijipls.com/uploaded/journal\\_files/151024111056.pdf](http://www.ijipls.com/uploaded/journal_files/151024111056.pdf)
- Shajari, D., Bahari, A., & Gill, P. (2018). Fast and simple detection of bovine serum albumin concentration by studying its interaction with gold nanorods. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 543, 118–125. doi: 10.1016/j.colsurfa.2018.02.008
- Shen, H.-M., Hu, L., & Fu, X. (2018). Integrated Giant Magnetoresistance Technology for Approachable Weak Biomagnetic Signal Detections. *Sensors*, 18(1), 148. doi: 10.3390/s18010148
- Shi, F. (2018). Introductory Chapter: Basic Theory of Magnetron Sputtering. *Magnetron Sputtering*. doi: 10.5772/intechopen.80550

- Shuster, J., Reith, F., & Southam, G. (2019). 7—Applications of Transmission Electron Microscopy in Geomicrobiology. Dalam *Analytical Geomicrobiology* (hlm. 166–186). Cambridge University Press. doi: 10.1017/9781107707399.007
- Siddiq, A. M., Murugan, D., Srivastava, R., & Alam, Md. S. (2019). Influence of pH on interaction of silver nanoparticles - protein: Analyses by spectroscopic and thermodynamic ideology. *Colloids and Surfaces B: Biointerfaces*, 184, 110524. doi: 10.1016/j.colsurfb.2019.110524
- Silva, S. M., Tavalhaie, R., Sandiford, L., D. Tilley, R., & Justin Gooding, J. (2016). Gold coated magnetic nanoparticles: From preparation to surface modification for analytical and biomedical applications. *Chemical Communications*, 52(48), 7528–7540. doi: 10.1039/C6CC03225G
- Sirivat, A., & Paradee, N. (2019). Facile synthesis of gelatin-coated Fe<sub>3</sub>O<sub>4</sub> nanoparticle: Effect of pH in single-step co-precipitation for cancer drug loading. *Materials & Design*, 181, 107942. doi: 10.1016/j.matdes.2019.107942
- Smith, C. H., & Schneider, R. W. (2003). *Low-Field Magnetic Sensing with GMR Sensors*.
- Smith, M., McKeague, M., & DeRosa, M. C. (2019). Synthesis, transfer, and characterization of core-shell gold-coated magnetic nanoparticles. *MethodsX*, 6, 333–354. doi: 10.1016/j.mex.2019.02.006
- Sousa, C., Teixeira, P., & Oliveira, R. (2009). Influence of Surface Properties on the Adhesion of Staphylococcus epidermidis to Acrylic and Silicone. *International Journal of Biomaterials*, 2009, 718017. doi: 10.1155/2009/718017
- Stamps, R. L. (2000). Mechanisms for exchange bias. *Journal of Physics D: Applied Physics*, 33(23), R247–R268. doi: 10.1088/0022-3727/33/23/201
- Stiles, M. D. (1999). Interlayer exchange coupling. *Journal of Magnetism and Magnetic Materials*, 200(1), 322–337. doi: 10.1016/S0304-8853(99)00334-0
- Suharyadi, E., Pardede, I., & Hasibuan, F. A. (2016). Giant magnetoresistance (GMR) sensors based on Co/Cu multilayers for biomaterial detection applications. *2016 Progress in Electromagnetic Research Symposium (PIERS)*, 566–571. Shanghai, China: IEEE. doi: 10.1109/PIERS.2016.7734392
- Sun, Q. (2017). The physical origin of hydrophobic effects. *Chemical Physics Letters*, 672, 21–25. doi: 10.1016/j.cplett.2017.01.057
- Sun, X., Lei, C., Guo, L., & Zhou, Y. (2016). Giant magneto-resistance based immunoassay for the tumor marker carcinoembryonic antigen. *Microchimica Acta*, 183(3), 1107–1114. doi: 10.1007/s00604-015-1686-2
- Surowiec, Z., Budzyński, M., Durak, K., & Czernel, G. (2017). Synthesis and characterization of iron oxide magnetic nanoparticles. *Nukleonika*, 62(2), 73–77. doi: 10.1515/nuka-2017-0009
- Swastika, P. E., Antarnusa, G., Suharyadi, E., Kato, T., & Iwata, S. (2018). Biomolecule detection using wheatstone bridge giant magnetoresistance (GMR) sensors based on CoFeB spin-valve thin film. *Journal of Physics: Conference Series*, 1011, 012060. doi: 10.1088/1742-6596/1011/1/012060
- Tabor, R. F., Wu, C., Grieser, F., Dagastine, R. R., & Chan, D. Y. C. (2013). Measurement of the Hydrophobic Force in a Soft Matter System. *The Journal of Physical Chemistry Letters*, 4(22), 3872–3877. doi: 10.1021/jz402068k
- Taghavi, F., Gholizadeh, M., Saljooghi, A. S., & Ramezani, M. (2017). Cu(ii) immobilized on Fe<sub>3</sub>O<sub>4</sub>@APTMS-DFX nanoparticles: An efficient catalyst for the synthesis of 5-substituted 1H-tetrazoles with cytotoxic activity. *MedChemComm*, 8(10), 1953–1964. doi: 10.1039/c7md00302a

- Taib, S., & Suharyadi, E. (2015). Magnetite (Fe<sub>3</sub>O<sub>4</sub>) Nanoparticle Synthesis using Silica (SiO<sub>2</sub>) Template and Magnetic Properties Characterisation. *Indonesian Journal of Applied Physics*, 5(01), 23–30. doi: 10.13057/ijap.v5i01.256
- Tatum, J. (2016, Desember 20). Helmholtz Coils. Diambil 14 Mei 2020, dari Physics LibreTexts website:  
[https://phys.libretexts.org/Bookshelves/Electricity\\_and\\_Magnetism/Book%3A\\_Electricity\\_and\\_Magnetism\\_\(Tatum\)/06%3A\\_The\\_Magnetic\\_Effect\\_of\\_an\\_Electric\\_Current/6.07%3A\\_Helmholtz\\_Coils](https://phys.libretexts.org/Bookshelves/Electricity_and_Magnetism/Book%3A_Electricity_and_Magnetism_(Tatum)/06%3A_The_Magnetic_Effect_of_an_Electric_Current/6.07%3A_Helmholtz_Coils)
- Taufiq, A., Saputro, R. E., Susanto, H., Hidayat, N., Sunaryono, S., Amrillah, T., Wijaya, H. W., Mufti, N., & Simanjuntak, F. M. (2020). Synthesis of Fe<sub>3</sub>O<sub>4</sub>/Ag nanohybrid ferrofluids and their applications as antimicrobial and antifibrotic agents. *Heliyon*, 6(12), e05813. doi: 10.1016/j.heliyon.2020.e05813
- Tedrow, P. M., & Meservey, R. (1971). Spin-Dependent Tunneling into Ferromagnetic Nickel. *Physical Review Letters*, 26(4), 192–195. doi: 10.1103/PhysRevLett.26.192
- Than, J. (2020a, Agustus 16). Hydrophobic Interactions. Diambil 9 November 2020, dari Chemistry LibreTexts website:  
[https://chem.libretexts.org/Bookshelves/Physical\\_and\\_Theoretical\\_Chemistry\\_Textbook\\_Maps/Supplemental\\_Modules\\_\(Physical\\_and\\_Theoretical\\_Chemistry\)/Physical\\_Properties\\_of\\_Matter/Atomic\\_and\\_Molecular\\_Properties/Intermolecular\\_Forces/Hydrophobic\\_Interactions](https://chem.libretexts.org/Bookshelves/Physical_and_Theoretical_Chemistry_Textbook_Maps/Supplemental_Modules_(Physical_and_Theoretical_Chemistry)/Physical_Properties_of_Matter/Atomic_and_Molecular_Properties/Intermolecular_Forces/Hydrophobic_Interactions)
- Than, J. (2020b, Agustus 22). Van Der Waals Interactions. Diambil 10 November 2020, dari Chemistry LibreTexts website:  
[https://chem.libretexts.org/Bookshelves/Physical\\_and\\_Theoretical\\_Chemistry\\_Textbook\\_Maps/Supplemental\\_Modules\\_\(Physical\\_and\\_Theoretical\\_Chemistry\)/Physical\\_Properties\\_of\\_Matter/Atomic\\_and\\_Molecular\\_Properties/Intermolecular\\_Forces/Specific\\_Interactions/Van\\_Der\\_Waals\\_Interactions](https://chem.libretexts.org/Bookshelves/Physical_and_Theoretical_Chemistry_Textbook_Maps/Supplemental_Modules_(Physical_and_Theoretical_Chemistry)/Physical_Properties_of_Matter/Atomic_and_Molecular_Properties/Intermolecular_Forces/Specific_Interactions/Van_Der_Waals_Interactions)
- Thompson, M. (2004, Juli). The amazing Horwitz function. *AMC Technical Brief*, (17). Diambil dari [https://www.rsc.org/images/horwitz-function-technical-brief-17\\_tcm18-214859.pdf](https://www.rsc.org/images/horwitz-function-technical-brief-17_tcm18-214859.pdf)
- Thomson, T. (2014). 10—Magnetic properties of metallic thin films. Dalam K. Barmak & K. Coffey (Ed.), *Metallic Films for Electronic, Optical and Magnetic Applications* (hlm. 454–546). Woodhead Publishing. doi: 10.1533/9780857096296.2.454
- Tissue, B. M. (2012). Ultraviolet and Visible Absorption Spectroscopy. Dalam *Characterization of Materials* (hlm. 1–13). John Wiley & Sons, Ltd. doi: 10.1002/0471266965.com059.pub2
- Tondra, M., Porter, M., & Lipert, R. J. (2000). Model for detection of immobilized superparamagnetic nanosphere assay labels using giant magnetoresistive sensors. *Journal of Vacuum Science & Technology A*, 18(4), 1125–1129. doi: 10.1116/1.582476
- Toniolo, J., Takimi, A. S., Andrade, M. J., Bonadiman, R., & Bergmann, C. P. (2007). Synthesis by the solution combustion process and magnetic properties of iron oxide (Fe<sub>3</sub>O<sub>4</sub> and α-Fe<sub>2</sub>O<sub>3</sub>) particles. *Journal of Materials Science*, 42(13), 4785–4791. doi: 10.1007/s10853-006-0763-7
- Tojo, A. & Kinugasa, S. (2012). Mechanisms of Glomerular Albumin Filtration and Tubular Reabsorption. *International Journal of Nephrology*, 2012, 481520. doi:10.1155/2012/481520.
- Torok, E. J., Olson, A. L., & Oredson, H. N. (1965). Transition between Bloch and Néel Walls. *Journal of Applied Physics*, 36(4), 1394–1399. doi: 10.1063/1.1714317

- Trong, H. L., Kiryukhina, K., Gougeon, M., Baco-Carles, V., Courtade, F., Dareys, S., & Tailhades, P. (2017). Paramagnetic behaviour of silver nanoparticles generated by decomposition of silver oxalate. *Solid State Sciences*, 69, 44–49. doi: 10.1016/j.solidstatesciences.2017.05.009
- Tsymbal, E. Y., & Pettifor, D. G. (2001). Perspectives of giant magnetoresistance. Dalam H. Ehrenreich & F. Spaepen (Ed.), *Solid State Physics* (Vol. 56, hlm. 113–237). Academic Press. doi: 10.1016/S0081-1947(01)80019-9
- Upadhyay, S., Parekh, K., & Pandey, B. (2016). Influence of crystallite size on the magnetic properties of Fe<sub>3</sub>O<sub>4</sub> nanoparticles. *Journal of Alloys and Compounds*, 678, 478–485. doi: 10.1016/j.jallcom.2016.03.279
- Valette, G. (1982). Hydrophilicity of metal surfaces: Silver, gold and copper electrodes. *Journal of Electroanalytical Chemistry and Interfacial Electrochemistry*, 139(2), 285–301. doi: 10.1016/0022-0728(82)85127-9
- Vargas, K. M., & Shon, Y.-S. (2019). Hybrid lipid–nanoparticle complexes for biomedical applications. *Journal of Materials Chemistry B*, 7(5), 695–708. doi: 10.1039/C8TB03084G
- Vasan, A.S.S., Mahadeo, D.M., Doraiswami, R., Huang, Y., Pecht, M. (2013). Point-of-care biosensor system. *Frontiers in bioscience (Scholar edition)*, 5(1), 39–71. doi: 10.2741/s357
- Volmer, M., & Avram, M. (2010). Improving the Detection Sensitivity of Magnetic Microbeads by Spin Valve Sensors. *AIP Conference Proceedings*, 1311(1), 261–266. doi: 10.1063/1.3530022
- Wang, G. A., Arai, S., Kato, T., & Iwata, S. (2011). Low-drift giant magnetoresistive field sensor using modulation of free-layer magnetization direction. *Journal of Physics D: Applied Physics*, 44(23), 1–5. doi: 10.1088/0022-3727/44/23/235003
- Wang, G. A., Nakashima, S., Arai, S., Kato, T., & Iwata, S. (2010). High sensitivity giant magnetoresistance magnetic sensor using oscillatory domain wall displacement. *Journal of Applied Physics*, 107(9), 1–3. doi: 10.1063/1.3360585
- Wang, G., Lu, Y., Hou, H., & Liu, Y. (2017). Probing the binding behavior and kinetics of silver nanoparticles with bovine serum albumin. *RSC Advances*, 7(15), 9393–9401. doi: 10.1039/C6RA26089F
- Wang, K., Zhou, C., Hong, Y., & Zhang, X. (2012). A review of protein adsorption on bioceramics. *Interface Focus*, 2(3), 259–277. doi: 10.1098/rsfs.2012.0012
- Wang, L., & Wang, C. (2021). Exchange bias and vertical shift of the magnetic hysteresis loop in Co/BiFeO<sub>3</sub> bilayers. *Ferroelectrics Letters Section*, 48(4–6), 65–71. doi: 10.1080/07315171.2021.1971006
- Wang, S. X., & Li, G. (2008). Advances in Giant Magnetoresistance Biosensors With Magnetic Nanoparticle Tags: Review and Outlook. *IEEE transactions on magnetics*, 44(7), 1687–1702. doi: 10.1109/TMAG.2008.920962
- Wang, W., Wang, Y., Tu, L., Feng, Y., Klein, T., & Wang, J.-P. (2014). Magnetoresistive performance and comparison of supermagnetic nanoparticles on giant magnetoresistive sensor-based detection system. *Scientific Reports*, 4, 5716. doi: 10.1038/srep05716
- Wang, Y., Wang, W., Yu, L., Tu, L., Feng, Y., Klein, T., & Wang, J.-P. (2015). Giant magnetoresistive-based biosensing probe station system for multiplex protein assays. *Biosensors and Bioelectronics*, 70, 61–68. doi: 10.1016/j.bios.2015.03.011
- Wei, D. (2012). *Micromagnetics and Recording Materials*. Berlin Heidelberg: Springer-Verlag. Diambil dari <https://www.springer.com/gp/book/9783642285769>

- White, R. L. (1992). Giant magnetoresistance: A primer. *IEEE Transactions on Magnetics*, 28(5), 2482–2487. doi: 10.1109/20.179533
- Wu, K., Klein, T., Krishna, V. D., Su, D., Perez, A. M., & Wang, J.-P. (2017). Portable GMR Handheld Platform for the Detection of Influenza A Virus. *ACS Sensors*, 2(11), 1594–1601. doi: 10.1021/acssensors.7b00432
- Wu, K., Su, D., Saha, R., Liu, J., & Wang, J.-P. (2019). Investigating the effect of magnetic dipole–dipole interaction on magnetic particle spectroscopy: Implications for magnetic nanoparticle-based bioassays and magnetic particle imaging. *Journal of Physics D: Applied Physics*, 52(33), 1–9. doi: 10.1088/1361-6463/ab2580
- Wu, W., He, Q., & Jiang, C. (2008). Magnetic Iron Oxide Nanoparticles: Synthesis and Surface Functionalization Strategies. *Nanoscale Research Letters*, 3(11), 397–415. doi: 10.1007/s11671-008-9174-9
- Wu, W., Wu, Z., Yu, T., Jiang, C., & Kim, W.-S. (2015). Recent progress on magnetic iron oxide nanoparticles: Synthesis, surface functional strategies and biomedical applications. *Science and Technology of Advanced Materials*, 16(2), 023501. doi: 10.1088/1468-6996/16/2/023501
- www.dentonvacuum.com. (t.t.). Magnetron Sputtering Deposition Systems. Diambil 24 Juni 2020, dari Denton Vacuum website:  
<https://www.dentonvacuum.com/products-technologies/magnetron-sputtering/>
- www.dynatech-int.com. (2020). X-Ray Diffraction Spectrometers—XRD Bruker Indonesia. Diambil 5 Juni 2020, dari <https://www.dynatech-int.com/en/manufacturer/product/6-xrd-bruker-indonesia>
- Xie, Q.-Z., Lin, M.-W., Hsu, W.-E., & Lin, C.-T. (2020). Review—Advancements of Nanoscale Structures and Materials in Impedimetric Biosensing Technologies. *ECS Journal of Solid State Science and Technology*, 9(11), 115027. doi: 10.1149/2162-8777/abbc3
- Xu, H., Yao, N., Xu, H., Wang, T., Li, G., & Li, Z. (2013). Characterization of the Interaction between Eupatorin and Bovine Serum Albumin by Spectroscopic and Molecular Modeling Methods. *International Journal of Molecular Sciences*, 14(7), 14185–14203. doi: 10.3390/ijms140714185
- Xu, J., Li, Q., Gao, X. Y., Leng, F. F., Lü, M., Guo, P. Z., Zhao, G. X., & Li, S. D. (2016). Detection of the Concentration of MnFe<sub>2</sub>O<sub>4</sub> Magnetic Microparticles Using Giant Magnetoresistance Sensors. *IEEE Transactions on Magnetics*, 52(4), 1–4. doi: 10.1109/TMAG.2015.2497249
- Xu, Jie, Jiao, J., Li, Q., & Li, S. (2017). Ultralow detection limit of giant magnetoresistance biosensor using Fe<sub>3</sub>O<sub>4</sub> graphene composite nanoparticle label. *Chinese Physics B*, 26(1), 010701. doi: 10.1088/1674-1056/26/1/010701
- Xu, Jie, Li, Q., Zong, W., Zhang, Y., & Li, S. (2016). Ultra-wide detectable concentration range of GMR biosensors using Fe<sub>3</sub>O<sub>4</sub> microspheres. *Journal of Magnetism and Magnetic Materials*, 417, 25–29. doi: 10.1016/j.jmmm.2016.05.059
- Yu, W., Huang, Y., Pei, L., Fan, Y., Wang, X., & Lai, K. (2014). Magnetic Fe<sub>3</sub>O<sub>4</sub>/Ag Hybrid Nanoparticles as Surface-Enhanced Raman Scattering Substrate for Trace Analysis of Furazolidone in Fish Feeds. *Journal of Nanomaterials*, 2014(Article ID 796575), e796575. doi: 10.1155/2014/796575
- Yuan, S., Du, Y., & Pong, P. W. T. (2021). A Linear Slope Analyzing Strategy of GMR Sensor Transfer Curve for Static Detection of Magnetic Nanoparticles. *IEEE Sensors Journal*, 21(21), 23934–23942. doi: 10.1109/JSEN.2021.3110609
- Chaki, S. H., Malek, T. J., Chaudhary, M. D., Tailor, J. P., & Deshpande, M. P. (2015). Magnetite Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesis by wet chemical reduction and their

- characterization. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 6(3), 035009. doi: 10.1088/2043-6262/6/3/035009
- Hott, M., Hoehner, P. A., & Reinecke, S. F. (2019). Magnetic Communication Using High-Sensitivity Magnetic Field Detectors. *Sensors*, 19(15), 3415. doi: 10.3390/s19153415
- Huang, H. T., Garu, P., Li, C. H., Chang, W. C., Chen, B. W., Sung, S. Y., Lee, C. M., Chen, J. Y., Hsieh, T. F., Sheu, W. J., Ouyang, H., Wang, W. C., Chang, C. R., Wang, C. L., Hsu, M. S., & Wei, Z. H. (2019). Magnetoresistive Biosensors for Direct Detection of Magnetic Nanoparticle Conjugated Biomarkers on a Chip. *SPIN*, 9(2), 1940002. doi: 10.1142/S2010324719400022
- Ionescu, A., Llandro, J., & Darton, N. J. (Eds.). (2019). Sensing Magnetic Nanoparticles. In *Magnetic Nanoparticles in Biosensing and Medicine* (pp. 172–227). Cambridge University Press. doi: 10.1017/9781139381222.007
- Lister, A. S. (2005). 7—Validation of HPLC Methods in Pharmaceutical Analysis. In S. Ahuja & M. W. Dong (Eds.), *Separation Science and Technology* (Vol. 6, pp. 191–217). Academic Press. doi: 10.1016/S0149-6395(05)80051-0
- Miller, J. N., & Miller, J. C. (2000). *Statistics and Chemometrics for Analytical Chemistry* (6th ed.). Prentice Hall.
- Radoń, A., Drygała, A., Hawełek, Ł., & Łukowicz, D. (2017). Structure and optical properties of Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesized by co-precipitation method with different organic modifiers. *Materials Characterization*, 131, 148–156. doi: 10.1016/j.matchar.2017.06.034
- Tojo, A., & Kinugasa, S. (2012). Mechanisms of Glomerular Albumin Filtration and Tubular Reabsorption. *International Journal of Nephrology*, 2012, 481520. doi: 10.1155/2012/481520
- Zhang, L.-Y., & Chu, T. (2013). Synthesis of Composite Particles with Fe<sub>3</sub>O<sub>4</sub> core and Ag Shell for the Development of Fingerprints. *Bulletin of the Korean Chemical Society*, 34(5), 1457–1461. doi: 10.5012/bkcs.2013.34.5.1457
- Zhang, L., Dong, W.-F., & Sun, H.-B. (2013). Multifunctional superparamagnetic iron oxide nanoparticles: Design, synthesis and biomedical photonic applications. *Nanoscale*, 5(17), 7664–7684. doi: 10.1039/C3NR01616A
- Zhang, L. L., Ma, F. F., Kuang, Y. F., Cheng, S., Long, Y. F., & Xiao, Q. G. (2016). Highly sensitive detection of bovine serum albumin based on the aggregation of triangular silver nanoplates. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 154, 98–102. doi: 10.1016/j.saa.2015.10.019
- Zhang, Y., Xu, J., Cao, D., Li, Q., Zhao, G., Sun, N. X., & Li, S. (2018). The influence of bias magnetization of nanoparticles on GMR sensor signal and sensitivity for the ultra-low concentration detection. *Journal of Magnetism and Magnetic Materials*, 453, 132–136. doi: 10.1016/j.jmmm.2018.01.010
- Zhang, Y., Xu, J., Li, Q., Cao, D., & Li, S. (2019). The effect of the particle size and magnetic moment of the Fe<sub>3</sub>O<sub>4</sub> superparamagnetic beads on the sensitivity of biodetection. *AIP Advances*, 9(1), 015215. doi: 10.1063/1.5050034
- Zhou, X., Sveiven, M., & Hall, D. A. (2019). A CMOS Magnetoresistive Sensor Front-End With Mismatch-Tolerance and Sub-ppm Sensitivity for Magnetic Immunoassays. *IEEE Transactions on Biomedical Circuits and Systems*, 13(6), 1254–1263. doi: 10.1109/TBCAS.2019.2949725
- Zhu, M., Lerum, M. Z., & Chen, W. (2012). How To Prepare Reproducible, Homogeneous, and Hydrolytically Stable Aminosilane-Derived Layers on Silica. *Langmuir*, 28(1), 416–423. doi: 10.1021/la203638g

- Zhu, N., Ji, H., Yu, P., Niu, J., Farooq, M. U., Akram, M. W., Udego, I. O., Li, H., & Niu, X. (2018). Surface Modification of Magnetic Iron Oxide Nanoparticles. *Nanomaterials*, 8(10). doi: 10.3390/nano8100810
- Zhu, Y., Tong, W., Gao, C., & Möhwald, H. (2008). Fabrication of bovine serum albumin microcapsules by desolvation and destroyable cross-linking. *Journal of Materials Chemistry*, 18(10), 1153–1158. doi: 10.1039/B714647G
- Zouheir, M., Zniber, M., Qudsia, S., & Huynh, T.-P. (2021). Real-time humidity sensing by integration of copper sulfide nanocomposite with low-cost and wireless Arduino platform. *Sensors and Actuators A: Physical*, 319, 112541. doi: 10.1016/j.sna.2021.112541