

## DAFTAR PUSTAKA

- [1] Reuters, “COVID-19 Global Tracker,” 2022. [Online]. Available: <https://graphics.reuters.com/world-coronavirus-tracker-and-maps/>. [Accessed: 18-Jun-2022].
- [2] WHO, “Coronavirus disease (COVID-19) pandemic,” 2020. [Online]. Available: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019>. [Accessed: 21-Aug-2021].
- [3] C. Huang *et al.*, “Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China,” *Lancet*, vol. 395, no. 10223, pp. 497–506, 2020.
- [4] K. Roosa *et al.*, “Real-time forecasts of the COVID-19 epidemic in China from February 5th to February 24th, 2020,” *Infect. Dis. Model.*, vol. 5, pp. 256–263, 2020.
- [5] M. Sukmana, M. Aminuddin, and D. Nopriyanto, “Indonesian government response in COVID-19 disaster prevention,” *East African Sch. J. Med. Sci.*, vol. 3, no. 3, pp. 81–6, 2020.
- [6] R. J. Hyndman and G. Athanasopoulos, *Forecasting: Principles and practices*. OTexts, 2018.
- [7] G. Makkar, “Real-Time Disease Forecasting using Climatic Factors: Supervised Analytical Methodology,” *1st Int. Conf. Data Sci. Anal. PuneCon 2018 - Proc.*, pp. 1–5, 2018.
- [8] Y. Pan, M. Zhang, Z. Chen, M. Zhou, and Z. Zhang, “An ARIMA based model for forecasting the patient number of epidemic disease,” *2016 13th Int. Conf. Serv. Syst. Serv. Manag. ICSSSM 2016*, pp. 31–34, 2016.
- [9] A. L. D. Loureiro, V. L. Miguéis, and L. F. M. da Silva, “Exploring the use of deep neural networks for sales forecasting in fashion retail,” *Decis. Support Syst.*, vol. 114, pp. 81–93, 2018.
- [10] T. Panapongpakorn and D. Banjerdpongchai, “Short-Term Load Forecast for Energy Management Systems Using Time Series Analysis and Neural Network Method with Average True Range,” *2019 1st Int. Symp. Instrumentation, Control. Artif. Intell. Robot. ICA-SYMP 2019*, vol. 2, no. 2, pp. 86–89, 2019.
- [11] A. E. Permanasari, I. K. Utami, I. Hidayah, S. S. Kusumawardani, and Samkhan, “Forecasting Avian Influenza incidence in Java and Madura area,” *ICCEREC 2015 - Int. Conf. Control. Electron. Renew. Energy Commun.*, pp.

212–216, 2015.

- [12] Y. Polyvianna, D. Chumachenko, and T. Chumachenko, “Computer aided system of time series analysis methods for forecasting the epidemics outbreaks,” *2019 15th Int. Conf. Exp. Des. Appl. CAD Syst. CADSM 2019 - Proc.*, pp. 1–4, 2019.
- [13] P. G. Zhang, “Time series forecasting using a hybrid ARIMA and neural network model,” *Neurocomputing*, vol. 50, pp. 159–175, 2003.
- [14] D. N. Fente and D. K. Singh, “Weather Forecasting Using Artificial Neural Network,” *2nd Int. Conf. Inven. Commun. Comput. Technol. (ICICCT2018)*, no. Iccict, 2018.
- [15] L. Wang, A. Adiga, S. Venkatramanan, J. Chen, B. Lewis, and M. Marathe, “Examining Deep Learning Models with Multiple Data Sources for COVID-19 Forecasting,” *Proc. - 2020 IEEE Int. Conf. Big Data, Big Data 2020*, pp. 3846–3855, 2020.
- [16] H. S. Badr, H. Du, M. Marshall, E. Dong, M. M. Squire, and L. M. Gardner, “Association between mobility patterns and COVID-19 transmission in the USA: a mathematical modelling study,” *Lancet Infect. Dis.*, vol. 20, no. 11, pp. 1247–1254, 2020.
- [17] A. Pan *et al.*, “Association of Public Health Interventions with the Epidemiology of the COVID-19 Outbreak in Wuhan, China,” *JAMA - J. Am. Med. Assoc.*, vol. 323, no. 19, pp. 1915–1923, 2020.
- [18] E. Dave, A. Leonardo, M. Jeanice, and N. Hanafiah, “Forecasting Indonesia Exports using a Hybrid Model ARIMA-LSTM,” *Procedia Comput. Sci.*, vol. 179, no. 2020, pp. 480–487, 2021.
- [19] F. Rustam *et al.*, “COVID-19 Future Forecasting Using Supervised Machine Learning Models,” *IEEE Access*, vol. 8, pp. 101489–101499, 2020.
- [20] N. Kumar and S. Susan, “COVID-19 Pandemic Prediction using Time Series Forecasting Models,” *2020 11th Int. Conf. Comput. Commun. Netw. Technol. ICCCNT 2020*, 2020.
- [21] S. S. Helli, Ç. Demirci, O. Çoban, and A. Hamamci, “Short-Term Forecasting COVID-19 Cases in Turkey Using Long Short-Term Memory Network,” *TIPTEKNO 2020 - Tip Teknol. Kongresi - 2020 Med. Technol. Congr. TIPTEKNO 2020*, pp. 4–7, 2020.
- [22] M. Geurts, G. E. P. Box, and G. M. Jenkins, *Time Series Analysis: Forecasting and Control*, vol. 14, no. 2. 1977.
- [23] M. F. Bashir *et al.*, “Correlation between climate indicators and COVID-19

pandemic in New York, USA,” *Sci. Total Environ.*, vol. 728, p. 138835, 2020.

- [24] T. Sardar, S. S. Nadim, S. Rana, and J. Chattopadhyay, “Assessment of lockdown effect in some states and overall India: A predictive mathematical study on COVID-19 outbreak,” *Chaos, Solitons and Fractals*, vol. 139, p. 110078, 2020.
- [25] C. Ilin, S. Annan-Phan, X. H. Tai, S. Mehra, S. Hsiang, and J. E. Blumenstock, “Public mobility data enables COVID-19 forecasting and management at local and global scales,” *Sci. Rep.*, vol. 11, no. 1, pp. 1–11, 2021.
- [26] S. Banerjee and Y. Lian, “Data driven covid-19 spread prediction based on mobility and mask mandate information,” *Appl. Intell.*, vol. 52, no. 2, pp. 1969–1978, 2022.
- [27] O. Istaiteh, T. Owais, N. Al-Madi, and S. Abu-Soud, “Machine Learning Approaches for COVID-19 Forecasting,” *2020 Int. Conf. Intell. Data Sci. Technol. Appl. IDSTA 2020*, pp. 50–57, 2020.
- [28] B. Jason, *Predict the Future with MLPs, CNNs and LSTMs in Python*, vol. 1, no. 1. Machine Learning Mastery, 2018.
- [29] S. Shaikh, J. Gala, A. Jain, S. Advani, S. Jaidhara, and M. R. Edinburgh, “Analysis and Prediction of COVID-19 using Regression Models and Time Series Forecasting,” *Proc. Conflu. 2021 11th Int. Conf. Cloud Comput. Data Sci. Eng.*, pp. 989–995, 2021.
- [30] A. Kurniawan and F. Kurniawan, “Time Series Forecasting for the Spread of Covid-19 in Indonesia Using Curve Fitting,” *3rd 2021 East Indones. Conf. Comput. Inf. Technol. EIconCIT 2021*, pp. 45–48, 2021.
- [31] H. I. Mustafa and N. Y. Fareed, “COVID-19 Cases in Iraq; Forecasting Incidents Using Box-Jenkins ARIMA Model,” *Proc. - 2nd Al-Noor Int. Conf. Sci. Technol. NICST 2020*, pp. 22–26, 2020.
- [32] N. Darapaneni, D. Reddy, A. R. Paduri, P. Acharya, and H. S. Nithin, “Forecasting of COVID-19 in India Using ARIMA Model,” *2020 11th IEEE Annu. Ubiquitous Comput. Electron. Mob. Commun. Conf. UEMCON 2020*, pp. 0894–0899, 2020.
- [33] J. Vakula Rani and A. Jakka, “Forecasting COVID-19 cases in India using machine learning models,” *Proc. Int. Conf. Smart Technol. Comput. Electr. Electron. ICSTCEE 2020*, pp. 466–471, 2020.
- [34] M. Masum, H. Shahriar, H. M. Haddad, and M. S. Alam, “R-LSTM: Time Series Forecasting for COVID-19 Confirmed Cases with LSTMbased Framework,” *Proc. - 2020 IEEE Int. Conf. Big Data, Big Data 2020*, pp.

1374–1379, 2020.

- [35] M. M. Sajadi, P. Habibzadeh, A. Vintzileos, F. Miralles-wilhelm, and A. Amoroso, “Temperature, humidity, and latitude analysis to predict potential spreadn and seasonality for COVID-19,” no. 410, pp. 6–7, 1992.
- [36] R. Tosepu *et al.*, “Correlation between weather and Covid-19 pandemic in Jakarta, Indonesia,” *Sci. Total Environ.*, vol. 725, p. 138436, 2020.
- [37] C. Hou *et al.*, “The effectiveness of quarantine of Wuhan city against the Corona Virus Disease 2019 (COVID-19): A well-mixed SEIR model analysis,” *J. Med. Virol.*, vol. 92, no. 7, pp. 841–848, 2020.
- [38] A. Tealab, “Time series forecasting using artificial neural networks methodologies: A systematic review,” *Futur. Comput. Informatics J.*, vol. 3, no. 2, pp. 334–340, 2018.
- [39] Z. Shen, Y. Zhang, J. Lu, J. Xu, and G. Xiao, “A novel time series forecasting model with deep learning,” *Neurocomputing*, vol. 396, pp. 302–313, 2020.
- [40] A. N. E. Blázquez-garcía, A. Conde, and I. Technology, “A Review on Outlier / Anomaly Detection in Time Series Data,” vol. 54, no. 3, 2021.
- [41] J. Zheng, C. Xu, Z. Zhang, and X. Li, “Electric Load Forecasting in Smart Grids Using Long-Short-Term-Memory based Recurrent Neural Network,” *51st Annu. Conf. Inf. Sci. Syst.*, pp. 1–6, 2017.
- [42] J. S. Sepp Hochreiter, “Long short-term memory,” *Neural Comput.*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [43] H. L. Hwa *et al.*, “Prediction of breast cancer and lymph node metastatic status with tumour markers using logistic regression models,” *J. Eval. Clin. Pract.*, vol. 14, no. 2, pp. 275–280, 2008.
- [44] R. Tibshirani, “Regression Shrinkage and Selection via the Lasso,” *J. R. Stat. Soc. Ser. B*, vol. 58, no. 1, pp. 267–288, 1996.
- [45] A. E. Hoerl and R. W. Kennard, “Ridge Regression: Biased Estimation for Nonorthogonal Problems,” *Technometrics*, vol. 12, no. 1, pp. 55–67, 1970.
- [46] X. F. Du, S. C. H. Leung, J. L. Zhang, and K. K. Lai, “Demand forecasting of perishable farm products using support vector machine,” *Int. J. Syst. Sci.*, vol. 44, no. 3, pp. 556–567, 2013.
- [47] F. Rustam, I. Ashraf, A. Mehmood, S. Ullah, and G. S. Choi, “Tweets classification on the base of sentiments for US airline companies,” *Entropy*, vol. 21, no. 11, pp. 1–22, 2019.

- [48] S. J. Taylor and B. Letham, "Forecasting at scale," *Am. Stat.*, vol. 72, no. 1, pp. 37–45, 2018.
- [49] A. C. Harvey and N. Shephard, "10 Structural time series models," *Handb. Stat.*, vol. 11, no. June, pp. 261–302, 1993.
- [50] C. J. Willmott and K. Matsuura, "Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model performance," *Clim. Res.*, vol. 30, no. 1, pp. 79–82, 2005.
- [51] R. Kaundal, A. A. Kapoor, and G. P. S. Raghava, "Machine learning techniques in disease forecasting: A case study on rice blast prediction," *BMC Bioinformatics*, vol. 7, pp. 1–16, 2006.
- [52] S. Baran and D. Nemoda, "Censored and shifted gamma distribution based EMOS model for probabilistic quantitative precipitation forecasting," *Environmetrics*, vol. 27, no. 5, pp. 280–292, 2016.
- [53] D. W. Zimmerman and B. D. Zumbo, "Relative power of the wilcoxon test, the friedman test, and repeated-measures ANOVA on ranks," *J. Exp. Educ.*, vol. 62, no. 1, pp. 75–86, 1993.
- [54] D. G. Pereira, A. Afonso, and F. M. Medeiros, "Overview of Friedmans Test and Post-hoc Analysis," *Commun. Stat. Simul. Comput.*, vol. 44, no. 10, pp. 2636–2653, 2015.
- [55] Pemprov DKI, "Data Pemantauan COVID-19," 2021. [Online]. Available: <https://corona.jakarta.go.id/id/data-pemantauan>. [Accessed: 21-Aug-2021].
- [56] BMKG, "BMKG, Data Online Pusat Database," *Data Iklim Harian*, 2021. [Online]. Available: <https://dataonline.bmkg.go.id/home>. [Accessed: 21-Aug-2021].
- [57] Google LLC, "Google COVID-19 Community Mobility Reports," 2020. [Online]. Available: <https://www.google.com/covid19/mobility/> Accessed. [Accessed: 21-Aug-2021].
- [58] K. Roosa *et al.*, "Short-term forecasts of the COVID-19 epidemic in Guangdong and Zhejiang, China: February 13–23, 2020," *J. Clin. Med.*, vol. 9, no. 2, 2020.
- [59] T. Chai and R. R. Draxler, "Root mean square error (RMSE) or mean absolute error (MAE)? -Arguments against avoiding RMSE in the literature," *Geosci. Model Dev.*, vol. 7, no. 3, pp. 1247–1250, 2014.
- [60] C. J. Willmott, K. Matsuura, and S. M. Robeson, "Ambiguities inherent in sums-of-squares-based error statistics," *Atmos. Environ.*, vol. 43, no. 3, pp. 749–752, 2009.

- [61] C. Cheng *et al.*, “Time series forecasting for nonlinear and non-stationary processes: A review and comparative study,” *IIE Trans. (Institute Ind. Eng.*, vol. 47, no. 10, pp. 1053–1071, 2015.