



REFERENCE

- Ali, O., Cerjak, D., Kent, J.W., James, R., Blangero, J., & Zhang, Y., 2014. Obesity, central adiposity and cardiometabolic risk factors in children and adolescents: a family-based study. *Pediatric Obesity*, 9(3), e58–e62. <https://doi.org/10.1111/j.2047-6310.2014.218.x>
- Awad, E.T., Alsheikh M.A., & Elgaithy E.I., 2020. Skinfold thickness, body mass index, waist to hip ratio, and waist to height ratio as a predictors measurements of common diseases such as diabetes mellitus, hypertension, and vitamin D deficiency. *World Journal of Advanced Research and Reviews*. 5, 073–078. <https://doi.org/10.30574/wjarr.2020.5.1.0001>
- Brener, A., Bello, R., Lebenthal, Y., Yackobovitch-Gavan, M., Phillip, M., & Shalitin, S., 2017. The impact of adolescent obesity on adult height. *Hormone Research in Paediatrics*, 88(3-4), 237–243. <https://doi.org/10.1159/000478697>
- Brown, K.A., Patel, D.R., Darmawan, D., 2017. Participation in sports in relation to adolescent growth and development. Review Article. *Translational Pediatrics*. Available from: <http://dx.doi.org/10.21037/tp.2017.04.03>
- Centers for Disease Control and Prevention, 2000. Growth Charts - 2000 CDC Growth Charts - United States, 2019. Available from https://www.cdc.gov/growthcharts/cdc_charts.htm [Accessed on 24 January 2022].
- Centers for Disease Control and Prevention, 2019. Child Development. Available from <https://www.cdc.gov/ncbddd/childdevelopment/positiveparenting/adolescence.html> [Accessed on 12 May 2022].
- Centers for Disease Control and Prevention, 2019. Child Development. Available from <https://www.cdc.gov/ncbddd/childdevelopment/positiveparenting/adolescence2.html> [Accessed on 12 May 2022]
- Chinedu, S.N., Emiloju, O.C., Azuh, D.E., Ogunlana, O.O., & Iheagwam, F.N., 2017. Association between age, gender and body weight in educational institutions in Ota, Southwest Nigeria. *Asian Journal of Epidemiology*, 10: 144-149.
- Chung, S., 2015. Body mass index and body composition scaling to height in children and adolescent. *Annals of Pediatric Endocrinology & Metabolism*, 20, 125. <https://doi.org/10.6065/apem.2015.20.3.125>



- Derraik, J.G.B., Rademaker, M., Cutfield, W.S., Pinto, T.E., Tregurtha, S., Faherty, A., Peart, J.M., Drury, P.L., & Hofman, P.L., 2014. Effects of age, gender, BMI, and anatomical site on skin thickness in children and adults with diabetes. *Public Library of Science ONE*, 9, e86637.
<https://doi.org/10.1371/journal.pone.0086637>
- Freedman, D. S., Wang, J., Thornton, J. C., Mei, Z., Sopher, A. B., Pierson, R. N., Jr, Dietz, W. H., & Horlick, M., 2009. Classification of body fatness by body mass index-for-age categories among children. *Archives of Pediatrics & Adolescent Medicine*, 163(9), 805–811.
<https://doi.org/10.1001/archpediatrics.2009.104>
- Freedman, D. S., Butte, N. F., Taveras, E. M., Lundeen, E. A., Blanck, H. M., Goodman, A. B., & Ogden, C. L., 2017. BMI z-scores are a poor indicator of adiposity among 2- to 19-year-olds with very high BMIs, *National Health and Nutrition Examination Survey, 1999-2000 to 2013-2014*. *Obesity (Silver Spring, Md.)*, 25(4), 739–746.
<https://doi.org/10.1002/oby.21782>
- Freedman, D.S., Horlick, M., & Berenson, G.S., 2013. A comparison of the Slaughter skinfold-thickness equations and BMI in predicting body fatness and cardiovascular disease risk factor levels in children. *The American Journal of Clinical Nutrition*, 98, 1417–1424.
<https://doi.org/10.3945/ajcn.113.065961>
- Freedman, D. S., Serdula, M. K., Srinivasan, S. R., & Berenson, G. S., 1999. Relation of circumferences and skinfold thicknesses to lipid and insulin concentrations in children and adolescents: the Bogalusa Heart Study. *The American Journal of Clinical Nutrition*, 69(2), 308–317.
<https://doi.org/10.1093/ajcn/69.2.308>
- Freedman, D.S. & Sherry, B., 2009. The validity of BMI as an indicator of body fatness and risk among children. *Pediatrics*, 124 Suppl 1, S23–S34.
<https://doi.org/10.1542/peds.2008-3586E>
- Gamliel, A., Ziv-Baran, T., Siegel, R. M., Fogelman, Y., & Dubnov-Raz, G., 2015. Using weight-for-age percentiles to screen for overweight and obese children and adolescents. *Preventive Medicine*, 81, 174–179.
<https://doi.org/10.1016/j.ypmed.2015.08.017>
- Haynes, A., McVeigh, J., Hissen, S.L., Erin K. Howie, E.K., Eastwood, P.R., Straker, L., Mori, T.A., Beilin, L., Ainslie, P.N., Green, D.J., 2021. Participation in sport in childhood and adolescence: Implications for adult fitness. *Journal of Science and Medicine in Sport*. Available from
<https://doi.org/10.1016/j.jsams.2021.05.004>



- Hosseini, S., Ravandi, M.R.G., Khanjani, N., 2017. Estimating aerobic capacity (VO₂-max) using a single-stage step test and determining its effective factors. *International Journal Of Occupational Hygiene*. Available from <http://ijoh.tums.ac.ir>
- International Obesity TaskForce. 2000. The Asia-Pacific perspective: Redifining obesity and its treatment. World Health Organization Western Pacific Region.
- Jafari, S., Fouladgar, M., Naeeni, M.M., Fakhri, M., Fatemi, S.A., Heidari, K. *et al.*, 2014. Body mass index, weight-for-age, and stature-for-age indices in Iranian school children in relation to weight and growth disorders: a population-based survey. *International Journal of Preventive Medicine* 2014;Special issue 2:S133-8.
- Jih, J., Mukherjea, A., Vittinghoff, E., Nguyen, T.T., Tsoh, J.Y., Fukuoka, Y., Bender, M.S., Tseng, W., & Kanaya, A.M. 2014. Using appropriate body mass index cut points for overweight and obesity among Asian Americans. *International Journal of Preventive Medicine* 65, 1–6.
<https://doi.org/10.1016/j.yjmed.2014.04.010>
- Karlberg, J.A., 1989. Biologically-oriented mathematical model (ICP) for human growth. *Acta paediatrica Scandinavica Supplement*, 350,70–94.
- Keller, K.L., Kling, S., Fuchs, B., Pearce, A.L., Reigh, N.A., Masterson, T., & Hickok, K., 2019. A biopsychosocial model of sex differences in children's eating behaviors. *Nutrients*, 11(3), 682.
<https://doi.org/10.3390/nu11030682>
- Kementerian Kesehatan Republik Indonesia, 2018. *Laporan hasil riset kesehatan dasar 2018*. Badan Penelitian dan Pengembangan Kesehatan.
- Kementerian Kesehatan Republik Indonesia, 2021. *Rekomendasi Aktivitas Fisik Bagi Remaja di Sekolah*. Pencegahan dan Pengendalian Penyakit Tidak Menular Kementerian Kesehatan Republik Indonesia. Available from <http://p2ptm.kemkes.go.id/infographic/rekomendasi-aktivitas-fisik-bagi-remaja-di-sekolah> [Accessed on 30 June 2022]
- Kliegman, R., ST Geme, J., Blum, N.J., Shah, S.S., Tasker, R.C., Wilson, K.M., & Behrman, R.E., 2019. *Nelson textbook of pediatrics*. 21st ed. Elsevier. Philadelphia.
- Kravitz, L., 2014. ACSM information on high-intensity interval training. *American College of Sports Medicine*. Available from <https://www.acsm.org/docs/default-source/files-for-resource-library/high-intensity-interval-training.pdf> [Accessed on 30 June 2022]



- Kromeyer-Hauschild, K., Gläßer, N., & Zellner, K., 2012. Percentile curves for skinfold thickness in 7- to 14-year-old children and adolescents from Jena, Germany. *European Journal of Clinical Nutrition*, 66, 613–621. <https://doi.org/10.1038/ejcn.2011.216>
- Kuczmarski, R. J., Ogden, C. L., Guo, S. S., Grummer-Strawn, L. M., Flegal, K. M., Mei, Z., Wei, R., Curtin, L. R., Roche, A. F., & Johnson, C. L., 2002. 2000 CDC Growth Charts for the United States: methods and development. *Vital and health statistics. Series 11, Data from the National Health Survey*, (246), 1–190.
- Leifer, G., 2011. Introduction to maternity & pediatric nursing, Philadelphia, *WB Saunders*, pp 347–385, Fig. 15-2.
- Mora, J., 2012. What is a pediatric tumor? *Clinical Oncology in Adolescent and Young Adults* 7. <https://doi.org/10.2147/COAYA.S29791>
- Moreno, L.A., Pigeot, I. & Ahrens, W., 2011. Epidemiology of obesity in children and adolescents: prevalence and etiology. *Springer Science & Business Media*. New York.
- Muhammad, H., 2018. Obesity as the sequel of childhood stunting: ghrelin and GHSR gene polymorphism explained. *Acta medica Indonesiana*, 50(2), 159–164.
- Nieves, J. W., Formica, C., Ruffing, J., Zion, M., Garrett, P., Lindsay, R., & Cosman, F., 2005. Males have larger skeletal size and bone mass than females, despite comparable body size. *Journal of Bone and Mineral Research: The Official Journal of the American Society for Bone and Mineral Research*, 20(3), 529–535. <https://doi.org/10.1359/JBMR.041005>
- Norton, K.I., 2018. Standards for anthropometry assessment, in: Norton, K., Eston, R. (Eds.), *Kinanthropometry and Exercise Physiology*. *Routledge*, 4th Edition. New York. pp. 68–137.
- Oddo, V.M., Maehara, M., & Rah, J.H., 2019. Overweight in indonesia: an observational study of trends and risk factors among adults and children. *British Medical Journal Open* 9, e031198. <https://doi.org/10.1136/bmjopen-2019-031198>
- Par'i, H.M., Wiyono, S., & Harjatmo, T.P., 2017. Penilaian status gizi. *Kementerian Kesehatan Republik Indonesia*.
- Pausova, Z., 2014. Visceral fat and hypertension: sex differences, in: nutrition in the prevention and treatment of abdominal obesity. *Nutrition in the Prevention and Treatment of Abdominal Obesity*, pp. 99–111. <https://doi.org/10.1016/B978-0-12-407869-7.00009-X>



- Pausova, Z., Mahboubi, A., Abrahamowicz, M., Leonard, G.T., Perron, M., Richer, L., Veillette, S., Gaudet, D., & Paus, T., 2012. Sex differences in the contributions of visceral and total body fat to blood pressure in adolescence. *Hypertension* (Dallas, Tex. : 1979), 59(3), 572–579. <https://doi.org/10.1161/HYPERTENSIONAHA.111.180372>
- Popkin, B.M. & Slining, M.M., 2013. New dynamics in global obesity facing low- and middle-income countries: New global obesity dynamics, body composition changes. *Obesity Reviews*, 14, 11–20. <https://doi.org/10.1111/obr.12102>
- Rahmawati, N.T. & Hastuti, J. 2021. Secular change in body size and somatotype of Indonesian children aged 7–15 years (1999–2019). *Open Access Macedonian Journal of Medical Sciences*, 9, 419–427. <https://doi.org/10.3889/oamjms.2021.6154>
- Rahmawati, N.T., Hastuti, J., Muttaqien, Z. *et al.*, 2019. *Trend perubahan berat badan dan somatotipe remaja di Daerah Istimewa Yogyakarta sebagai kajian preventive menuju masyarakat sehat*. Research data. Faculty of Medicine, Public Health and Nursing. Universitas Gadjah Mada.
- Robert Koch Institute, 2013. German Health Interview and Examination Survey for Children and Adolescents (*KiGGS Studie*). from Ped(z) app, available from <https://play.google.com/store/apps/details?id=com.grapp.kinderarztrechner&hl=en&gl=US>. [Accessed on 31 January 2022]
- Robert Koch Institute, 2016. Federal Health Reporting Reference percentiles for anthropometric measures and blood pressure based on the German Health Interview and Examination Survey for Children and Adolescents 2003–2006 (*KiGGS*). *Abridged English Translation*. Berlin.
- Sahoo, K., Sahoo, B., Choudhury, A.K., Sofi, N.Y., Kumar, R., & Bhadoria, A.S., 2015. Childhood obesity: causes and consequences. *Journal of Family Medicine and Primary Care*, 4(2), 187–192. <https://doi.org/10.4103/2249-4863.154628>
- Sardinha, L. B., Going, S. B., Teixeira, P. J., & Lohman, T. G., 1999. Receiver operating characteristic analysis of body mass index, triceps skinfold thickness, and arm girth for obesity screening in children and adolescents. *The American Journal of Clinical Nutrition*, 70(6), 1090–1095. <https://doi.org/10.1093/ajcn/70.6.1090>
- Setiawan, K., 2019. *Kajian obesitas berdasarkan indeks massa tubuh, rasio pinggang panggul, dan persentase lemak tubuh pada anak usia 6-12 tahun di Daerah Istimewa Yogyakarta*. *Undergraduate Thesis*. Faculty of Medicine, Public Health and Nursing. Universitas Gadjah Mada.



- Shah B., Cost K.T., Fuller A. *et al.*, 2020. Sex and gender differences in childhood obesity: contributing to the research agenda. *British Medical Journal Nutrition, Prevention & Health* 2020;0. doi:10.1136/bmjnp-2020-000074
- Shalitin, S., & Kiess, W., 2017. Putative effects of obesity on linear growth and puberty. *Hormone Research in Paediatrics*, 88(1), 101–110. <https://doi.org/10.1159/000455968>
- Sjarif, D.R., Gultom, L.C., Hendarto, A. *et al.*, 2014. *REKOMENDASI IKATAN DOKTER ANAK INDONESIA Diagnosis, Tata Laksana dan Pencegahan Obesitas pada Anak dan Remaja*. Ikatan Dokter Anak Indonesia.
- Stovitz, S. D., Demerath, E. W., Hannan, P. J., Lytle, L. A., & Himes, J. H., 2011. Growing into obesity: patterns of height growth in those who become normal weight, overweight, or obese as young adults. *American Journal of Human Biology: The Official Journal of the Human Biology Council*, 23(5), 635–641. <https://doi.org/10.1002/ajhb.21191>
- Vanderwall, C., Clark, R.R., Eickhoff, J., Carrel, A.L., 2017. BMI is a poor predictor of adiposity in young overweight and obese children. *BioMed Central Pediatrics*. 17, 135. <https://doi.org/10.1186/s12887-017-0891-z>
- World Health Organization, 2007. Growth reference 5-19 years - BMI-for-age (5-19 years). Available from <https://www.who.int/tools/growth-reference-data-for-5to19-years/indicators/bmi-for-age> [Accessed on November 11 2021].
- World Health Organization, 2022. Adolescent health in the South-East Asia Region. Available from <https://www.who.int/southeastasia/health-topics/adolescent-health#:~:text=WHO%20defines%20'Adolescents'%20as%20individuals,age%20range%2010%2D24%20years.> [Accessed on 12 May 2022]
- Zheng, W., Suzuki, K., Yokomichi, H., Sato, M., & Yamagata, Z., 2013. Multilevel longitudinal analysis of sex differences in height gain and growth rate changes in Japanese school-aged children. *Journal of Epidemiology*, 23(4), 275–279. <https://doi.org/10.2188/jea.je20120164>