

Daftar Pustaka

- Abideen, Z., Koyro, H. W., Huchzermeyer, B., Gul, B., & Khan, M. A. (2020). Impact of a biochar or a biochar-compost mixture on water relation, nutrient uptake and photosynthesis of *Phragmites karka*. *Pedosphere*, 30(4), 466–477. [https://doi.org/10.1016/S1002-0160\(17\)60362-X](https://doi.org/10.1016/S1002-0160(17)60362-X)
- Adhya, T.K., Bharati K., Mohanty S.R., Ramakrishnan B., Rao V.R., Sethunathan N., & Wassmann R. (2000). Methane emission from rice fields at Cuttack, India. *Nutrient Cycling in Agroecosystems* 58: 95-105 <https://doi.org/10.1029/2004GB002401>
- Adviento-Borbe, M. A. A., & Linquist, B. (2016). Assessing fertilizer N placement on CH₄ and N₂O emissions in irrigated rice systems. *Geoderma*, 266, 40–45. <https://doi.org/10.1016/j.geoderma.2015.11.034>
- Agegnehu, G., Bass, A. M., Nelson, P. N., Muirhead, B., Wright, G., & Bird, M. I. (2015). Biochar and biochar-compost as soil amendments: Effects on peanut yield, soil properties and greenhouse gas emissions in tropical North Queensland, Australia. *Agriculture, Ecosystems and Environment*, 213, 72–85. <https://doi.org/10.1016/j.agee.2015.07.027>
- Alou, I.N., Steyn, J.M., Annandale, J.G., van der Laan, M. (2018). Growth, phenological, and yield response of upland rice (*Oryza sativa* L. cv. Nerica 4®) to water stress during different growth stages. *Agric. Water Manag.* 198, 39–52.
- Ameloot, N., Graber, E.R., Verheijen, F.G.A., De Neve, S. (2013). Interactions between biochar stability and soil organisms: review and research needs. *Eur. J. Soil Sci.* 64, 379–390.
- Anderson, C.R., Condron, L.M., Clough, T.J., Fiers, M., Stewart, A., Hill, R.A., Sherlock, R.R. (2011). Biochar induced soil microbial community change: implications for biogeochemical cycling of carbon, nitrogen and phosphorus. *Pedobiologia* 54, 309–320 (Jena).
- Ariani, M., Kartikawati, R., & Setyanto, P. (2017). GHG Emission and Rice Yield Due to Organic Matter Amendment on A Poor Rainfed Rice Field. In *13th International Conference of ESAFs Proceeding* (pp. 95–104).
- Audebert, A., Sahrawat, K.L. (2000). Mechanisms for iron toxicity tolerance in lowland rice. *J. Plant Nutr.* 23, 1877–1885.

- Audebert, A., Narteh, L.T., Kiepe, P., Millar, D., Beks, B. (2006). Iron Toxicity in Rice-Based Systems in West Africa; Africa Rice Centre (WARDA): Cotonou, Benin
- Awad, Y.M., Wang, J., Igalavithana, A.D., Tsang, D.C.W., Kim, K.-H., Lee, S.S., Ok, Y.S. (2018). Biochar effects on rice paddy: meta-analysis. In: Sparks, D.L. (Ed.), *Advances in Agronomy*. Academic Press, Cambridge, pp. 1–32
- [BSN] Badan Standardisasi Nasional. (2010). Standardisasi Nasional Indonesia-SNI 7645.2010: Klasifikasi Penutup Lahan. BSN, Jakarta.
- Baggs, E.M., Rees, R.M., Smith, K.A. & Vinten, A.J.A. (2000). Nitrous oxide emission from soils after incorporating crop residues. *Soil Use and Management* 16(2): 82-87.
- Bai, M., Wilske, B., Buegger, F., Bruun, E.W., Bach, M., Frede, H. (2014). Biodegradation measurements confirm the predictive value of the O: C-ratio for biochar recalcitrance. *J. Plant Nutr. Soil Sci.* 177, 633–637.
- Baker, J.M., Ochsner, T.E., Venterea, R.T., Griffis, T.J. (2007). Tillage and soil carbon sequestration—what do we really know?. *Agric. Ecosyst. Environ.* 118, 1–5.
- Balai Penelitian Tanah. (2005). Petunjuk pelaksanaan analisis tanah, air dan tanaman. IAARD Press
- Barton, L.L.; Abadía, J. (2007). Iron Nutrition in Plants and Rhizospheric Microorganisms; Springer Science & Business Media: Dordrecht, The Netherlands, ISBN 1402066236.
- Barton, L., Hoyle, F. C., Stefanova, K. T., & Murphy, D. V. (2016). Incorporating organic matter alters soil greenhouse gas emissions and increases grain yield in a semi-arid climate. *Agriculture, Ecosystems and Environment*, 231(3), 320–330. <https://doi.org/10.1016/j.agee.2016.07.004>
- Batjes, N.H. (1996). Total carbon and nitrogen in the soils of the world. *Eur. J. Soil Sci.* 47, 151–163
- Blanco-Canqui, H. (2017). Biochar and Soil Physical Properties. *Soil Science Society of America Journal*, 81(4), 687–711. <https://doi.org/10.2136/sssaj2017.01.0017>

- Belder, P., Spiertz J., Bouman B., Lu G., Tuong T. (2005). Nitrogen economy and water productivity of lowland rice under water- saving irrigation. *Field Crop Res* 93(2–3):169–185
- Bhatia, A., Sasmal, S., Jain, N., Pathak, H., Kumar, R., Singh, A. (2010). Mitigating nitrous oxide emissions from soil under conventional and no-tillage in wheat using nitrification inhibitors. *Agric. Ecosyst. Environ.* 136, 247–253
- [BPS] Biro Pusat Statistik. (2018). Paparan data statistik Indonesia 2018.
- Bockman, O. C., Ols, H. W. (1998). Fertilizers, agronomy, and N₂O. Nutrient Cycling in Agroecosystems, Dordrecht, v. 52, n. 2/3, p. 165-170.
- Bodek, I. (1988). Environmental Inorganic Chemistry: Properties, Processes, and Estimation Methods; Pergamon Press: Elmsford, NY, USA, ISBN 0080368336.
- Bodelier, P.L.E., Hahn A.P, Arth I.R, Frenzel P. (2000). Effects of ammonium-based fertilisation on microbial processes involved in methane emission from soils planted with rice. *Biogeochemistry* 51: 225–257.
- Bodelier, P.L.E., Laanbroek, H.J. (2004). Nitrogen as a regulatory factor of methane oxidation in soils and sediments. *FEMS Microbiol. Ecol.* 47, 265–277
- Boonjung, H., and Fukai, S. (1996). Effects of water deficit at different growth stages on rice growth and yield under upland conditions. 2. Phenology, biomass production and yield. *Field Crop Res.* 48, 47–55
- Borken, W., Matzner E. (2009) .Reappraisal of drying and wetting effects on C and N mineralization and fluxes in soils. *Global Change Biol* 15(4):808–824
- Bouwman, A. F. (1991). Agronomic aspects of wetland rice cultivation and associated methane emissions. *Biogeochemistry*, 15(2), 65-88. doi:10.1007/BF00003218
- Bouwman, A. F. (1996). Direct emission of nitrous oxide from agricultural soils. *Nutrient Cycling in Agroecosystems*, 46(1), 53–70. <https://doi.org/10.1007/BF00210224>

- Bouman, B. A. M., & Tuong, T. P. (2001). Field water management to save water and increase its productivity in irrigated lowland rice. *Agricultural Water Management*, 49(1), 11–30. [https://doi.org/10.1016/S0378-3774\(00\)00128-1](https://doi.org/10.1016/S0378-3774(00)00128-1)
- Bouwman, A. F., Boumans, L. J. M., & Batjes, N. H. (2002). Emissions of N₂O and NO from fertilized fields: Summary of available measurement data. *Global Biogeochemical Cycles*, 16(4), 6-1. Retrieved from www.scopus.com
- Bouwman, B. A. M., Peng, S., Castañeda, A. R., & Visperas, R. M. (2005). Yield and water use of irrigated tropical aerobic rice systems. *Agricultural Water Management*, 74(2), 87–105. <https://doi.org/10.1016/j.agwat.2004.11.007>
- Brentrup, F., Kiisters, J., Lammel, J., & Kuhlmann, H. (2000). Methods to Estimate On-Field Nitrogen Emissions from Crop Production as an Input to LCA Studies in the Agricultural Sector. *International Journal of Life Cycle Assessment*, 5(6), 349–357. <https://doi.org/http://dx.doi.org/10.1065/Ica2000.08.030>
- Broadbent, F. (1971). Losses of nitrogen from some flooded soils in tracer experiments. *Soil Sci Soc Am J* 35(6):922–926
- Bronson, K.F., Neue, H.U., Abao, E.B., Singh, U. (1997). Automated chamber measurements of methane and nitrous oxide flux in a flooded rice soil: I. Residue, nitrogen, and water management. *Soil Sci. Soc. Am. J.* 61, 981–987
- Brye, K. R., Rogers, C. W., Smartt, A. D., & Norman, R. J. (2013). Soil Texture Effects on Methane Emissions From Direct-Seede, Delayed-Flood Rice Production in Arkansas. *Soil Science*, 178(10), 519–529. <https://doi.org/10.1097/SS.0000000000000020>
- Brye, K. R., Nalley, L. L., Tack, J. B., Dixon, B. L., Barkley, A. P., Rogers, C. W., ... Jagadish, K. S. V. (2016). Factors affecting methane emissions from rice production in the Lower Mississippi river valley, USA. *Geoderma Regional*, 7(2), 223–229. <https://doi.org/10.1016/j.geodrs.2016.04.005>
- Brye, K. R., Rogers, C. W., Smartt, A. D., Norman, R. J., Hardke, J. T., & Gbur, E. E. (2017). Methane emissions as affected by crop rotation and rice cultivar in the Lower Mississippi River Valley, USA. *Geoderma Regional*, 11(June), 8–17. <https://doi.org/10.1016/j.geodrs.2017.08.004>

- Buchkina, N.P., Rizhiya E.Y., Pavlik S.V., Balashov E.V. (2013). Soil Physical Properties and Nitrous Oxide Emission from Agricultural Soils. *Adv Agrophysical Res.* :193–220.
- Buresh, R., Castillo E., Datta S. (1993). Nitrogen losses in puddled soils as affected by timing of water deficit and nitrogen fertilization. *Plant Soil* 157(2):197–206
- Burger, M., Jackson, L.E., 2003. Microbial immobilization of ammonium and nitrate in relation to ammonification and nitrification rates in organic and conventional crop- ping systems. *Soil Biol. Biochem.* 35, 29–36.
- Burney, J. A., S. J. Davis, and D. B. Lobell (2010), Greenhouse gas mitigation by agricultural intensification, *Proc. Natl. Acad. Sci. U.S.A.*, 107(26), 12,052–12,057
- Butnan, S., Deenik, J.L., Toomsan, B., Antal, M.J., Vityakon, P. (2015). Biochar characteristics and application rates affecting corn growth and properties of soils contrasting in tex- ture and mineralogy. *Geoderma* 237, 105–116
- Butterbach-bahl, K., Baggs, E. M., Dannenmann, M., Kiese, R., & Zechmeister-boltenstern, S. (2013). Nitrous oxide emissions from soils : how well do we understand the processes and their controls? *Phil Trans R Soc B*, 368 (The global nitrogen cycle in the twenty-first century), 1–20. <https://doi.org/http://dx.doi.org/10.1098/rstb.2013.0122>
- Butterly, C.R, McNeill A.M., Baldock J.A., Marschner P. (2011). Rapid changes in carbon and phosphorus after rewetting of dry soil. *Biol Fertil Soils* 47:41–50
- Cai, Z.C., Mosier, A.R. (2000). Effect of NH₄Cl addition on methane oxidation by paddy soils. *Soil Biol. Biochem.* 32, 1537–1545.
- Cai, Z., Shan, Y., & Xu, H. (2007). Effects of nitrogen fertilization on CH₄ emissions from rice fields. *Soil Science and Plant Nutrition*, 353–361. <https://doi.org/10.1111/j.1747-0765.2007.00153.x>
- Cambardella, C.A., Elliott, E.T. (1992). Particulate soil organic mat- ter changes across a grassland cultivation sequence. *Soil Sci. Soc. Am. J.* 56, 777–778.

- Carrijo, D. R., Lundy, M. E., & Linquist, B. A. (2017). Rice yields and water use under alternate wetting and drying irrigation: A meta-analysis. *Field Crops Research*, 203, 173–180. <https://doi.org/10.1016/j.fcr.2016.12.002>
- Carter, M.R., Gregorich, E.G., Angers, D.A., Donald, R.G., Bolin- der, M.A. (1998). Organic C and N storage, and organic C fractions, in adjacent cultivated and forested soils of eastern Canada. *Soil Tillage Res.* 47, 253–261.
- Cao, M., Dent, J.B. & Heal, O.W. (1995). Modelling methane emissions from rice paddies, *Global Biogeochem. Cycles* 9: 183– 195.
- Cayuela, M.L., van Zwieten, L., Singh, B.P., Jeffery, S., Roig, A., Sánchez-Monedero, M.A. (2014). Biochar's role in mitigating soil nitrous oxide emissions: a review and meta- analysis. *Agric. Ecosyst. Environ.* 191, 5–16.
- Carvalho, M.T.M., D. M., Madari, B. E., & Bastiaans, L. (2016). Nitrogen availability , water-filled pore space , and N₂O-N fluxes after biochar application and nitrogen fertilization, (1), 1203–1212. <https://doi.org/10.1590/S0100-204X2016000900020>
- Cha, J. S., Park, S. H., Jung, S., Ryu, C., Jeon, J., Shin, M., & Park, Y. (2016). Journal of Industrial and Engineering Chemistry Production and utilization of biochar : A review. *Journal of Industrial and Engineering Chemistry*, 40, 1–15. <https://doi.org/10.1016/j.jiec.2016.06.002>
- Chang, Y., Rossi, L., Zotarelli, L., Gao, B., Shahid, M. A., & Sarkhosh, A. (2021). Biochar improves soil physical characteristics and strengthens root architecture in Muscadine grape (*Vitis rotundifolia* L.). *Chemical and Biological Technologies in Agriculture*, 8(1), 1–11. <https://doi.org/10.1186/s40538-020-00204-5>
- Chen, R., Ng, C.W.W. (2013). Impact of wetting-drying cycles on hydro-mechanical behavior of an unsaturated compacted clay. *Appli. Clay Sci.* 86, 38–46.
- Chen, A.H., Lai A.L., Zhao A.X., Li A.B.G., Lin Q. (2016). Soil microbial biomass carbon and phosphorus as affected by frequent drying- rewetting. *Soil Res* 54:321–327
- Chen, Z., Wang, H., Liu, X., Zhao, X., Lu, D., Zhou, J., & Li, C. (2017). Changes in soil microbial community and organic carbon fractions under short-term

straw return in a rice – wheat cropping system. *Soil & Tillage Research*, 165, 121–127. <https://doi.org/10.1016/j.still.2016.07.018>

Chen, X., Yang, S., Jiang, Z., Ding, J., & Sun, X. (2021). Biochar as a tool to reduce environmental impacts of nitrogen loss in water-saving irrigation paddy field. *Journal of Cleaner Production*, 290, 125811. <https://doi.org/10.1016/j.jclepro.2021.125811>

Chidthaisong, A., Cha-un, N., Rossopa, B., Kunuthai, C., Sriphirom, P., Tokida, T., ... Minamikawa, K. (2018). Evaluating the effects of alternate wetting and drying (AWD) on methane and nitrous oxide emissions from a paddy field in Thailand. *Soil Science and Plant Nutrition*, 64(1), 31–38. <https://doi.org/10.1080/00380768.2017.1399044>

Chirinda, N., Arenas, L., Katto, M., Loaiza, S., Correa, F., Isthitani, M., ... Bayer, C. (2018). Sustainable and low greenhouse gas emitting rice production in Latin America and the Caribbean: A review on the transition from ideality to reality. *Sustainability (Switzerland)*, 10(3). <https://doi.org/10.3390/su10030671>

Cicerone, R. J., & Oremland, R. S. (1988). Biogeochemical aspects of atmospheric methane. *Global Biogeochemical Cycles*, 2(4), 299–327. doi:10.1029/GB002i004p00299

Cicerone, R.J., Delwiche, C.C., Tyler, S.C., Zimmerman, P.R., (1992). Methane emissions from California rice paddies with varied treatments. *Global Biogeochem Cycles* 6, 233–248.

Corton, T.M., Bajita, J.B., Grospe, F.S., Pamplona, R.R., Asis Jr, C.A., Wassmann, R., Lantin, R.S., & Buendia, L.V. (2000). Methane emission from irrigated and intensively managed rice fields in Central Luzon (Philippines). *Nutr. Cycl. Agroecosyst.* 58, 37–53

Dan, J.G, Kruger M., Frenzel P., Conrad R. (2001). Effect of a late season urea fertilization on methane emission from a rice field in Italy. *Agric Ecosyst Environ* 83: 191–199

Das, S., Bhattacharyya, P., Adhya, T.K. (2011). Interaction effect of elevated CO₂ and temperature on microbial biomass and enzyme activities in tropical rice soils. *Environ. Monit. Assess.* 182, 555–569

Das, S., & Adhya, T. K. (2014). Effect of combine application of organic manure and inorganic fertilizer on methane and nitrous oxide emissions from a

tropical flooded soil planted to rice. *Geoderma*, 213, 185–192.
<https://doi.org/10.1016/j.geoderma.2013.08.011>

Davidson, E.A., & Swank, W.T. (1986). Environmental parameters regulating gaseous nitrogen losses from 2 forested ecosystems via nitrification and denitrification. *Appl. Environ. Microbiol.* 52, 1287–1292

Davidson, E. A., Keller, M., Erickson, H. E., Verchot, L. V., & Veldkamp, E. (2000). Testing a conceptual model of soil emissions of nitrous and nitric oxides. *BioScience*. [https://doi.org/10.1641/0006-3568\(2000\)050\[0667:TACMOS\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2000)050[0667:TACMOS]2.0.CO;2)

Dawe D. (2005). Increasing water productivity in rice-based systems in Asia—past trends, current problems, and future prospects. *Plant Prod Sci.* 8: 221–230. doi: 10.1626/pps.8.2215

DeDatta, S. K. (1981). Principles and Practices of Rice Production. John Wiley, New York. 618p

DeDatta, S.K. (1995). Nitrogen transformations in wetland rice ecosystems. *Plant Soil* 42, 193–203.

Della Lunga, D., Brye, K. R., Slayden, J. M., Henry, C. G., & Wood, L. S. (2021). Relationships among soil factors and greenhouse gas emissions from furrow-irrigated Rice in the mid-southern , USA. *Geoderma Regional*, 24, e00365. <https://doi.org/10.1016/j.geodrs.2021.e00365>

Denmead, O. T., Macdonald, B. C. T., Bryant, G., Naylor, T., Wilson, S., Griffith, D. W. T., ... Moody, P. W. (2010). Emissions of methane and nitrous oxide from Australian sugarcane soils. *Agricultural and Forest Meteorology*, 150(6), 748–756. <https://doi.org/10.1016/j.agrformet.2009.06.018>

Devere, O.C., Horwath W.R. (2000). Decomposition of rice straw and microbial carbon use efficiency under different soil temperatures and moistures. *Soil Biol Biochem* 32:1773–1785

Doll P., & Siebert S. (2002). Global modeling of irrigation water requirements. *Water Resour Res.* 38: 1–10. doi: 10.1029/2001WR000355

Dong, H., Zhang, S., Lin, J., & Zhu, B. (2021). Responses of soil microbial biomass carbon and dissolved organic carbon to drying-rewetting cycles: A

meta-analysis. *Catena*, 207(April), 105610.
<https://doi.org/10.1016/j.catena.2021.105610>

Dos Santos, R.S., de Araujo Júnior, A.T., Pegoraro, C., de Oliveira, A.C. (2017). Dealing with iron metabolism in rice: From breeding for stress tolerance to biofortification. *Genet. Mol. Biol.* 40, 312–325.

Dotaniya, M., Meena, H.M., Lata, M., Kumar, K. (2013). Role of phytosiderophores in iron uptake by plants. *Agric. Sci. Dig.* 33, 73–76

Eickemeier, P., Schlömer, S., Farahani, E., Kadner, S., Brunner, S., Baum, I., & Kriemann, B. (2014). *Climate Change 2014 Mitigation of Climate Change Working Group III Contribution to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge: Cambridge University Press.

Ekanayke, I.J., De Datta, S.K., Steponkus, P.L. (1989). Spikelet sterility and flowering response of rice to water stress at anthesis. *Ann. Bot.* 63, 257–264.

El-Naggar, A., Lee S.S., Rinklebe J., Farooq M., Song H., Sarmah A.K., Zimmerman A.R., Ahmad M., Shaheen S.M., Ok Y.S. (2019). Biochar application to low fertility soils: A review of current status and future prospects. *Geoderma*. 337: 536–554.

Fahrmeir L, T. Kneib, S. Lang and B. Marx. (2013). *Regression: Models, Methods and Applications*. Springer Publication 2013.

Fan, M.S., Liu, X.J., Jiang, R.F., Zhang, F.S., Lu, S.H., Zeng, X.Z., Christie, P. (2005). Crop yields, internal nutrient efficiency, and changes in soil properties in rice-wheat rotations under non-flooded mulching cultivation. *Plant Soil* 277, 265–276

[FAO] Food and Agricultural Organization of the United Nations. (2009) *OECD-FAO Agricultural Outlook 2011–2030*.

[FAO]. Aquastat. (2013). Available: <http://www.fao.org/nr/water/aquastat>

FAOSTAT. (2012). Available: <http://www.fao.org/faostat/en/#data>

FAO (2017). *Agroforestry in rice-production landscapes in Southeast Asia: a practical manual*. Food and Agriculture Organization of the United Nations

Regional Office for Asia and the Pacific World Agroforestry Centre (ICRAF)

- Fierer, N., Schimel J.P., Holden P.A. (2003). Influence of drying–rewetting frequency on soil bacterial community structure. *Microb Ecol* 45:63–71
- Foley, J.A., Ramankutty, N., Brauman, K.A., Cassidy, E.S., Gerber,.....Zaks, D.P.M. (2011). Solutions for a cultivated planet. *Nature* 478, 337–342. <http://dx.doi.org/10.1038/nature10452>.
- Forster, P., Ramaswamy, V., Artaxo, P., Bernsten, T., Betts, R., Fahey, D.W., Haywood, J., Lean, J., Lowe, D.C., Myhre, G., Nganga, J., Prinn, R., Raga, G., Schulz, M., Van Dorland, R., (2007). In: Solomon, S., Qin, D., Manning, M., Chen, Z., Marquis, M., Averyt, K.B., Tignor, M., Miller, H.L. (Eds.), *Changes in Atmospheric Constituents and in Radiative Forcing. In Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA
- Freixo, A.A., Machado, P.L., Santos, H.P. (2002). Soil organic carbon and fractions of a Rhodic Ferralsol under the influence of tillage and crop rotation systems in southern Brazil. *Soil Tillage Res.* 64, 221–230.
- Frohne, T., Rinklebe, J., Diaz-Bone, R. A., & Du Laing, G. (2011). Controlled variation of redox conditions in a floodplain soil: Impact on metal mobilization and biomethylation of arsenic and antimony. *Geoderma*, 160(3–4), 414–424. <https://doi.org/10.1016/j.geoderma.2010.10.012>
- Gao, J., Feng, J., Zhang, X., Yu, F.-H., Xu, X., Kuzyakov, Y. (2016). Drying–rewetting cycles alter carbon and nitrogen mineralization in litter-amended alpine wetland soil. *Catena* 145, 285–290.
- Garland, G.M., Suddick, E., Burger, M., Horwath, W.R., Six, J. (2011). Direct N₂O emissions following transition from conventional till to no-till in a cover cropped Mediterranean vineyard (*Vitis vinifera*). *Agric. Ecosyst. Environ.* 141, 234–239.
- Ge, G., Li, Z., Fan, F., Chu, G., Hou, Z., & Liang, Y.(2010). Soil biological activity and their seasonal variations in response to long-term application of organic and inorganic fertilizers. *Plant Soil* 326, 31–44

- Godfray, H.C., Beddington, J.R., Crute, I.R., Haddad, L., Lawrence, D., Muir, J.F., Pretty, J., Robinson, S., Thomas, S.M., & Toulmin, C. (2010). Food security: the challenge of feeding 9 billion people. *Science* 327, 812–818.
- Gogoi, N., Baruah K. K., and Gupta, P. K. (2008). Selection of rice genotypes for lower methane emission. *Agron. Sustain. Dev.* 28:181-186.
- Gordon, H., Haygarth P.M., Bardgett R.D. (2008). Drying and rewetting effects on soil microbial community composition and nutrient leaching. *Soil Biol Biochem* 40(2):302–311
- Greve, A., Andersen, M. S., & Acworth, R. I. (2010). Investigations of soil cracking and preferential flow in a weighing lysimeter filled with cracking clay soil. *Journal of Hydrology*, 393(1–2), 105–113. <https://doi.org/10.1016/j.jhydrol.2010.03.007>
- Gu, J., Nie H., Guo H., Xu H., Gunnathorn T. (2018). Nitrous oxide emissions from fruit orchards: A review. *Atmos Environ* :166–72. Available from: <https://doi.org/10.1016/j.atmosenv.2018.12.046>
- Gul, S., Whalen J.K., Thomas B.W., Sachdeva V., Deng H.Y. (2015). Physico-chemical properties and microbial responses in biochar-amended soils: Mechanisms and future directions. *Agric Ecosyst Environ.* 206: 46–59
- Guo, Y., and A. D. Rockstraw. (2007). Physicochemical properties of carbons prepared from pecan shell by phosphoric acid activation. *Bioresource Tech.* 98(8): 1513-1521
- Han, X., Sun, X., Wang, C., Wu, M., Dong, D., Zhong, T., Thies, J.E., Wu, W. (2016). Mitigating methane emission from paddy soil with rice-straw biochar amendment under projected climate change. *Sci. Rep.* 6 (1), 24731. <https://doi.org/10.1038/srep24731>
- Hao, J., Chai, N., Lopes, D., Ordóñez, R. A., Wright, E. E., & Archontoulis, S. (2021). The Effects of Soil Depth on the Structure of Microbial Communities in Agricultural Soils in Iowa (United States). *Applied and Environmental Microbiology*, 87(4), 1–17. <https://doi.org/https://doi.org/10.1128/AEM.02673-20>.
- Harter, J., Weigold, P., El-Hadidi, M., Huson, D.H., Kappler, A., Behrens, S. (2016). Soil biochar amendment shapes the composition of N₂O-reducing microbial communities. *Sci. Total Environ.* 562, 379–390.

- Haque, M. M., Kim, S. Y., Ali, M. A., & Kim, P. J. (2014). Contribution of greenhouse gas emissions during cropping and fallow seasons on total global warming potential in mono-rice paddy soils. *Plant and Soil*, 387(1–2), 251–264. <https://doi.org/10.1007/s11104-014-2287-2>
- Harrison-kirk, T., Beare, M. H., Meenken, E. D., & Condrón, L. M. (2013). Soil organic matter and texture affect responses to dry / wet cycles : Effects on carbon dioxide and nitrous oxide emissions. *Soil Biology and Biochemistry*, 57, 43–55. <https://doi.org/10.1016/j.soilbio.2012.10.008>
- He, L., Zhao, X., Wang, S., Xing, G. (2016). The effects of rice-straw biochar addition on nitrification activity and nitrous oxide emissions in two oxisols. *Soil Tillage Res.* 164, 52–62.
- He, Y., Zhou, X., Jiang, L., Li, M., Du, Z., Zhou, G., Shao, J., Wang, X., Xu, Z., Bai, S.H., Wallace, H., Xu, C. (2017). Effects of biochar application on soil greenhouse gas fluxes: a meta- analysis. *GCB Bioenergy* 9, 743–755.
- Herbst, M., Tappe, W., Kummer, S., Vereecken, H. (2016). The impact of sieving on heterotrophic respiration response to water content in loamy and sandy topsoils. *Geoderma* 272, 73–82
- Hou, A. X., Chen, G. X., Wang, Z. P., Cleemput, O. Van, & Patrick, W. H. (2000). Methane and Nitrous Oxide Emissions from a Rice Field in Relation to Soil Redox and Microbiological Processes. *Soil Science Society of America Journal*, 64(DECEMBER), 2180–2186. <https://doi.org/10.2136/sssaj2000.6462180x>
- Hou, A. X., Wang, Z. P., Chen, G. X., & Patrick, J. H. (2000). Effects of organic and N fertilizers on methane production potential in a Chinese rice soil and its microbiological aspect. *Nutrient Cycling in Agroecosystems*, 58(1–3), 333–338. <https://doi.org/10.1023/A:1009875509876>
- Huang, Y., Jiao, Y., Zong, L., Zheng, X., Sass, R. L., & Fisher, F. M. (2002). Quantitative dependence of methane emission on soil properties. *Nutrient Cycling in Agroecosystems*, 64(1-2), 157-167. doi:10.1023/A:102113233026
- Huang, Y., Zou, J., Zheng, X., Wang, Y., & Xu, X. (2004). Nitrous oxide emissions as influenced by amendment of plant residues with different C:N ratios. *Soil Biology and Biochemistry*, 36(6), 973-981. doi:10.1016/j.soilbio.2004.02.009

- Horwath, W. R. (2011). Greenhouse gas emissions from rice cropping systems. *Understanding Greenhouse Gas Emissions From Agricultural Management*, (3), 67–89. <https://doi.org/10.1021/bk-2011-1072.ch005>
- Huang, Y., Jiao, Y., Zong, L.G., Zheng, X.H., Sass, R.L. and Fisher, F.M. (2002). Quantitative dependence of methane emission on soil properties, *Nutrient Cycling in Agroecosystems* **64**(1-2): 157-167.
- Humphreys, J., Brye, K. R., Rector, C., & Gbur, E. E. (2019). Methane emissions from rice across a soil organic matter gradient in Alfisols of Arkansas, USA. *Geoderma Regional*, **16**, e00200. <https://doi.org/10.1016/j.geodrs.2018.e00200>
- Inselsbacher, E., Wanek, W., Ripka, K., Hackl, E., Sessitsch, A., Strauss, J., et al. (2011). Greenhouse gas fluxes respond to different N fertilizer types due to altered plant-soil- microbe interactions. *Plant Soil* **343**, 17–35.
- Inubushi, K., Wada H., Takai Y. (1984). Easily decomposable organic matter in paddy soil, IV. Relationship between reduction process and organic matter decomposition. *Soil Sci. Plant Nutr*, **30**, 189–198. 10.1080/00380768.1984.10434682
- Inubushi, K., Muramatsu, Y., Umebayashi, M. (1992). Influence of percolation on methane emission from flooded paddy soil. *Jpn. J. Soil Sci. Plant Nutr*. **63**, 184–189.
- Inubushi, K., Umebayashi, M., Wada, H. (1990). Methane emission from paddy fields. Transactions *14th International Congress of Soil Sciences*. Kyoto II, pp. 249–254.
- Inubushi, K., Saito, H., Arai, H., Ito, K., Endoh, K., & Yashima, M. M. (2018). Effect of oxidizing and reducing agents in soil on methane production in Southeast Asian paddies. *Soil Science and Plant Nutrition*, **64**(1), 84–89. <https://doi.org/10.1080/00380768.2017.1401907>
- [IPCC] Intergovernmental Panel on Climate Change. (2006). *IPCC Guidelines for National Greenhouse Gas Inventories*. Prepared by The National Greenhouse Gas Inventories Programme. Eggleton H.S., L. Buendia, K. Miwa, T. Ngara, and K. Tanabe (eds.). Penerbit IGES Jepang.
- IPCC. (2007). *Climate Change 2007: The Physical Science Basis. Changes in Atmospheric Constituents and in Radiative Forcing*. Intergovernmental Panel on Climate Change, Geneva.

- IPCC. (2013). Summary for Policymakers. In: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA
- IPCC. (2014). Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Edenhofer, O., R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, T. Zwickel and J.C. Minx (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- IPCC. (2018a). *An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways*. <https://doi.org/10.1017/CBO9781107415324>
- IPCC. (2018b). *Summary for Policymakers . In : Global warming of 1 . 5 ° C . An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global resp.* Geneva, Switzerland.
- Ippolito, J.A., Stromberger M.E., Lentz R.D., Dungan R.S. (2016). Hardwood biochar and manure co-application to a calcareous soil. *Chemosphere*. 142: 84–91.
- Ishfaq, M., Farooq, M., Zulfiqar, U., Hussain, S., Akbar, N., Nawaz, A., & Ahmad, S. (2020). Alternate wetting and drying: A water-saving and ecofriendly rice production system. *Agricultural Water Management*, 241(August), 106363. <https://doi.org/10.1016/j.agwat.2020.106363>
- Islam, S. F. U., van Groenigen, J. W., Jensen, L. S., Sander, B. O., & de Neergaard, A. (2018). The effective mitigation of greenhouse gas emissions from rice paddies without compromising yield by early-season drainage. *Science of the Total Environment*, 612, 1329–1339. <https://doi.org/10.1016/j.scitotenv.2017.09.022>
- Islam, S. F., Ole, B., Quilty, J. R., Neergaard, A. De, Willem, J., Groenigen, V., & Stoumann, L. (2020). Mitigation of greenhouse gas emissions and reduced irrigation water use in rice production through water-saving irrigation scheduling , reduced tillage and fertilizer application strategies. *Science of*

the Total Environment, 739, 140215.
<https://doi.org/10.1016/j.scitotenv.2020.140215>

Jacinthe, P.A., Lal, R. (2005). Labile carbon and methane uptake as affected by tillage intensity in a Mollisol. *Soil Tillage Res.* 80, 35–45

Jain, N., Pathak, H., Mitra, S., & Bhatia, A. (2004). Emission of methane from rice fields - A review. *Journal of Scientific and Industrial Research*, 63(2), 101–115.

Jakobsen, P., Patrick, Jr. W.H, Williams, B.G. (1981). Sulfide and methane formation in soils and sediments. *Soil Sci.*, 132, 279–287.
doi:10.1097/00010694-198110000-00005

Janz, B., Weller, S., Kraus, D., Racela, H. S., Wassmann, R., Butterbach-Bahl, K., & Kiese, R. (2019). Greenhouse gas footprint of diversifying rice cropping systems: Impacts of water regime and organic amendments. *Agriculture, Ecosystems and Environment*, 270–271(October 2018), 41–54.
<https://doi.org/10.1016/j.agee.2018.10.011>

Jarvis, S.C., Hatch, D.J. (1994). Potential for denitrification at depth below long-term grass swards. *Soil Biol. Biochem.* 26, 1629–1636

Jenkins, J.R., Viger, M., Arnold, E.C., Harris, Z.M., Ventura, M., Miglietta, F., Girardin, C., Edwards, R.J., Rumpel, C., Fornasier, F., Zavalloni, C., Tonon, G., Alberti, G., Taylor, G. (2017). Biochar alters the soil microbiome and soil function: results of next-generation amplicon sequencing across Europe. *GCB Bioenergy* 9, 591–612.

Ji M, Zhou L, Zhang S, Luo G, Sang W. (2020) Effects of biochar on methane emission from paddy soil: focusing on DOM and microbial communities. *Sci Total Environ* 743:140725

Jiang, J., Hu, Z., Sun, W., & Huang, Y. (2010). Nitrous oxide emissions from Chinese cropland fertilized with a range of slow-release nitrogen compounds. *Agriculture, Ecosystems and Environment*, 135(3), 216–225.
<https://doi.org/10.1016/j.agee.2009.09.014>

Jeffrey, S., Verheijen, G.A., Kammann, C., Abalos, D. (2016). Biochar effects on methane emissions from soil: a meta-analysis. *Soil Biol. Biochem.* 101, 251–258

- Joseph, S., Husson, O., Graber, E., van Zwieten, L., Taherymoosavi, S., Thomas, T., ... Donne, S. (2015). The Electrochemical Properties of Biochars and How They Affect Soil Redox Properties and Processes. *Agronomy*, 5(3), 322–340. <https://doi.org/10.3390/agronomy5030322>
- Karhu, K., Mattila, T., Bergström, I., Regina, K. (2011). Biochar addition to agricultural soil increased CH₄ uptake and water holding capacity—results from a short-term pilot field study. *Agric. Ecosyst. Environ.* 140, 309–313
- Keith, T. 2015. Multiple Regression and Beyond An Introduction to Multiple Regression and Structural Equation Modeling 2nd Edition Routledge Pub, Taylor and Francis New York
- Khosa, M.K., Sidhu, B.S., & Benbi, D.K.(2010). Effect of organic materials and rice cultivars on methane emission from rice field. *J. Environ. Biol.* 31, 281–285
- Kightley, D., Nedwell, D.B., Cooper, M.. (1995). Capacity for methane oxidation in landfill coversoils measured in laboratory-scale soil microcosms. *Appl. Environ. Microbiol.* 61, 592–601.
- Kim, S.A., Guerinot, M. (2007). Lou Mining iron: Iron uptake and transport in plants. *FEBS Lett.* 581, 2273–2280.
- Kim, S. Y., Pramanik, P., Gutierrez, J., Young, H., & Joo, P. (2014). Agriculture , Ecosystems and Environment Comparison of methane emission characteristics in air-dried and composted cattle manure amended paddy soil during rice cultivation. *Agriculture, Ecosystems and Environment*, 197, 60–67. <https://doi.org/10.1016/j.agee.2014.07.013>
- Kimura, M., Murase, J., Lu, Y.H. (2004). Carbon cycling in rice field ecosystems in the context of input, decomposition and translation of organic materials and the fates of their end production (CO₂ and CH₄). *Soil Biology and Biochemistry* 36, 1399–1416
- Kindaichi, T., Ito, T., Okabe, S. (2004). Ecophysiological interaction between nitrifying bacteria and heterotrophic bacteria in autotrophic nitrifying biofilms as determined by microautoradiography-fluorescence in situ hybridization. *Appl. Environ. Biol.* 70, 1641–1650
- Keiluweit, M., Bougoure, J.J., Nico, P.S., Pett-Ridge, J., Weber, P.K., Kleber, M. (2015). Mineral protection of soil carbon counteracted by root exudates. *Nat. Clim. Change* 5, 588–595.

- Kong, A.Y.Y., Hristova, K., Scow, K.M., Six, J. (2010). Impacts of different N management regimes on nitrifier and denitrifier communities and N cycling in soil microenvironments. *Soil Biol. Biochem.* 42, 1523–1533
- Kozuh, N., tupar, J., Gorenc, B. (2000). Reduction and oxidation processes of chromium in soils. *Environ. Sci. Technol.* 34, 112–119
- Ku, H. H., Hayashi, K., Agbisit, R., & Villegas-Pangga, G. (2017). Evaluation of fertilizer and water management effect on rice performance and greenhouse gas intensity in different seasonal weather of tropical climate. *Science of the Total Environment*, 601–602, 1254–1262. <https://doi.org/10.1016/j.scitotenv.2017.05.277>
- Kumar, A., Nayak, A. K., Das, B. S., Panigrahi, N., Dasgupta, P., Mohanty, S., ... Pathak, H. (2019). Effects of water deficit stress on agronomic and physiological responses of rice and greenhouse gas emission from rice soil under elevated atmospheric CO₂. *Science of the Total Environment*, 650, 2032–2050. <https://doi.org/10.1016/j.scitotenv.2018.09.332>
- Ladha, J. K., Rao, A. N., & Raman, A. K. (2015). Agronomic improvements can make future cereal systems in South Asia far more productive and result in a lower environmental footprint. *Global Change Biology*, 1–21. <https://doi.org/10.1111/gcb.13143>
- Lafferty, B. J., Ginder-Vogel M. and Sparks D. L. (2010). Arsenite oxidation by a poorly crystalline manganese-oxide 1. Stirred-flow experiments. *Environ. Sci. Technol.* 44, 8460–8466.
- Lagomarsino, A., Agnelli, A. E., Linquist, B., Adviento-borbe, M. A., Agnelli, A., Gavina, G., ... Ferrara, R. M. (2016). Alternate Wetting and Drying of Rice Reduced CH₄ Emissions but Triggered N₂O Peaks in a Clayey Soil of Central Italy. *Pedosphere: An International Journal*, 26(4), 533–548. [https://doi.org/10.1016/S1002-0160\(15\)60063-7](https://doi.org/10.1016/S1002-0160(15)60063-7)
- Lal, R. (1985). Tillage in lowland rice-based cropping system. In *Soil Physics and Rice* (pp. 283–308). Los Banos, Philippines: International Rice Research Institute.
- Lal, R. (2004). Soil carbon sequestration impacts on global climate change and food security. *Science* (80-.), 304, 1623–1627. <https://doi.org/10.1126/science.1097396>

- Lal, R. (2003). Global potential of soil carbon sequestration to mitigate the greenhouse effect. *CRC Crit. Rev. Plant Sci.* 22, 151–184. <https://doi.org/10.1080/713610854>.
- Lampayan, R. M., Rejesus, R. M., Singleton, G. R., & Bouman, B. A. M. (2015). Adoption and economics of alternate wetting and drying water management for irrigated lowland rice. *Field Crops Research*, 170, 95–108. <https://doi.org/10.1016/j.fcr.2014.10.013>
- Le Mer, J., & Roger, P. (2001). Production, oxidation, emission and consumption of methane by soils: a review. *Eur J Soil Biol* 37: 25–50.
- Lehmann, J., Rillig, M. C., Thies, J., Masiello, C. A., Hockaday, W. C., & Crowley, D. (2011). Soil Biology & Biochemistry Biochar effects on soil biota e A review. *Soil Biology and Biochemistry*, 43(9), 1812–1836. <https://doi.org/10.1016/j.soilbio.2011.04.022>
- Li, S.X., Wang, Z.H., Stewart, B.A. (2013). Responses of crop plants to ammonium and nitrate N. *Adv. Agron.* 118, 205–397.
- Li, J., Wan, Y., Wang, B., Ahmed, M., Cai, W., Guo, C., ... Wilkes, A. (2018). Combination of modified nitrogen fertilizers and water saving irrigation can reduce greenhouse gas emissions and increase rice yield. *Geoderma*, 315(August 2017), 1–10. <https://doi.org/10.1016/j.geoderma.2017.11.033>
- Liang, K., Zhong, X., Huang, N., Lampayan, R. M., Pan, J., Tian, K., & Liu, Y. (2016). Grain yield, water productivity and CH₄ emission of irrigated rice in response to water management in south China. *Agricultural Water Management*, 163, 319–331. <https://doi.org/10.1016/j.agwat.2015.10.015>
- Liao, B., Wu, X., Yu, Y., Luo, S., Hu, R., & Lu, G. (2020). Effects of mild alternate wetting and drying irrigation and mid-season drainage on CH₄ and N₂O emissions in rice cultivation. *Science of the Total Environment*, 698, 134212. <https://doi.org/10.1016/j.scitotenv.2019.134212>
- Lindau, C. W., Bollich, P. K., Delaune, R. D., Patrick, W. H., & Law, V. J. (1991). Effect of urea fertilizer and environmental factors on CH₄ emissions from a Louisiana, USA rice field. *Plant and Soil*, 136(2), 195–203. <https://doi.org/10.1007/BF02150050>
- Lindau, C.W. (1994). Methane emissions from Louisiana rice fields amended with nitrogen fertilizers. *Soil Biol. Biochem.* 26, 353–359.

- Linguist, B. A., Adviento-Borbe, M. A., Pittelkow, C. M., van Kessel, C., & van Groenigen, K. J. (2012). Fertilizer management practices and greenhouse gas emissions from rice systems: A quantitative review and analysis. *Field Crops Research*. Elsevier B.V. <https://doi.org/10.1016/j.fcr.2012.06.007>
- Linguist, B. A., Anders, M. M., Adviento-Borbe, M.A.A., Chaney, R. L., Nalley, L. L., da Rosa, E. F., & van Kessel, C. (2015). Reducing greenhouse gas emissions, water use, and grain arsenic levels in rice systems. *Global Change Biology*, 21, 407–417. <https://doi.org/https://doi.org.10.1111/gcb.12701>
- Liu, X.J., Mosier, A.R., Halvorson, A.D., & Zhang, F.S. (2006). The impact of nitrogen placement and tillage on NO, N₂O, CH₄ and CO₂ fluxes from a clay loam soil. *Plant Soil* 280, 177–188.
- Liu, E., Yan, C., Mei, X., He, W., Bing, S.H. & Ding, L. (2010). Long-term effect of chemical fertilizer, straw, and manure on soil chemical and biological properties in northwest China. *Geoderma* 158: 173–180.
- Liu, Y., Yang, M., Wu, Y., Wang, H., Chen, Y., & Wu, W. (2011). Reducing CH₄ and CO₂ emissions from waterlogged paddy soil with biochar. *J. Soils Sediments* 11, 930– 939
- Livingston, G., & Hutchinson, G. (1995). Enclosure-based measurement of trace gas ex- change: applications and sources of error. In P. A. Matson & R. C. Harriss (Eds.), *Biogenic Trace Gases: Measuring Emissions from Soil and Water*. (pp. 14–51). Osney Mead, Oxford: Blackwell Sciences Ltd.
- López-Fernández, S., Díez, J.A., Hernaiz, P., Arce, A., García-Torres, L., Vallejo, A. (2007). Effects of fertiliser type and the presence or absence of plants on nitrous oxide emissions from irrigated soils. *Nutr. Cycl. Agroecosys.* 78, 279–289.
- Luo, G.J., Kiese, R., Wolf, B., Butterbach-Bahl, K. (2013). Effects of soil temperature and moisture on methane uptake and nitrous oxide emissions across three different ecosystem types. *Biogeosciences* 10: 3205–321
- Ma, K., Qiu, Q. F., and Lu, Y. H. (2010). Microbial mechanism for rice variety control on methane emission from rice field soil. *Global Change Biology* 16:3085-3095
- Ma, Y., Liu, D.L., Schwenke, G., Yang, B. (2019). The global warming potential of straw- return can be reduced by application of straw-decomposing

microbial inoculants and biochar in rice-wheat production systems. *Environ. Pollut.* 252, 835–845. <https://doi.org/10.1016/j.envpol.2019.06.006>

Maguffin, S. C., Abu-Ali, L., Tappero, R. V., Pena, J., Rohila, J. S., McClung, A. M., & Reid, M. C. (2020). Influence of manganese abundances on iron and arsenic solubility in rice paddy soils. *Geochimica et Cosmochimica Acta*, 276, 50–69. <https://doi.org/10.1016/j.gca.2020.02.012>

Majumder, B., Mandal, B., Bandypadhyay, P.K., Gangopadhyay, A., Mani, P.K., Kundu, A.L., Mazumdar, D.(2008). Organic amendments influence soil organic carbon pools and rice-wheat productivity. *Soil Sci. Soc. Am. J.* 72, 775–785.

Major, J., Rondon, M., Molina, D., Riha, S.J., Lehmann, J. (2010). Maize yield and nutrition during 4 years after biochar application to a Colombian savanna oxisol. *Plant Soil* 333, 117–128.

Malyan, S. K., Bhatia, A., Kumar, A., Kumar, D., Singh, R., Kumar, S. S., ... Jain, N. (2016). Methane production , oxidation and mitigation: A mechanistic understanding and comprehensive evaluation of influencing factors. *Science of the Total Environment*, 572, 874–896. <https://doi.org/10.1016/j.scitotenv.2016.07.182>

Maneepitak, S., Ullah, H., Datta, A., Shrestha, R. P., & Shrestha, S. (2019). Effects of water and rice straw management practices on water savings and greenhouse gas emissions from a double-rice paddy field in the Central Plain of Thailand. *European Journal of Agronomy*, 107(January), 18–29. <https://doi.org/10.1016/j.eja.2019.04.002>

Manzoni, S., Taylor, P., Richter, A., Porporato, A., Ågren, G.I.(2012). Environmental and stoichiometric controls on microbial carbon-use efficiency in soils. *New Phytologist* 196, 79–91.

Martínez-Eixarch, M., Alcaraz, C., Viñas, M., Noguerol, J., Aranda, X., Prenafeta-Boldú, F. X., ... Ibáñez, C. (2021). The main drivers of methane emissions differ in the growing and flooded fallow seasons in Mediterranean rice fields. *Plant and Soil*, 460(1–2), 211–227. <https://doi.org/10.1007/s11104-020-04809-5>

Mason, C. W., Stoof, C. R., Richards, B. K., Das, S., Goodale, C. L., & Steenhuis, T. S. (2017). Hotspots of Nitrous Oxide Emission in Fertilized and Unfertilized Perennial Grasses. *Soil Science Society of America Journal*, 81(3), 450. <https://doi.org/10.2136/sssaj2016.08.0249>

- Mazza, G., Agnelli, A. E., Orasen, G., Gennaro, M., Valè, G., & Lagomarsino, A. (2016). Reduction of Global Warming Potential from rice under alternate wetting and drying practice in a sandy soil of northern Italy. *Italian Journal of Agrometeorology*, 21(2), 35–44. <https://doi.org/10.19199/2016.2.2038-5625.035>
- Meijide, A., Díez, J.A., Sánchez-Martín, L., López-Fernández, S., Vallejo, A. (2007). Nitro- gen oxide emissions from an irrigated maize crop amended with treated pig slurries and composts in a Mediterranean climate. *Agric. Ecosyst. Environ.* 121, 383–394
- Meng, L., Ding, W., & Cai, Z. (2005). Long-term application of organic manure and nitrogen fertilizer on N₂O emissions, soil quality and crop production in a sandy loam soil. *Soil Biol. Biochem.* 37, 2037–2045
- Mensah, A. K., & Frimpong, K. A. (2018). Biochar and/or Compost Applications Improve Soil Properties , Growth , and Yield of Maize Grown in Acidic Rainforest and Coastal Savannah Soils in Ghana. *International Journal of Agronomy*, 2018, 1–8. <https://doi.org/https://doi.org/10.1155/2018/6837404>
- Mi, W., Sun, Y., Zhao, C., & Wu, L. (2019). Soil organic carbon and its labile fractions in paddy soil as influenced by water regimes and straw management. *Agricultural Water Management*, 224(August), 105752. <https://doi.org/10.1016/j.agwat.2019.105752>
- Mikha, M.M., Rice C.W., Milliken G.A. (2005). Carbon and nitrogen mineralization as affected by drying and wetting cycles. *Soil Biol Biochem* 37:339–347
- Minami K (1995) The effect of nitrogen fertilizer use and other practices on methane emission from flooded rice. *Fertil Res* 40: 71–84.
- Minamikawa, K., & Sakai, N. (2006). The practical use of water management based on soil redox potential for decreasing methane emission from a paddy field in Japan. *Agriculture, Ecosystems and Environment*, 116, 181–188. <https://doi.org/10.1016/j.agee.2006.02.006>
- Minamikawa, K., Tokida, T., Sudo, S., Padre, A., Yagi, K. (2015) Guidelines for measuring CH₄ and N₂O emissions from rice paddies by a manually operated closed chamber method. National Institute for Agro-Environmental Sciences, Tsukuba, Japan.

- Minasny, B., Malone, B. P., McBratney, A. B., Angers, D. A., Arrouays, D., Chambers, A., ... Winowiecki, L. (2017). Soil carbon 4 per mille. *Geoderma*, 292, 59–86. <https://doi.org/10.1016/j.geoderma.2017.01.002>
- Mitra, S., Wassmann, R., Jain, M. C., & Pathak, H. (2002). Properties of rice soils affecting methane production potentials: 2. Differences in topsoil and subsoil. *Nutrient Cycling in Agroecosystems*, 64(1–2), 183–191. <https://doi.org/10.1023/A:1021175404418>
- MOA. (2016). Agricultural Statistics. Ministry of Agriculture, Government of Indonesia
- MoEF. (2015). Indonesia First Biennial Update Report. Ministry of Forest and Environment of Indonesia, Government of Indonesia.
- MoEF. (2017). Indonesia's Third National Communication to the UNFCCC. Ministry of Environment and Forests, Government of Indonesia.
- Morillas, L., Durán, J., Rodríguez, A., Roales, J., Gallardo, A., Lovett, G.M., Groffman, P.M., (2015). Nitrogen supply modulates the effect of changes in drying–rewetting frequency on soil C and N cycling and greenhouse gas exchange. *Glob. Chang. Biol.* 21, 3854–3863.
- Muhr, J., Franke, J., Borken, W. (2010). Drying–rewetting events reduce C and N losses from a Norway spruce forest floor. *Soil Biol. Biochem.* 42, 1303–1312.
- Mujiyo, M., Sunarminto, B. H., Hanudin, E., Widada, J., & Syamsiyah, J. (2017). Methane production potential of soil profile in organic paddy field. *Soil and Water Research*, 12(4), 212–219. <https://doi.org/10.17221/58/2016-SWR>
- Mondini, C., Contin M., Leita L., De Nobili M. (2002). Response of microbial biomass to air-drying and rewetting in soils and compost. *Geoderma* 105:111–124
- Mulyadi dan Wihardjaka, A. (2014). Emisi gas rumah kaca dan hasil gabah dari tiga varietas padi pada lahan sawah tadah hujan bersurjan. *Jurnal Penelitian Pertanian Tanaman Pangan*, 33 (2), 116-121
- Nan, Q., Wang, C., Wang, H., Yi, Q., Liang, B., Xu, J., Wu, W. (2020). Biochar drives microbially-mediated rice production by increasing soil carbon. *J. Hazard. Mater.* 387, 121680. <https://doi.org/10.1016/j.jhazmat.2019.121680>.

- Nandi, S. (2020). Microbial biomass carbon and organic carbon fractions in paddy soil as influenced by rice stubble management. *Int J Microbiol Res* 12(7):1871–1874
- Nazaroff, W. W. (1992). Radon transport from soil to air. *Reviews of Geophysics*, 30(2), 137–160. <https://doi.org/https://doi.org/10.1029/92RG00055>
- Nelson, A., Wassmann, R., Sander, B. O., & Palao, L. K. (2015). Climate-Determined Suitability of the Water Saving Technology “alternate Wetting and Drying” in Rice Systems: A Scalable Methodology demonstrated for a Province in the Philippines. *PLoS ONE*, 10(12), 1–20. <https://doi.org/10.1371/journal.pone.0145268>
- Neubauer, S.C., Toledo-Duran, G.E., Emerson, D. (2007). Returning to their roots: iron-oxidizing bacteria enhance short-term plaque formation in the wetland-plant rhizosphere. *Geomicrobiol J* 24: 65–73.
- Neue, H.U, & Roger, P. A. (1993). Potential of methane emission in major rice ecologies. In: Zepp RG (ed) *Climate Bio- sphere Interaction*, pp 65-93, New York: Wiley and Sons
- Neue, H.U., & R.L. Sass. (1994). Trace gas emission from rice fields. *Environ. Sci. Research* 48: 119 – 147
- [NOAA] National Oceanic and Atmospheric Administration Research. (2018). Trends in atmospheric methane. ESRL. https://esrl.noaa.gov/gmd/ccgg/trends_ch4/
- Nouchi, I., Mariko, S., and Aoki, K. (1990) .Mechanism of methane transport from the rhizosphere to the atmosphere through rice plants. *Plant Physiology* 94:59-66.
- Oertel, C., Matschullat, J., Zurba, K., Zimmermann, F., & Erasmi, S. (2016). Greenhouse gas emissions from soils—A review. *Chemie Der Erde - Geochemistry*, 76(3), 327–352. <https://doi.org/10.1016/j.chemer.2016.04.002>
- Omondi, M.O., X. Xia, A. Nahayo, X. Liu, P.K. Korai, and G. Pan. (2016). Quantification of biochar effects on soil hydrological properties using meta-analysis of literature data. *Geoderma* 274:28–34. [doi:10.1016/j.geoderma.2016.03.029](https://doi.org/10.1016/j.geoderma.2016.03.029)

- Oo, A. Z., Sudo, S., Inubushi, K., Chellappan, U., Yamamoto, A., Ono, K., ... Venkatachalam, R. (2018). Mitigation potential and yield-scaled global warming potential of early-season drainage from a rice paddy in Tamil Nadu, India. *Agronomy* 2018, Vol. 8, Page 202, 8(10), 202. <https://doi.org/10.3390/AGRONOMY8100202>
- Pandey, A., Mai, V. T., Vu, D. Q., Bui, T. P. L., Mai, T. L. A., Jensen, L. S., & de Neergaard, A. (2014). Organic matter and water management strategies to reduce methane and nitrous oxide emissions from rice paddies in Vietnam. *Agriculture, Ecosystems and Environment*, 196, 137–146. <https://doi.org/10.1016/j.agee.2014.06.010>
- Parkin, T. B., & Venterea, R. (2010). USDA-ARS GRACEnet Project Protocols Chapter 3. Chamber-Based Trace Gas Flux Measurements 4. In *Sampling Protocols* (Vol. 2010, pp. 1–39).
- Pathak, H., Bhatia, A., Prasad, S., Singh, S., Kumar, S., Jain, M. C., & Kumar, U. (2002). Emission of nitrous oxide from rice-wheat systems of indo-gangetic plains of india. *Environmental Monitoring and Assessment*, 163–178.
- Perdomo, C., Irisarri, P. & Ernst, O. (2009). Nitrous oxide emissions from an Uruguayan argiudoll under different tillage and rotation treatments. *Nutrient Cycling in Agroecosystems* 84(2): 119-128.
- Peyron, M., Bertora, C., Pelissetti, S., Said-Pullicino, D., Celi, L., Miniotti, E., ... Sacco, D. (2016). Greenhouse gas emissions as affected by different water management practices in temperate rice paddies. *Agriculture, Ecosystems and Environment*, 232, 17–28. <https://doi.org/10.1016/j.agee.2016.07.021>
- Philippot, L., & Hallin, S. (2011). Towards food , feed and energy crops mitigating climate change. *Trends in Plant Science*, 16(9), 476–480. <https://doi.org/10.1016/j.tplants.2011.05.007>
- Pramono, A. dan Suryanto. (2018). Reduksi emisi gas rumah kaca dengan biokompos pada tanaman padi di lahan sawah tadah hujan. Telah diseminarkan pada Seminar Nasional Balitbangda Porpinsi Jawa Tengah 2018.
- Pratiwi, E.P.A., Shinogi, Y. (2016). Rice husk biochar application to paddy soil and its effects on soil physical properties, plant growth, and methane emission. *Paddy Water Environ.* 14, 521–532. <https://doi.org/10.1007/s10333-015-0521-z>.

- Pujotomo, I. (2017). Potential Utilization of Rice Husk Biomass for Power Generation through Gasification Technology. *Jurnal Energi & Kelistrikan*, 9(June), 126–135.
- Qi, L., Niu, H., Zhou, P., Jia, R., & Gao, M. (2018). Effects of Biochar on the Net Greenhouse Gas Emissions under Continuous Flooding and Water-Saving Irrigation Conditions in Paddy Soils. *Sustainability (Switzerland)*, 10(1403), 1–17. <https://doi.org/10.3390/su10051403>
- Rao, A. N., Wani, S. P., Ramesha, M. S., & Ladha, J. K. (2017). Rice Production Systems, 185–206. <https://doi.org/10.1007/978-3-319-47516-5>
- Rakhsh, F., Golchin, A., Al Agha, A.B., Alamdari, P. (2017). Effects of exchangeable cations, mineralogy and clay content on the mineralization of plant residue carbon. *Geoderma* 307, 150–158.
- Rakhsh, F., Golchin, A., Beheshti, A., Agha, A., & Nelson, P. N. (2020). Mineralization of organic carbon and formation of microbial biomass in soil : Effects of clay content and composition and the mechanisms involved. *Soil Biology and Biochemistry*, 151(September), 108036. <https://doi.org/10.1016/j.soilbio.2020.108036>
- Rath, A.K., Swain, B., Ramakrishnan, B., Panda, D., Adhya, T.K., Rao, V.R., & Sethunathan, N.(1999). Influence of fertilizer management and water regime on methane emission from rice fields. *Agric. Ecosyst. Environ.* 76, 99–10
- Redfern, S. K., Azzu, N., & Binamira, J. S. (2012). *Rice in Southeast Asia : Facing Risks and Vulnerabilities to Respond to Climate Change*.
- Rigler, A. (2021). Predicting nitrogen leaching rates in a clay loam and sandy loam soil in north central Iowa. Thesis. University of Iowa, USA. 792. <https://lib.dr.iastate.edu/creativecomponents/792>
- Ruser, R., Flessa, H., Russow, R. & Schmidt, G. (2006). Emission of N₂O, N₂ and CO₂ from soil fertilized with nitrate: effect of compaction, soil moisture and rewetting. *Soil Biology & Biochemistry* 38(2): 263-274.
- Ro, S., Seanjan, P., Tulaphitak, T. (2011). Sulfate content influencing methane production and emission from incubated soil and rice-planted soil in Northeast Thailand. *Soil Sci Plant Nutr* 57: 833–842

- Rogers, C. W., Brye, K. R., Norman, R. J., Gbur, E. E., Mattice, J. D., Parkin, T. B., & Roberts, T. L. (2014). Methane Emissions from Drill-Seeded, Delayed-Flood Rice Production on a Silt-Loam Soil in Arkansas. *Journal of Environmental Quality*, 42, 1059–1069. <https://doi.org/10.2134/jeq2012.0502>
- Rogers, C.W., Brye, K.R., Smartt, A.D., Norman, R.J., Gbur, E.E., Evans-White, M.A. (2014). Cultivar and previous crop effects on methane emissions from drill-seeded, delayed-flood rice production on a silt-loam soil. *Soil Sci.* 179, 28–36.
- Rosegrant, M.W., Ringler, C., & Zhu, T. (2009). Water for Agriculture: Maintaining Food Security under Growing Scarcity. *Annual Review of Environment and Resources*. pp. 205–222. doi: 10.1146/annurev.environ.030308.090351
- Sanchez-Martin L, Meijide A, Garcia-Torres L, Vallejo A (2010) Combination of drip irrigation and organic fertilizer for mitigating emissions of nitrogen oxides in semiarid climate. *Agr Ecosyst Environ* 137:99–107. doi:10.1016/j.agee.2010.01.006
- Sander, O. B., Wassman, R., & Siopongco, D. L. C. (2015). Mitigating Greenhouse Gas Emissions from Rice Production through Water-saving Techniques: Potential, Adoption and Empirical Evidence. In *Climate Change and Agricultural Water Management in Developing Countries* (eds C.T. Hoanh et al.).
- Sarwono H., Subagjo, H., & Lufti Rayes M. (2004). Morfologi dan Klasifikasi Tanah Sawah. dalam Tanah Sawah dan Teknologi Pengelolaannya, halaman 1-29. *Puslitbang Tanah dan Agroklimat*. Badan Litbang Pertanian. Bogor
- Sass, R. L., Fisher, F. M., Wang, Y. B., Turner, F. T., & Jund, M. F. (1992). Methane emission from rice fields: The effect of floodwater management. *Global Biogeochemical Cycles*, 6(3), 249-262. doi:10.1029/92GB01674
- Sass, R. I., Fisher, F. M., Lewis, S. T., Jund, M. F. and Turner, F. T. (1994). Methane emissions from rice fields: Effect of soil properties. *Global Biogeochemical Cycles* 2, 135-140, 1994
- Sass, R. L., & Fisher, F. M. (1997). Methane emissions from rice paddies : a process study summary. *Nutrient Cycling in Agroecosystems*, 119–127.

- Satpathy, S. N., Rath, A. K., Ramakrishnan, B., Rao, V. R., Adhya, T. K., & Sethunathan, N. (1997). Diurnal variation in methane efflux at different growth stages of tropical rice. *Plant and Soil*, 195(2), 267–271. <https://doi.org/10.1023/A:1004202515767>
- Sawada, K., Funakawa S., Kosaki T. (2019). Immediate and subsequent effects of drying and rewetting on microbial biomass in a paddy soil. *Soil Sci Plant Nutr* 65:28–35
- Schimel, J. (2000). Global change: rice, microbes and methane. *Nature* 403: 375–377.
- Serrano-silva, N., Luna-guido, M., Fernández-luque, F., Marsch, R., & Dendooven, L. (2011). Emission of greenhouse gases from an agricultural soil amended with urea : A laboratory study. *Applied Soil Ecology*, 47(2), 92–97. <https://doi.org/10.1016/j.apsoil.2010.11.012>
- Setyanto, P., Makarim, A. K., Fagi, A. M., Wassmann, R., & Buendia, L. V. (2000). Crop management affecting methane emissions from irrigated and rainfed rice in Central Java (Indonesia). *Nutrient Cycling in Agroecosystems*, 58(1–3), 85–93. <https://doi.org/10.1023/A:1009834300790>
- Setyanto, P., Makarim, A., Fauziah, C. I., & Bidin, A. (2002). Soil controlling factors of methane production from flooded rice fields in Pati district, Central Java. *Indonesian Journal of Agricultural Science*, 3(1), 1–11. <https://doi.org/10.21082/ijas.v3n1.2002.1-11>
- Setyanto, P. (2004). Methane emission and it's mitigation in rice fields under different management practices in Central Java. Dissertation of Doctor of Philosophy, Universiti Putra Malaysia.
- Setyanto, P. (2006). Evaluation of Methane Emission and Potential Mitigation from Flooded rice field. *Jurnal Litbang Pertanian*, 25(2006), 139–148.
- Setyanto, P., Pramono, A., Adriany, T. A., Susilawati, H. L., Tokida, T., Padre, A. T., & Minamikawa, K. (2018). Alternate wetting and drying reduces methane emission from a rice paddy in Central Java, Indonesia without yield loss. *Soil Science and Plant Nutrition*, 64(1), 23–30. <https://doi.org/10.1080/00380768.2017.1409600>
- Sey, B. K., Manceur, A. M., Whalen, J. K., Gregorich, E. G., & Rochette, P. (2008). Small-scale heterogeneity in carbon dioxide , nitrous oxide and methane production from aggregates of a cultivated sandy-loam soil. *Soil*

Biology and Biochemistry, 40, 2468–2473.
<https://doi.org/10.1016/j.soilbio.2008.05.012>

Shi, A., Marschner P. (2014). Drying and rewetting frequency influences cumulative respiration and its distribution over time in two soils with contrasting management. *Soil Biol Biochem* 72:172–179

Sibayan, E. B., Samoy-pascual, K., Grospe, F. S., Casil, E. D., Tokida, T., Padre, A. T., ... Grospe, F. S. (2018). Effects of alternate wetting and drying technique on greenhouse gas emissions from irrigated rice paddy in Central Luzon , Philippines. *Soil Science and Plant Nutrition*, 64(1), 39–46.
<https://doi.org/10.1080/00380768.2017.1401906>

Signor, D., & Cerri, C. E. P. (2013). Nitrous oxide emissions in agricultural soils: a review. *Pesquisa Agropecuária Tropical*, 43(3), 322–338.
<https://doi.org/10.1590/S1983-40632013000300014>

Six, J., Conant, R. T., Paul, E. A., & Paustian, K. (2002). Stabilization mechanisms of SOM implications for C saturation of soils. *Plant and Soil*, 241(2), 155–176.

Smartt, A. D., Brye, K. R., & Norman, R. J. (2016). Methane Emissions from Rice Production in the United States — A Review of Controlling Factors and Summary of Research. In *Intech open* (Vol. 2, p. 64).
<https://doi.org/10.5772/32009>

Smartt, A. D., Brye, K. R., & Norman, R. J. (2016). Methane emissions from rice production in the United States — A Review of controlling factors and summary of research. In *Intech open* (Vol. 2, p. 64).
<https://doi.org/10.5772/32009>

Smith, K. A., Ball, T., Conen, F., Dobbie, K. E., Massheder, J., & Rey, A. (2018). Exchange of greenhouse gases between soil and atmosphere: interactions of soil physical factors and biological processes. *European Journal of Soil Science*, 69(1), 10–20. <https://doi.org/10.1111/ejss.12539>

Smith, P., Martino, D., Cai, Z., Gwary, D., Janzen, H., Kumar, P., ... Towprayoon, S. (2007). Policy and technological constraints to implementation of greenhouse gas mitigation options in agriculture. *Agriculture, Ecosystems and Environment*.
<https://doi.org/10.1016/j.agee.2006.06.006>

- Snyder, C.S., Bruulsema, T.W., Jensen, T.L., & Fixen, P.E.(2009). Review of greenhouse gas emissions from crop production systems and fertilizer management effect. *Agr. Ecosyst. Environ.* 133, 247–266
- Song, T., Das, D., Hu, Q., Yang, F., & Zhang, J. (2021). Alternate wetting and drying irrigation and phosphorus rates affect grain yield and quality and heavy metal accumulation in rice. *Science of the Total Environment*, 752, 141862. <https://doi.org/10.1016/j.scitotenv.2020.141862>
- Song, T., Xu, F., Yuan, W., Chen, M., Hu, Q., & Tian, Y. (2019). Combining alternate wetting and drying irrigation with reduced phosphorus fertilizer application reduces water use and promotes phosphorus use efficiency without yield loss in rice plants. *Agricultural Water Management*, 223(July), 105686. <https://doi.org/10.1016/j.agwat.2019.105686>
- Sriphirom, P., Chidthaisong, A., & Towprayoon, S. (2019). Effect of alternate wetting and drying water management on rice cultivation with low emissions and low water used during wet and dry season. *Journal of Cleaner Production*, 223, 980–988. <https://doi.org/10.1016/j.jclepro.2019.03.212>
- Stehfest, E., & Bouwman, A. F. (2006). N₂O and NO emission from agricultural fields and soils under natural vegetation: summarizing available measurement data and modeling of global annual emissions. *Nutrient Cycling in Agroecosystems*, (January). <https://doi.org/10.1007/s10705-006-9000-7>
- Stewart, R. D., R, A. N. M., Rupp, D. E., Lane, J. W., Uribe, H. C., Arumí, J. L., ... Selker, J. S. (2015). Hillslope run-off thresholds with shrink-swell clay soils. *Hydrological Processes*, 29(4), 557–571. <https://doi.org/10.1002/hyp.10165>
- Stevens, R.J., Laughlin, R.J. & Malone, J.P. (1998). Soil pH affects the processes reducing nitrate to nitrous oxide and di-nitrogen. *Soil Biology and Biochemistry* 30 (8e9), 1119e1126.
- Suda A. and Makino T. (2016.) Functional effects of manganese and iron oxides on the dynamics of trace elements in soils with a special focus on arsenic and cadmium: a review. *Geoderma* 270, 68–75.
- Sun, D., Li K., Bi Q., Zhu J., Zhang Q., Jin C., Lu L., Lin X. (2017). Effects of organic amendment on soil aggregation and microbial community

composition during drying-rewetting alternation. *Sci Total Environ* 574:735–743

Susilawati, H. L., Setyanto, P., Makarim, A. K., Ariani, M., Ito, K., & Inubushi, K. (2015). Effects of steel slag applications on CH₄, N₂O and the yields of Indonesian rice fields: a case study during two consecutive rice-growing seasons at two sites. *Soil Science and Plant Nutrition*, 61(4), 704–718. <https://doi.org/10.1080/00380768.2015.1041861>

Takai, Y. (1970). The mechanism of methane fermentation in flooded paddy soil. *Soil Sci. Plant Nutr.*, 16, 313–316. 10.1080/00380768.1970.10433371

Tan, I.Y.S., van Es, H.M., Duxbury, J.M., Melkonian, J.J., Schindelbeck, R.R., Geohring, L.D., Hively, W.D. & Moebius, B.N. (2009). Single-event nitrous oxide losses under maize production as affected by soil type, tillage, rotation, and fertilization. *Soil Till. Res.* 102, 19–26

Tang, C.S., Cui, Y.J., Shi, B., Tang, A.M., Liu, C. (2011). Desiccation and cracking behaviour of clay layer from slurry state under wetting-drying cycles. *Geoderma* 166, 111–118.

Thangarajan, R., Bolan, N. S., Tian, G., Naidu, R., & Kunhikrishnan, A. (2013). Role of organic amendment application on greenhouse gas emission from soil. *Science of the Total Environment*, 465(August 2014), 72–96. <https://doi.org/10.1016/j.scitotenv.2013.01.031>

Tian, J., Pausch, J., Fan, M.S., Li, X.L., Tang, Q.Y., Kuzyakov, Y.(2013). Allocation and dynamics of assimilated carbon in rice-soil system depending on water management. *Plant Soil* 363, 273–285.

Timoner, X., Acuña, V., Frampton, L., Pollard, P., Sabater, S., Bunn, S.E. (2014). Biofilm functional responses to the rehydration of a dry intermittent stream. *Hydrobiologia* 727, 185–195.

Tiquia, S.M., Lloyd, J., Herms, D.A., Hoitink, H.A.J., & Michel Jr., F.C.(2002). Effects of mulching and fertilization on soil nutrients, microbial activity and rhizosphere bacterial community structure determined by analysis of TRFLPs of PCR-amplified 16S rRNA genes. *Appl. Soil Ecol.* 21, 31–48.

Thomson, A.J., Giannopoulos, G., Pretty, J., Baggs, E.M., & Richardson, D.J. (2012). Biological sources and sinks of nitrous oxide and strategies to mitigate emissions. *Philosophical Transactions of the Royal Society B* 367, 1157–1168.

- Tilman, D., Balzer, C., Hill, J., & Befort, B.L. (2011). Global food demand and the sustainable intensification of agriculture. *Proc. Natl. Acad. Sci. U. S. A.* 108, 20260–20264.
- Tran, D. H., Hoang, T. N., Tokida, T., & Tirol-padre, A. (2018). Impacts of alternate wetting and drying on greenhouse gas emission from paddy field in Central Vietnam. *Soil Science and Plant Nutrition*, 64(1), 14–22. <https://doi.org/10.1080/00380768.2017.1409601>
- Tu, C., Rustaino, J.B., & Hu, S.J. (2006). Soil microbial biomass and activity in organic tomato farming systems: effects of organic inputs and straw mulching. *Soil Biol. Biochem.* 38, 247–255
- Tubiello, F.N., Salvatore, M., Rossi, S., Ferrara, A., Fitton, N., Smith, P. (2013). The Faostat database of greenhouse gas emissions from agriculture. *Environ. Res. Lett.* 8, 1–11.
- Van Bodegom, P., Goudriaan, J., & Leffelaar, P. (2001). A mechanistic model on methane oxidation in a rice rhizosphere. *Biogeochemistry*, 55(2), 145–177. <https://doi.org/10.1023/A:1010640515283>
- Vial, L.K. (2007). Aerobic and alternate-wet-and-dry (AWD) rice systems. A report for Nuffield Australis Farming Scholars. *Nuffield Australia, Rabobank*, p 45
- Vilain, G., Garnier, J., Tallec, G., Cellier, P. (2010). Effect of slope position and land use on nitrous oxide (N₂O) emissions (Seine Basin, France). *Agr. Forest Meteorol.* 150, 1192–1202.
- Vinten, A. J. A., Vivian, B. J., Wright, F., & Howard, R. S. (1994). A comparative study of nitrate leaching from soils of differing textures under similar climatic and cropping conditions. *Journal of Hydrology*, 159(1–4), 197–213. [https://doi.org/https://doi.org/10.1016/0022-1694\(94\)90256-9](https://doi.org/https://doi.org/10.1016/0022-1694(94)90256-9).
- Von Lutzow, M., Leifeld, J., Kainz, M., Kogel-Knabner, I., Munch, J.C. (2000). Indications for soil organic matter quality in soils under different management. *Geoderma* 105, 243–258.
- Wahyunto. (2014). Lahan Sawah Sebagai Pendukung Ketahanan Pangan serta Strategi Pencapaian Kemandirian Pangan. *Jurnal Sumberdaya Lahan*, 17–30.

- Wagner, D., Pfeiffer, E.M., Bock, E. (1999). Methane production in aerated marshland and model soils: effects of microflora and soil texture. *Soil Biol. Biochem.* 31, 999–1006. [http://dx.doi.org/10.1016/S0038-0717\(99\)00011-5](http://dx.doi.org/10.1016/S0038-0717(99)00011-5).
- Wang, Z.P., Lindau, C.W., Delaune, R.D., Patrick Jr., W.H. (1993). Methane emission and entrapment in flooded rice soils as affected by soil properties. *Biol Fertil Soils* 16, 163–168. <http://doi.org/10.1007/BF00361401>.
- Wang, B., Xu, Y., Wang, Z., Li, Z., Guo, Y., Shao, K., Chen, Z. (1999). Methane emissions from ricefields as affected by organic amendment, water regime, crop establishment, and rice cultivar. *Environ. Monit. Assess.* 57, 213–228.
- Wang, Z., Zhang, W., Beebout, S. S., Zhang, H., Liu, L., Yang, J., & Zhang, J. (2016). Grain yield , water and nitrogen use efficiencies of rice as influenced by irrigation regimes and their interaction with nitrogen rates. *Field Crops Research*, 193, 54–69. <https://doi.org/10.1016/j.fcr.2016.03.006>
- Wang, G., Luo, Z., Wang, E., & Zhang, W. (2018). Reducing greenhouse gas emissions while maintaining yield in the croplands of Huang-Huai-Hai Plain , China. *Agricultural and Forest Meteorology*, 260–261(April), 80–94. <https://doi.org/10.1016/j.agrformet.2018.06.003>
- Wang, C., Liu, J., Shen, J., Chen, D., Li, Y., Jiang, B., Wu, J. (2018). Effects of biochar amend- ment on net greenhouse gas emissions and soil fertility in a double rice cropping sys- tem: a 4-year field experiment. *Agric. Ecosyst. Environ.* 262, 83–9
- Wassmann, R., Neue, H.U., Bueno, C., Lantin, R.S., Alberto, M.C.R., Buendia, L.V., Bronson, K., Papen, H. and Rennenberg, H. (1998). Methane production capacities of different rice soils derived from inherent and exogenous substrates. *Plant and Soil* **203**: 227-237.
- Watanabe, A., and Kimura M. (1999). Influence of chemical properties of soils on methane emission from rice paddies. *Commun. Soil Sci. Plant Anal.*, 30, 2449–2463. [10.1080/00103629909370386](https://doi.org/10.1080/00103629909370386)
- Wihardjaka, A., & Harsanti. (2011). Potensi Produksi Gas Metana Dari Kegiatan. *Ecolab*, 5(November), 68–78.
- Witt, C., Foundation, M. G., Pasuquin, J. M., & Mutters, R. (2005). New Leaf Color Chart for Effective Nitrogen management in Rice. *Better Crops*, pp. 36–39.

- Wu, J., Brookes P. (2005). The proportional mineralisation of microbial biomass and organic matter caused by air-drying and rewetting of a grassland soil. *Soil Biol Biochem* 37:507–515
- Wu, Z., Zhang, X., Dong, Y., Xu, X., Xiong, Z. (2018). Microbial explanations for field-aged biochar mitigating greenhouse gas emissions during a rice-growing season. *Environ. Sci. Pollut. Res.* 25, 31307–31317. <https://doi.org/10.1007/s11356-018-3112-x>
- Xiao, W., Ye, X., Yang, X., Li, T., Zhao, S., Zhang, Q. (2015). Effects of alternating wetting and drying versus continuous flooding on chromium fate in paddy soils. *Ecotoxicol. Environ. Saf.* 113, 439–445
- Xie, B., Zheng, X., Zhou, Z., Gu, J., Zhu, B., Chen, X. (2009). Effects of nitrogen fertilizer on CH₄ emission from rice fields: multi-site field observations. *Plant Soil* 326, 393–401.
- Xu, X.K., Wang, Y.S., Zheng, X.H., Wang, M., Wang, Z., Zhou, L., et al. (2000). Methane emission from a simulated rice field ecosystem as influenced by hydroquinone and dicyandiamide. *Sci. Total Environ.* 263, 243–253
- Yagi, K., & Minami, K. (1990). Effect of organic matter application on methane emission from some japanese paddy fields. *Soil Science and Plant Nutrition*, 36(4), 599–610. <https://doi.org/10.1080/00380768.1990.10416797>
- Yagi, K., Sriphirom, P., Cha-un, N., Chidthaisong, A., & Damen, B. (2019). Potential and promisingness of technical options for mitigating greenhouse gas emissions from rice cultivation in Southeast Asian countries. *Soil Science and Plant Nutrition*, 00(00), 1–13. <https://doi.org/10.1080/00380768.2019.1683890>
- Yaghoubi, P., Yargicoglu, E.N., Reddy, K.R. (2014). Effects of biochar-amendment to landfill cover soil on microbial methane oxidation: initial results. Geo-Congress 2014 Technical Papers. *Am. Soc. Civ. Eng.*, pp. 1849–1858
- Yan, X., Du, L., Shi, S., & Xing, G. (2000). Nitrous oxide emission from wetland rice soil as affected by the application of controlled-availability fertilizers and mid-season aeration. *Biol. Fertil. Soils.*, 32, 60–66.
- Yan, X., Yagi, K., Akiyama, H., and Akimoto, H. (2005). Statistical analysis of the major variables controlling methane emission from rice fields. *Global Change Biology* 11:1131–1141

- Yanai, Y., Toyota, K., & Okazaki, M. (2007). Effects of charcoal addition on N₂O emissions from soil resulting from rewetting air-dried soil in short-term laboratory experiments. *Soil Sci. Plant Nutr.* 53, 181–188
- Yang, S., & Chang, H. (2000). Effect of green manure amendment and flooding on methane emission from paddy fields. *Chemosphere - Global Change Science*, 3(1), 41-49. doi:10.1016/S1465-9972(00)00032-5
- Yang, J., Huang, D., Duan, H., Tan, G., & Zhang, J. (2009). Alternate wetting and moderate soil drying increases grain yield and reduces cadmium accumulation in rice grains. *Journal of the Science of Food and Agriculture*, 89(10), 1728–1736. <https://doi.org/https://doi.org/10.1002/jsfa.3648>
- Yang, B., Xiong, Z., Wang, J., Xu, X., Huang, Q., & Shen, Q. (2015). Mitigating net global warming potential and greenhouse gas intensities by substituting chemical nitrogen fertilizers with organic fertilization strategies in rice-wheat annual rotation systems in China: A 3-year field experiment. *Ecological Engineering*, 81, 289–297. <https://doi.org/10.1016/j.ecoleng.2015.04.071>
- Ying, S. C., Kocar B. D. and Fendorf S. (2012). Oxidation and competitive retention of arsenic between iron-and manganese oxides. *Geochim. Cosmochim. Acta* 96, 294–303.
- Yoo G, Kim YJ, Lee YO, Ding W. (2016). Investigation of greenhouse gas emissions from the soil amended with rice straw biochar. *KSCE J Civ Eng* 20:2197–2207
- Yu, K., Patrick, W.H., 2003. Redox range with minimum nitrous oxide and methane production in a rice soil under different pH. *Soil Sci. Soc. Am. J.* 67, 1952–1958
- Yuan, J., Yuan, Y., Zhu, Y., & Cao, L. (2018). Effects of different fertilizers on methane emissions and methanogenic community structures in paddy rhizosphere soil. *Science of the Total Environment*, 627, 770–781. <https://doi.org/10.1016/j.scitotenv.2018.01.233>
- Zhang, J., & Han, X. (2008). N₂O emission from the semi-arid ecosystem under mineral fertilizer (urea and superphosphate) and increased precipitation in northern China. *Atmospheric Environment* 42 (2), 291e302
- Zhang, A., Cui, L., Pan, G., Li, L., Hussain, Q., Zhang, X., ... Crowley, D. (2010). Effect of biochar amendment on yield and methane and nitrous

oxide emissions from a rice paddy from Tai Lake plain , China. *Agriculture, Ecosystems and Environment*, 139(4), 469–475.
<https://doi.org/10.1016/j.agee.2010.09.003>

Zhang, H., Xue, Y., Wang, Z., Yang, J., & Zhang, J. (2009). An Alternate Wetting and Moderate Soil Drying Regime Improves Root and Shoot Growth in Rice. *Crop Science*, 49(6), 2246–2260.
<https://doi.org/https://doi.org/10.2135/cropsci2009.02.0099>

Zhang, Y., Liu, J., Mu, Y., Xu, Z., Pei, S., Lun, X., & Zhang, Y. (2012). Nitrous oxide emissions from a maize field during two consecutive growing seasons in the North China Plain. *Journal of Environmental Sciences*, 24(1), 160–168. [https://doi.org/10.1016/S1001-0742\(10\)60594-3](https://doi.org/10.1016/S1001-0742(10)60594-3)

Zhang, X., Hou, J., Wang, X., Zhang, Z., Dai, F., Wang, J., & Wei, C. (2019). High soil redox potential contributes to iron deficiency in drip-irrigated rice grown in calcareous fluvisol. *Plant, Soil and Environment*, 65(7), 337–342.
<https://doi.org/10.17221/178/2019-PSE>

Zhao, X., Pu, C., Ma, S. T., Liu, S. L., Xue, J. F., Wang, X., ... Zhang, H. L. (2019). Management-induced greenhouse gases emission mitigation in global rice production. *Science of the Total Environment*, 649, 1299–1306.
<https://doi.org/10.1016/j.scitotenv.2018.08.392>

Zheng, X., Wang, M., Wang, Y., Shen, R., Gou, J., Li, J., ... Li, L. (2000). Impacts of soil moisture on nitrous oxide emission from croplands: a case study on the rice-based agro-ecosystem in Southeast China. *Chemosphere-Global Change Science*, 2(2), 207–224.
[https://doi.org/https://doi.org/10.1016/S1465-9972\(99\)00056-2](https://doi.org/https://doi.org/10.1016/S1465-9972(99)00056-2)

Zheng, Q., Hu, Y., Zhang, S., Noll, L., B'ockle, T., Richter, A., Wanek, W. (2019). Growth explains microbial carbon use efficiency across soils differing in land use and geology. *Soil Biology and Biochemistry* 128, 45–55

Zimmerman, A.R., Gao B, Ahn M.Y. (2011). Positive and negative carbon mineralization priming effects among a variety of biochar-amended soils. *Soil Biol Biochem.* 43: 1169–1179

Zou, J., Huang, Y., Jiang, J., Zheng, X., & Sass, R. L. (2005). A 3-year field measurement of methane and nitrous oxide emissions from rice paddies in China: Effects of water regime, crop residue, and fertilizer application. *Global Biogeochemical Cycles*, 19(2), 1–9.