

## DAFTAR PUSTAKA

- [1] T. Yucek and H. Arslan, "A survey of spectrum sensing algorithms for cognitive radio applications," *IEEE Commun. Surv. Tutorials*, vol. 11, no. 1, pp. 116–130, May 2009, doi: 10.1109/SURV.2009.090109.
- [2] M. Hamid, S. Ben Slimane, W. Van Moer, and N. Bjorsell, "Spectrum sensing challenges: Blind sensing and sensing optimization," *IEEE Instrum. Meas. Mag.*, vol. 19, no. 2, pp. 44–52, 2016, doi: 10.1109/MIM.2016.7462794.
- [3] R. A. Rashid, M. A. Sarijari, N. Fisal, S. K. S. Yusof, and S. H. S. Ariffin, "Enabling dynamic spectrum access for cognitive radio using software defined radio platform," in *2011 IEEE Symposium on Wireless Technology and Applications (ISWTA)*, Sep. 2011, pp. 180–185, doi: 10.1109/ISWTA.2011.6089404.
- [4] D. D. Ariananda, M. K. Lakshmanan, and H. Nikookar, "A survey on spectrum sensing techniques for cognitive radio," in *2009 Second International Workshop on Cognitive Radio and Advanced Spectrum Management*, May 2009, pp. 74–79, doi: 10.1109/COGART.2009.5167237.
- [5] M. T. Masonta, M. Mzyece, and N. Ntlatlapa, "Spectrum Decision in Cognitive Radio Networks: A Survey," *IEEE Commun. Surv. Tutorials*, vol. 15, no. 3, pp. 1088–1107, 2013, doi: 10.1109/SURV.2012.111412.00160.
- [6] FCC, *Facilitating Opportunities for Flexible, Efficient, and Reliable Spectrum Use Employing Cognitive Radio Technologies*. Washington: Federal Communications Commission, 2003.
- [7] V. Ramani and S. K. Sharma, "Cognitive radios: A survey on spectrum sensing, security and spectrum handoff," *China Commun.*, vol. 14, no. 11, pp. 185–208, Nov. 2017, doi: 10.1109/CC.2017.8233660.
- [8] B.-J. Kang, "Spectrum sensing issues in cognitive radio networks," in *2009 9th International Symposium on Communications and Information Technology*, Sep. 2009, pp. 824–828, doi: 10.1109/ISCIT.2009.5341128.
- [9] A. Ali and W. Hamouda, "Advances on Spectrum Sensing for Cognitive Radio Networks: Theory and Applications," *IEEE Commun. Surv. Tutorials*, vol. 19, no. 2, pp. 1277–1304, 2017, doi: 10.1109/COMST.2016.2631080.
- [10] P. Hegde, R. R. Babu, and T. L. Purushottama, "Spectrum sensing for Cognitive Radio using USRP and GNU Radio test bed environment," in *2018 3rd IEEE International Conference on Recent Trends in Electronics*,

*Information & Communication Technology (RTEICT)*, May 2018, pp. 2623–2630, doi: 10.1109/RTEICT42901.2018.9012624.

- [11] G. J. M. Llames and A. S. Banacia, “Spectrum sensing system in software-defined radio for determining spectrum availability,” in *2016 International Conference on Electronics, Information, and Communications (ICEIC)*, Jan. 2016, pp. 1–5, doi: 10.1109/ELINFOCOM.2016.7562961.
- [12] A. Younis, I. Cushman, D. B. Rawat, and B. B. Bista, “Adaptive threshold based combined energy and spectrum-width detection for RF channel sensing in cognitive networks using USRP B200 GNU radios: An experimental study,” *Conf. Proc. - IEEE SOUTHEASTCON*, vol. 2016-July, no. 1, 2016, doi: 10.1109/SECON.2016.7506643.
- [13] C.-V. Nastase, A. Martian, C. Vladeanu, and I. Marghescu, “Spectrum Sensing Based on Energy Detection Algorithms Using GNU Radio and USRP for Cognitive Radio,” in *2018 International Conference on Communications (COMM)*, Jun. 2018, pp. 381–384, doi: 10.1109/ICComm.2018.8430143.
- [14] M. A. Sarijari, A. Marwanto, N. Fisal, S. K. S. Yusof, R. A. Rashid, and M. H. Satria, “Energy detection sensing based on GNU radio and USRP: An analysis study,” in *2009 IEEE 9th Malaysia International Conference on Communications (MICC)*, Dec. 2009, pp. 338–342, doi: 10.1109/MICC.2009.5431525.
- [15] A. Mate, K.-H. Lee, and I.-T. Lu, “Spectrum sensing based on time covariance matrix using GNU radio and USRP for cognitive radio,” in *2011 IEEE Long Island Systems, Applications and Technology Conference*, May 2011, pp. 1–6, doi: 10.1109/LISAT.2011.5784217.
- [16] G. Swetha and B. N. Bhandari, “Energy detection spectrum sensing on DPSK modulation transceiver using GNU radio,” in *2017 2nd International Conference for Convergence in Technology (I2CT)*, Apr. 2017, pp. 974–978, doi: 10.1109/I2CT.2017.8226274.
- [17] G. Soni and G. Megh, “Experimental investigation of spectrum sensing for LTE frequency band based on USRP 2920/VST 5644,” *2016 Int. Conf. Control Instrum. Commun. Comput. Technol. ICCICCT 2016*, pp. 801–804, 2017, doi: 10.1109/ICCICCT.2016.7988062.
- [18] J. Talukdar, B. Mehta, K. Aggrawal, and M. Kamani, “Implementation of SNR estimation based energy detection on USRP and GNU radio for cognitive radio networks,” in *2017 International Conference on Wireless Communications, Signal Processing and Networking (WiSPNET)*, Mar. 2017, vol. 2018-Janua, pp. 304–308, doi: 10.1109/WiSPNET.2017.8299767.

- [19] S. Atapattu, C. Tellambura, and H. Jiang, *Energy Detection for Spectrum Sensing in Cognitive Radio*. New York, NY: Springer New York, 2014.
- [20] F. A. Awin, Y. M. Alginahi, E. Abdel-Raheem, and K. Tepe, "Technical Issues on Cognitive Radio-Based Internet of Things Systems: A Survey," *IEEE Access*, vol. 7, pp. 97887–97908, 2019, doi: 10.1109/ACCESS.2019.2929915.
- [21] M. R. Manesh, M. S. Apu, N. Kaabouch, and W.-C. Hu, "Performance evaluation of spectrum sensing techniques for cognitive radio systems," in *2016 IEEE 7th Annual Ubiquitous Computing, Electronics & Mobile Communication Conference (UEMCON)*, Oct. 2016, pp. 1–7, doi: 10.1109/UEMCON.2016.7777829.
- [22] S. Haykin, "Cognitive radio: brain-empowered wireless communications," *IEEE J. Sel. Areas Commun.*, vol. 23, no. 2, pp. 201–220, Feb. 2005, doi: 10.1109/JSAC.2004.839380.
- [23] J. Mitola and G. Q. Maguire, "Cognitive radio: making software radios more personal," *IEEE Pers. Commun.*, vol. 6, no. 4, pp. 13–18, 1999, doi: 10.1109/98.788210.
- [24] E. Axell, G. Leus, E. Larsson, and H. Poor, "Spectrum Sensing for Cognitive Radio: State-of-the-Art and Recent Advances," *IEEE Signal Process. Mag.*, vol. 29, no. 3, pp. 101–116, May 2012, doi: 10.1109/MSP.2012.2183771.
- [25] B. I. Ahmad, "A Survey of Wideband Spectrum Sensing Algorithms for Cognitive Radio Networks and Sub-Nyquist Approaches," Jan. 2020, [Online]. Available: <http://arxiv.org/abs/2001.02574>.
- [26] M. Sansoy and A. S. Buttar, "Spectrum sensing algorithms in Cognitive Radio: A survey," in *2015 IEEE International Conference on Electrical, Computer and Communication Technologies (ICECCT)*, Mar. 2015, pp. 1–5, doi: 10.1109/ICECCT.2015.7226181.
- [27] V. Amrutha and K. V. Karthikeyan, "Spectrum sensing methodologies in cognitive radio networks: A survey," *Proc. IEEE Int. Conf. Innov. Electr. Electron. Instrum. Media Technol. ICIEEIMT 2017*, vol. 2017-Janua, no. 978, pp. 306–310, 2017, doi: 10.1109/ICIEEIMT.2017.8116855.
- [28] A. Bujunuru and T. Srinivasulu, "A Survey on Spectrum Sensing Techniques and Energy Harvesting," in *2018 International Conference on Recent Innovations in Electrical, Electronics & Communication Engineering (ICRIEECE)*, Jul. 2018, pp. 751–755, doi: 10.1109/ICRIEECE44171.2018.9009159.

- [29] I. F. Akyildiz, B. F. Lo, and R. Balakrishnan, "Cooperative spectrum sensing in cognitive radio networks: A survey," *Phys. Commun.*, vol. 4, no. 1, pp. 40–62, Mar. 2011, doi: 10.1016/j.phycom.2010.12.003.
- [30] A. Nasser, A. Mansour, K. C. Yao, H. Abdallah, and H. Charara, "Spectrum sensing based on cumulative power spectral density," *EURASIP J. Adv. Signal Process.*, vol. 2017, no. 1, p. 38, Dec. 2017, doi: 10.1186/s13634-017-0475-y.
- [31] Y. Zeng, Y.-C. Liang, A. T. Hoang, and R. Zhang, "A Review on Spectrum Sensing for Cognitive Radio: Challenges and Solutions," *EURASIP J. Adv. Signal Process.*, vol. 2010, no. 1, p. 381465, Dec. 2010, doi: 10.1155/2010/381465.
- [32] J. Y. Xu and F. Alam, "Adaptive energy detection for cognitive radio: An experimental study," in *2009 12th International Conference on Computers and Information Technology*, Dec. 2009, no. Iccit, pp. 547–551, doi: 10.1109/ICCIT.2009.5407298.
- [33] C.-P. Yen, Y. Tsai, and X. Wang, "Wideband Spectrum Sensing Based on Sub-Nyquist Sampling," *IEEE Trans. Signal Process.*, vol. 61, no. 12, pp. 3028–3040, Jun. 2013, doi: 10.1109/TSP.2013.2251342.
- [34] S. Ren, Z. Zeng, C. Guo, and X. Sun, "Wideband spectrum sensing based on coprime sampling," in *2015 22nd International Conference on Telecommunications (ICT)*, Apr. 2015, no. c, pp. 348–352, doi: 10.1109/ICT.2015.7124709.
- [35] H. N. P. Wisudawan, D. D. Ariananda, and R. Hidayat, "Compressive Joint Angular and Frequency Spectrum Sensing Based on MUSIC Spectrum Reconstruction," *Wirel. Pers. Commun.*, vol. 111, no. 1, pp. 513–540, 2020, doi: 10.1007/s11277-019-06871-4.
- [36] D. D. Ariananda and G. Leus, "Compressive Wideband Power Spectrum Estimation," *IEEE Trans. Signal Process.*, vol. 60, no. 9, pp. 4775–4789, Sep. 2012, doi: 10.1109/TSP.2012.2201153.
- [37] Y. Zhao, Y. Chen, Y. Zheng, Y. Zhuang, and W. Wen, "Wideband Power Spectrum Estimation Based on Sub-Nyquist Sampling in Cognitive Radio Networks," *IEEE Access*, vol. 7, pp. 115339–115347, 2019, doi: 10.1109/ACCESS.2019.2935735.
- [38] D. D. Ariananda, D. Romero, and G. Leus, "Cooperative compressive power spectrum estimation in wireless fading channels," in *2017 International Conference on Electrical Engineering and Informatics (ICELTICS)*, Oct. 2017, pp. 18–23, doi: 10.1109/ICELTICS.2017.8253254.

- [39] A. Nafkha, B. Aziz, M. Naoues, and A. Kliks, "Cyclostationarity-based versus eigenvalues-based algorithms for spectrum sensing in cognitive radio systems: Experimental evaluation using GNU radio and USRP," in *2015 IEEE 11th International Conference on Wireless and Mobile Computing, Networking and Communications (WiMob)*, Oct. 2015, pp. 310–315, doi: 10.1109/WiMOB.2015.7347977.
- [40] R. B. Patil, K. D. Kulat, and A. S. Gandhi, "SDR Based Energy Detection Spectrum Sensing in Cognitive Radio for Real Time Video Transmission," *Model. Simul. Eng.*, vol. 2018, pp. 1–10, 2018, doi: 10.1155/2018/2424305.
- [41] S. Aghabeiki, C. Hallet, N. E. R. Noutehou, N. Rassem, I. Adjali, and M. Ben Mabrouk, "Machine-learning-based spectrum sensing enhancement for software-defined radio applications," *2021 IEEE Cogn. Commun. Aerosp. Appl. Work. CCAAW 2021*, pp. 0–5, 2021, doi: 10.1109/CCAOW50069.2021.9527294.
- [42] L. Safatly, A. El Hajj, K. Y. Kabalan, and H. Artail, "A Practical Study of a Blind Spectrum Sensing Technique in Real Cognitive Radio Scenarios," in *2014 National Wireless Research Collaboration Symposium*, May 2014, pp. 139–143, doi: 10.1109/NWRCS.2014.30.
- [43] I. F. Akyildiz, W. Y. Lee, M. C. Vuran, and S. Mohanty, "NeXt generation/dynamic spectrum access/cognitive radio wireless networks: A survey," *Comput. Networks*, vol. 50, no. 13, pp. 2127–2159, 2006, doi: 10.1016/j.comnet.2006.05.001.
- [44] Y.-C. Liang, *Dynamic Spectrum Management*. Singapore: Springer Singapore, 2020.
- [45] A. V Oppenheim, A. S. Willsky, and S. H. Nawab, *Signals & Systems*, Second Edi. Upper Saddle River, New Jersey 07458: Prentice Hall PTR, 1996.
- [46] P. Stoica and R. L. Moses, *Spectral Analysis of Signals [Book Review]*, 1st editio. New Jersey: Prentice Hall PTR, 2005.
- [47] B. Porat, *A Course in Digital Signal Processing*. John Wiley & Sons Ltd, 1997.
- [48] P. M. T. Broersen, *Automatic Autocorrelation and Spectral Analysis*. London: Springer-Verlag, 2006.
- [49] D. D. Ariananda and G. Leus, "Wideband power spectrum sensing using sub-Nyquist sampling," in *2011 IEEE 12th International Workshop on Signal Processing Advances in Wireless Communications*, Jun. 2011, pp. 101–105, doi: 10.1109/SPAWC.2011.5990334.

- [50] J. Bard and V. J. Kovarik, *Software Defined Radio: The Software Communications Architecture*. 2007.
- [51] M. Dillinger, K. Madani, and N. Alonistioti, *Software Defined Radio: Architectures, Systems and Functions*, 1 edition. West Sussex: John Wiley & Sons Ltd, 2003.
- [52] T. F. Collins, R. Getz, D. Pu, and A. M. Wyglinski, *Software-Defined Radio for Engineers*. United States of America: U.S. Library of Congress and British Library, 2018.