



DAFTAR PUSTAKA

- [1] J. Allen, "Photoplethysmography and its application in clinical physiological measurement," *Physiol. Meas.*, vol. 28, no. 3, 2007, doi: 10.1088/0967-3334/28/3/R01.
- [2] "Heart rate variability: standards of measurement, physiological interpretation, and clinical use," *Eur. Heart J.*, vol. 17, pp. 354–381, 1996, doi: <https://doi.org/10.1161/01.CIR.93.5.1043>.
- [3] J. A. J. Heathers, "Smartphone-enabled pulse rate variability: An alternative methodology for the collection of heart rate variability in psychophysiological research," *Int. J. Psychophysiol.*, vol. 89, no. 3, pp. 297–304, 2013, doi: 10.1016/j.ijpsycho.2013.05.017.
- [4] G. S. H. Chan, P. M. Middleton, B. G. Celler, L. Wang, and N. H. Lovell, "Change in pulse transit time and pre-ejection period during head-up tilt-induced progressive central hypovolaemia," *J. Clin. Monit. Comput.*, vol. 21, no. 5, pp. 283–293, 2007, doi: 10.1007/s10877-007-9086-8.
- [5] Y. P. Yu, B. H. Kwan, C. L. Lim, S. L. Wong, and P. Raveendran, "Video-based heart rate measurement using short-time Fourier transform," *ISPACS 2013 - 2013 Int. Symp. Intell. Signal Process. Commun. Syst.*, pp. 704–707, 2013, doi: 10.1109/ISPACS.2013.6704640.
- [6] T. G. Pickering, "Mental stress as a causal factor in the development of hypertension and cardiovascular disease," *Curr. Hypertens. Rep.*, vol. 3, no. 3, pp. 249–254, 2001, doi: 10.1007/s11906-001-0047-1.
- [7] A. Gaurav, M. Maheedhar, V. N. Tiwari, and R. Narayanan, "Cuff-less PPG based continuous blood pressure monitoring - A smartphone based approach," *Proc. Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. EMBS*, vol. 2016-Octob, no. c, pp. 607–610, 2016, doi: 10.1109/EMBC.2016.7590775.
- [8] E. Susana, "Pengukuran Tekanan Darah Non-Invasive Tanpa Manset Menggunakan Metode Pulse Transit Time Berbasis Machine Learning Multivariat Regresi," *J. Kesehat.*, vol. 10, no. 1, p. 61, 2019, doi: 10.26630/jk.v10i1.1085.
- [9] J. B. Bolkhovsky, C. G. Scully, and K. H. Chon, "Statistical analysis of heart rate and heart rate variability monitoring through the use of smart phone cameras," *Proc. Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. EMBS*, pp. 1610–1613, 2012, doi: 10.1109/EMBC.2012.6346253.



- [10] C. Wang, Z. Li, and X. Wei, “Monitoring heart and respiratory rates at radial artery based on PPG,” *Optik (Stuttg.)*, vol. 124, no. 19, pp. 3954–3956, 2013, doi: 10.1016/j.ijleo.2012.11.044.
- [11] D. Castaneda, A. Esparza, G. Mohammad, C. Soltanpur, and N. Homer, “A review on wearable photoplethysmography sensors and their potential future applications in health care,” *Physiol. Behav.*, vol. 176, no. 4, pp. 15–202, 2018, doi: 10.15406/ijbsbe.2018.04.00125.A.
- [12] F. B. Reguig, “Photoplethysmogram signal analysis for detecting vital physiological parameters: An evaluating study,” *2016 Int. Symp. Signal, Image, Video Commun. ISIVC 2016*, pp. 167–173, 2017, doi: 10.1109/ISIVC.2016.7893981.
- [13] T.-H. Fu, S.-H. Liu, and K.-T. Tang, “Heart Rate Extraction from Photoplethysmogram Waveform Using Wavelet Multi-resolution Analysis,” *J. Med. Biol. Eng.*, vol. 28, no. 4, pp. 229–232, 2008.
- [14] Y. Cho, S. J. Julier, and N. Bianchi-Berthouze, “Instant Automated Inference of Perceived Mental Stress through Smartphone PPG and Thermal Imaging,” *bioRxiv*, 2018, doi: 10.1101/326157.
- [15] K. A. Reddy, B. George, and V. J. Kumar, “Use of Fourier series analysis for motion artifact reduction and data compression of photoplethysmographic signals,” *IEEE Trans. Instrum. Meas.*, vol. 58, no. 5, pp. 1706–1711, 2009, doi: 10.1109/TIM.2008.2009136.
- [16] C. Ahlstrom, A. Johansson, F. Uhlin, T. Länne, and P. Ask, “Noninvasive investigation of blood pressure changes using the pulse wave transit time: A novel approach in the monitoring of hemodialysis patients,” *J. Artif. Organs*, vol. 8, no. 3, pp. 192–197, 2005, doi: 10.1007/s10047-005-0301-4.
- [17] Y. Liang, M. Elgendi, Z. Chen, and R. Ward, “Analysis: An optimal filter for short photoplethysmogram signals,” *Sci. Data*, vol. 5, pp. 1–12, 2018, doi: 10.1038/sdata.2018.76.
- [18] D. Han *et al.*, “A Real-Time PPG Peak Detection Method for Accurate Determination of Heart Rate during Sinus Rhythm and Cardiac Arrhythmia,” *Biosensors*, vol. 12, no. 2, 2022, doi: 10.3390/bios12020082.
- [19] A. B. Hertzman, “Photoelectric Plethysmography of the Fingers and Toes in Man,” *Proc. Soc. Exp. Biol. Med.*, vol. 37, no. 3, pp. 529–534, 1937, doi: 10.3181/00379727-37-9630.



- [20] M. Elgendi, I. Norton, M. Brearley, D. Abbott, and D. Schuurmans, "Systolic Peak Detection in Acceleration Photoplethysmograms Measured from Emergency Responders in Tropical Conditions," *PLoS One*, vol. 8, no. 10, pp. 1–11, 2013, doi: 10.1371/journal.pone.0076585.
- [21] J. Liu *et al.*, "Multi-wavelength photoplethysmography method for skin arterial pulse extraction Optical radiation transfer in the human skin and applications in in vivo remittance spectroscopy," in, "Electron. Biol. Eng. Clin. Phys. Physiol. Meas. Biomed. Opt. EXPRESS J. Phys. Med. Biol. Phys. Med. Biol. Lasers Curr. Opt. Tech. Biol.", vol. 2, no. 16, pp. 145–154, 1964, [Online]. Available: <http://dx.doi.org/10.1364/BOE.7.004313>.
- [22] F. Elsamnah, A. Bilgaiyan, M. Affiq, C. H. Shim, H. Ishidai, and R. Hattori, "Comparative design study for power reduction in organic optoelectronic pulse meter sensor," *Biosensors*, vol. 9, no. 2, pp. 1–13, 2019, doi: 10.3390/bios9020048.
- [23] L. Nilsson, T. Goscinski, S. Kalman, L. G. Lindberg, and A. Johansson, "Combined photoplethysmographic monitoring of respiration rate and pulse: A comparison between different measurement sites in spontaneously breathing subjects," *Acta Anaesthesiol. Scand.*, vol. 51, no. 9, pp. 1250–1257, 2007, doi: 10.1111/j.1399-6576.2007.01375.x.
- [24] S. Seifi, A. Khatony, G. Moradi, A. Abdi, and F. Najafi, "Accuracy of pulse oximetry in detection of oxygen saturation in patients admitted to the intensive care unit of heart surgery: Comparison of finger, toe, forehead and earlobe probes," *BMC Nurs.*, vol. 17, no. 1, pp. 1–7, 2018, doi: 10.1186/s12912-018-0283-1.
- [25] J. M. Padilla, E. J. Berjano, J. Sáiz, L. Fácila, P. Díaz, and S. Mercé, "Assessment of relationships between blood pressure, pulse wave velocity and digital volume pulse," *Comput. Cardiol.*, vol. 33, pp. 893–896, 2006.
- [26] Y. Kageyama, M. Odagaki, and H. Hosaka, "Wavelet analysis for quantification of mental stress stage by finger-tip photo-plethysmography," *Annu. Int. Conf. IEEE Eng. Med. Biol. - Proc.*, no. 2, pp. 1846–1849, 2007, doi: 10.1109/IEMBS.2007.4352674.
- [27] E. Gil, M. Mendez, J. M. Vergara, S. Cerutti, A. M. Bianchi, and P. Laguna, "Discrimination of sleep-apnea-related decreases in the amplitude fluctuations of ppg signal in children by HRV analysis," *IEEE Trans. Biomed. Eng.*, vol. 56, no. 4, pp. 1005–1014, 2009, doi:



10.1109/TBME.2008.2009340.

- [28] H. Jae Baek, J. Soo Kim, Y. Sung Kim, H. Bit Lee, and K. Suk Park, “Second Derivative of Photoplethysmography for Estimating Vascular Aging,” *6th Int. Spec. Top. Conf. ITAB*, vol. 2007, 2007, doi: 10.1063/1.2730414.
- [29] N. Nousou, S. Urase, Y. Maniwa, K. Fujimura, and Y. Fukui, “Classification of acceleration plethysmogram using self-organizing map,” *2006 Int. Symp. Intell. Signal Process. Commun. ISPACS’06*, pp. 681–684, 2006, doi: 10.1109/ISPACS.2006.364747.
- [30] J. F. Rivas-Vilchis *et al.*, “Assessment of the vascular effects of PC6 (Neiguan) using the second derivative of the finger photoplethysmogram in healthy and hypertensive subjects,” *Am. J. Chin. Med.*, vol. 35, no. 3, pp. 427–436, 2007, doi: 10.1142/S0192415X07004941.
- [31] B. M. Jayadevappa and M. S. Holi, “Photoplethysmography: Design, Development, Analysis and Applications in Clinical and Physiological Measurement-A Review,” *Int. J. Innov. Res. Sci. Eng. Technol. (An ISO, vol. 3297, no. i*, pp. 3519–3531, 2007, doi: 10.15680/IJRSET.2016.0503145.
- [32] S. A. Barron, Z. Rogowski, Y. Kanter, and J. Hemli, “DC photoplethysmography in the evaluation of sympathetic vasomotor responses,” *Clin. Physiol.*, vol. 13, no. 6, pp. 561–572, 1993, doi: 10.1111/j.1475-097X.1993.tb00472.x.
- [33] C. Lee, H. Sik Shin, and M. Lee, “Relations between ac-dc components and optical path length in photoplethysmography,” *J. Biomed. Opt.*, vol. 16, no. 7, p. 077012, 2011, doi: 10.1117/1.3600769.
- [34] T. J. Akl, M. A. Wilson, M. N. Ericson, and G. L. Coté, “Quantifying tissue mechanical properties using photoplethysmography,” *Biomed. Opt. Express*, vol. 5, no. 7, p. 2362, 2014, doi: 10.1364/boe.5.002362.
- [35] Y. Hong, “Introduction to Econometrics,” *Found. Mod. Econom.*, pp. 1–26, 2020, doi: 10.1142/9789811220197_0001.
- [36] R. J. Hyndman, “Moving Averages,” in *International Encyclopedia of Statistical Science*, M. Lovric, Ed. Berlin, Heidelberg: Springer Berlin Heidelberg, 2011, pp. 866–869.
- [37] S. H. Kim, D. W. Ryoo, and C. Bae, “Adaptive noise cancellation using



accelerometers for the PPG signal from forehead,” *Annu. Int. Conf. IEEE Eng. Med. Biol. - Proc.*, pp. 2564–2567, 2007, doi: 10.1109/IEMBS.2007.4352852.

- [38] R. Kher, “Signal Processing Techniques for Removing Noise from ECG Signals,” *Jber*, vol. 3, pp. 1–9, 2019, doi: 10.17303/jber.2019.3.101.
- [39] E. Zahedi, R. Jaafar, M. A. Mohd Ali, A. L. Mohamed, and O. Maskon, “Finger photoplethysmogram pulse amplitude changes induced by flow-mediated dilation,” *Physiol. Meas.*, vol. 29, no. 5, pp. 625–637, 2008, doi: 10.1088/0967-3334/29/5/008.
- [40] S. Khemiri, K. Aloui, and M. S. Naceur, “Preprocessing of biomedical signals: Removing of the baseline artifacts,” *2013 10th Int. Multi-Conference Syst. Signals Devices, SSD 2013*, pp. 3–7, 2013, doi: 10.1109/SSD.2013.6564019.
- [41] D. Ban and S. Kwon, “Movement noise cancellation in PPG signals,” *2016 IEEE Int. Conf. Consum. Electron. ICCE 2016*, no. 1, pp. 47–48, 2016, doi: 10.1109/ICCE.2016.7430517.
- [42] A. E. Awodeyi, S. R. Alty, and M. Ghavami, “Median based method for baseline wander removal in photoplethysmogram signals,” *Proc. - IEEE 14th Int. Conf. Bioinforma. Bioeng. BIBE 2014*, pp. 311–314, 2014, doi: 10.1109/BIBE.2014.77.
- [43] F. A. Orakzai, Q. Avenue, and W. Cantt, “Baseline Wandering Removal from Human Electrocardiogram Signal using Projection Pursuit Gradient Ascent Algorithm,” *Int. J. Electr. Comput. Sci.*, vol. 9, no. 10, pp. 9–11, 2009, [Online]. Available: <https://scholar.google.com.br/scholar?hl=es&q=Baseline+wandering+removal+from+human+electrocardiogram+signal+using+projection+pursuit+gradient+ascent+algorithm&btnG=&lr=#0>.
- [44] S. Li, S. Jiang, S. Jiang, J. Wu, W. Xiong, and S. Diao, “A Hybrid Wavelet-Based Method for the Peak Detection of Photoplethysmography Signals,” *Comput. Math. Methods Med.*, vol. 2017, 2017, doi: 10.1155/2017/9468503.
- [45] S. Akdemir Akar, S. Kara, F. Latifoğlu, and V. Bilgiç, “Spectral analysis of photoplethysmographic signals: The importance of preprocessing,” *Biomed. Signal Process. Control*, vol. 8, no. 1, pp. 16–22, 2013, doi: 10.1016/j.bspc.2012.04.002.



- [46] D. Zhang, H. Wang, and Y. Wang, “A method of pre-processing photoplethysmographic signal based on adaptive filter for pulse oximeter,” *2010 Int. Conf. Intell. Comput. Technol. ICICTA 2010*, vol. 1, no. 2, pp. 168–170, 2010, doi: 10.1109/ICICTA.2010.642.
- [47] A. Sahoo, P. Manimegalai, and K. Thanushkodi, “Wavelet based pulse rate and blood pressure estimation system from ECG and PPG signals,” *2011 Int. Conf. Comput. Commun. Electr. Technol. ICCCET 2011*, pp. 285–289, 2011, doi: 10.1109/ICCCET.2011.5762486.
- [48] B. Duncan and N. Fitzallen, “Developing box plots while navigating the maze of data representations,” *Aust. Math. Teach.*, vol. 69, no. 4, pp. 8–14, 2013.