

## DAFTAR PUSTAKA

- Abuhamad, A. (2013) 'Morbidly adherent placenta', *Seminars in Perinatology*. Elsevier, 37(5), pp. 359–364. doi: 10.1053/j.semperi.2013.06.014.
- Allen, L. *et al.* (2018) 'FIGO consensus guidelines on placenta accreta spectrum disorders: Nonconservative surgical management', *International Journal of Gynecology and Obstetrics*, 140(3), pp. 281–290. doi: 10.1002/ijgo.12409.
- Amsalem, H. *et al.* (2011) 'Planned Caesarean Hysterectomy Versus "Conserving" Caesarean Section in Patients With Placenta Accreta', *Journal of Obstetrics and Gynaecology Canada*. Elsevier Masson SAS, 33(10), pp. 1005–1010. doi: 10.1016/S1701-2163(16)35049-6.
- Burke, W.M., Delboy, A.P., Wright, J.D. (2017) 'Surgical Management of Placenta Accreta' dalam Silver, R.M (Ed) 'Placenta Accreta Syndrome'. London: CRC Press.
- Cali, G. *et al.* (2018) 'Diagnostic accuracy of ultrasound in detecting the depth of invasion in women at risk of abnormally invasive placenta: a prospective longitudinal study', *Acta Obstetrics et Gynecologica Scandinavica*, 97(10), pp. 1219-1227. doi: 10.1111/aogs.13389.
- Celik, S. *et al.* (2019) 'Bladder filling before accreta surgery is a very effective method for preventing bladder injury: a retrospective cohort study', *The Journal of Maternal-Fetal & Neonatal Medicine*. doi: 10.1080/14767058.2019.1670809.
- Chabrot, P. *et al.* (2010) 'Maternal outcome after conservative treatment of placenta accreta', *Obstetrics and Gynecology*, 116(5), pp. 1219–1220. doi: 10.1097/AOG.0b013e3181f738c0.
- Chiu, T. L., Sadler, L. and Wise, M. R. (2013) 'Placenta praevia after prior caesarean section: An exploratory case-control study', *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 53(5), pp. 455–458. doi: 10.1111/ajo.12098.

- Committee, R. and No, O. (2018) 'Obstetric Care Consensus No. 7: Placenta Accreta Spectrum', *Obstetrics and Gynecology*, 132(6), pp. E259–E275. doi: 10.1097/AOG.0000000000002983.
- Cunningham, Leveno, Bloom, Dashe, Hoffman, Casey, Spong. Williams Obstetric. 25th Edition. MC Graw Hill. USA, p 1719-30.
- Fan, D. *et al* (2017) 'Prevalence of antepartum hemorrhage in women with placenta previa: a systematic review and meta-analysis', *Scientific reports*, (7:40320). doi: 10.1038/srep40320.
- Fitzpatrick, K. E. *et al.* (2012) 'Incidence and risk factors for placenta accreta/increta/percreta in the UK: a national case-control study', *PloS one*. Public Library of Science, 7(12).
- Fonseca, A., Campos, D. A. (2020) 'Maternal morbidity and mortality due to placenta accreta disorders', *Best Practice & Research Clinical Obstetrics and Gynaecology*. Elsevier.
- Getahun, D. *et al.* (2006) 'Previous cesarean delivery and risks of placenta previa and placental abruption', *Obstetrics & Gynecology*. LWW, 107(4), pp. 771–778.
- Haunschild, C., Lyell, D. (2017) 'Optimal Timing of Delivery of Placenta Accreta' dalam Silver, R.M (Ed) 'Placenta Accreta Syndrome'. London: CRC Press.
- Higgins, M. F. *et al.* (2013) 'Real increasing incidence of hysterectomy for placenta accreta following previous caesarean section', *European Journal of Obstetrics & Gynecology and Reproductive Biology*. Elsevier, 171(1), pp. 54–56.
- Huang, J. *et al.* (2021) 'Placenta accreta spectrum outcome using tourniquet and forceps for vascular control'. *Frontiers in Medicine*, 8:557678. doi: 10.3389/fmed.2021.557678.
- Hussein, A. M. *et al.* (2019) 'The role of prophylactic internal iliac artery ligation in abnormally invasive placenta undergoing caesarean hysterectomy: a randomized controlled trial'. *Journal Maternal Neonatal Medicine*, 32(20), p:3386-3392. doi: 10.1080/14767058.2018.1463986.

- Ibrahim, M. A. *et al.* (2014) 'Urological Manifestations of Placenta Percreta', *Current Urology*. Karger, 8:57-65. doi: 10.1159/000365691.
- Jain, N., Patwardhan, S., Jain, H., Patil, B. (2020) 'Surgical strategies for placenta percreta invading the bladder and review of literature'. *African Journal of Urology*, 26:57. doi:10.1186/s12301-02000065-2.
- Jauniaux, E. *et al.* (2016) 'Accreta placentation: a systematic review of prenatal ultrasound imaging and grading of villous invasiveness', *American Journal of Obstetrics and Gynecology*. Elsevier Ltd, 215(6), pp. 712–721. doi: 10.1016/j.ajog.2016.07.044.
- Jauniaux, E., Chantraine, Frederic, *et al.* (2018) 'FIGO consensus guidelines on placenta accreta spectrum disorders: Epidemiology', *International Journal of Gynecology and Obstetrics*, 140(3), pp. 265–273. doi: 10.1002/ijgo.12407.
- Jauniaux, E., Ayres-de-Campos, D., *et al.* (2018) 'FIGO consensus guidelines on placenta accreta spectrum disorders: Introduction', *International Journal of Gynecology and Obstetrics*, 140(3), pp. 261–264. doi: 10.1002/ijgo.12406.
- Jauniaux, E., Bhide, A., *et al.* (2018) 'FIGO consensus guidelines on placenta accreta spectrum disorders: Prenatal diagnosis and screening', *International Journal of Gynecology and Obstetrics*, 140(3), pp. 274–280. doi: 10.1002/ijgo.12408.
- Jauniaux, E. and Burton, G. J. (2018) 'Pathophysiology of placenta accreta spectrum disorders: A review of current findings', *Clinical Obstetrics and Gynecology*, 61(4), pp. 743–754. doi: 10.1097/GRF.0000000000000392.
- Jauniaux, E. R. M. *et al.* (2019) 'Placenta Praevia and Placenta Accreta: Diagnosis and Management: Green-top Guideline No. 27a', *BJOG: An International Journal of Obstetrics and Gynaecology*, 126(1), pp. e1–e48. doi: 10.1111/1471-0528.15306.
- Jing, L. *et al.* (2018) 'Effect of site placentation on pregnancy outcomes in patients with placenta praevia', *Plos One*, 17(7).
- Kutuk, M. S., Ak, M., Ozgun, M. T. (2017) 'Leaving the placenta in situ versus

conservative and radical surgery in the treatment of placenta accreta spectrum disorders', *International Journal of gynecology & Obstetrics*, doi: 10.1002/ijgo.12308.

Kuznetsova, N., Bushtyreva, I., Barinova, V., Shmakova K. (2020) 'Bladder filling technique to prevent complication of the urinary system during placenta accrete surgery', *The Journal of Maternal-Fetal & Neonatal Medicine*. doi: 10.1080/14767058.2020.1723077.

Lubis, M. *et al.* (2020) 'Maternal outcomes of hysterectomy and conservative surgery in placenta accreta', *Current women's Health Review*, Vol.16, No. 0. doi: 10.2174/1573404816666200303123850.

Machado, L. S. M. (2011) 'Emergency peripartum hysterectomy: incidence, indications, risk factors and outcome', *North American journal of medical sciences*. Wolters Kluwer--Medknow Publications, 3(8), p. 358.

Matsuzaki, S. *et al.* (2021) 'Trend, characteristics, and outcomes of placenta accreta spectrum: a national study in the United States'. *American Journal of Obstetrics and Gynecology*. Elsevier Inc. doi: 10.106/j.ajog.2021.04.233.

Morlando, M., Collins, S. (2020) 'Placenta accreta spectrum disorders: challenges, risks, and management strategies', *International Journal of Women's Health*. DovePres, 2020:12, 1033-1045. doi:10.2147/IJWH.S224191.

Palacios-Jaraquemada JM, Karoshi M, Keith LG. (2012) 'Uterovaginal Blood Supply: the S1 and S2 Segmental Concepts and their Clinical Relevance'. 2<sup>nd</sup> ed. London: Sapiens Publishing.

Rac, M. W. F. *et al.* (2015) 'Ultrasound predictors of placental invasion: The Placenta Accreta Index', *American Journal of Obstetrics and Gynecology*. Elsevier Inc., 212(3), pp. 343.e1-343.e7. doi: 10.1016/j.ajog.2014.10.022.

Sentilhes, L. *et al.* (2018) 'FIGO consensus guidelines on placenta accreta spectrum disorders: Conservative management', *International Journal of Gynecology and Obstetrics*, 140(3), pp. 291–298. doi: 10.1002/ijgo.12410.

- Sentilhes, L., Kayem G., Silver R.M. (2017) 'Placenta Accreta Syndrome: Conservative Management of Placenta Accreta' dalam Silver, R.M (Ed) 'Placenta Accreta Syndrome'. London: CRC Press, pp: 89-100.
- Sentilhes, L. *et al.* (2020) 'Conservative Management versus Cesarean Hysterectomy for Placenta Accreta Spectrum; The PACCRETA Prospective Population-Based Study', *American Journal of Obstetric and Gynecology*.
- Shabana, A., Fawzy, M. and Refaie, W. (2015) 'Conservative management of placenta percreta: a stepwise approach', *Archives of Gynecology and Obstetrics*, 291(5), pp. 993–998. doi: 10.1007/s00404-014-3496-x.
- Sucu, S. *et al.* 2021. 'Is there a role of prophylactic bilateral internal iliac artery ligation on reducing the bleeding during cesarean hysterectomy in patients with placenta percreta? A retrospective cohort study', *Ginekologia Polska*, 92(2), p: 137-142. doi: 10.5603/GPa2020.0145.
- Sumigama, S. *et al.* (2014) 'Uterine sutures at prior caesarean section and placenta accreta in subsequent pregnancy: A case-control study', *BJOG: An International Journal of Obstetrics and Gynaecology*, 121(7), pp. 866–875. doi: 10.1111/1471-0528.12717.
- Sulistiyono A. *et al.* (2019)'Buku Pegangan Pelatihan Kelainan Spektrum Plasenta Akreta: Waktu Pengakhiran dan Kontroversi Penanganan Kelainan Spektrum Plasenta Akreta'. Jakarta: HKFM, pp: 72-73.
- Titapant V, Chongsomboonsuk T. (2019) 'Associated factors of blood transfusion for caesarean sections in pure placenta praevia pregnancies', *Singapore Med Journal*, 60(8):409-413.
- Thurn, L. *et al.* (2016) 'Abnormally invasive placenta—prevalence, risk factors and antenatal suspicion: results from a large population-based pregnancy cohort study in the Nordic countries', *BJOG: An International Journal of Obstetrics and Gynaecology*, 123(8), pp. 1348–1355. doi: 10.1111/1471-0528.13547.
- Vaidya, B. *et al.* (2017) 'Bladder injuries during obstetrical and gynecological

surgeries', *International Surgery Journal*, 4(7), p. 2177. doi: 10.18203/2349-2902.isj20172578.

Vieira, M. C. *et al.* (2021) 'The relation between maternal obesity and placenta accreta spectrum: a multinational database study', *Acta Obstet Gynecol Scand*, (1), p. 50-57. doi:10.1111/aogs.14075.

WHO. (2003) 'Obesity and Overweight'. Global Strategy on Diet, Physical Activity and Health.