

**DAFTAR PUSTAKA**

- Adanza, J. R. (2015). Self-efficacy in managing personal chronic health conditions among older people in selected communities of Cavite, Philippines. *International Journal of Research in Social Sciences*, 5(2), 346.
- Agastiya, I. M. C., Kurianto, E., Akalili, H., & Wicaksana, A. L. (2022). The impact of telehealth on self-management of patients with type 2 diabetes: A systematic review on interventional studies. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 16(5).
- Agastiya, I. M. C., Nurhesti, P. O. Y., & Manangkot, M. (2020). Hubungan Self-Efficacy dengan Self-Management Behaviour pada Pasien Hipertensi. *Community of Publishing in Nursing*, 8(1), 65-72.
- Akbari, M., Taheri, M., Tabaeian, S. P., Karimi, M., Fayazi, H., & Fayazi, N. (2021). The Effect of E-Learning on Self-Efficacy and Sense of Coherence of Cancer Caregivers: Application of the Bandura and Antonovsky Social Cognitive Theory. *Current Health Sciences Journal*, 47(4), 539.
- American Kidney Fund Adherence Survey. (2018). Barriers to Treatment Adherence for Dialysis Patients. Retrieved from: <https://www.kidneyfund.org/assets/pdf/akf-adherence-report.pdf> [5 Agustus 2021]
- American Nephrology Nurse Association (ANNA). (2009). Chronic Kidney Disease Fact Sheet. Retrieved from: <https://www.annanurse.org/download/reference/practice/CKDFactSheet.pdf> [25 September 2021]
- American Nephrology Nurse Association (ANNA). (2013). Hemodialysis Fact Sheet. Retrieved from: <https://www.annanurse.org/download/reference/practice/hemodialysisFactSheet.pdf> [25 September 2021]
- Amdie, F. Z., & Woo, K. The use of mHealth technology for chronic disease management: the challenges and opportunities for practical application. *Wound Internationals*, 11(2), 32-38.
- Angraini, F., & Putri, A. F. (2016). Pemantauan Intake Output Cairan pada Pasien Gagal Ginjal Kronik dapat Mencegah Overload Cairan. *Jurnal Keperawatan Indonesia*, 19(3), 152-160.
- Aparicio, M., Bellizzi, V., Chauveau, P., Cupisti, A., Ecder, T., Fouque, D., ... & Yu, X. (2012). Keto acid therapy in predialysis chronic kidney disease patients: final consensus. *Journal of Renal Nutrition*, 22(2), S22-S24.
- Athilingam, P., & Jenkins, B. (2018). Mobile phone apps to support heart failure self-care management: Integrative review. *JMIR Cardio*, 2(1), 1-16. <https://doi.org/10.2196/10057>



- Bandura, A. (2009). Cultivate self-efficacy for personal and organizational effectiveness. In E.A. Locke (Ed.), *Handbook of principles of organization behavior*. (2nd Ed.), (pp.179-200). New York: Wiley.
- Banerjee, M., Chakraborty, S., & Pal, R. (2020). Diabetes self-management amid COVID-19 pandemic. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 14(4), 351–354. <https://doi.org/10.1016/j.dsx.2020.04.013>
- Bello, A. K., Alrukaimi, M., Ashuntantang, G. E., Basnet, S., Rotter, R. C., Douthat, W. G., Kazancioglu, R., Kötgen, A., Nangaku, M., Powe, N. R., White, S. L., Wheeler, D. C., & Moe, O. (2017). Complications of chronic kidney disease: current state, knowledge gaps, and strategy for action. *Kidney International Supplements*, 7(2), 122–129. <https://doi.org/10.1016/j.kisu.2017.07.007>
- Benih, A., (2014). *Sosiologi Kesehatan*. Yogyakarta: Nuha Medika.
- Bossola, M., Pepe, G., & Vulpio, C. (2018). The frustrating attempt to limit the interdialytic weight gain in patients on chronic hemodialysis: New insights into an old problem. *Journal of Renal Nutrition*, 28(5), 293-301.
- Canaud, B., Kooman, J., Selby, N. M., Taal, M., Francis, S., Kopperschmidt, P., ... Titze, J. (2019). Sodium and water handling during hemodialysis: new pathophysiologic insights and management approaches for improving outcomes in end-stage kidney disease. *Kidney International*, 95, 296–309. <https://doi.org/10.1016/j.kint.2018.09.024>
- Coresh, J., Astor, B. C., Greene, T., Eknayan, G., & Levey, A. S. (2003). Prevalence of chronic kidney disease and decreased kidney function in the adult US population: Third National Health and Nutrition Examination Survey. *American Journal of Kidney Diseases: The Official Journal of the National Kidney Foundation*, 41(1), 1–12. <https://doi.org/10.1053/ajkd.2003.50007>
- Daugirdas, J. T., Depner, T. A., Inrig, J., Mehrotra, R., Rocco, M. V., Suri, R. S., ... & Brereton, L. (2015). KDOQI clinical practice guideline for hemodialysis adequacy: 2015 update. *American Journal of Kidney Diseases*, 66(5), 884-930.
- Dennick, K., Sturt, J. & Speight, J. (2017). What is diabetes distress and how can we measure it? A narrative review and conceptual model. *Journal of Diabetes and Its Complications*, 31(5): 898-911. doi: [10.1016/j.jdiacomp.2016.12.018](https://doi.org/10.1016/j.jdiacomp.2016.12.018).
- Department of Health and Human Services-USA. (2021). *Telehealth for Providers: What You Need to Know*. Retrieved from: <https://www.cms.gov/files/document/telehealth-toolkit-providers.pdf>
- Ekinci, C., Karabork, M., Siriopol, D., Dincer, N., Covic, A., & Kanbay, M. (2018). Effects of Volume Overload and Current Techniques for the Assessment of Fluid Status in Patients with Renal Disease. *Depth Review Blood Purif*, 46,34–47.
- Fitriani, S., (2011). *Promosi Kesehatan* (1st ed). Yogyakarta: Graha Ilmu.



Fraser, S. D., & Blakeman, T. (2016). Chronic kidney disease: Identification and management in primary care. *Pragmatic and Observational Research*, 7, 21–32. <https://doi.org/10.2147/POR.S97310>

Friedman, M. 2010. *Buku Ajar Keperawatan keluarga : Riset, Teori, dan Praktek*. Edisi ke-5. Jakarta: EGC

Gartika, N., Setiawati, E., & Hidayat, Y. (2021). The Relationship of Self-Efficacy with Adherence in Restricting Fluid Intake in Middle Adult Hemodialysis Patients. In *Journal of Physics: Conference Series*, 1764 (1), 012006.

Gela, D., & Mengistu, D. (2018). Self-management and associated factors among patients with end-stage renal disease undergoing hemodialysis at health facilities in Addis Ababa, Ethiopia. *International Journal of Nephrology and Renovascular Disease*, 11, 329–336. <https://doi.org/10.2147/IJNRD.S184671>

Ghaffari, M., Morowatisharifabad, M. A., Mehrabi, Y., Zare, S., Askari, J., & Alizadeh, S. (2019). What Are the Hemodialysis Patients' Style in Coping with Stress? A Directed Content Analysis. *International journal of community based nursing and midwifery*, 7(4), 309.

Glanz, K., Rimer, B. K., & Viswanath, K. (Eds.). (2008). *Health behavior and health education: theory, research, and practice*. San Fransisco: John Wiley & Sons.

Gurmu, Y., Gela, D., & Aga, F. (2018). Factors associated with self-care practice among adult diabetes patients in West Shoa Zone, Oromia Regional State, Ethiopia. *BMC health services research*, 18(1), 732.

Grady, P. A., & Gough, L. L. (2014). Self-management: a comprehensive approach to management of chronic conditions. *American journal of public health*, 104(8), 25-31.

Hailu, F. B., Moen, A., & Hjortdahl, P. (2019). Diabetes self-management education (DSME) – Effect on knowledge, self-care behavior, and self-efficacy among type 2 diabetes patients in Ethiopia: A controlled clinical trial. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 12, 2489–2499. <https://doi.org/10.2147/DMSO.S223123>

Halajur, U., (2018). *Promosi Kesehatan Di Tempat Kerja*. Malang: Wineka Media.

Heijmans, M., Waverijn, G., Rademakers, J., van der Vaart, R., & Rijken, M. (2015). Functional, communicative and critical health literacy of chronic disease patients and their importance for self-management. *Patient Education and Counseling*, 98(1), 41–48. <https://doi.org/10.1016/j.pec.2014.10.006>

Hermawati, H., & Silvitasari, I. (2020). Pengaruh Self-management Dietary Counselling (SMDC) terhadap Kualitas Hidup Pada Pasien Hemodialisis. *Jurnal Keperawatan'Aisyiyah*, 7(1), 39-47.



- Heymann, A. D., Gross, R., Tabenkin, H., Porter, B., & Porath, A. (2011). Factors associated with hypertensive patients' compliance with recommended lifestyle behaviors. *IMAJ-Israel Medical Association Journal*, 13(9), 553.
- Husain, F., Kusuma, H., & Johan, A. (2020). Effects of peer support program on self-management in patients with end-stage renal disease undergoing hemodialysis. *Nurse Media Journal of Nursing*, 10(2), 171–181. <https://doi.org/10.14710/nmjn.v10i2.26502>
- Husna, I. W., Yahya, Q. N. Q., Widiyani, M., & Sholihin, S. (2019). Effectiveness of Self-Management Education based on Information Technology (IT) in Chronic Kidney Disease Patients. *Jurnal Ners*, 14(3), 397-401.
- Indramayu, D. I. R., Saefulloh, M., & Nuraeni, W. (2016). Efficacy dan Menurunkan IDWG Pasien yang menjalani hemodialisis. *Pendidikan Keperawatan Indonesia*, 2(1).
- Isroin, L. (2016). *Manajemen Cairan pada Pasien Hemodialisis untuk Meningkatkan Kualitas Hidup*. Ponorogo: Unmuhan Ponorogo Press.
- Istanti, Y. P. (2011). Faktor-Faktor yang berkontribusi terhadap *interdialytic weight gains* pada pasien *chronic kidney diseases* yang menjalani hemodialisis. *Mutiara Medika*, 11(2), 118–130.
- Jager, K. J., Kovacs, C., Langham, R., Rosenberg, M., Jha, V., & Zoccali, C. (2019). A single number for advocacy and communication—Worldwide more than 850 million individuals have kidney diseases. *Kidney International*, 96(5), 1048–1050. [https://doi.org/https://doi.org/10.1016/j.kint.2019.07.012](https://doi.org/10.1016/j.kint.2019.07.012)
- Jebraeily, M., & Makhdoomi, K. (2018). Factors influencing the improvement of self-management behavior in hemodialysis patients. *Journal of Nephropharmacology*, 7(2), 110-113.
- Jebraeily, M., Dehghani, M., Sheykhotayefeh, M., & Habibi-Koolaee, M. (2021). Usage of Smartphone Apps in Self-care of Patients Undergoing Hemodialysis: A Scoping Review. *Applied Health Information Technology*.
- Jo, A., Ji Seo, E., & Son, Y. J. (2020). The roles of health literacy and social support in improving adherence to self-care behaviours among older adults with heart failure. *Nursing Open*, 7(6), 2039-2046.
- Kamel Boulos, M. N., Giustini, D. M., & Wheeler, S. (2016). Instagram and WhatsApp in health and healthcare: An overview. *Future Internet*, 8(3). <https://doi.org/10.3390/fi8030037>
- Kay, M., Santos, J., & Takane, M. (2011). mHealth: New horizons for health through mobile technologies. *World Health Organization*, 64(7), 66-71.
- Kemenkes RI. (2017). Info datin ginjal. *Situasi Penyakit Ginjal Kronik*, 1–10.
- Kementerian Kesehatan Republik Indonesia (Kemenkes RI). (2018). *Hasil Utama Riskesdas 2018*. Badan Penelitian Dan Pengembangan Kesehatan. <http://www.depkes.go.id/resouces/download/info-terkini/hasil-riskesdas->

2018.pdf

- Khlooei, A., & Benrazavy, L. (2019). Diabetes Self-management and Its Related Factors among Type 2 Diabetes Patients in Primary Health Care Settings of Kerman, Southeast Iran. *Journal of Pharmaceutical Research International*, 29(4), 1-9.
- Kumari Shrestha, B., & Samydayak, N. (2016). Self Care Knowledge among Chronic Kidney Disease Patients Undergoing Maintenance Hemodialysis. Retrieved from <https://pdfs.semanticscholar.org/992a/629f6473226c62768d7f8444b605290beb43.pdf>
- Kauric-Klein, Z., Peters, R. M., & Yarandi, H. N. (2017). Self-efficacy and blood pressure self-care behaviors in patients on chronic hemodialysis. *Western journal of nursing research*, 39(7), 886-905.
- Kustumah, K., Siswadi, A. G. P., Djunaidi, A., & Iskandarsyah, A. (2019). Factors Affecting Non-Adherence to Treatment in End Stage Renal Disease (ESRD) Patients Undergoing Hemodialysis in Indonesia. *The Open Psychology Journal*, 12(1), 141–146. <https://doi.org/10.2174/1874350101912010141>
- Lai, P. C., Wu, S. F. V., Alizargar, J., Pranata, S., Tsai, J. M., & Hsieh, N. C. (2021). Factors influencing self-efficacy and self-management among patients with pre-end-stage renal disease (Pre-ESRD). *Healthcare*, 9(3).
- Lee, K. Y. (2017). A unified pathogenesis for kidney diseases, including genetic diseases and cancers, by the protein-homeostasis-system hypothesis. *Kidney Research and Clinical Practice*, 36(2), 132–144. <https://doi.org/10.23876/j.krcp.2017.36.2.132>
- Levey, A. S., Eckardt, K.-U., Tsukamoto, Y., Levin, A., Coresh, J., Rossert, J., Zeeuw, D. D. E., Hostetter, T. H., Lameire, N., & Eknayan, G. (2005). Definition and classification of chronic kidney disease: A position statement from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney International*, 67(6), 2089–2100. <https://doi.org/10.1111/j.1523-1755.2005.00365.x>
- Li, H., Jiang, Y., & Lin, C.-C. (2014). Factors associated with self-management by people undergoing hemodialysis: A descriptive study. *International Journal of Nursing Studies*, 51(2), 208–216. <https://doi.org/10.1016/j.ijnurstu.2013.05.012>
- Li, W. W., Wallhagen, M. I., & Froelicher, E. S. (2010). Factors predicting blood pressure control in older Chinese immigrants to the United States of America. *Journal of advanced nursing*, 66(10), 2202-2212.
- Luo, X., Liu, T., Yuan, X., Ge, S., Yang, J., Li, C., & Sun, W. (2015). Factors influencing self-management in Chinese adults with Type 2 diabetes: a systematic review and meta-analysis. *International journal of environmental research and public health*, 12(9), 11304-11327.
- Mahjubian, A., Bahraminejad, N., & Kamali, K. (2018). The Effects of Group



Discussion Based Education on the Promotion of Self-Management Behaviors in Hemodialysis Patients. *Journal of Caring Sciences*, 7(4), 225–232. <https://doi.org/10.15171/jcs.2018.034>

Maulana, H. D. J., (2009). *Promosi Kesehatan*. Jakarta: EGC.

McQuiggan, S. W., Mott, B. W., & Lester, J. C. (2008). Modeling self-efficacy in intelligent tutoring systems: An inductive approach. *User modeling and user-adapted interaction*, 18(1), 81-123.

Min, Y., & Park, M. (2020). Effects of a mobile-app-based self-management support program for elderly hemodialysis patients. *Healthcare Informatics Research*, 26(2), 93-103.

Mularcik, K. A. (2010). *Self-efficacy toward health behaviors to improve blood pressure in patients who receive care in a primary care network* (Doctoral dissertation, The Ohio State University).

Muttaqin, A., & Sari, K. (2011). *Asuhan Keperawatan Gangguan Sistem Perkemihan*. Jakarta: Salemba Medika.

Natashia, D., Yen, M., Chen, H. M., & Fetzer, S. J. (2019). Self-management behaviors in relation to psychological factors and interdialytic weight gain among patients undergoing hemodialysis in Indonesia. *Journal of Nursing Scholarship*, 51(4), 417-426.

National Collaborating Centre for Chronic Conditions. (2008). *Chronic Kidney Disease: National Clinical Guideline for Early Identification and Management in Adults in Primary and Secondary Care*. Royal College of Physicians (UK). <http://www.ncbi.nlm.nih.gov/books/NBK51773/>

NEJM Catalyst. (2018). *What Is Telehealth?*. Retrieved from: <https://catalyst.nejm.org/doi/full/10.1056/CAT.18.0268>

Neumann, C. L., Wagner, F., Menne, J., Brockes, C., Schmidt-Weitmann, S., Rieken, E. M., ... & Schulz, E. G. (2013). Body weight telemetry is useful to reduce interdialytic weight gain in patients with end-stage renal failure on hemodialysis. *Telemedicine and e-Health*, 19(6), 480-486.

Nielsen, J. (2012). *Usability 101: Introduction to Usability*. [online]. Retrieved from : <https://www.nngroup.com/articles/usability-101-introduction-to-usability/>.

NKF KDOQI Guidelines Clinical practice guidelines for hemodialysis adequacy, update 2006. *Am J Kidney Dis*. 2006; 48: S2-S90

Notoatmodjo, S. (2012). *Promosi Kesehatan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.

Nundy, S., Dick, J., Solomon, M. C., & Peek, M. E. (2013). Developing a Behavioral Model for Mobile Phone-Based Diabetes Interventions. *Patient Education and Counseling*, 90, 125-132.



Osamor, P. E. (2015). Social support and management of hypertension in south-west Nigeria: cardiovascular topic. *Cardiovascular journal of Africa*, 26(1), 29-33.

Peñarrieta, M. I., Flores-Barrios, F., Gutiérrez-Gómez, T., Piñones-Martínez, S., Resendiz-Gonzalez, E., & Quintero-Valle, L. maría. (2015). Self-management and family support in chronic diseases. *Journal of Nursing Education and Practice*, 5(11), 73–80. <https://doi.org/10.5430/jnep.v5n11p73>

Pasticci, F., Fantuzzi, A. L., Pegoraro M., Mc Cann, M., & Bedogni, G. (2012). Nutritional management stage 5 of chronic kidney disease. *Journal of renal care*, 38(1), 50-58. doi: 10.1111/j.1755-6686.2012.00266.x

Peng, S., He, J., Huang, J., Lun, L., Zeng, J., Zeng, S., Zhang, L., Liu, X., & Wu, Y. (2019). Self-management interventions for chronic kidney disease: a systematic review and meta-analysis. *BMC Nephrology*, 20(1), 142. <https://doi.org/10.1186/s12882-019-1309-y>

PERNEFRI. (2018). 11th Report Of Indonesian Renal Registry 2018. *Irr*, 1–46. <https://www.indonesianrenalregistry.org/data/IRR 2018.pdf>

PERNEFRI. (2003). *Konsensus Dialisis*. Jakarta: PERNEFRI (Perhimpunan Nefrologi Indonesia)

Pine, K. J. & Fletcher, B., (2015). It Started with a Text: An analysis of the effectiveness of mHealth interventions in changing behavior and the impact of text messaging on behavioural outcomes. *mHealth White Paper*, 1,1-9.

Poorgholami, F., Javadpour, S., Saadatmand, V., & Jahromi, M. K. (2015). Effectiveness of Self-Care Education on the Enhancement of the Self-Esteem of Patients Undergoing Hemodialysis. *Global Journal of Health Science*, 8(2), 132–136. <https://doi.org/10.5539/gjhs.v8n2p132>

Pratiwi, S. H., Sari, E. A., & Kurniawan, T. (2019). Kepatuhan Menjalankan Manajemen Diri Pada Pasien Hemodialisis. *Jurnal Perawat Indonesia*, 3(2), 131-138. <https://doi.org/10.32584/jpi.v3i2.308>

Ramezani, T., Sharifirad, G., Rajati, F., Rajati, M., & Mohebi, S. (2019). Effect of educational intervention on promoting self-care in hemodialysis patients: Applying the self-efficacy theory. *Journal of Education and Health Promotion*, 65(8), 1-8. https://doi.org/10.4103/jehp.jehp_148_18

Rastad, H., Ejtahed, H. S., Shafiee, G., Safari, A., Shahrestanaki, E., Khodaparast, Z., Hassani, N. S., Rezaei, M., Nazari, M., Zakani, A., Niksima, M. M., Azimzadeh, M., Karimi, F., Tajbakhsh, R., & Qorbani, M. (2021). The risk factors associated with COVID-19-Related death among patients with end-stage renal disease. *BMC Nephrology*, 22(1), 1–9. <https://doi.org/10.1186/s12882-020-02221-w>

Ren, Q., Shi, S., Yan, C., Liu, Y., Han, W., Lin, M., ... & Shen, Q. (2021). Self-Management Micro-Video Health Education Program for Hemodialysis

Patients. *Clinical Nursing Research*, 10547738211033922

- Riahta, I.D. dan Yetti, K. (2020). Diet dan Nutrisi Pada Penyakit Ginjal Kronik. *Jurnal Keperawatan*, 12 (4), 609-618.
- Richard, A. A., & Shea, K. (2011). Delineation of self-care and associated concepts. *Journal of Nursing Scholarship*, 43(3), 255-264.
- Riegel, B., Carlson, B., Moser, D.K., Sebern, M., Hicks, F.D & Roland, V. (2004). Psychometric Testing of The Self Care of Heart Failure. *Journal of cardiac failure*. 10 (4), 350-359.
- Sell, K. A., Amella, E. J., Mueller, M., Andrews, J., & Wachs, J. (2016). Chronic Disease Self-Management and Behavior Change Attitudes in Older Adults: A Mixed-Method Feasibility Study. *SAGE Open*, 6(3),1-9.
- Sharma M. (2017). *Theoretical foundations of Health Education Health Promotion*. 3rd ed. United State: Jones and Bartlett Learning.
- Smeltzer, S., Bare, B., Hinkle, J., & Cheever, K. (2010). *Textbook of medical surgical nursing Brunner and suddarth*. China.: Lippincott Williams and Wilkins.
- Sorait, W. (2018). The Association of Self-Efficacy and Self-Management Behavior in Adult Patients with Chronic Kidney Disease: An Integrative Review. *J Kidney Treat Diagn*,1(1):33-40.
- Sundari, P. M. (2018). Hubungan tingkat pengetahuan dan *self-management diabetes* dengan tingkat stress menjalani diet penderita diabetes melitus. [Undergraduate script]. Airlangga University: Surabaya.
- Suffoletto, B., (2016). Text Message Behavioral intervention: From Here to Where?. *Curr Opin Psychol*, 1(9), 16-21.
- Suryadi, E., Ginanjar, H. M. & Priyatna, M., (2018). Penggunaan Sosial Media Whatsapp Pengaruhnya Terhadap Disiplin Belajar Peserta Didik Pada Mata Pelajaran Pendidikan Agama Islam. *Jurnal Pendidikan Islam*, 7(1), 1-21.
- Susetyowati, Faza, F., & Andari, I.H. (2017). *Gizi pada Penyakit Ginjal Kronis*. Yogyakarta: Gadjah Mada University Press.
- Susilo, R. (2011). *Pendidikan Kesehatan dalam Keperawatan*. Yogyakarta: Nuha Medika.
- Suwitra, K. (2009). *Buku ajar ilmu penyakit dalam: penyakit ginjal kronis*. 1035-1040. Jakarta: Interna Publishing.
- Tang, Y., & Hew, K. F. (2017). Is mobile instant messaging (MIM) useful in education? Examining its technological, pedagogical, and social affordances. *Educational Research Review*, 21(November 2018), 85–104. <https://doi.org/10.1016/j.edurev.2017.05.001>



Telligen & gpTRAC. (2014). *Telehealth: Start-Up and Resource Guide, Version 1.1.* Retrieved from: <https://www.healthit.gov/sites/default/files/playbook/pdf/telehealth-startup-and-resource-guide.pdf>

The American Telemedicine Association (2006). Telemedicine, Telehealth, and Health Information Technology. Retrieved from: https://www.who.int/goe/policies/countries/usa_support_tele.pdf?ua=1

Thomas, R., Kanso, A., & Sedor, J. R. (2008). Chronic Kidney Disease and Its Complications. *Primary Care*, 35(2), 329–344. <https://doi.org/10.1016/j.pop.2008.01.008>

Tsang, S. K., Hui, E. K., & Law, B. (2012). Self-efficacy as a positive youth development construct: a conceptual review. *The Scientific World Journal*, 2012.

Utami, T. N. (2015). *Perspektif Kesehatan Masyarakat Teori dan Aplikasi*. Yogyakarta: CV Budi Utama.

Um-e-Kalsoom, Khan, S., & Ahmad, I. (2020). Impact of hemodialysis on the wellbeing of chronic kidney diseases patients: A pre-post analysis. *Middle East Current Psychiatry*, 27(1), 1-5. <https://doi.org/10.1186/s43045-020-00060-x>

Verma, A., Patel, A. B., Tio, M. C., & Waikar, S. S. (2020). Caring for Dialysis Patients in a Time of COVID-19. *Kidney Medicine*, 2(6), 787–792. <https://doi.org/10.1016/j.xkme.2020.07.006>

Wahyuni, E. D., Haloho, F. N. W., Asmoro, C. P., & Laili, N. R. (2019). Factors Affecting Interdialytic Weight Gain (IDWG) in Hemodialysis Patients with Precede-Proceed Theory Approach. In *IOP Conference Series: Earth and Environmental Science*, 246(1).

Wang, H., Naghavi, M., Allen, C., Barber, R. M., Carter, A., Casey, D. C., Charlson, F. J., Chen, A. Z., Coates, M. M., Coggleshall, M., Dandona, L., Dicker, D. J., Erskine, H. E., Haagsma, J. A., Fitzmaurice, C., Foreman, K., Forouzanfar, M. H., Fraser, M. S., Fullman, N., ... Zuhlke, L. J. (2016). Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*, 388(10053), 1459–1544. [https://doi.org/10.1016/S0140-6736\(16\)31012-1](https://doi.org/10.1016/S0140-6736(16)31012-1)

Warren-Findlow, J., Seymour, R. B., & Huber, L. R. B. (2012). The association between self-efficacy and hypertension self-care activities among African American adults. *Journal of community health*, 37(1), 15-24.

World Health Organization (WHO). (2018). mHealth: use of appropriate digital technologies for public health Report by the Director-General. *Seventy-First World Health Assembly [Internet]*: https://apps.who.int/gb/ebwha/pdf_files/WHA71/A71_20-en.pdf.

Yani, A. (2018). Pemanfaatan Teknologi Dalam Bidang Kesehatan Masyarakat.



UNIVERSITAS
GADJAH MADA

Pengaruh Hemodialysis Care Line terhadap Manajemen Diri pada Pasien yang Menjalani Hemodialisis di Unit Hemodialisa RSUD Tabanan
I MADE CAHYADI A, Dr. Heny Suseani Pangastuti, S.Kp., M.Kes.; Dr. Wenny Artanty Nisman, S.Kep., Ns., M.Kes.
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Jurnal Kesehatan Masyarakat, 8(1), 97-102.

- Yanti, N., Mahardika, IAL., & Prapti, NKG. (2016). Pengaruh Slow Deep Breathing Terhadap Tekanan Darah Pada Penderita Hipertensi di Wilayah Kerja Puskesmas 1 Denpasar Timur. *Jurnal Keperawatan dan Pemikiran Ilmiah*; 2(4),1-10.
- Yao, J., Wang, H., Yin, X., Yin, J., Guo, X., & Sun, Q. (2019). The association between self-efficacy and self-management behaviors among Chinese patients with type 2 diabetes. *PloS one*, 14(11).
- Yeh, S. M., Lin, Y. J., Hsu, T. C., & Chang, Y. T. (2021). Applying Self-Management Strategies to the Control of Interdialytic Weight Gain in Hemodialysis Patients. *Hu Li Za Zhi*, 68(5), 83-91.