

DAFTAR PUSTAKA

- Abdul-Ghani, M. A., Matsuda, M., Jani, R., Jenkinson, C. P., Coletta, D. K., Kaku, K. & DeFronzo, R. A. 2008. The relationship between fasting hyperglycemia and insulin secretion in subjects with normal or impaired glucose tolerance. *Am J Physiol Endocrinol Metab*, 295, E401-6.
- Abdulai, T., Li, Y., Zhang, H., Tu, R., Liu, X., Zhang, L., Dong, X., Li, R. & Wang, Y. 2019. Prevalence of impaired fasting glucose, type 2 diabetes and associated risk factors in undiagnosed Chinese rural population: The Henan Rural Cohort Study. *BMJ Open*, 9.
- Agrawal, S. 2014. Frequency of Food Consumption and Self-reported Diabetes among Adult Men and Women in India: A Large Scale Nationally Representative Crosssectional Study. *J Diabetes Metab* 6.
- Alperet, D. J., Butler, L. M., Koh, W.-P., Yuan, J.-M. & Dam, R. M. v. 2017. Influence of temperate, subtropical, and tropical fruit consumption on risk of type 2 diabetes in an Asian population. *Am. J. Clin. Nutr.*, vol. 105, no. 3, pp. 736–745.
- Arania, R., Triwahyuni, T., Esfandiari, F. & Nugraha, F. R. 2021. Hubungan Antara Usia, Jenis Kelamin, Dan Tingkat Pendidikan Dengan Kejadian Diabetes Mellitus Di Klinik Mardi Waluyo Lampung Tengah. *Jurnal Medika Malahayati*, 5, 146-153.
- Barnes, A. S. 2011. The epidemic of obesity and diabetes: trends and treatments. *Texas Heart Institute journal*, 38, 142-144.
- Basiak-Rasala, A., Rozanska, D. & Zatonska, K. 2019. Food groups in dietary prevention of type 2 diabetes. *Roczniki Państwowe Zakładu Higieny*, 70.
- Berumen, J., Orozco, L., Betancourt-Cravioto, M., Gallardo, H., Zulueta, M., Mendizabal, L., Simon, L., Benuto, R. E., Ramirez-Campos, E., Marin, M., Juárez, E., García-Ortiz, H., Martínez-Hernández, A., Venegas-Vega, C., Peralta-Romero, J., Cruz, M. & Tapia-Conyer, R. 2019. Influence of obesity, parental history of diabetes, and genes in type 2 diabetes: A case-control study. *Sci Rep* 9, 2748.
- Budi, T. P. 2006. *SPSS 13.0 Terapan: Riset Statistik Parametrik*, Yogyakarta: ANDI.
- Bujawati, E., Awaliah, R. & Ansar, J. 2021. Type 2 Diabetes In Urban and Rural Areas: A Comparative Study. *Al-Sihah: The Public Health Science Journal*, 176-186.
- CDC & ACSM. 1995 Measuring Physical Activity Intensity. USA: Division of Nutrition, Physical Activity, and Obesity, National Center for Chronic Disease Prevention and Health Promotion.
- Chaudhuri, P., Mithun, D., Indrani, L. & Riddhi, G. 2021. Role of Metabolic Risk Factors, Family History, and Genetic Polymorphisms (PPAR γ and TCF7L2) on Type 2 Diabetes Mellitus Risk in an Asian Indian Population. *Public health genomics*, 24, 131-138.



- Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., Horton, E. S., Castorino, K. & Tate, D. F. 2016a. Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care*, 39, 2065–2079.
- Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., Horton, E. S., Castorino, K. & Tate, D. F. 2016b. Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care* 39, 2065–2079.
- Daeli, W. A. C. & Nurwahyuni, A. 2019. Determinan sosial ekonomi konsumsi minuman berpemanis di Indonesia: analisis data susenas 2017. *Jurnal Ekonomi Kesehatan Indonesia*, 4.
- Decroli, E. 2019. *Diabetes Melitus Tipe 2*, Padang: Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas.
- Dharmayanti, I., Tjandrarini, D. H., Hidayangsih, P. S. & Nainggolan, O. 2018. Pengaruh Kondisi Kesehatan Lingkungan Dan Sosial Ekonomi Terhadap Kesehatan Mental Di Indonesia. *Jurnal Ekologi Kesehatan*, 17, 64-74.
- Duclos, M., Oppert, J.-M., Verges, B., Colictee, V., Gautier, J.-F., Guezennec, Y., Reach, G. & Strauchi, G. 2013. Physical Activity and Type 2 Diabetes. Recommendations of The SFD (Francophone Diabetes Society) Diabetes and Physical Activity Working Group. *Diabetes & Metabolism* 39 205–216.
- Feng, G.-S., Li, H.-L., Shen, Q.-M., Li, Z.-Y., Ji, X.-W. & Xiang, Y.-B. 2021. Population attributable risk of excess weight, abdominal obesity and physical inactivity for type 2 diabetes in Chinese men and women. *Annals of translational medicine*, 9, 326-326.
- Gezawa, I. D., Uloko, A. E., Gwaram, B. A., Ibrahim, D. A., Ugwu, E. T. & Mohammed, I. Y. 2019. Pattern of obesity among patients with type 2 diabetes at a tertiary healthcare center in northern Nigeria. *Diabetes, metabolic syndrome and obesity: targets and therapy*, 12, 2785.
- Ghaderpanahi, M., Fakhrzadeh, H., Sharifi, F., Badamchizade, Z., Mirarefin, M., Ebrahim, R. P., Ghotbi, S., Nouri, M. & Larijani, B. 2011. Association of Physical Activity with Risk of Type 2 Diabetes. *Iranian J Publ Health*, Vol. 40, pp.86-93.
- Gibney, M. J., Margat, B. M., Kearney, J. M. & Arab, L. 2008. *Gizi Kesehatan Masyarakat*, Jakarta: EGC.
- Hackett, R. A. & Steptoe, A. 2017. Type 2 diabetes mellitus and psychological stress - a modifiable risk factor *Nat Rev Endocrinol*, 13, 547-560.
- Hallam, J., Boswell, R. G., DeVito, E. E. & Kober, H. 2016. Focus: sex and gender health: gender-related differences in food craving and obesity. *The Yale journal of biology and medicine*, 89, 161.
- Handayani, S. T., Hubaybah, H. & Noerjoedianto, D. 2018. Hubungan Obesitas Dan Aktivitas Fisik Dengan Kejadian Diabetes Melitus Tipe II di Wilayah Kerja Puskesmas Olak Kemang Tahun 2018. *Jurnal Kesmas Jambi*, 2, 1-11.
- Hanjaya, U. W. & Sarbini, D. 2021. *Hubungan Konsumsi Sayur Buah Dan Aktivitas Fisik Dengan Kejadian Gizi Lebih Penduduk Dewasa (26-45*



- Tahun) Di Rovinsi Kepulauan Riau (Analisis Riskesdas 2018)*. Universitas Muhammadiyah Surakarta.
- Harris, M. L., Oldmeadow, C., Hure, A., Luu, J., Loxton, D. & Attia, J. 2017. Stress increases the risk of type 2 diabetes onset in women: A 12-year longitudinal study using causal modelling. *PloS one*, 12, e0172126.
- Helmizar, H., Djalal, F. & Lipoeto, N. I. 2009. Antioksidan dalam masakan Minang dan potensi protektif terhadap risiko penyakit kardiovaskular. *Jurnal Kesehatan Masyarakat Andalas*, 4, 13-20.
- Herlawati, I., Karunia, A. & Afendi, F. M. 2013. Penentuan Nilai Pembobotan dan Penduga Ragam Untuk Penarikan Contoh Bertahap. *Xplore*, Vol.1(1):e7(1-8).
- Hidayat, P. 2020. Alasan Mengapa Kuliner Jawa Identik dengan Rasa Manis. *GoodNews FROM INDONESIA*.
- Huang, T., Qi, Q., Zheng, Y., Ley, S. H., Manson, J. E., Hu, F. B. & Qi, L. 2015. Genetic Predisposition to Central Obesity and Risk of Type 2 Diabetes: Two Independent Cohort Studies. *Diabetes Care*, 38, 1306–1311.
- Idaiani, S., Sapardin, A. N. & Sulistiowati, E. 2015. Gambaran Kohor 2011-2013 Gangguan Mental Emosional Berdasarkan SRQ-20 pada Penduduk Kelurahan Kebon Kalapa Bogor. *Indonesian Bulletin of Health Research*, 43.
- IDF. 2017 IDF Diabetes Atlas 8th Edition. International diabetes federation.
- Idris, M. 2020. Survei BPS: Orang RI Kurang Makan Sayur, Kangkung Paling Digemari. *Kompas.com*, 15/12/2020, 11:43 WIB.
- Irma, R. 2019. Identifikasi Faktor yang Berhubungan Dengan Kejadian Diabetes Mellitus di Kabupaten Konawe Provinsi Sulawesi Tenggara. *HIJP: HEALTH INFORMATION JURNAL PENELITIAN*, 11, 146-154.
- Jao, H. F., Wung, C. H., Yu, H. C., Lee, M. Y., Chen, P. C., Chen, S. C. & Chang, J. M. 2021. Sex difference in the associations among obesity-related indices with metabolic syndrome in patients with type 2 diabetes mellitus. *International Journal of Medical Sciences*, 18, 3470-3477.
- Jia, X., Xuan, L., Dai, H., Zhu, W., Deng, C., Wang, T., Li, M., Zhao, Z., Xu, Y., Lu, J., Bi, Y., Wang, W., Chen, Y., Xu, M. & Ning, G. 2021. Fruit intake, genetic risk and type 2 diabetes: a population-based gene-diet interaction analysis. *European journal of nutrition*, 60, 2769-2779.
- Joseph, J. J. & Golden, S. H. 2018. Cortisol dysregulation: the bidirectional link between stress, depression, and type 2 diabetes mellitus. *PMC*, 1391, 20–34.
- Kapoor, N., Lotfaliany, M., Sathish, T., Thankappan, K. R., Thomas, N., Furler, J., Oldenburg, B. & Tapp, R. J. 2020. Obesity indicators that best predict type 2 diabetes in an Indian population: Insights from the Kerala Diabetes Prevention Program. *Journal of Nutritional Science*, 9.
- Kautzky-Willer, A., Harreiter, J. & Pacini, G. 2016. Sex and gender differences in risk, pathophysiology and complications of type 2 diabetes mellitus. *Endocrine reviews*, 37, 278-316.
- Keith, R. J., Al Rifai, M., Carruba, C., De Jarnett, N., McEvoy, J. W., Bhatnagar, A., Blaha, M. J. & Defilippis, A. P. 2016. Tobacco Use, Insulin

- Resistance, and Risk of Type 2 Diabetes: Results from the Multi-Ethnic Study of Atherosclerosis. *PLoS One*, 11, e0157592.
- Kemkes RI. 2014 Pedoman Gizi Seimbang. Jakarta: Kemkes RI. Available: <https://pergizi.org/pedoman-gizi-seimbang-2014-terbaru/>.
- Kemkes RI. 2017 Buku Pedoman Pengisian Kuisioner Riskesdas 2018. Jakarta: Litbangkes Kemkes RI. Available: <https://labmandat.litbang.kemkes.go.id/riset-badan-litbangkes/menu-risikesnas/menu-risikesdas/426-rkd-2018>.
- Kemkes RI. 2019a Laporan Nasional RISKESDAS 2018 Jakarta: Kementerian Kesehatan Badan Penelitian dan Pengembangan Kesehatan. Available : <https://labmandat.litbang.kemkes.go.id/riset-badan-litbangkes/menu-risikesnas/menu-risikesdas/426-rkd-2018>.
- Kemkes RI. 2019b Profil Kesehatan Indonesia Tahun 2018. Jakarta: Kemkes RI. Available: https://pusdatin.kemkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/PROFIL_KESEHATAN_2018_1.pdf.
- Ko, D. H., Lee, K. H. & Kim, Y. H. 2020. Longitudinal study on the relative risk of type 2 diabetes mellitus according to obesity and physical activity. *Journal of Men's Health*, 16, e1-e10.
- Kurniawati, K. & Wijayanti, A. C. 2021. *Hubungan Antara Umur Dan Stres Dengan Kejadian Diabetes Melitus Tipe 2 Di Kota Surakarta*. Universitas Muhammadiyah Surakarta.
- Kuswandari, L. S. 2022. *Uji Diagnostik Indeks Massa Tubuh dan Lingkar Pinggang sebagai Faktor Risiko Diabetes Melitus Tipe 2 Penduduk Dewasa Indonesia (Analisis Data Sekunder Riskesdas 2018)*. Gadjah Mada University.
- Litbangkes. 2019. *Layanan Permintaan Data Riset* [Online]. Kemkes. Available: <https://www.litbang.kemkes.go.id/layanan-permintaan-data-riset/> [Accessed 20 Mei 2021].
- Lu, Y., Yang, H., Xu, Z. & Tang, X. 2021. Association between different obesity patterns and the risk of developing type 2 diabetes mellitus among adults in eastern china: A cross-sectional study. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 14, 2631-2639.
- Maddatu, J., Anderson-Baucum, E. & Evans-Molina, C. 2017. Smoking and the risk of type 2 diabetes. *Transl Res*, 184, 101-107.
- Malinti, E. & Malinti, E. 2020. Tekanan Darah dan Hubungannya dengan Indeks Massa Tubuh dan Aktifitas Fisik Pada Wanita Dewasa: Blood Pressure and Its Relation to Body Mass Index and Physical Activity in Adult Women. *Jurnal Ilmiah Keperawatan (Scientific Journal of Nursing)*, 6, 178-183.
- Mary, G., Caroline, H., Naomi, H., Helen, O., Lorraine, O., Anna, C. & Louisa, E. 2014 Adult Obesity and Type 2 Diabetes *In: HEALTH., D. O. (ed.)*. London: Public Health England.
- Meng, R., Lv, J., Yu, C., Guo, Y., Bian, Z., Yang, L., Chen, Y., Zhang, H., Chen, X., Chen, J., Qi, L. & Li, L. 2018. Prenatal famine exposure, adulthood obesity patterns and risk of type 2 diabetes. *International Journal of Epidemiology*, 47, 399-408.



- Mental Health Foundation. 2021. *Stress* [Online]. England. Available: <https://www.mentalhealth.org.uk/a-to-z/s/stress> [Accessed 18 Januari 2022].
- Milita, F., Handayani, S. & Setiaji, B. 2021. Kejadian diabetes mellitus tipe II pada lanjut usia di Indonesia (analisis riskesdas 2018). *Jurnal Kedokteran Dan Kesehatan*, 17, 9-20.
- Mohamed, B. A., Mahfouz, M. S. & Badr, M. F. 2020. Physical activity and its associated factors in females with type 2 diabetes in Riyadh, Saudi Arabia. *PLoS ONE*, 15.
- Morris, J. C. 2013. *Pedoman Gizi Pengkajian dan Dokumentasi*, Jakarta: EGC.
- Muraki, I., Imamura, F., Manson, J. E., Hu, F. B., Willett, W. C., van Dam, R. M. & Sun, Q. 2013. Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies. *Bmj*, 347.
- Noh, J.-W., Jung, J. H., Park, J. E., Lee, J. H., Sim, K. H., Park, J., Kim, M. H. & Yoo, K.-B. 2018. The relationship between age of onset and risk factors including family history and life style in Korean population with type 2 diabetes mellitus. *Journal of physical therapy science*, 30, 201-206.
- Notoatmodjo S. 2012. *Metodologi Penelitian Kesehatan*, Jakarta: Rineka Cipta.
- Pan, A., Wang, Y., Talaei, M., Hu, F. B. & Wu, T. 2015. Relation of active, passive, and quitting smoking with incident type 2 diabetes: a systematic review and meta-analysis. *Lancet Diabetes Endocrinol*, 3, 958-67.
- Papaetis, G. S., Papakyriakou, P. & Panagiotou, T. N. 2015. Central obesity, type 2 diabetes and insulin: exploring a pathway full of thorns. *Arch Med Sci (AMS)*, 3.
- PERKENI. 2021 Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia 2021. PB. PERKENI.
- Persaud, H. & Williams, S. 2017. Occupational Stress and Increased Risk for Type 2-Diabetes: A Narrative Review. *J Complement Med Alt Healthcare J2*.
- Pouwer, F., Kupper, N. & Adriaanse, M. C. 2010. Does emotional stress cause type 2 diabetes mellitus? A review from the European Depression in Diabetes (EDID) Research Consortium. *Discov Med*, 9, 112-8.
- Pratiwi, T. A., Lubis, R. & Mutiara, E. 2019. Pengaruh Obesitas terhadap Kejadian Diabetes Mellitus pada Wanita Usia Subur di RSUD Dr. Djoelham Binjai Tahun 2017. *Journal of Healthcare Technology and Medicine*, 4, 1-10.
- Puspitasari, N. 2018. Kejadian obesitas sentral pada usia dewasa. *HIGEIA (Journal of Public Health Research and Development)*, 2, 249-259.
- Regmi, D., Al-Shamsi, S., Govender, R. D. & Al Kaabi, J. 2020. Incidence and risk factors of type 2 diabetes mellitus in an overweight and obese population: A long-term retrospective cohort study from a Gulf state. *BMJ Open*, 10.
- Riyanto, A. 2012. *Penerapan Analisis Multivariat Dalam Penelitian Kesehatan*, Yogyakarta: Nuha Medika.



- Rosha, B. C., Kumalaputri, D. S. & Suryaputri, I. Y. 2019. Hubungan Kegemukan, Konsumsi Sayur Dan Buah Dengan Kejadian Toleransi Gula Terganggu (Tgt) Di Indonesia. *Jurnal Ekologi Kesehatan*, 18, 27-36.
- Sbarra, D. A. 2015. Divorce and health: current trends and future directions. *Psychosom Med*, 77, 227-36.
- Schwingshackl, L., Hoffmann, G., Lampousi, A. M., Knüppel, S., Iqbal, K., Schwedhelm, C., Bechthold, A., Schlesinger, S. & Boeing, H. 2017. Food groups and risk of type 2 diabetes mellitus: a systematic review and meta-analysis of prospective studies. *Eur J Epidemiol*, 32, 363-375.
- Sharkia, R., Sheikh-Muhammad, A., Mahajnah, M., Khatib, M. & Zalan, A. 2019. Exploration of risk factors for Type 2 Diabetes among Arabs in Israel. *Annals of Global Health*, 85.
- Siregar, S. 2014. *Statistika Deskriptif Untuk Penelitian*, Jakarta: Rajawali Pers.
- Soelistijo, S. A., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., Sanusi, H., Lindarto, D., Shahab, A., Pramono, B., Langi, Y. A., Purnamasari, D., Soetedjo, N. N., Saraswati, M. R., Dwipayana, M. P., Yuwono, A., Sasiarini, L., Sugiarto, Sucipto, K. W. & Zufry, H. 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia 2015*. Jakarta.
- Sui, H., Sun, N., Zhan, L., Lu, X., Chen, T. & Mao, X. 2016. Association between work-related stress and risk for type 2 diabetes: a systematic review and meta-analysis of prospective cohort studies. *PloS one*, 11, e0159978.
- Tabrizi, J. S., Sadeghi-Bazargani, H., Farahbakhsh, M., Nikniaz, L. & Nikniaz, Z. 2018. Prevalence and Associated Factors of Overweight or Obesity and Abdominal Obesity in Iranian Population: A Population-based Study of Northwestern Iran. *Iranian journal of public health*, 47, 1583-1592.
- Toumpanakis, A., Turnbull, T. & Alba-Barba, I. 2018. Effectiveness of plant-based diets in promoting well-being in the management of type 2 diabetes: a systematic review. *BMJ Open Diabetes Research & Care*, 6, e000534.
- Uemura, H., Ghaibeh, A. A., Katsuura-Kamano, S., Yamaguchi, M., Bahari, T., Ishizu, M., Moriguchi, H. & Arisawa, K. 2017. Systemic inflammation and family history in relation to the prevalence of type 2 diabetes based on an alternating decision tree. *Scientific reports*, 7, 45502-45502.
- Villegas, R., Shu, X. O., Gao, Y.-T., Yang, G., Elasy, T., Li, H. & Zheng, W. 2008. Vegetable but Not Fruit Consumption Reduces the Risk of Type 2 Diabetes in Chinese Women. *The Journal of Nutrition*, 138, 574-580.
- Wang, P.-Y., Fang, J.-C., Gao, Z.-H., Zhang, C. & Xie, S.-Y. 2016. Higher Intake Of Fruits, Vegetables Or Their fiber Reduces The Risk Of Type 2 Diabetes: A Meta-Analysis. *J Diabetes Investig*, Vol. 7 No. 1, 56-69.
- WHO. 2012. *Global Physical Activity Questionnaire (GPAQ) Analysis Guide*. Switzerland Prevention of Noncommunicable Diseases Department, World Health Organization.
- WHO. 2020. *The Top 10 Causes of Death* [Online]. <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death>. [Accessed 18 April 2021].



- WHO. 2021. *Obesity Overview* [Online]. Available: https://www.who.int/health-topics/obesity#tab=tab_1 [Accessed 18 April 2021].
- Wong, M. C. S., Huang, J., Wang, J., Chan, P. S. F., Lok, V., Chen, X., Leung, C., Wang, H. H. X., Lao, X. Q. & Zheng, Z.-J. 2020. Global, regional and time-trend prevalence of central obesity: a systematic review and meta-analysis of 13.2 million subjects. *European Journal of Epidemiology*, 35, 673-683.
- World Health Organization. Regional Office for the Western Pacific. 2000. *The Asia-Pacific perspective : redefining obesity and its treatment*: Sydney : Health Communications Australia.
- XueSun, WeihuiYu & ChengHu. 2014. Review Article Genetics of Type 2 Diabetes: Insights into the Pathogenesis and Its Clinical Application. *BioMed Research International*.
- Yu, D., Zheng, W., Cai, H., Xiang, Y. B., Li, H., Gao, Y. T. & Shu, X. O. 2018. Long-term diet quality and risk of type 2 diabetes among urban Chinese adults. *Diabetes Care*, 41, 723-730.
- Zhang, L., Curhan, G. C., Hu, F. B., Rimm, E. B. & Forman, J. P. 2011. Association between passive and active smoking and incident type 2 diabetes in women. *Diabetes Care*, 34, 892-7.
- Zhang, Y., Santosa, A., Wang, N., Wang, W., Ng, N., Zhao, Q., Jiang, Y., Weinehall, L. & Zhao, G. 2019. Prevalence and the Association of Body Mass Index and Other Risk Factors with Prediabetes and Type 2 Diabetes Among 50,867 Adults in China and Sweden: A Cross-Sectional Study. *Diabetes Therapy*, 10, 2061-2077.