

## VII. DAFTAR PUSTAKA

- Akucewich, L., & Williamson, N. (2008). CHAPTER 85 - Pruritic Skin Diseases. Editor(s): Rhea V. Morgan, *Handbook of Small Animal Practice (Fifth Edition)*, W.B. Saunders, 825-833.
- Amalia, D., & Rohayati E.R. (2013). Prevalensi Scabies Pada Kucing Di Rsh Prof. Soeparwi Yogyakarta Periode Januari-Agustus 2012. (Doctoral dissertation, Universitas Gadjah Mada).
- Amir, K. L., Erawan, I. G. M. K., & Arjentinia, I. P. G. Y. (2020). Laporan Kasus: Pemberian Terapi *Ivermectin* dan Sulfur terhadap Kasus Scabiosis pada Kucing Ras Persia. *Indonesia Medicus Veterinus*, 9 (1), 89-98.
- Beco, L., Petite, A., & Olivry, T. (2001). Comparison of subcutaneous ivermectin and oral moxidectin for the treatment of notoedric acariasis in hamsters. *Veterinary Record*, 149(11), 324-327.
- Becskei, C., Cherni, J. A., Vatta, A. F., King, V. L., Lin, D., & Rugg, D. (2017). Efficacy and speed of kill of a new spot-on formulation of selamectin plus sarolaner against flea infestations in cats. *Veterinary parasitology*, 238, S18-S21.
- Becskei, C., De Bock, F., Illambas, J., Mahabir, S. P., Farkas, R., & Six, R. H. (2016). Efficacy and safety of a novel oral isoxazoline, sarolaner (Simparica™) in the treatment of naturally occurring flea and tick infestations in dogs presented as veterinary patients in Europe. *Veterinary parasitology*, 222, 49-55.
- Beugnet, F., & Franc, M. (2012). Insecticide and acaricide molecules and/or combinations to prevent pet infestation by ectoparasites. *Trends in parasitology*, 28(7), 267-279.
- Beugnet, F., Halos, L., & Guillot, J. (Eds.). (2018). *Textbook of Clinical Parasitology in dogs and cats*. Servet editorial-Grupo Asís Biomedica, SL, 263-264.
- Borji, H., Razmi, G., Ahmadi, A., Karami, H., Yaghfoori, S., and Abedi, V. (2011). A survey on endoparasites and ectoparasites of stray cats from Mashhad (Iran) and association with risk factors. *Journal of Parasitic Diseases*, 35(2), 202-206.
- Bowman, D. D., Hendrix, C. M., Lindsay, D. S., & Barr, S. C. (2008). *Feline clinical parasitology*. John Wiley & Sons.
- Burr, H. N., Paluch, L. R., Roble, G. S., & Lipman, N. S. (2012). Parasitic diseases. In *The Laboratory Rabbit, Guinea Pig, Hamster, and Other Rodents* (pp. 839-866). Academic Press.

- Bush, S. E., Kim, D., Reed, M., & Clayton, D. H. (2010). Evolution of cryptic coloration in ectoparasites. *The American Naturalist*, 176(4), 529-535.
- da Silva, T. R. M., Schimmunech, M. S., Pott, P. J. K., Alves-Sobrinho, A. V., de Oliveira, P. G., do Amaral, A. V. C., Saturnino, K.C., Romani, A.F. & de Souza Ramos, D. G. (2021). Mange skin diseases in dogs and cats in Jataí, Brazil: A retrospective study with notes on zoonotic aspects. *Research, Society and Development*, 10(1), e10610111417-e10610111417.
- Deplazes, P., Eckert, J., Mathis, A., Samson-Himmelstjerna, G. V., & Zahner, H. (2016). *Parasitology in veterinary medicine*. Wageningen Academic Publishers.
- DiGeronimo, M. (2016). Therapeutic review. *Journal of Exotic Pet Medicine*, 25, 80-83.
- Englar, R. E. (2017). *Performing the Small Animal Physical Examination*. John Wiley & Sons.
- ESCCAP. (2022). 3 Control of ectoparasites in dogs and cats. [https://www.esccap.org/uploads/docs/u7zga5g0\\_3.5c\\_Notoedres\\_cati\\_life\\_cycle\\_WM.pdf](https://www.esccap.org/uploads/docs/u7zga5g0_3.5c_Notoedres_cati_life_cycle_WM.pdf). (accessed Feb 27, 2022).
- European Medicines Agency. (2016). Committee for Medicinal Products for Veterinary Use, CVMP assessment report for Stronghold Plus (EMA/V/C/004194/0000).<[https://www.ema.europa.eu/en/documents/assessment-report/stronghold-plus-epar-public-assessment-report\\_en.pdf](https://www.ema.europa.eu/en/documents/assessment-report/stronghold-plus-epar-public-assessment-report_en.pdf)>. (accessed March 7, 2022).
- Farmaki, R., Koutinas, A. F., Kasabalis, D., Papazahariadou, M. G., & Day, M. J. (2009). Effectiveness of a selamectin spot-on formulation in rabbits with sarcoptic mange. *The Veterinary Record*, 164(14), 431.
- Fisher, M. A., & Shanks, D. J. (2008). A review of the off-label use of selamectin (Stronghold®/Revolution®) in dogs and cats. *Acta Veterinaria Scandinavica*, 50(1), 1-5.
- Foley, J., Serieys, L. E. K., Stephenson, N., Riley, S., Foley, C., Jennings, M., Wengert, G., Vickers W., Boydston, E., Lyren, L., Moriarty, J., & Clifford, D. L. (2016). A synthetic review of notoedres species mites and mange. *Parasitology*, 143(14), 1847-1861.
- Frank, L. (2014). Derm diagnostics.
- Fukase, T., Kajiwara, T., Sugano, H., Shikata, R., Chinone, S., & Itagaki, H. (1991). Ivermectin treatment of Notoedres cati infestations in cats. *J. Vet. Med. Japan*, 44, 41-45.

- Fular, A., Shakya, M., Singh, M., Upadhaya, D., & Kumar, S. (2019). Therapeutic management of mange infestation in cat (*Felis catus*): a case report. *International Journal of Tropical Insect Science*, 39(4), 291-294.
- Genchi, M., Vismarra, A., Zanet, S., Morelli, S., Galuppi, R., Cringoli, G., Lia, R., Diafera, M., Frangipane, A., Regalbono A. F., Venegoni, G., Basano, F.S., Varcasia, A., Perruci, S., Musella, V., Brianti, E., Gazzonis, A., Drigo, M., Colombo, L., & Kramer, L. (2021). Prevalence and risk factors associated with cat parasites in Italy: a multicenter study. *Parasites & vectors*, 14(1), 1-1.
- Geurden, T., Becskei, C., Farkas, R., Lin, D., & Rugg, D. (2017). Efficacy and safety of a new spot-on formulation of selamectin plus sarolaner in the treatment of naturally occurring flea and tick infestations in cats presented as veterinary patients in Europe. *Veterinary parasitology*, 238, S12-S17.
- Gram, D., Walden, HS., & Short, J. (2021). *Life Cycles of Ectoparasites in Small Animals*, Edra, 34-36.
- Györke, A., Dumitrache, M. O., Ursache, A. L., D'Amico, G., & Mircean, V. (2022). Case Report: Notoedric Mange and Aelurostrongylidosis in Two Domestic Cats From Rural Environment in Romania. *Frontiers in veterinary science*, 9.
- Hellmann, K., Petry, G., Capari, B., Cvejic, D., & Krämer, F. (2013). Treatment of naturally Notoedres cati-infested cats with a combination of imidacloprid 10%/moxidectin 1% spot-on (Advocate®/Advantage® Multi, Bayer). *Parasitology research*, 112(1), 57-66.
- Hnilica, KA., & Patterson, AP. (2017). Chapter 5 - Parasitic Skin Disorders. *Small Animal Dermatology* (Fourth Edition), W.B. Saunders, 132-172.
- IDEXX Laboratories, (2013). White Blood Cells (WBC) Interpretive Summary <https://www.idexx.se/files/8961-us-wbc-interpretive-summary.pdf> (accessed July 5, 2022).
- Iqomah, M., Suwarno, N., & Yuliani, P. (2020). Cat Scabies at The Animal Health Clinic of Salatiga Agriculture Service on August to November 2020. *Journal of Parasite Science*, 4(2), 45-48.
- Itoh, N., Muraoka, N., Aoki, M., & Itagaki, T. (2004). Treatment of Notoedres cati infestation in cats with selamectin. *The Veterinary Record*, 154(13), 409-409.
- J Nolan, T., & B Lok, J. (2012). Macrocyclic lactones in the treatment and control of parasitism in small companion animals. *Current pharmaceutical biotechnology*, 13(6), 1078-1094.

- Kamaruddin, N. C., Adrus, M., & Ismail, W. N. W. (2020). Prevalence of ectoparasites on a stray cat population from. *Turkish Journal of Veterinary and Animal Sciences*, 44(6), 1212-1221.
- Katariya, A., Arora, N., Rajora, V. S., Ilyas, W., Mrigesh, M., Das, A. K., & Prasad, A. (2018). Hematobiochemical alterations in ectoparasite infestation in canines. *J. Entomol. Zool. Stud*, 6(5), 743-746.
- Knaus, M., Capári, B., & Visser, M. (2014). Therapeutic efficacy of Broadline® against notoedric mange in cats. *Parasitology research*, 113(11), 4303-4306.
- Knaus, M., Capári, B., Szabó, M., Kley, K., & Johnson, C. (2021). Efficacy of a novel topical combination of esafoxolaner, eprinomectin and praziquantel against *Notoedres cati* mange in cats. *Parasite*, 28.
- Kraabøl, M., Gundersen, V., Fangel, K., & Olstad, K. (2015). The taxonomy, life cycle and pathology of *Sarcoptes scabiei* and *Notoedres cati* (Acarina, Sarcoptidae): A review in a Fennoscandian wildlife perspective. *Fauna Norvegica*, 35, 21-33.
- Krautmann, M. J., Novotny, M. J., De Keulenaer, K., Godin, C. S., Evans, E. I., McCall, J. W., Wang, C., Rowan T.G., & Jernigan, A. D. (2000). Safety of selamectin in cats. *Veterinary Parasitology*, 91(3-4), 393-403.
- Lefkaditis, M. A., Sossidou, A. V., Panorias, A. H., Koukeri, S. E., Paştıu, A. I., & Athanasiou, L. V. (2015). Urban stray cats infested by ectoparasites with zoonotic potential in Greece. *Parasitology research*, 114(10), 3931-3934.
- Little, S. E. (2012). The cat: clinical medicine and management, Saunders Elsevier, St. Louis, Missouri, USA, 373-379.
- Macfarlane, C., & Nuttall, T. (2013). Diagnostic approach to the pruritic cat. *The Veterinary Nurse*, 4(7), 384-391.
- Martini-Johnson, L. (2020). Applied Pharmacology for Veterinary Technicians-E-Book. Elsevier Health Sciences.
- McAuliffe, L., Sargent, S., & Locke, E. (2020). Pathology in practice. *Journal of the American Veterinary Medical Association*, 257(3), 287-290.
- McTier, T. L., Chubb, N., Curtis, M. P., Hedges, L., Inskeep, G. A., Knauer, C. S., Menon, S., Mills, B., Pullins, A., Zinser, E., & Woods, D.J. (2016). Discovery of sarolaner: a novel, orally administered, broad-spectrum, isoxazoline ectoparasiticide for dogs. *Veterinary Parasitology*, 222, 3-11.
- McTier, T. L., Pullins, A., Chapin, S., Rugg, J., von Reitzenstein, M., McCall, J. W., King, V. L., & Vatta, A. F. (2019). The efficacy of a novel topical formulation of selamectin plus sarolaner (Revolution® Plus/Stronghold®

- Plus) in preventing the development of *Dirofilaria immitis* in cats. *Veterinary parasitology*, 270, 56-62.
- Medleau, L., & Hnilica, K. A. (2006). Small animal dermatology: a color atlas and therapeutic guide. St. Louis, Mo, Saunders Elsevier, 153.
- Muñoz, A. A. F., & Leon, J. C. P. (2021). International Journal of Veterinary Science. *Int J Vet Sci*, 10(4), 344-346.
- Nett-Mettler, C.S. (2016). Approach To The Dermatology Patient. *Proceeding of 8th World Congress of Veterinary Dermatology*, 1-4.
- OIE. (2019). *OIE Reference Laboratories for mange*, Chapter 3.9.7. [https://www.oie.int/fileadmin/Home/eng/Health\\_standards/tahm/3.10.06\\_MANGE.pdf](https://www.oie.int/fileadmin/Home/eng/Health_standards/tahm/3.10.06_MANGE.pdf). (accessed Aug 2, 2021)
- Otranto, D., & Little, S. (2017). Tradition and innovation: selamectin plus sarolaner. A new tool to control endo-and ectoparasites of cats—a European perspective. *Veterinary Parasitology*, 1(238), S1-S2.
- Packianathan, R., Pittorino, M., Hodge, A., Bruellke, N., & Graham, K. (2020). Safety and efficacy of a new spot-on formulation of selamectin plus sarolaner in the treatment and control of naturally occurring flea infestations in cats presented as veterinary patients in Australia. *Parasites & Vectors*, 13(1), 1-7.
- Papich, M. G. (2015). *Saunders handbook of veterinary drugs-e-book: small and large animal*. Elsevier Health Sciences, 692–693.
- Priyanka , Sudhakar, N.R, Rakesh, R.L, & Showkat Ul Nabi. (2016). Notoedric Mange in a Cat – A Case Report., *Indian J. Vet. Med*, 37(1), 72.
- Quimby, J., Gowland, S., Carney, H. C., DePorter, T., Plummer, P., & Westropp, J. (2021). 2021 AAHA/AAFP feline life stage guidelines. *Journal of the American Animal Hospital Association*, 57(2), 51-72.
- Rataj, A. V., Posedi, J., & Bidovec, A. (2004). Ectoparasites: Otodectes cynotis, Felicola subrostratus and Notoedres cati in the ear of cats. *Slov Vet Res*, 41, 89-92.
- Reddy, B. S., Kumari, K. N., & Sivajothi, S. (2014). Thyroxin levels and haematological changes in dogs with sarcoptic mange. *J. Adv. Parasitol*, 1(2), 27-29.
- Sampaio, K. O., de Oliveira, L. M., Burmann, P. M., Sousa Filho, R. P., Evangelista, J. S., & Cunha, M. G. (2017). Acetate tape impression test for diagnosis of notoedric mange in cats. *Journal of feline medicine and surgery*, 19(6), 702-705.

- Sapko, S. A. (2020). Effectiveness of the imidacloprid/ivermectin combination for external application ("MEGA STOP" for cats). *Scientific Messenger of LNU of Veterinary Medicine and Biotechnologies. Series: Veterinary Sciences*, 22(97), 136-140.
- Scott, D.W., Miller, W.H., & Griffin, C.E. (2001). Feline scabies. Parasitic skin diseases. Muller and Kirk's small animal dermatology. (6th.Edn.), Philadelphia, W. B. Saunders Co., 483- 484
- Serieys, L.E., Foley, J., Owens, S., Woods, L., Boydston, E.E., Lyren, L.M., Poppenga, R.H., Clifford, D.L., Stephenson, N., Rudd, J. & Riley, S.P. (2013). Serum chemistry, hematologic and post-mortem findings in bobcats (*Lynx rufus*) with notoedric mange. *Journal of Parasitology* 99, 989–996.
- Siagian, T. B., & Fikri, F. H. (2019). Infestasi ektoparasit pada kucing di klinik hewan Kabupaten Bogor. *Kendari (ID): SNT2R*.
- Simpson, A. C. (2021). Successful treatment of otodemodicosis due to *Demodex cati* with sarolaner/selamectin topical solution in a cat. *Journal of Feline Medicine and Surgery Open Reports*, 7(1), 2055116920984386.
- Sivajothi, S., Sudhakara Reddy, B., Rayulu, V. C., & Sreedevi, C. (2015). *Notoedres cati* in cats and its management. *Journal of Parasitic Diseases*, 39(2), 303-305.
- Sofyan, M. S., Susanto, M. H., & Nuha, M. U. (2018). SA-13 Scabiosis (*Notoedres cati*) in Cat. *Hemera Zoa*. Proc. of the 20th FAVA CONGRESS & The 15th KIVNAS PDHI, Bali Nov 1-3, 224-225.
- SonoPath. (2013). Fungal Culture (DTM) technique. <https://sonopath.com/articles/fungal-culture-dtm-technique>. (accessed March 10, 2022).
- Stephenson, N., Clifford, D., Worth, S. J., Serieys, L. E., & Foley, J. (2013). Development and validation of a fecal PCR assay for *Notoedres cati* and application to notoedric mange cases in bobcats (*Lynx rufus*) in Northern California, USA. *Journal of Wildlife Diseases*, 49(2), 303-311.
- Sumarto, S., & Koneri, R. (2016). *Ekologi Hewan*.
- Susanto, E., Atma, C. D., Agustin, A. L. D., & Ningytas, N. S. I. I. (2021). Prevalensi Skabiosis Pada Pasien Kucing Di Klinik Scotty Pet Care Mataram. *Mandalika Veterinary Journal*, 1(1), 11-16.
- Taylor, M. A., Coop, R. L., and Wall, R. L. (2015). *Veterinary parasitology*. John Wiley & Sons.



- Tjahajati, I. (2002). Efektivitas Doramectin Untuk Pengobatan Skabies Pada Kucing = the Effectiveness of Doramectin for Scabies Treatment in Cat. *Jurnal Sain Veteriner*, 20(1), 39-42.
- Tkacheva, Y., & Glazunova, L. (2018, December). Hematological changes in dogs and cats with ectoparasitosis in Northern Trans-Urals. In *International Scientific and Practical Conference "AgroSMARTSmart Solutions for Agriculture"*. *AgroSMART*, 151, 742-746.
- Tobias, J. R., Barnes, H. J., & Law, J. M. (2011). Pathology in practice. *Journal of the American Veterinary Medical Association*, 239(8), 1065-1067.
- Urquhart, G.M., Armour, J., Duncan, J.L., Dunn A.M., and Jennings F.W. (1996). *Veterinary parasitology*, Blackwell Science, London, UK, 2nd Edition, 193.
- Vatta, A. F., King, V. L., Young, D. R., & Chapin, S. (2019). Efficacy of three consecutive monthly doses of a topical formulation of selamectin and sarolaner (Revolution® Plus/Stronghold® Plus) compared with a single dose of fluralaner (Bravecto® for cats) against induced infestations of *Ctenocephalides felis* on cats. *Veterinary parasitology*, 270, S52-S57.
- Vatta, A. F., Myers, M. R., Rugg, J. J., Chapin, S., Pullins, A., King, V. L., & Rugg, D. (2019). Efficacy and safety of a combination of selamectin plus sarolaner for the treatment and prevention of flea infestations and the treatment of ear mites in cats presented as veterinary patients in the United States. *Veterinary parasitology*, 270, S3-S11.
- Veteriankey. 2017. Ear Pinnae, Basic Diagnostic Test. <https://veteriankey.com/2-diagnostic-techniques/>. (accessed Feb 28, 2022)
- Vetruus. Diagnostic Tests: Tips from the Dermatologist #2. <<https://vetruus.com/diagnostic-tests-tips-from-the-dermatologist-2/>> (accessed Feb 28, 2022)
- Walker, C. (2019). Treatment of Demodex gato mange in two sibling Bengal cats with a combination of selamectin and sarolaner. *Companion Animal*, 24(3), 127-131.
- Wall, R. L., & Shearer, D. (2008). *Veterinary ectoparasites: biology, pathology and control*. John Wiley & Sons.
- Weeks, E. N., & Kaufman, P. E. (2012). Mange in companion animals. *EDIS*, 2012(12).
- Wyckliff, N. (2019). Mange in an Adult Domestic Short Haired Cat-Case Report. *Archives of Animal Husbandry & Dairy Science*, 1(4), 1-3.

- Yanuartono, Y., Indarjulianto, S., Nururrozi, A., Raharjo, S., & Purnamaningsih, H. (2020). Penggunaan Antiparasit *Ivermectin* pada Ternak: Antara Manfaat dan Risiko. *Jurnal Sain Peternakan Indonesia*, 15(1), 110-123.
- Yudhana A., Praja R.N., Pratiwi A.M., & Islamiyah N. (2021). Diagnosa dan observasi terapi infestasi ektoparasit notoedres cati penyebab penyakit scabiosis pada kucing peliharaan. *Media Kedokteran Hewan*, 32(2), 70-78.
- Zaelany, A. I., Ida S., Wiji A., & Ika R.S. (2017). Perbandingan efektivitas sabun sulfur 10% dengan salep 2-4 sebagai pengobatan tunggal dan kombinasi pada penyakit scabies. *Journal of Agromedicine and Medical Sciences*. 3(3), 1-5.
- Zajac, A. M., Conboy, G. A., Little, S. E., & Reichard, M. V. (2012). Veterinary clinical parasitology. 8th ed. New York: Wiley, 220-223.
- Zakson-Aiken, M., Gregory, L. M., Meinke, P. T., & Shoop, W. L. (2001). Systemic activity of the avermectins against the cat flea (Siphonaptera: Pulicidae). *Journal of medical entomology*, 38(4), 576-580.
- Zoetis Website. (2018). Revolution Plus product label. <[https://www.zoetisus.com/\\_locale-assets/pdf/revolution-plus-prescribing-information.pdf](https://www.zoetisus.com/_locale-assets/pdf/revolution-plus-prescribing-information.pdf)>. (accessed Des 2, 2021).
- Zoetis. (2013). Excellence In Dermatology. Diagnostic Techniques. <<https://www.zoetis.ca/conditions/dogs/dermatology/superficial-skin-scraping.aspx>>. (accessed March 10, 2022).