

## DAFTAR PUSTAKA

- Aljebab, F., Choonara, I. and Conroy, S. (2017). Systematic Review of the Toxicity of Long-Course Oral Corticosteroids in Children. *PLOS ONE*. [Accessed 10 December 2021].
- Akalestou, E., Genser, L., & Rutter, G. A. (2020). Glucocorticoid Metabolism in Obesity and Following Weight Loss. *Front. Endocrinol.*, 11, 59. <https://doi.org/10.3389/fendo.2020.00059>
- Anggraeni, Adisty Cynthia. (2012). *Asuhan Gizi; Nutritional Care Process*. Yogyakarta: Graha Ilmu.
- Avner ED, Harmon W, Niaudet P. (2004). Steroid-sensitive nephrotic syndrome in children. *Pediatr Nephrol*. Philadelphia, PA: Lippincott Williams and Wilkins, pp. 543-556.
- Berthon, B. S., MacDonald-Wicks, L. K., & Wood, L. G. (2014). A systematic review of the effect of oral glucocorticoids on energy intake, appetite, and body weight in humans. *Nutr Res.*, 34(3), 179–190. <https://doi.org/10.1016/j.nutres.2013.12.006>
- Cade, R., Spooner, G., Juncos, L., Fuller, T., Tarrant, D., Raulerson, D., Mahoney, J., Pickering, M., Grubb, W. and Marbury, T. (1977). Chronic Renal Vein Thrombosis. *Am. J. Med.*, 63(3), pp. 387–397. Available at: <https://pubmed.ncbi.nlm.nih.gov/900143/> [Accessed 17 October 2021].
- Coursin, D.B. (2002). Corticosteroid Supplementation for Adrenal Insufficiency. *JAMA*, 287(2), pp. 236. <https://doi:10.1001/jama.287.2.236> [Accessed 10 December 2021].
- Diene, G., Mimoun, E., Feigerlova, E., Caula, S., Molinas, C., Grandjean, H., Tauber, M., & French Reference Centre for PWS (2010). Endocrine disorders in children with Prader-Willi syndrome--data from 142 children of the French database. *Horm Res Paediatr.*, 74(2), pp.121–128. <https://doi.org/10.1159/000313377> [Accessed 4 Nov. 2021].
- Downie, M.L., Gallibois, C., Parekh, R.S. and Noone, D.G. (2017). Nephrotic Syndrome in Infants and children: Pathophysiology and Management. *Paediatr Int Child Health*. 37(4), pp.248–258. <https://doi.org/10.1080/20469047.2017.1374003> [Accessed 4 Nov. 2021].
- Ellis, D. (1977). Anemia in the Course of the Nephrotic Syndrome Secondary to Transferrin Depletion. *J. Pediatr*. 90(6), pp. 953–955. Available at: <https://pubmed.ncbi.nlm.nih.gov/859066/> [Accessed 4 Nov. 2021].

Foster, B. J., Shults, J., Foerster, D., Zemel, B. S., & Leonard, M. B. (2005). Changes in body composition following pediatric renal transplantation. *J Am Soc Nephrol.*, 16, 707A. doi:10.1053/j.ajkd.2020.11.032 [Accessed 21 July 2022]

Gillespie, R.S. (2007). Management of Nephrotic Syndrome in Children. *HCP Live*. Available at: [https://www.hcplive.com/view/2005-08\\_01](https://www.hcplive.com/view/2005-08_01) [Accessed 14 Oct. 2021].

Gorensek, M.J., Lebel, M.H. and Nelson, J.D. (1988). Peritonitis in Children with Nephrotic Syndrome. *Pediatrics*, 81(6), pp.849–856. Available at: <https://pubmed.ncbi.nlm.nih.gov/3368284/> [Accessed 24 Oct. 2021].

Gulati, S., Kher, V., Gulati, K., Arora, P. and Gujral, R. (1997). Tuberculosis in Childhood Nephrotic Syndrome in India. *Pediatr. Nephrol.* 11(6), pp.695-698. <https://doi.org/10.1007/s004670050368> [Accessed 24 Oct. 2021].

Hodson, E. M., Craig, J. C., and Willis, N. S. (2005). Evidence-based management of steroid-sensitive nephrotic syndrome. *Pediatr. Nephrol.* 20(11), pp.1523– 1530. <https://doi.org/10.1007/s00467-005-1968-8> [Accessed 24 Oct. 2021].

World Health Organization. (2021). Classification of Nutritional Status of Infants and Children. *WHO*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK487900/table/fm.s1.t1/> [Accessed 5 Nov. 2021].

Jain JB, Chauhan S. (2022) Congenital Nephrotic Syndrome. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK572058/> [Accessed 5 Nov. 2021].

Kato, S., Chernyavsky, S., Tokita, J.E., Shimada, Y.J., Homel, P., Rosen, H. and Winchester, J.F. (2010). Relationship between Proteinuria and Venous Thromboembolism. *J Thromb Thrombolysis.*, 30(3), pp.281-285. Available at: <https://pubmed.ncbi.nlm.nih.gov/20157844/> [Accessed 16 Oct. 2021].

Kliegman, R. (2020). *Nelson textbook of pediatrics*. 21<sup>st</sup> ed. Philadelphia, PA: Elsevier. pp. 620-635

Krebs NF, Himes JH, Jacobson D, Nicklas TA, Guilday P, Styne D. (2007). Assessment of child adolescent overweight and obesity, *Pediatrics*. 120 Suppl 4. pp. 193-230. <https://doi.org/10.1542/peds.2007-2329D> [Accessed 16 Oct. 2021]

Kumar, S., & Kelly, A. S. (2017). Review of Childhood Obesity. *Mayo Clin Proc.*, 92(2), pp. 251–265. doi:10.1016/j.mayocp.2016.09.017 [Accessed 16 Oct. 2021]

Lechner, B.L., Bockenhauer, D., Iragorri, S., Kennedy, T.L. and Siegel, N.J. (2004). The Risk of Cardiovascular Disease in Adults Who Have Had Childhood Nephrotic Syndrome. *Pediatr Nephrol.* 19(7), pp.744–748. Available at: <https://pubmed.ncbi.nlm.nih.gov/15085419/> [Accessed 5 Nov.2021].

Lestari, N., Nurani, N., & Julia, M. (2015). Corticosteroids and obesity in steroid-sensitive and steroid-resistant nephrotic syndrome. *Paediatr Indones.* 55(4), 194. doi:10.14238/pi55.4.2015.194-8

Mian, A.N. (2007). *Nephrotic Syndrome*. Pediatric Clinical Advisor, pp.393–395. [Accessed 16 Oct. 2021]

Noone, D.G., Iijima, K. and Parekh, R. (2018). Idiopathic nephrotic syndrome in children. *Lancet.* 392(10141), pp.61–74. doi:10.1016/S0140-6736(18)30536-1 [Accessed 16 Oct. 2021]

Park, S.J. and Shin, J.I. (2011). Complications of Nephrotic Syndrome. *Korean J Pediatr.* 54(8), pp.322. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3212701/> [Accessed 3 Nov. 2021].

Peckett, A.J., Wright, D.C. and Riddell, M.C. (2011). The Effects of Glucocorticoids on Adipose Tissue Lipid Metabolism. *Metabolism*, 60(11), pp.1500–1510. doi:10.3345/kjp.2011.54.8.322 [Accessed 16 Oct. 2021]

Rashid R. Neill E, Maxwell H, Ahmed SF. (2007). Growth and body composition in children with chronic kidney disease. *Br J Nutr.* 97, pp.232-238 doi:10.1017/S0007114507252675 [Accessed 16 Oct. 2021]

Riset Kesehatan Dasar (2018). Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018. [http://www.depkes.go.id/resources/download/infoterkini/materi\\_rakorpop\\_2018/Hasil%20Risikesdas%202018.pdf](http://www.depkes.go.id/resources/download/infoterkini/materi_rakorpop_2018/Hasil%20Risikesdas%202018.pdf) [Accessed 10 December 2021]

Savas, M., Wester, V.L., Staufenbiel, S.M., Koper, J.W., van den Akker, E.L.T., Visser, J.A., van der Lely, A.J., Penninx, B.W.J.H. and van Rossum, E.F.C. (2017). Systematic Evaluation of Corticosteroid Use in Obese and Non-obese Individuals: a Multi-cohort Study. *Int J Med Sci.* 14(7), pp.615–621. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5562111> [Accessed 6 Nov. 2021].

Shimizu, H., Arima, H., Watanabe, M., Goto, M., Banno, R., Sato, I., ... Oiso, Y. (2008). Glucocorticoids Increase Neuropeptide Y and Agouti-Related Peptide Gene Expression via Adenosine Monophosphate-Activated Protein Kinase Signaling in the Arcuate Nucleus of Rats. *Endocrinology*, 149(9), pp.4544–4553. doi:10.1210/en.2008-0229 [Accessed 16 Oct. 2021]

Syarif, A., Estuningtyas, A., Setiawati, A., Muchtar, A., Arif, A. and Bahry, B. (2007). *Farmakologi dan terapi*. Jakarta: Departemen Farmakologi dan Terapeutik. FKUI.

Tapia, C. and Khalid Bashir (2019). Nephrotic Syndrome. In: *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470444/>. [Accessed 16 Oct. 2021]

Thau L, Gandhi J, Sharma S. Physiology, Cortisol. (2021). In: *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK538239/>.

Trihono P., Alatas H., Tambunan T., and Pardede S. (2012). *Konsensus Tatalaksana Sindrom Nefrotik Idiopatik pada Anak*. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia.

Ulinski, T., Guignonis, V., Baudet-Bonneville, V., Auber, F., Garcette, K. and Bensman, A. (2003). Mesenteric Thrombosis Causing Short Bowel Syndrome in Nephrotic Syndrome. *Pediatr Nephrol*. 18(12), pp.1295–1297. Available at: <https://pubmed.ncbi.nlm.nih.gov/14564498/>[Accessed 21 Oct. 2021].

Vidianty, J., Pardede, S. O., Hendarto, A., & Akib, A. A. P. (2010). Obesity in children with frequent relapse and steroid dependent nephrotic syndrome. *Paediatr Indones*. 50(3), 139. doi:10.14238/pi50.3.2010.139-43

Wang, S.J., Tsau, Y.K., Lu, F.L. and Chen, C.H. (2000). Hypovolemia and Hypovolemic Shock in Children with Nephrotic Syndrome. *Acta Paediatr Taiwan*. 41(4), pp.179–183. Available at: <https://pubmed.ncbi.nlm.nih.gov/11021002/> [Accessed 26 Oct. 2021].

World Health Organization (2021). Obesity and Overweight. *WHO*. Available at: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>. [Accessed 16 Oct. 2021]

Zilleruelo, G., Hsia, S.L., Freundlich, M., Gorman, H.M. and Strauss, J. (1984). Persistence of Serum Lipid Abnormalities in Children with Idiopathic Nephrotic Syndrome. *J Pediatr*. 104(1), pp.61–64. Available at: <https://pubmed.ncbi.nlm.nih.gov/6690676/> [Accessed 3 Nov. 2021].