



DAFTAR PUSTAKA

- American College of Obstetricians and Gynecologists (ACOG), 2016. Practice Bulletin No 164. *Obstetrics & Gynecology*, 127(6), pp.141-156.
- Adamovicz, L., Baker, S.J., Kessler, E., Kelly, M., Johnson, S., Winter, J., Phillips, C.A. dan Allender, M.C., 2020. Erythrocyte Sedimentation Rate and Hemoglobin-Binding Protein in Free-Living Box Turtles (*Terrapene* spp.). *PLoS One*, 15(6), p. e0234805.
- Ahiskalioglu, A., Yayik, A.M., Demir, U., Ahiskalioglu, E.O., Celik, E.C., Ekinci, M., Celik, M., Cinal, H., Tan, O. dan Aydin, M.E., 2020. Preemptive Analgesic Efficacy of the Ultrasound-Guided Bilateral Superficial Serratus Plane Block on Postoperative Pain in Breast Reduction Surgery: A Prospective Randomized Controlled Study. *Aesthetic Plastic Surgery*, 44(1), pp. 37-44.
- Ahmadinejad, M., Hajimaghsoodi, L., Pouryaghobi, S.M., Ahmadinejad, I. dan Ahmadi, K., 2017. Diagnostic Value of Fine-Needle Aspiration Biopsies and Pathologic Methods for Benign and Malignant Breast Masses and Axillary Node Assessment. *Asian Pacific journal of cancer prevention*, 18(2), pp. 541–548.
- Al-Ogaidi, I., Aguilar, Z.P., Suri, S. dan Gouc, H., 2013. Dual Detection of Cancer Biomarker CA125 Using Absorbance and Electrochemical Methods. *The Analyst*, 138(19), p. 5647.
- Al-thoubaity, F.K., 2019. Molecular classification of breast cancer: A retrospective cohort study. *Annals of Medicine & Surgery*. 44:44–48.
- Aryati, D., Santoso, I. dan Ngadikun, 2020. Pola Absorbansi Eritrosit dalam Darah-EDTA pada Penderita Leukemia Limfoblastik Akut (LLA) Melalui Kajian Spektroskopi UV-VIS. *Spektra*, 6(2), pp. 180-191.
- Asano, Y., Kashiwagi, S., Onoda, N., Noda, S., Kawajiri, H., Takashima, T., Ohsawa, M., Kitagawa, S. dan Hirakawa, K., 2017. Platelet–Lymphocyte Ratio as a Useful Predictor of the Therapeutic Effect of Neoadjuvant Chemotherapy in Breast Cancer. *PLoS One*, 11(7), p. e0153459.
- Bartlet, K.J., Vo, A.P., Rueckert, J., Wojewoda, C., Steckel, E.H., Stinnett-Donnelly, J. dan Repp, A.B., 2020. Promoting Appropriate Utilisation of Laboratory Tests for Inflammation at an Academic Medical Centre. *BMJ Open Quality*, 9(1), p. e000788.



- Behrens, S.H., Christl, D.I., Emmerzael, R., Schurtenberger, P. & Borkovec, M., 2000. Charging and Aggregation Properties of Carboxyl Latex Particles: Experiments versus DLVO Theory. *Langmuir*. 16(6), pp. 2566–2575.
- Candrawati, O., Utomo, B.E.B.H. dan Sofii, L., 2018. Correlation of Neutrophil-to-Lymphocyte Ratio, Platelet-to-Lymphocyte Ratio, Lymphocyte-to-Monocyte Ratio and Carcinoembryonic Antigen Level in Colorectal Cancer. *Indonesian Journal of Medicine and Health*, 9(2), pp. 82-88.
- Ciritsis, A., Rossi, C., Eberhard, M., Marcon, M., Becker, A.S. dan Boss, A., 2019. Automatic Classification of Ultrasound Breast Lesions Using a Deep Convolutional Neural Network Mimicking Human Decision-Making. *European Radiology*.
- D'Orsi, C., 2013. ACR BI-RADS Atlas: Breast Imaging Reporting and Data System. Reston: American College of Radiology.
- Dai, X., Li, T., Bai, Z., Yang, Y., Liu, X., Zhan, J. dan Shi, B., 2015. Breast cancer intrinsic subtype classification, clinical use and future trends. *American Journal of Cancer Research*, 5(10), pp. 2929–2943.
- Erdal, E. dan İnanır, M., 2019. Platelet-to-Lymphocyte Ratio (PLR) and Plateletcrit (PCT) in Young Patients with Morbid Obesity. *Revista da Associação Médica Brasileira*, 65(8), pp. 1182-1187.
- Figueroa, J.D., Gierach, G.L., Duggan, M.A., Fan, S., Pfeiffer, R.M., Wang, Y., Falk, R.T., Loudig, O., Abubakar, M., Ginsberg, M., Kimes, T.M., Richert-Boe, K., Glass, A.G. dan Rohan, T.E., 2021. Risk Factors for Breast Cancer Development by Tumor Characteristics among Women with Benign Breast Disease. *Breast Cancer Research*, 34:23.
- Freelander, A., Brown, L.J., Parker, A., Segara, D., Portman, N., Lau, B. dan Lim, E., 2021. Molecular Biomarkers for Contemporary Therapies in Hormone Receptor-Positive Breast Cancer. *Genes*, 12(2), p. 285.
- Gastounioti, A., McCarthy, A.M., Pantalone, L., Synnestvedt, M., Kontos, D. dan Conant, E.F., 2019. Effect of Mammographic Screening Modality on Breast Density Assessment: Digital Mammography versus Digital Breast Tomosynthesis. *Radiology*, 291(2), pp. 320-327.



- Hafiz, S.P., Barnes, N.L. dan Kirwan, C.C., 2018. Clinical Management of Idiopathic Mastalgia: A Systematic Review. *Journal of Primary Health Care*, 10(4), pp. 312-323.
- Ha, R., Kim, H., Mango, V., Wynn, R. dan Comstock, C., 2015. Ultrasonographic Features and Clinical Implications of Benign Palpable Breast Lesions in Young Women. *Ultrasonography*, 34(1), pp. 66-70.
- Hashemi, R., Majidi, A., Motamed, H., Amini, A., Najari, F. dan Tabatabaei, A., 2015. Erythrocyte Sedimentation Rate Measurement Using as a Rapid Alternative to the Westergren Method. *Emergency*, 3(2), pp. 50-53.
- Haynes, B., Ginsburg, O., Gao, Q., Folkerd, E., Afentakis, M., Buus, R., Quang, L., Han, P., Khoa, P., Dinh, N., To, T., Clemons, M., Holcombe, C., Osborne, C., Evans, A., Skene, A., Sibbering, M., Rogers, C., Laws, S., Noor, L., *et al.*, 2019. Menstrual Cycle Associated Changes in Hormone-Related Gene Expression in Oestrogen Receptor Positive Breast Cancer. *NPJ Breast Cancer*, 5(42), pp. 1-11.
- He, L., Wang, Y., Wu, Q., Song, Y., Ma, X., Zhang, B., Wang, H. dan Huang, Y., 2020. Association between Levels of Tumor-Infiltrating Lymphocytes in Different Subtypes of Primary Breast Tumors and Prognostic Outcomes: a Meta-Analysis. *BMC Women's Health*, 20(194), pp. 1-11.
- Huh, S., Oh, H., Peterson, M., Almendro, V., Hu, R., Bowden, M., Lis, R., Cotter, M., Loda, M., Barry, W., Polyak, K. dan Tamimi, R., 2016. The Proliferative Activity of Mammary Epithelial Cells in Normal Tissue Predicts Breast Cancer Risk in Premenopausal Women. *Cancer Research*, 76(7), pp. 1926–1934.
- Idaiani, S. dan Delima, D., 2018. The prevalence of breast tumors: An Indonesia non communicable disease survey. *Annals of Oncology*, 29(9), p. IX122.
- İdiz, C., Çakır, C., Ulusoy, A.İ. dan İdiz, U.O., 2018. The Role of Nutrition in Women with Benign Cyclic Mastalgia: A Case-Control Study. *European Journal of Breast Health*, 14(3), pp. 156–159.
- Johansson, A., Christakou, A.E., Iftimi, A., Eriksson, M., Tapia, J., Skoog, L., Benz, C.C., Rodriguez-Wallberg, K.A., Hall, P., Czene, K. dan Lindström, L.S., 2021. Characterization of Benign Breast Diseases and Association With Age, Hormonal



Factors, and Family History of Breast Cancer Among Women in Sweden. *JAMA network open*, 4(6), p. e2114716.

Klassen, C.L., Hines, S.L. dan Ghosh, K., 2019. Common Benign Breast Concerns for the Primary Care Physician. *Cleveland Clinic Journal of Medicine*, 86(1), pp. 57-65.

Kratz, A., Plebani, M., Peng, M., Lee, Y.K., McCafferty, R. dan Machin, S.J., 2017. ICSH recommendations for modified and alternate methods measuring the erythrocyte sedimentation rate. *International journal of laboratory hematology*, 39(5), pp. 448–457.

Kumarasamy, C., Sabarimurugan, S., Madurantakam, R.M., Lakhotiya, K., Samiappan, S., Baxi, S., Nachimuthu, R., Gothandam, K.M. & Jayaraj, R., 2019. Prognostic significance of blood inflammatory biomarkers NLR, PLR, and LMR in cancer-A protocol for systematic review and meta-analysis. *Medicine*, 98(24), p. e14834.

Li, X., Dai, D., Chen, B., Tang, H., Xie, X. dan Wei, W., 2018. Clinicopathological and Prognostic Significance of Cancer Antigen 15-3 and Carcinoembryonic Antigen in Breast Cancer: A Meta-Analysis including 12,993 Patients. *Disease Markers*, 2018:9863092.

Mélanie, D., Daniela, S.K., Daphne, S., Kimberly, M., Jaymie, R.V., Tobias, A.F., David, T.S., Denisa, D.W., 2012. Cancers Predispose Neutrophils to Release Extracellular DNA Traps that Contribute to Cancer-Associated Thrombosis. *Proceedings of the National Academy of Sciences of the United States of America*, 109(32), pp. 13076-13081.

Metcalf, D., 1990. The Colony Stimulating Factors. Discovery, Development, and Clinical Applications. *Cancer*, 65(10), pp. 2185-2195.

Munajih, M.R., 2019. Pola Absorbansi dan Batas Zona Phlogistic (BZP) Darah EDTA pada Penderita Leukemia Limfoblastik Akut Sebelum Kemoterapi: Pengaruh Trombosit. Yogyakarta: Universitas Gadjah Mada

Murray, R.K., Granner, D.K., Mayes, P.A. dan Rodwell, V.W., 2003. *Harper's Illustrated Biochemistry*, ed 26. New York: Lange Medical Books/McGraw-Hil.

Nam, S.E., Lim, W., Jeong, J., Lee, S., Choi, J., Park, H., Jung, Y.S., Jung, S.P. dan Bae, S.Y., 2019. The Prognostic Significance of Preoperative Tumor Marker (CEA,



- CA15-3) Elevation in Breast Cancer Patients: Data from the Korean Breast Cancer Society Registry. *Breast Cancer Research and Treatment*, 177:669–678.
- Ngadikun, 1998. Pengukuran Laju Endap Darah (Erythrocyte Sedimentation Rate) dengan Metode Spektrometri. Jakarta: Universitas Indonesia.
- Ngadikun, 2007. Gambaran Perubahan Potensial Zeta Sel-Sel Darah (PZSD) secara Spektrometri pada Penderita Karsinoma Hepatoselular dan Tikus (*Rattus Norvegicus*) yang Diinduksi Hepatokarsinogen. Bandung: Universitas Padjadjaran.
- Orr, B. dan Kelley, J.L., 2016. Benign Breast Diseases: Evaluation and Management. *Clinical obstetrics and gynecology*, pp. 710–726.
- Paramartha, K.W., 2019. Pattern of Cellular Interaction of EDTA-Blood in Breast Cancer Patient Measured by Spectrophotometry and Westergren Method: Influence of Lymphocytes. Yogyakarta: Universitas Gadjah Mada
- Park, G., Song, S.Y., Ahn, J.H., Kim, W.L., Lee, J.S., Jeong, S.Y., Park, J.W., Choi, E.K., Choi, W. dan Jung, I.H., 2019. The pretreatment erythrocyte sedimentation rate predicts survival outcomes after surgery and adjuvant radiotherapy for extremity soft tissue sarcoma. *Radiation Oncology*, 14(116).
- Putri, A.M.N., Mustokoweni, S. dan Ernawati, 2019. Oral Contraception Use in Benign Breast Tumor Patients in Dr. Soetomo General. *Health Notions Journal*, 3(12), pp. 467-470.
- Ramos-Esquivel, A., Rodriguez-Porras, L. dan Porras, J., 2017. Neutrophil-Lymphocyte Ratio and Platelet-Lymphocyte Ratio as Prognostic Factors in Non-Metastatic Breast Cancer Patients from a Hispanic Population. *Breast Disease*, 37(1), pp. 1-6.
- Salamat, F., Niakan, B., Keshtkar, A., Rafiei, E. dan Zendehdel, M., 2018. Subtypes of Benign Breast Disease as a Risk Factor of Breast Cancer: A Systematic Review and Meta Analyses. *Iranian journal of medical sciences*, pp. 355–364.
- Salgin, S., Salgin, U. dan Bahadir, S., 2012. Zeta Potentials and Isoelectric Points of Biomolecules: The Effects of Ion Types and Ionic Strengths. *International Journal of Electrochemical Science*. 7:12404 - 12414.
- Salzman, B., Collins, E. dan Hersh, L., 2019. Common Breast Problems. *American Family Physician*, 99(8), pp. 505-514.



- Sasaki, J., Geletzke, A., Kass, R.B., Klimberg, S., Copeland, E.M. dan Bland, K.I., 2018. Etiology and Management of Benign Breast Disease. dalam Bland, K.I., Copeland E.M., Klimberg S., Gradishar W.J. (eds.). *The Breast: Comprehensive Management of Benign and Malignant Diseases*, ed 5. Amsterdam: Elsevier.
- Sławomir, Ł., Małgorzata, C., Marek, W., Maciej, S., 2009. The Plasma Levels and Diagnostic Utility of Granulocyte-Colony Stimulating Factor (G-CSF) and Granulocyte-Macrophage-Colony Stimulating Factor (GM-CSF) in Patients with I and II Stage of Breast Cancer. *Przegl Lek*, 66(7), pp. 365-369.
- Stachs, A., Stubert, J., Reimer, T. dan Hartmann, S., 2019. Benign Breast Disease in Women. *Deutsches Arzteblatt international*, pp. 565–574.
- Tainá, G., Carolina, B.S.V., André, L.L., Daniella, M.M., Araci, M.R.R., Ana, C.L., Barbara, S.G., Dumith, C.B., Emiliano, M., Robson, Q.M., 2019. IL-1 β Blockade Attenuates Thrombosis in a Neutrophil Extracellular Trap-Dependent Breast Cancer Model. *Frontiers in Immunology*, 10:2088.
- Tu, C., Ren, X., He, J., Zhang, C., Chen, R., Wang, W. dan Li, Z., 2019. The Value of LncRNA BCAR4 as a Prognostic Biomarker on Clinical Outcomes in Human Cancers. *Journal of Cancer*, 10(24), pp. 5992–6002.
- van Atteveld, V.A., van Ancum, J.M., Reijnierge, E.M., Trappenburg, M.C., Meskers, C.G.M. dan Maier, A.B., 2019. Erythrocyte Sedimentation Rate and Albumin as Markers of Inflammation are Associated with Measures of Sarcopenia: a Cross-sectional Study. *BMC Geriatrics*, 19(1), p. 233.
- van den Ende, C., Oordt-Speets, A.M., Vroling, H. dan van Agt, H., 2017. Benefits and harms of breast cancer screening with mammography in women aged 40-49 years: A systematic review. *International journal of cancer*, 141(7), pp. 1295–1306.
- Wang, M., He, X., Chang, Y., Sun, G. dan Thabane, L., 2017. A Sensitivity and Specificity Comparison of Fine Needle Aspiration Cytology and Core Needle Biopsy in Evaluation of Suspicious Breast Lesions: A Systematic Review and Meta-Analysis. *The Breast*. 31:157-166.
- Wibawa, I.G.N.A.A.S., Suryawisesa, I.B., Widiana, I.K. dan Setiawan, I.G.B., 2020. Hubungan antara Platelet-Lymphocyte Ratio (PLR) dengan Subtipe Kanker



Payudara pada Pasien Kanker Payudara di Rumah Sakit Umum Pusat Sanglah, Denpasar. *Intisari Sains Medis*, 11(3), pp. 1475-1481.

Wiranata, S., Adiputra, P.A.T., Lestari, A.A.W., Prabawa, I.P.Y. dan Supadmanaba, I.G.P., 2019. Platelet Lymphocyte Ratio (PLR) Related with Clinicopathological Characteristics of Balinese Women Breast Cancer Patient. *Annals of Oncology*, 30(6), p. VI144.

Wu, L., Zou, S., Wang, C., Tan, X. dan Yu, M., 2019. Neutrophil-to-Lymphocyte and Platelet-to-Lymphocyte Ratio in Chinese Han Population from Chaoshan Region in South China. *BMC Cardiovascular Disorders*, 19(125), pp. 1-5.

Yan, M. dan Jurasz, P., 2016, The role of platelets in the tumor microenvironment: From solid tumors to leukemia. *Biochimica et Biophysica Acta (BBA) Molecular Cell Research*, 1863(3), pp. 392-400.

Yap, M.H., Pons, G., Martí, J., Ganau, S., Sentís, M., Zwiggelaar, R., Davison, A.K. dan Martí, R., 2018. Automated Breast Ultrasound Lesions Detection Using Convolutional Neural Networks. *IEEE Journal of Biomedical and Health Informatics*, 22(4), pp. 1218-1226.

Yu, X., Zhang, Z., Wang, Z., Wu, P., Qiu, F. dan Huang, J., 2016. Prognostic and Predictive Value of Tumor-Infiltrating Lymphocytes in Breast Cancer: a Systematic Review and Meta-Analysis. *Clinical and Translational Oncology*. 18:497–506.

Zhang, M., Huang, X.Z., Song, Y.X., Gao, P., Sun, J.X. dan Wang, Z.N., 2017. High Platelet-to-Lymphocyte Ratio Predicts Poor Prognosis and Clinicopathological Characteristics in Patients with Breast Cancer: A Meta-Analysis. *BioMed Research International*, p. 9503025.

Zhu, Y., Si, W., Sun, Q., Qin, B., Zhao, W. dan Yang, J., 2017. Platelet-lymphocyte ratio acts as an indicator of poor prognosis in patients with breast cancer. *Oncotarget*, 8(1), pp. 1023–1030.