



DAFTAR PUSTAKA

- Abdollahnejad, Z., Pacheco-Torgal, F., Félix, T., Tahri, W., Barroso Aguiar, J., 2015. Mix design, properties and cost analysis of fly ash-based geopolymers foam. *Constr. Build. Mater.* 80, 18–30. <https://doi.org/10.1016/j.conbuildmat.2015.01.063>
- Aguado, J. V., Espinos, A., Hospitaler, A., Ortega, J., Romero, M.L., 2012. Influence of reinforcement arrangement in flexural fire behavior of hollow core slabs. *Fire Saf. J.* 53, 72–84. <https://doi.org/10.1016/j.firesaf.2012.06.015>
- Astm, 2010. Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use, Annual Book of ASTM Standards. <https://doi.org/10.1520/C0618>
- ASTM, 2011. ASTM E119 : Standard Test Methods for Fire Test of Building Construction and Materials. American Society for Testing and Materials, United States of America.
- ASTM, 2002. ASTM C109/C109M for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50 mm cube specimens). ASTM International.
- Badan Standar Nasional Indonesia, 2008. SNI 1970 : 2008 Cara Uji Berat Jenis dan Penyerapan Air Agregat Halus. Badan Standar Nas. Indones. 7–18.
- Barbosa, V.F.F., Mackenzie, K.J.D., 2003. Thermal behaviour of inorganic geopolymers and composites derived from sodium polysialate. *Mater. Res. Bul.* 38, 319–331.
- Böke, N., Birch, G.D., Nyale, S.M., Petrik, L.F., 2015. New synthesis method for the production of coal fly ash-based foamed geopolymers. *Constr. Build. Mater.* 75, 189–199. <https://doi.org/10.1016/j.conbuildmat.2014.07.041>
- BSN, 2008. SNI 1741: 2008 Cara uji ketahanan api komponen struktur bangunan untuk pencegahan bahaya kebakaran pada bangunan rumah dan gedung. Indonesia.
- CEN, 2002. Eurocode 1 : Actions on structures- Part 1-2 : General actions on structures exposed to fire. EUROPEAN COMMITTEE FOR STANDARDIZATION, Brussels, Belgium.
- Cooke, G.M.E., 2001. Behaviour of precast concrete floor slabs exposed to standardised fires. *Fire Saf. J.* 36, 459–475. [https://doi.org/10.1016/S0379-7112\(01\)00005-4](https://doi.org/10.1016/S0379-7112(01)00005-4)
- Cornelis, R., 2019. Perilaku Mekanik dan Kimia Beton Geopolimer-Fly Ash Kelas CI. Universitas Gadjah Mada.
- Cornelis, R., Priyosulistyo, H., Satyarno, I., 2018. The Investigation on Setting Time and Strength of High Calcium Fly Ash Based Geopolymer. *Appl. Mech. Mater.* 881, 158–164. <https://doi.org/10.4028/www.scientific.net/AMM.881.158>
- Cui, Y., Wang, D., 2019. Effects of Water on Pore Structure and Thermal Conductivity of Fly Ash-Based Foam Geopolymers. *Adv. Mater. Sci. Eng.* 2019, 1–10. <https://doi.org/10.1155/2019/3202794>
- Cui, Y., Wang, D., Zhao, J., Li, D., Ng, S., Rui, Y., 2018. Effect of calcium stearate based foam stabilizer on pore characteristics and thermal conductivity of



geopolymer foam material. J. Build. Eng. 20, 21–29.
<https://doi.org/10.1016/j.jobe.2018.06.002>

Davidovits, J., 1994. Global Warming Impact on the Cement and Aggregates Industries. World Resour. Rev. 6, 263–278.

Davidovits, J., 1991. Geopolymers : Inorganic Polymeric New Material. J. Therm. Anal. 37, 1633–1656.

Deventer, J.S.J. Van, Provis, J.L., Duxson, P., Lukey, G.C., 2007. Reaction mechanisms in the geopolymeric conversion of inorganic waste to useful products. J. Hazard. Mater. 139, 506–513. <https://doi.org/10.1016/j.jhazmat.2006.02.044>

Duan, P., Song, L., Yan, C., Ren, D., Li, Z., 2017. Novel thermal insulating and lightweight composites from metakaolin geopolymer and polystyrene particles. Ceram. Int. 43, 5115–5120. <https://doi.org/10.1016/j.ceramint.2017.01.025>

Ducman, V., Korat, L., 2016. Characterization of geopolymer fly-ash based foams obtained with the addition of Al powder or H₂O₂as foaming agents. Mater. Charact. 113, 207–213. <https://doi.org/10.1016/j.matchar.2016.01.019>

Duxson, P., Fernández-Jiménez, A., Provis, J.L., Lukey, G.C., Palomo, A., Van Deventer, J.S.J., 2007. Geopolymer technology: The current state of the art. J. Mater. Sci. 42, 2917–2933. <https://doi.org/10.1007/s10853-006-0637-z>

Duxson, P., Lukey, G.C., Deventer, J.S.J. van, 2006. Thermal Conductivity of Metakaolin Geopolymers Used as a First Approximation for Determining Gel Interconnectivity. Mater. Interfaces 45, 7781-7788.

European committee for standardizaion, 2004. Eurocode 2: Design of concrete structures - Part 1-2: General rules - Structural fire design. Brussels, Belgium.

Fan, F., Liu, Z., Xu, G., Peng, H., Cai, C.S., 2018a. Mechanical and thermal properties of fly ash based geopolymers. Constr. Build. Mater. 160, 66–81. <https://doi.org/10.1016/j.conbuildmat.2017.11.023>

Fan, F., Liu, Z., Xu, G., Peng, H., Cai, C.S., 2018b. Mechanical and thermal properties of fly ash based geopolymers. Constr. Build. Mater. <https://doi.org/10.1016/j.conbuildmat.2017.11.023>

Feng, J., Zhang, R., Gong, L., Li, Y., Cao, W., Cheng, X., 2015. Development of porous fly ash-based geopolymer with low thermal conductivity. Mater. Des. 65, 529–533. <https://doi.org/10.1016/j.matdes.2014.09.024>

Fernández-Jiménez, A., Palomo, A., Criado, M., 2005. Microstructure development of alkali-activated fly ash cement: A descriptive model. Cem. Concr. Res. 35, 1204–1209. <https://doi.org/10.1016/j.cemconres.2004.08.021>

Fernández-Jiménez, A., Palomo, A., Sobrados, I., Sanz, J., 2006. The role played by the reactive alumina content in the alkaline activation of fly ashes. Microporous Mesoporous Mater. 91, 111–119. <https://doi.org/10.1016/j.micromeso.2005.11.015>

Gong, L., Wang, Y., Cheng, X., Zhang, R., Zhang, H., 2014. Porous mullite ceramics with low thermal conductivity prepared by foaming and starch consolidation. J. Porous Mater. 21, 15–21. <https://doi.org/10.1007/s10934-013-9741-z>

Hajimohammadi, A., Ngo, T., Mendis, P., 2017a. How does aluminium foaming agent impact the geopolymer formation mechanism? Cem. Concr. Compos. 80, 277–286.



<https://doi.org/10.1016/j.cemconcomp.2017.03.022>

- Hajimohammadi, A., Ngo, T., Mendis, P., Sanjayan, J., 2017b. Regulating the chemical foaming reaction to control the porosity of geopolymers foams. *Mater. Des.* 120, 255–265. <https://doi.org/10.1016/j.matdes.2017.02.026>
- Haque, S., 2017. Behaviour of Fly Ash Geopolymer Containing Fillers and Fibres at Elevated Suhues and its Application as Fire Resistant Coating for Timber. Curtin University.
- Hassan, H.S., Abdel-Gawwad, H.A., García, S.R.V., Israde-Alcántara, I., 2018. Fabrication and characterization of thermally-insulating coconut ash-based geopolymers foam. *Waste Manag.* 80, 235–240. <https://doi.org/10.1016/j.wasman.2018.09.022>
- Holman, J., 2010. Heat Transfer, 10th Edt. ed. McGRAW-HILL.
- Hou, X., Zheng, W., Kodur, V.K.R., 2013. Response of unbonded prestressed concrete continuous slabs under fire exposure. *Eng. Struct.* 56, 2139–2148. <https://doi.org/10.1016/j.engstruct.2013.08.035>
- Huang, Y., Gong, L., Shi, L., Cao, W., Pan, Y., Cheng, X., 2018. Experimental investigation on the influencing factors of preparing porous fly ash-based geopolymers for insulation material. *Energy Build.* 168, 9–18. <https://doi.org/10.1016/j.enbuild.2018.02.043>
- IPI SUNIJAYA, 2008. Brosur IPILITE C011 Spray Applied Fire Resistive Material.
- Irshidat, M.R., Al-Nuaimi, N., Rabie, M., 2020. The role of polypropylene microfibers in thermal properties and post-heating behavior of cementitious composites. *Materials (Basel).* 13, 1–18. <https://doi.org/10.3390/ma13122676>
- Jaya, N.A., Yun-Ming, L., Cheng-Yong, H., Abdullah, M.M.A.B., Hussin, K., 2020. Correlation between pore structure, compressive strength and thermal conductivity of porous metakaolin geopolymers. *Constr. Build. Mater.* 247, 118641. <https://doi.org/10.1016/j.conbuildmat.2020.118641>
- Jelle, B.P., Gustavsen, A., Baetens, R., 2010. The path to the high performance thermal building insulation materials and solutions of tomorrow. *J. Build. Phys.* 34, 99–123. <https://doi.org/10.1177/1744259110372782>
- Jeyalakshmi, R., Sivasakthi, M., Revathi, T., Rajamane, N.P., 2017. Fire Related Suhue Resistance of Fly Ash Based Geopolymer Mortar. *MATEC Web Conf.* 97. <https://doi.org/10.1051/matecconf/20179701034>
- Khale, D., Chaudhary, R., 2007. Mechanism of geopolymers and factors influencing its development: A review. *J. Mater. Sci.* 42, 729–746. <https://doi.org/10.1007/s10853-006-0401-4>
- Khale, D., Chaudhary, R., 2007. Mechanism of geopolymers and factors influencing its development - a review. *J. Mater. Sci.* 729–746. <https://doi.org/10.1007/s10853-006-0401-4>
- Kodur, V.K.R., Shakya, A.M., 2013. Effect of suhue on thermal properties of spray applied fire resistive materials. *Fire Saf. J.* 61, 314–323. <https://doi.org/10.1016/j.firesaf.2013.09.011>
- Kong, D.L.Y., Sanjayan, J.G., 2008. Damage behavior of geopolymer composites



- exposed to elevated suhues. *Cem. Concr. Compos.* 30, 986–991. <https://doi.org/10.1016/j.cemconcomp.2008.08.001>
- Kong, D.L.Y., Sanjayan, J.G., Sagoe-Crentsil, K., 2007. Comparative performance of geopolymers made with metakaolin and fly ash after exposure to elevated suhues. *Cem. Concr. Res.* 37, 1583–1589. <https://doi.org/10.1016/j.cemconres.2007.08.021>
- Kranzlein, E., Pollmann, H., Krcmar, W., 2018. Metal powders as foaming agents in fly ash based geopolymer synthesis and their impact on the structure depending on the Na / Al ratio. *Cem. Concr. Compos.* 90, 161–168. <https://doi.org/10.1016/j.cemconcomp.2018.02.009>
- Łach, M., Korniejenko, K., Mikuła, J., 2016. Thermal Insulation and Thermally Resistant Materials Made of Geopolymer Foams. *Procedia Eng.* 151, 410–416. <https://doi.org/10.1016/j.proeng.2016.07.350>
- Łach, M., Mierzwiński, D., Korniejenko, K., Mikuła, J., 2018. Geopolymer foam as a passive fire protection. *MATEC Web Conf.* 247. <https://doi.org/10.1051/matecconf/201824700031>
- Lawson, R., Newman, G., 1990. Fire Resistant Design of Steel Structures- A handbook to BS 5950 : Part 8. The Steel Construction Institute, Berkshire.
- Le, V.S., Louda, P., Tran, H.N., Nguyen, P.D., Bakalova, T., Buczkowska, K.E., Dufkova, I., 2020. Study on suhue-dependent properties and fire resistance of metakaolin-based geopolymer foams. *Polymers (Basel)*. 12, 1–18. <https://doi.org/10.3390/polym12122994>
- Lie, T., 1992. Structural Fire Protection. American Society of Civil Engineers, New York.
- López, C., Firmo, J.P., Correia, J.R., Tiago, C., 2013. Fire protection systems for reinforced concrete slabs strengthened with CFRP laminates. *Constr. Build. Mater.* 47, 324–333. <https://doi.org/10.1016/j.conbuildmat.2013.05.019>
- Manz, O.E., 1999. Coal fly ash : a retrospective and future look. *Fuel* 78, 133–136.
- Maras, M.M., Kose, M.M., 2019. Mechanical and Microstructural Properties of Polypropylene Fiber-Reinforced Geopolymer Composites. *J. Fiber Sci. Technol.* 75, 35–46.
- Masi, G., Rickard, W.D.A., Vickers, L., Chiara, M., Riessen, A. Van, 2014. A comparison between different foaming methods for the synthesis of light weight geopolymers. *Ceram. Int.* 40, 13891–13902. <https://doi.org/10.1016/j.ceramint.2014.05.108>
- Matsunaga, T., Kim, J.K., Hardcastle, P.K. Rohatgi a, 2002. Crystallinity and selected properties of fly ash particles. *Mater. Sci. Eng. A* 333–343.
- Mendes, A., Sanjayan, J.G., Collins, F., 2009. Long-term progressive deterioration following fire exposure of OPC versus slag blended cement pastes. *Mater. Struct.* 42, 95–101. <https://doi.org/10.1617/s11527-008-9369-7>
- Morgan, J.H., 2008. SFPE Handbook of Fire Protection Engineering, 5th Editio. ed. Springer, London. <https://doi.org/10.1039/c2an35983a>
- Nasional, B.S., 2014. SNI 2460 2014 Spesifikasi abu terbang batubara dan pozolan alam mentah atau yang telah dikalsinasi untuk digunakan dalam beton.



- Novais, R.M., Ascensão, G., Ferreira, N., Seabra, M.P., Labrincha, J.A., 2018. Influence of water and aluminium powder content on the properties of waste-containing geopolymers foams. *Ceram. Int.* 44, 6242–6249. <https://doi.org/10.1016/j.ceramint.2018.01.009>
- Pemerintah Republik Indonesia, 2014. Peraturan Pemerintah Republik Indonesia Nomor 101 Tahun 2014 Tentang Pengelolaan Limbah Bahan Berbahaya dan Beracun.
- Peng, X., Shuai, Q., Li, H., Ding, Q., Gu, Y., Cheng, C., Xu, Z., 2020. Fabrication and fireproofing performance of the coal fly ash-metakaolin-based geopolymers foams. *Materials (Basel)*. 13. <https://doi.org/10.3390/ma13071750>
- Pham, K.V.A., Nguyen, T.K., Le, T.A., Han, S.W., Lee, G., Lee, K., 2019. Assessment of performance of fiber reinforced geopolymers composites by experiment and simulation analysis. *Appl. Sci.* 9. <https://doi.org/10.3390/app9163424>
- Provis, J.L., Deventer, J.S.J. van, 2009. Geopolymers : Structure, processing, properties and industrial applications. CRC Press.
- Provis, J.L., Van Deventer, J.S.J., 2009. Geopolymers Structure, processing, properties and industrial applications. CRC Press, New York.
- Ranjbar, N., Mehrali, Mehdi, Behnia, A., Javadi Pordsari, A., Mehrali, Mohammad, Alengaram, U.J., Jumaat, M.Z., 2016. A Comprehensive Study of the Polypropylene Fiber Reinforced Fly Ash Based Geopolymer. *PLoS One* 11, 1–20. <https://doi.org/10.1371/journal.pone.0147546>
- Rashad, A.M., 2019. Insulating and fire-resistant behaviour of metakaolin and fly ash geopolymers mortars. *Proc. Inst. Civ. Eng. Constr. Mater.* 172, 37–44. <https://doi.org/10.1680/jcoma.17.00016>
- Rickard, W.D.A., 2012. Assessing the Suitability of Fly Ash Geopolymers for High Suhue Applications. Curtin University.
- Rickard, W.D.A., Riessen, A. Van, 2014. Performance of solid and cellular structured fly ash geopolymers exposed to a simulated fire. *Cem. Concr. Compos.* 48, 75–82. <https://doi.org/10.1016/j.cemconcomp.2013.09.002>
- Rickard, W.D.A., Van Riessen, A., Walls, P., 2010. Thermal character of geopolymers synthesized from class F Fly ash containing high concentrations of iron and α -quartz. *Int. J. Appl. Ceram. Technol.* 7, 81–88. <https://doi.org/10.1111/j.1744-7402.2008.02328.x>
- Rickard, W.D.A., Vickers, L., Riessen, A. Van, 2013. Performance of fibre reinforced , low density metakaolin geopolymers under simulated fi reconditions. *Appl. Clay Sci.* 73, 71–77. <https://doi.org/10.1016/j.clay.2012.10.006>
- Rowles, M., O'Connor, B., 2003. Chemical optimisation of the compressive strength of aluminosilicate geopolymers synthesised by sodium silicate activation of metakaolinite. *J. Mater. Chem.* 13, 1161–1165.
- Saikrasoon, A., Jiemsirilers, S., Laoratanakul, P., 2015. Influence of Alkaline concentration on physical properties of porous geopolymer using silica fume as foaming agent. *Key Eng. Mater.* 659, 106–110. <https://doi.org/10.4028/www.scientific.net/KEM.659.106>
- Samson, G., Cyr, M., Xiao, X., 2017. Thermomechanical performance of blended



- metakaolin-GGBS alkali-activated foam concrete. *Constr. Build. Mater.* 157, 982–993. <https://doi.org/10.1016/j.conbuildmat.2017.09.146>
- Sarazin, J., Davy, C.A., Bourbigot, S., Lambertin, D., 2021. Flame resistance of geopolymers foam coatings for the fire protection of steel. *Compos. Part B* 222. <https://doi.org/10.1016/j.compositesb.2021.109045>
- Satyarno, I., 2015. Perancangan Praktis Campuran Beton dengan Pengerjaan dan Persyaratan Khusus. Departemen Teknik Sipil Fakultas Teknik Universitas Gadjah Mada, Yogyakarta.
- Shakya, A.M., 2016. Flexural and Shear Response of Precast Prestressed Concrete Hollowcore Slabs under Fire Conditions. Michigan State University.
- Shakya, A.M., Kodur, V.K.R., 2017. Modeling Shear Failure in Precast Prestressed Concrete Hollowcore Slabs under Fire Conditions. *J. Struct. Eng.* 143, 1–14. [https://doi.org/10.1061/\(ASCE\)ST.1943-541X.0001822](https://doi.org/10.1061/(ASCE)ST.1943-541X.0001822).
- Shakya, A.M., Kodur, V.K.R., 2015. Response of precast prestressed concrete hollowcore slabs under fire conditions. *Eng. Struct.* 87, 126–138. <https://doi.org/10.1016/j.engstruct.2015.01.018>
- Sivasakthi, M., Jeyalakshmi, R., Rajamane, N.P., Jose, R., 2018. Thermal and structural micro analysis of micro silica blended fly ash based geopolymers composites. *J. Non. Cryst. Solids* 117–130. <https://doi.org/10.1016/j.jnoncrysol.2018.07.027> Received
- Siyal, A.A., Azizli, K.A., Man, Z., Ullah, H., 2016. Effects of Parameters on the Setting Time of Fly Ash Based Geopolymers Using Taguchi Method. *Procedia Eng.* 148, 302–307. <https://doi.org/10.1016/j.proeng.2016.06.624>
- Society of Fire Protection Association, 2002. SFPE Handbook of Fire Protection Engineering, Third edit. ed. National Fire Protection Association, Quincy, Massachusetts 02269.
- Standard, A., 2005. AS 1530.4 Methods for fire tests on building materials, components and structures. Standards Australia, Sydney.
- Standards Association of Australia, 2005. AS 1530.4 Methods for fire tests on building materials, components and structures. Part 4: Fire-resistance test of elements of construction.
- Subaer, 2004. Influence of Aggregate on the Microstructure of Geopolymer. Curtin University of Technology.
- Taye, E.A., Roether, J.A., Schubert, D.W., Redda, D.T., Boccaccini, A.R., 2021. Hemp fiber reinforced red mud/fly ash geopolymers composite materials: Effect of fiber content on mechanical strength. *Materials (Basel)*. 14, 1–8. <https://doi.org/10.3390/ma14030511>
- Temuujin, J., Minjigmaa, A., Rickard, W., Lee, M., Williams, I., van Riessen, A., 2010. Fly ash based geopolymer thin coatings on metal substrates and its thermal evaluation. *J. Hazard. Mater.* 180, 748–752. <https://doi.org/10.1016/j.jhazmat.2010.04.121>
- Temuujin, J., Minjigmaa, A., Rickard, W., Lee, M., Williams, I., van Riessen, A., 2009. Preparation of metakaolin based geopolymers coatings on metal substrates as



- thermal barriers. *Appl. Clay Sci.* 46, 265–270.
<https://doi.org/10.1016/j.clay.2009.08.015>
- Temuujin, J., Rickard, W., Lee, M., Van Riessen, A., 2011. Preparation and thermal properties of fire resistant metakaolin-based geopolymers-type coatings. *J. Non. Cryst. Solids* 357, 1399–1404. <https://doi.org/10.1016/j.jnoncrysol.2010.09.063>
- Utami, F.A.R., Triwiyono, A., Agustini, N.K.A., Perdana, I., 2020. Thermal Conductivity of Geopolymer with Polypropylene Fiber. *IOP Conf. Ser. Mater. Sci. Eng.* 742, 012031. <https://doi.org/10.1088/1757-899x/742/1/012031>
- Van Jaarsveld, J.G.S., Van Deventer, J.S.J., Lukey, G.C., 2002. The effect of composition and suhue on the properties of fly ash- and kaolinite-based geopolymers. *Chem. Eng. J.* 89, 63–73. [https://doi.org/10.1016/S1385-8947\(02\)00025-6](https://doi.org/10.1016/S1385-8947(02)00025-6)
- Vickers, L., 2015. Development of Geopolymer Systems for High Suhue Applications. Curtin University.
- Vickers, L., Riessen, A. Van, Rickard, W.D. a, 2015. Fire-Resistant Geopolymers Role of Fibres and Fillers to Enhance Thermal Properties. Springer, New York.
- Wang, H., Li, H., Yan, F., 2005. Synthesis and mechanical properties of metakaolinite-based geopolymer. *Colloids Surfaces A Physicochem. Eng. Asp.* 268, 1–6. <https://doi.org/10.1016/j.colsurfa.2005.01.016>
- Wang, Y., 2002. Steel and Composite Structures: Behaviour and Design for Fire Safety, Chemistry & biodiversity.
- Weerasinghe, P., Nguyen, K., Mendis, P., Guerrieri, M., 2020. Large-scale experiment on the behaviour of concrete flat slabs subjected to standard fire. *J. Build. Eng.* 30, 101255. <https://doi.org/10.1016/j.jobe.2020.101255>
- Williams, R.P., Van Riessen, A., 2010. Determination of the reactive component of fly ashes for geopolymer production using XRF and XRD. *Fuel* 89, 3683–3692. <https://doi.org/10.1016/j.fuel.2010.07.031>
- Won, J.P., Choi, S.W., Lee, S.W., Jang, C.I.I., Lee, S.J., 2010. Mix proportion and properties of fire-resistant wet-mixed high-strength polypropylene fiber-reinforced sprayed polymer cement composites. *Compos. Struct.* 92, 2166–2172. <https://doi.org/10.1016/j.compstruct.2009.09.022>
- Wu, J., Zhang, Z., Zhang, Y., Li, D., 2018. Preparation and characterization of ultra-lightweight foamed geopolymer (UFG) based on fly ash-metakaolin blends. *Constr. Build. Mater.* 168, 771–779. <https://doi.org/10.1016/j.conbuildmat.2018.02.097>
- Xu, F., Gu, G., Zhang, W., Wang, H., Huang, X., Zhu, J., 2018. Pore structure analysis and properties evaluations of fly ash-based geopolymers foams by chemical foaming method. *Ceram. Int.* 44, 19989–19997. <https://doi.org/10.1016/j.ceramint.2018.07.267>
- Yan, H., Kodur, V., Liang, S., Cao, L., Wu, B., 2014. Development of metakaolin – fly ash based geopolymers for fire resistance applications. *Constr. Build. Mater.* 55, 38–45. <https://doi.org/10.1016/j.conbuildmat.2014.01.040>
- Zabihi, S.M., Tavakoli, H., Mohseni, E., 2018. Engineering and microstructural



- properties of fiber-reinforced rice husk-ash based geopolymers concrete. *J. Mater. Civ. Eng.* 30, 1–10. [https://doi.org/10.1061/\(ASCE\)MT.1943-5533.0002379](https://doi.org/10.1061/(ASCE)MT.1943-5533.0002379)
- Zeiml, M., Leithner, D., Lackner, R., Mang, H.A., 2006. How do polypropylene fibers improve the spalling behavior of in situ concrete. *Cem. Concr. Res.* 929–942.
- Zhang, Z., Yao, X., Wang, H., 2012. Applied Clay Science Potential application of geopolymers as protection coatings for marine concrete III . Field experiment. *Appl. Clay Sci.* 67–68, 57–60. <https://doi.org/10.1016/j.clay.2012.05.008>
- Zhang, Z., Yao, X., Zhu, H., 2010a. Potential application of geopolymers as protection coatings for marine concrete I. Basic properties. *Appl. Clay Sci.* 49, 1–6. <https://doi.org/10.1016/j.clay.2010.01.014>
- Zhang, Z., Yao, X., Zhu, H., 2010b. Potential application of geopolymers as protection coatings for marine concrete II. microstructure and anticorrosion mechanism. *Appl. Clay Sci.* 49, 7–12. <https://doi.org/10.1016/j.clay.2010.04.024>
- Zhao, R., 2011. Geopolymer and Portland cement concretes in simulated fire. *Mag. Concr. Res.* 63, 163–173. <https://doi.org/10.1680/macr.9.00110>