

## DAFTAR PUSTAKA

- Aini, N., dan Hariyadi, P. (2010). Sifat sensori *marshmallow cream* yang menggunakan pati jagung putih termodifikasi sebagai pengganti gelatin. Prosiding seminar nasional: Peran keamanan pangan produk unggulan daerah dalam menunjang ketahanan pangan dan menekan laju inflasi. Purwokerto.
- Allistair dan Stephen, M. (1995). *Food Polysaccharides and Their Applications*. Marcell Dekker, Inc., New York.
- Anonim. (1995). Official Methods of Analysis. The Association of Official Analytical Chemistry. Washington DC. USA.
- Anonim, (2008). SNI 3547.2:2008, Kembang gula - Bagian 2: Lunak. Badan Standardisasi Nasional. Jakarta.
- Anomin, (2015). SNI 2346:2015, Pedoman pengujian sensori pada produk perikanan. Badan Standardisasi Nasional. Jakarta.
- Adebowale, K. O., Afolabi, T. A. dan Owolabi, B. R. O. (2006). Functional, physicochemical and retrogradation properties of sword bean (*Canavalia gladiata*) acetylated and oxidized starches. *Carbohydrate Polymers* **65**: 93–101.
- Adji, D., Zuliyanti dan Larashanty, H. (2007). Perbandingan efektivitas sterilisasi alkohol 70%, inframerah, otoklaf dan ozon terhadap pertumbuhan bakteri *Bacillus subtilis*. *Jurnal Sain Veteriner* **25** (1):17-24.
- Amrullah. (2015). Teknologi budidaya singkong gajah. *Jurnal Agro UPY* **6**(2): 35-44
- An, D., Li, Q., Li, E., Obadi, M., Li, C., Li, H. dan Zhang, J. (2021). Structural basis of wheat starch determines the adhesiveness of cooked noodles by affecting the fine structure of leached starch. *Food Chemistry* **341**: 1–9.
- Arts, S. J. H. F., Mombarg, E. J. M., VanBekkum, H. dan Sheldon, R. A. (1997). Hydrogen peroxide and oxygen in catalytic oxidation of carbohydrates and related compounds. *Synthesis* **6**: 597-613.
- Avelar, M. H. M. dan Efraim, P. (2020). Alginate/pectin cold-set gelation as a potential sustainable method for *jelly candy* production. *LWT-Food Science and Technology* **123**: 1–9.
- Barkakaty, B. (2021). Plasticizers help in improving the flexibility and mechanical stability of the polymer-based materials. [https://herald.uohyd.ac.in/acrhem-atuoh-receives-patent-for-green-method-in-energetic-plasticizers.\[12-10-2021\]](https://herald.uohyd.ac.in/acrhem-atuoh-receives-patent-for-green-method-in-energetic-plasticizers.[12-10-2021]).
- Bergthaller, W., Hollmann, J., (2014). *Starch Biosynthesis of Starch in Plants*. Max Rubner Institut - Federal Research Institute of Nutrition and Food. Detmold,

Germany.

- Boruch, M. L. (1985) Transformation of potato starch during oxidation with hypochlorite. *Starch* **37**(3): 91–98.
- Buchan, K. A. H., Martin-Robichaud, D. J. dan Benfey, T. J. (2005). Measurement of dissolved ozone in sea water: a comparison of methods. *Aquacultural Engineering* **33**(3): 225–231.
- Buckle, K. A., Edward, R. A. Fleet G. H. dan Wooton, N. (1987). *Ilmu Pangan*. Diterjemahkan oleh: Purnomo dan Adiono. UI Press, Jakarta.
- Burey, P., Bhandari, B. R., Rutgers, R. P. G., Halley, P. J. dan Torley, P. J. (2009). Confectionery gels: A review on formulation, rheological and structural aspects. *International Journal of Food Properties* **12** (1): 176-210.
- Cai, J., Man, J., Huang, J., Liu, Q., Wei, W. dan Wei, C. (2015). Relationship between structure and functional properties of normal rice starches with different amylose contents. *Carbohydrate Polymers* **125**: 35–44.
- Cappa, C., Lavelli, V. dan Mariotti, M. (2015). Fruit candies enriched with grape skin powders: physicochemical properties. *LWT-Food Science and Technology* **62**(1): 569–575.
- Carvalho, C. W. P. dan Mitchell, J. R. (2001). Effect of sucrose on starch conversion and glass transition of nonexpanded maize and wheat extrudates. *Cereal Chemistry* **78**(2): 342–348.
- Castanha, N., Junior, M. D. M. dan Augusto, P. E. D. (2017). Potato starch modification using the ozone technology. *Food Hydrocolloids* **66**: 343–356.
- Castanha, N., Santos, D. N., Cunha, R. L. dan Augusto, P. E. D. (2019). Properties and possible applications of ozone-modified potato starch. *Food Research Internasional* **116**: 1192–1201.
- Castanha, N., Miano, A. C., Jones, O. G., Reuhs, B. L., Campanella, O. H. dan Augusto, P. E. D. (2020). Starch modification by ozone: Correlating molecular structure and gel properties in different starch sources. *Food Hydrocolloids* **108**: 1–13.
- Çatal, H. dan Ibanoglu, Ş. (2012a). Ozonation of corn and potato starch in aqueous solution: Effects on the thermal, pasting and structural properties. *International Journal of Food Science and Technology* **47**(9): 1958–1963.
- Çatal, H. dan Ibanoglu, Ş. (2012b). Structure, physico-chemical and microbiological properties of ozone-oxidized wheat, corn, potato and rice starches. *Journal of Food Science and Engineering* **2**(4): 196–205.
- Çatal, H. dan Ibanoglu, Ş. (2014). Effect of aqueous ozonation on the pasting, flow and gelatinization properties of wheat starch. *LWT-Food Science and Technology* **59**(1): 577–582.

- Cereda, M. P., Vilpoux, O. dan Demiate, I. M. (2003). *Modified Starch: Technology, Use and Potentialities of Latin American Starchy Tubers*. CPC International, Milho, Brazil.
- Chan, H. T., Bhat, R. dan Karim, A. A. (2009). Physicochemical and functional properties of ozone-oxidized starch. *Journal of Agricultural and Food Chemistry* **57**(13): 5965–5970.
- Chan, H. T., Leh, C. P., Bhat, R., Senan, C., Williams, P. A. dan Karim, A. A. (2011). Molecular structure, rheological and thermal characteristics of ozone-oxidized starch. *Food Chemistry* **126**(3): 1019–1024.
- Chan, H. T., Fazilah, A., Bhat, R., Leh, C. P., dan Karim, A. A. (2012). Effect of deproteinization on degree of oxidation of ozonated starch. *Food Hydrocolloids* **26**(2): 339–343.
- Chandra, M. V. dan Shamasundar, B. A. (2015). Texture profile analysis and functional properties of gelatin from the skin of three species of fresh water fish. *International Journal of Food Properties* **18**(3): 572–584.
- Chang, Y. H., Lim, S. T. dan Yoo, B. (2004). Dynamic rheology of corn starch – sugar composites. *Journal of Food Engineering* **64**: 521–527.
- Chattopadhyay, S., Singhal, R. S. dan Kulkarni, P. R. (1997). Optimization of conditions of synthesis of oxidized starch from corn and amaranth for use in film-forming applications. *Carbohydrate Polymers* **34**: 203–212.
- Chau, C. F., dan Cheung, P. C. K. (1998). Functional properties of flours prepared from three Chinese indigenous legume seeds. *Food Chemistry*, **61**(4): 429–433.
- Chau, C. F. dan Huang, Y. L. (2004). Characterization of passion fruit seed fibres - a potential fibre source. *Food Chemistry* **85**: 189-194.
- Chung, K. M., dan Seib, P. A. (1991). Thin-boiling and nongelling adhesive prepared from maize and wheat starches. *Starch/Stärke*, **43**(11): 441–446.
- Coates, J. (2000). Interpretation of infrared spectra: a practical approach. *Dalam* : Meyers, R. A. (ed.). *Encyclopedia of Analytical Chemistry*, hal 1-23. John Wiley and Sons Ltd, Hoboken, New Jersey.
- Craig, S. A. S, Maningat, C. C., Seib, P. A. dan Hoseney, R. C. (1989). Starch paste clarity. *Cereal Chemistry* **66**(3):173-182.
- Cui, S. W. (2005). *Food Carbohydrates : Chemistry, Physical Properties, and Applications*, 1<sup>st</sup> edn. CRC Press, Boca Raton, London.
- Dachriyanus. (2004). *Analisis Struktur Senyawa Organik secara Spektroskopi*. LPTIK Universitas Andalas, Padang.
- David, W., dan David, F. (2020). *Analisis Sensori Lanjut untuk Industri Pangan dengan R Preference Mapping dan Survival analysis*. Universitas Bakrie

Press, Jakarta.

- Degarmo, E. P., Sullivan, W. G., Bontadelli, J. A. dan Wicks, E. M. (1984). *Engineering economy*, 7<sup>th</sup> edn. Macmillan, London
- Delgado, P. dan Bañón, S. (2015). Determining the minimum drying time of gummy confections based on their mechanical properties. *CYTA-Journal of Food* **13**(3): 329–335.
- Diana (2017). Sistem pendukung keputusan menentukan lokasi usaha waralaba menggunakan metode bayes. *Jurnal Ilmiah Matrik*, 19(1): 1-10.
- Dolmer, M. dan Winning, M. (2016). *Glycerin-based gummy candy and foam candy products with probiotic bacteria*. South Korea. WO 2016/198440 A1.
- Dome, K., Podgorbunskikh, E., Bychkov, A. dan Lomovsky, O. (2020). Changes in the crystallinity degree of starch having different types of crystal structure after mechanical pretreatment. *Polymers* **641**(12): 1–12.
- Donnell, C. O., Cullen, P. J. dan Rice, G. R. (2012). *Ozone in Food Processing*, 1<sup>st</sup> edn. Blackwell Publishing Ltd, Chichester.
- Egorova, G. V., Voblikova, V. A., Sabitova, L. V., Tkachenko, I. S., Tkachenko, S. N. dan Lunin, V. V. (2015). Ozone Solubility in Water. *Moscow University Chemistry Bulletin*, **70** : 207–210.
- Ergun, R., Lietha, R. dan Hartel, R. W. (2010). Moisture and shelf life in sugar confections. *Critical Reviews in Food Science and Nutrition* **50**(2): 162–192.
- Farahnaky, A., Ansari, S. dan Majzoobi, M. (2010). The effects of glucose syrup and glycerol on some physical properties of dried figs. *Journal of Texture Studies* **41**(5): 633–650.
- Farizha, K. M., Legowo, A. M., dan Pratama, Y. (2021). Aplikasi teknologi ozon pada bahan pangan. *Jurnal Teknologi Pangan* **5**(1):27-29.
- Fastabiqudin. (2018). Singkong gajah di lampung. [web.facebook.com/singkong-gajah-di-lampung-1009816605764330/](https://web.facebook.com/singkong-gajah-di-lampung-1009816605764330/) [19 Mei 2008].
- Fennema, O. R. (1996). *Food Chemistry*, 3<sup>th</sup> edn. Marcel Dekker, Inc. New York.
- Fonseca, L. M., Gonçalves, J. R., Halal, S. L. M. E., Pinto, V. Z., Dias, A. R. G., Jacques, A. C. dan Zavareze, E. D. R. (2015). Oxidation of potato starch with different sodium hypochlorite concentrations and its effect on biodegradable films. *LWT - Food Science and Technology* **60**(2): 714–720.
- Gani, A., Haq, S. S., Masoodi, F.A., Broadway, A. A. dan Gani, A. (2010). Physicochemical, morphological and pasting properties of starches extracted from water chestnuts (*Trapa natans*) from three lakes of Kashmir, India. *Brazilian Archives of Biology and Technology* **53**(3): 731–740.
- Garrido, J. I., Lozano, J. E. dan Genovese, D. B. (2015). Effect of formulation

- variables on rheology, texture, colour, and acceptability of apple jelly: Modelling and optimization. *LWT- Food Science and Technology* **62**(1): 325–332.
- Gianti, I. dan Evanuarini, H. (2011). The effect of sugar addition and time of storage on physical quality of fermented milk. *Jurnal Ilmu dan Teknologi Hasil Ternak* **6**(1): 28–33.
- Goldberg, I. (1994). *Functional foods*. Chapman Hall. New York
- Gökşen, G. dan Ekiz, H. I. (2019). Pasting and gel texture properties of starch-molasses combinations. *Food Science and Technology, Campinas* **39**(1): 93–102.
- Gontard, N., Guilbert, S. dan Cuq, J. L. (1993). Water and glycerol as plasticizers affect mechanical and water vapor barrier properties of an edible wheat gluten film. *Journal of Food Science* **58**: 206–211.
- Grotmol, S., Dahl-Paulsen, E. dan Totland, G. K. (2003). Hatchability of eggs from atlantic cod, turbot and atlantic halibut after disinfection with ozonated seawater. *Aquaculture* **221**: 245–254.
- Gunaratne, A., Ranaweera, S. dan Corke, H. (2007). Thermal, pasting, and gelling properties of wheat and potato starches in the presence of sucrose, glucose, glycerol, and hydroxypropyl b-cyclodextrin. *Carbohydrate Polymers* **70**: 112–122.
- Habilla, C., Sim, S. Y., Aziah, N. dan Cheng, L. H. (2011). The properties of jelly candy made of acid-thinned starch supplemented with konjac glucomannan or psyllium husk powder. *International Food Research Journal* **18**(1): 213–220.
- Halal, S. L. M. El, Colussi, R., Pinto, V. Z., Bartz, J., Radunz, M., Carreño, N. L. V., Dias, A. R. G. dan Zavareze, E. D. R. (2015). Structure, morphology and functionality of acetylated and oxidised barley starches. *Food Chemistry* **168**: 247–256.
- Hamedi, F., Mohebbi, M., Shahidi, F. dan Azarpazhooh, E. (2018). Ultrasound-assisted osmotic treatment of model food impregnated with pomegranate peel phenolic compounds: mass transfer, texture, and phenolic evaluations. *Food and Bioprocess Technology* **11**(5): 1061–1074.
- Han, J. H. dan Cennadios, A. (2014). Edible films and coatings: a review. *Dalam: Han, J. H (ed). Innovations in Food Packaging*, hal 213-255. Academic Press, USA.
- Harijono, Kusnadi, J. dan Mustikasari, S. A. (2001). Pengaruh kadar karaginan dan total padatan terlarut sari buah apel muda terhadap aspek kualitas permen *jelly*. *Jurnal Teknologi Pertanian* **2**(2): 110–116.
- Hebeish, A., El-Thalouth, I. A., Refai, R. dan Dokki, A. R. (1989). Synthesis and characterization of hypochlorite oxidized starches. *Starch/Stärke* **41**: 293–298.

- Hedayati, S., Shahidi, F., Koocheki, A., Farahnaky, A., dan Majzoobi, M. (2016). Comparing the effects of sucrose and glucose on functional properties of pregelatinized maize starch. *International Journal of Biological Macromolecules* **88**: 499–504.
- Herlane, D. S. C., dan Antonio, L. (2006). *Experimental Study Using Ozone: Applicability of DPD Method and Interference in Analytic Methods for Hydrogen Peroxide*. Universitas de Sao Paulo dan Universitas federal de Itajube. Brasil.
- Huang, M., Kennedy, J. F., Li, B., Xu, X. dan Xie, B. J. (2007). Characters of rice starch gel modified by gellan, carrageenan, and glucomannan: A texture profile analysis study. *Carbohydrate Polymers* **69**(3): 411–418.
- Huang, L., Wan, J., Huang, W., Rayas-Duarte, P. dan Liu, G. (2011). Effects of glycerol on water properties and steaming performance of prefermented frozen dough. *Journal of Cereal Science* **53**(1): 19–24.
- Hutching, J. B. (1999). *Food Colour and Appearance*. 2<sup>nd</sup> edn. Aspen Publication Inc. Gaithersburg, Maryland.
- Hutami, R., Handayani, A. dan Rohmayanti, T. (2019). Karakteristik sensori dan fisikokimia permen jelly ubi cilembu (*ipomoea batatas L. Lam*) CV. Cilembu dengan gelling agent. *Jurnal Pangan Halal* **1**(2): 66–74.
- Igoe, R. S. dan Hui Y. H. (1994). *Dictionary of Food Ingredients*. Chapman and Hill. New York
- Irudayaraj, J. dan Yang, H. (2002). Depth profiling of a heterogeneous food-packaging model using step-scan Fourier transform infrared photoacoustic spectroscopy. *Journal of Food Engineering* **55**(1): 25–33.
- Isah, S., Oshodi, A. A. dan Atasi, V. N. (2015). Oxidation of acha (*Digitaria exilis*) starch using 3.5% active chlorine sodium hypochlorite. *African Journal of Pure and Applied Chemistry* **9**(4): 65–70.
- Iwe, M. O., Onyeukwu, U. dan Agiriga, A. N. (2016). Proximate, functional and pasting properties of FARO 44 rice, African yam bean and brown cowpea seeds composite flour. *Cogent Food and Agriculture* **2**(1): 1-10.
- Juliano, B.O. (1971). A simplifi assay for milled rice amylose measurement. *Journal of Cereal Science Today* **16**: 334-336.
- Kantouch, F. dan Tawfik, S. (1998). Gelatinization of hypochlorite oxidized maize starch in aqueous solutions. *Starch/Staerke* **50**: 114–119.
- Kearsley, M. W. dan Deis, R. C. (2006). Sorbitol and Mannitol. Dalam Mitchell, H. (ed). *Sweeteners and Sugar Alternatives in Food Technology*, hal 249-261. Blackwell Publishing Ltd, New Jersey.
- Khadre, M. A., Yousef, A. E. dan Kim, J.G. (2001). Microbiological aspects of ozone applications in food: A review. *Journal of Food Science* **66**(9): 1242–

1252.

- Kharyeki, M. E., Rezaei, M. dan Motamedzadegan, A. (2011). International aquatic research the effect of processing conditions on physico-chemical properties of whitecheek shark (*Carcharhinus dussumieri*) skin gelatin. *International Aquatic Research* **3**: 63–69.
- Kochkar, H., Morawietz, M. dan Hölderich, W. F. (2001). Oxidation of potato starch with NO<sub>2</sub>: characterization of the carboxylic acid salts. *Applied Catalysis* **210**: 325–328.
- Konoo, S., Ogawa, H., Mizuno., H., dan Iso, N. (1996). The emulsifying ability of oxidized tapioca starches with sodium hypochlorite. *Journal of the Japanese Society for Food Science and Technology* **43**(8): 880-886.
- Korma, S. A., Niazi, S., Ammar, A., dan Zaaboul, F. (2016). Chemically Modified Starch and Utilization in Food Stuffs Chemically Modified Starch and Utilization in Food Stuffs. *International Journal of Nutrition and Food Sciences*, **5**(4): 264-272.
- Klein, B., Vanier, N. L., Moomand, K., Pinto, V. Z., Colussi, R., Zavareze, D. R. E. dan Dias, A. R. G. (2014). Ozone oxidation of cassava starch in aqueous solution at different pH. *Food Chemistry* **155**: 167–173.
- Kreungngern, D. dan Chaikham, P. (2016). Rheological, physical and sensory attributes of *Chao Kuay* jelly added with gelling agents. *International Food Research Journal* **23**(4): 1474-1478.
- Kuakpetoon, D. dan Wang, Y. (2001). Characterization of different starches oxidized. *Starch/Stärke* **53**: 211–218.
- Kuakpetoon, D. dan Wang, Y. (2006). Structural characteristics and physicochemical properties of oxidized corn starches varying in amylose content. *Carbohydrate Research* **341**: 1896–1915.
- Kuakpetoon, D. dan Wang, Y. J. (2008). Locations of hypochlorite oxidation in corn starches varying in amylose content. *Carbohydrate Research* **343**(1): 90–100.
- Ladamay, N. A dan Yuwono, S. S. (2014). The use local material in the production foodbars (study of tapioca: green bean flour ratio and cmc proportion). *Jurnal Pangan dan Agroindustri* **2** (1): 67-78.
- Lamadrid, C. M., Calín-Sánchez, Á., Clemente-Villalba, J., Hernández, F., Carbonell-Barrachina, Á. A., Sendra, E. dan Wojdyło, A. (2020). Quality parameters and consumer acceptance of jelly candies based on pomegranate juice (mollar de elche). *Foods* **9**(4): 1–17.
- Langlais, B., Reckhow, David, A. dan Brink, D. R. (1991). *Ozone in Water Treatment: Application and Engineering*. CRC Press, Boca Raton.
- Lawal, O. S. (2004). Composition, physicochemical properties and retrogradation

- characteristics of native, oxidised, acetylated and acid-thinned new cocoyam (*Xanthosoma sagittifolium*) starch. *Food Chemistry* **87**(2): 205–218.
- Lawal, O. S., Adebowale, K. O., Ogunsanwo, B. M., Barba, L. L. dan Ilo, N. S. (2005). Oxidized and acid thinned starch derivatives of hybrid maize: Functional characteristics, wide-angle X-ray diffractometry and thermal properties. *International Journal of Biological Macromolecules* **35**: 71–79.
- Lee, E. J., Kweon, D. K., Koh, B. K. dan Lim, S. T. (2004). Physical characteristics of sweet potato pulp/polycaprolactone blends. *Journal of Applied Polymer Science* **92**(2): 861–866.
- Lees, R dan Jackson, E. B. (1983). *Sugar Confectionary and Chocolate Manufacture*. Thomson Litho Ltd, East Kilbride, Scotland.
- Lemos, E. T., Almeida, A. R., Vouga, B., Morais, C., Correia, I., Pereira, P. dan Guiné, R. P. F. (2021). Development and characterization of healthy gummy jellies containing natural fruits. *Open Agriculture* **6**(1): 466–478.
- Linsay, R. (1985). *Food Additives. Dalam: Fennama, O. R. (ed). Food Chemistry*, hal 767-824. Marcel Dekker Ink, New York.
- Liu, J., Wang, B., Lin, L., Zhang, J., Liu, W., Xie, J. dan Ding, Y. (2014). Functional, physicochemical properties and structure of cross-linked oxidized maize starch. *Food Hydrocolloids* **36**: 45–52.
- Mahapatra, A. K., Muthukumarappan, K. dan Julson, J. L. (2005). Applications of ozone, bacteriocins and irradiation in food processing: A review. *Food Science and Nutrition* **45**(6): 447–461.
- Maniglia, B. C., Lima D. C., Junior, M. D. M., Le-Bailb, P., Le-Baila, A. dan Augusto, P. E. D. (2020). Preparation of cassava starch hydrogels for application in 3D printing using dry heating treatment (DHT): A prospective study on the effects of DHT and gelatinization conditions. *Food Research Internasional*, **128**: 1-11.
- Marfil, P. H. M., Anhê, A. C. B. M. dan Telis, V. R. N. (2012). Texture and microstructure of gelatin/corn starch-based gummy confections. *Food Biophysics* **7**(3): 236–243.
- Martínez, M. M., Pico, J. dan Gómez, M. (2015). Effect of different polyols on wheat and maize starches paste and gel properties. *Food Hydrocolloids* **44**: 81–85.
- Mártinez, L. B., Cervera, C. P., dan Pizarro, R. A.(2020). Effect of glycerol and sorbitol concentrations on mechanical, optical, and barrier properties of sweet potato starch film. *NFS Journal* **20** : 1-9.
- Mazur, P. M., Stoljarowa, L. W., Djatlow, W. A. (1989). Modified starches as dough conditioners for bread. *Journal Nutrition* **13**(3): 155-156.
- McHugh, T. H. dan Krochta, J. M. (1994). Sorbitol vs glycerol plasticized whey

- protein edible film: Integrated oxygen permeability and tensite property evaluation. *Journal Agriculture and Food Chemistry* **2**(4): 841-845.
- Mei, J., Liu, G., Huang, X. dan Ding, W. (2016). Effects of ozone treatment on medium hard wheat (*Triticum aestivum* L.) flour quality and performance in steamed bread making quality and performance in steamed bread making. *CyTA-Journal of Food* **14**(3): 449–456.
- Meilgaard, M., Civille, G. V. dan Carr, B. T. (2006). *Sensory Evaluation Techniques*, 4<sup>th</sup> edn. CRC Press, USA.
- Meunpol, O., Lopinyosiri, K. dan Menasveta, P. (2003). The effects of ozone and probiotics on the survival of black tiger shrimp (*Penaeus monodon*). *Aquaculture* **220**(1): 437–448.
- Miranda, J. S., Costa, B. V., Oliveira, I. V., Lima, D. C. N., Martins, E. M. F., Castro, L. J. B. R., Almeida, N. B. W. C., Campelo, Q. I., Ribeiro, S. R. dan Martins, M. L. (2020). Probiotic jelly candies enriched with native Atlantic Forest fruits and *Bacillus coagulans* GBI-30 6086. *LWT- Food Science and Technology* **126**: 1–6.
- Miyazaki, M. R., Hung, P. V., Maeda, T. dan Morita, N. (2006). Recent advances in application of modified starches for breadmaking. *Trends in Food Science and Technology* **17**: 591-599.
- Moloughney, S. (2011). Functional confectionery: Finding the sweet spot. [http://www.nutraceuticalsworld.com/issues/2011-3/view\\_features/functional-confectionery-finding-the-sweet-spot/](http://www.nutraceuticalsworld.com/issues/2011-3/view_features/functional-confectionery-finding-the-sweet-spot/). [17 Mei 2018].
- Mondal, S. C., Kamal, M. M., Mumin, M. I. A., Hosain, M. M. dan Ali, M. R. (2017). Effect of sucrose on the physicochemical properties, organoleptic qualities and shelf-life stability of Aonla (*Emblica Officinalis*) candy. *IOSR Journal of Environmental Science, Toxicology and Food Technology* **11**(12): 85–94.
- Mua, J. P. dan Jackson, D. S. (1997). Relationships between functional attributes and molecular structures of amylose and amylopectin fractions from corn starch. *Journal Agriculture of Food Chemistry* **45**: 3848–3854
- Mueller, R., Zurich dan Federico, I. (2006). *Starch-based rubber-elastic confectionery*. USA. US0134311A.
- Muflihati, I., Marseno, D. W., dan Pranoto, Y. (2019). Oxidation of oven-dried cassava starch using hydrogen peroxide and UV-C irradiation to improve frying expansion. *Indonesian Food and Nutrition Progress* **16**(1): 14-22.
- Mutlu, C., Tontul, S. A. dan Erbaş, M. (2018). Production of a minimally processed jelly candy for children using honey instead of sugar. *LWT-Food Science and Technology* **93**: 499–505.
- Naito, S., Sawada, Y. dan Yamaguchi, N. (1989). Studies on utilization of ozone in

- food preservation: effects of ozone treatment on packaged Namamen Japanese raw noodle. *Journal Antibacterial and Antifungal Agents, Japan* **17**(11): 517–526.
- Naknaen, P., Tobkaew, W. dan Chaichaleom, S. (2017). Properties of jackfruit seed starch oxidized with different levels of sodium hypochlorite. *International Journal of Food Properties* **20**(5): 979–996.
- Nara, S. dan Komiya, T. (1983). Studies on the relationship between water-saturated state and crystallinity by the diffraction method for moistened potato starch. *Starch/Stärke* **35**(12): 407–410.
- Natalie, V., Lekahena, J. dan Boboleha, M. R. (2020). The effects of sucrose substitution with sorbitol on physicochemical properties and sensory evaluation of seaweed jelly candy. 5<sup>th</sup> International Conference on Food, Agriculture and Natural Resources **194**: 263–267.
- Nurhayati, R., Herawati, E. R. N., Putri, A. S. dan Adyana, G. P. (2019). The addition of sorbitol and glycerol to improve the physicochemical and sensory characteristics of chocolate dodol. *IOP Conference Series: Materials Science and Engineering* **633**(1): 1–5.
- Oakenfull, D. dan Glicksman, M. (1987). Gelling Agents. *Critical Reviews in Food Science and Nutrition* **26**:1-25
- Oladebeye, A. O., Oshodi, A. A., Amoo, I. A. dan Karim, A. A. (2013). Functional, thermal and molecular behaviours of ozone-oxidised cocoyam and yam starches. *Food Chemistry* **141**(2): 1416–1423.
- Oladebeye, A. O., Oshodi, A. A., Amoo, I. A. dan Karim, A. A. (2018). Gaseous ozonation of pigeon pea, lima bean, and jack bean starches: Functional, thermal, and molecular properties. *Starch/Starke* **70**: 1–11.
- Parovuori, P., Hamunen, A., Forssell, P., Autio, K. dan Poutanen, K. (1995). Oxidation of potato starch by hydrogen peroxide. *Starch/Stärke* **47**: 19–23.
- Pereira, J. M., Evangelho, J. A., Moura, F. A., Gutkoski, L. C., Zavareze, E. R. dan Dias, A. R. G. (2017). Crystallinity, thermal and gel properties of oat starch oxidized using hydrogen peroxide. *International Food Research Journal* **24**(4): 1545–1552.
- Perez, S., Baldwin, P. M. dan Gallant, D. J. (2009). Structural features of starch granules I. *Dalam: Whistler, R. L., Bemiller J. N. dan Paschall, E. F. (ed). Starch: Chemistry and Technology*, hal 149-188. Academic Press, New York.
- Pietrzyk, S., Juszczak, L., Fortuna, T. dan Ciemniowska, A. (2014). Effect of the oxidation level of corn starch on its acetylation and physicochemical and rheological properties. *Journal of Food Engineering* **120**(1): 50–56.
- Pongsawatmanit, R., Temsiripong, T. dan Suwonsichon, T. (2007). Thermal and rheological properties of tapioca starch and xyloglucan mixtures in the

- presence of sucrose. *Food Research Internasional* **40**(2): 239–248.
- Popov-Raljić, J. V., Mastilović, J. S., Laličić-Petronijević, J. G. dan Popov, V. S. (2009). Investigations of bread production with postponed staling applying instrumental measurements of bread crumb color. *Sensors* **9**(11): 8613–8623.
- Poppe, J. (1992). *Gelatine. Dalam: Imeson, A. (ed.). Thickening and Gelling Agents for Food*, hal 144-168. Blackie Academic and Professional, London.
- Pranoto, Y., Paramita, B. L., Cahyanto, M. N., dan Benjakul, S. (2021). Properties of ozone-oxidized tapioca starch and its use in coating of fried peanuts. *Molecules* **26**(20): 1–12.
- Prat, C., Vicente, M. dan Esplugas, S. (1989). Ozonation of bleaching waters of the paper industry. *Water Research* **23**(1): 51–55.
- Purcell, S., Wang, Y. J. dan Seo, H. S. (2014). Application of oxidized starch in bake-only chicken nuggets. *Journal of Food Science* **79**(5): 810–5.
- Remya, R. dan Jyothi, A. N. (2015). A comparative study on the resistant starch content from different botanical sources in relation to their physicochemical properties. *Journal of Root Crops* **41**(1) : 37–47.
- Rice, R. G., Robson, C. M., Miller, G. W. dan Hill, A. G. (1981). Uses of ozone in drinking water treatment. *Journal of the American Water Works Association* **73**(1): 44–57.
- Rice, R. G. (1986). *Application of ozone in water and wastewater treatment. Dalam: Rice, R. G., Bollyky L. J. dan Lacy, W. J. (ed). Analytical Aspects of Ozone Treatment of Water and Wastewater*, hal 7–26. Lewis Publishers, Chelsea.
- Rivera, M. M. S., Suárez, F. J. L. G., del-Valle, M. V., Meraz, F. G. dan Pérez, L. A. B. (2005). Partial characterization of banana starches oxidized by different levels of sodium hypochlorite. *Carbohydrate Polymers* **62**(1): 50–56.
- Robyt, J. F. (2008). Starch: structure, properties, chemistry, and enzymology. *Dalam : Fraser-Reid B. O., Tatsuta K., Thiem, J. (ed). Glycoscience*, hal 1438-1466. Springer, Berlin.
- Rodriguez, A., Rosal, R., Perdigon, J. A., Mezena, M., Aguera, A., Hernando, M. D., Leton, P., Fernandez, A. R. dan Calvo, E. G. (2008). Ozone based technologies in water and waste water treatment. *Dalam: Barcelona, D dan Kostianoy, A. G. (ed). The Handbook of Environmental Chemistry*, hal 139-172. Springer-Verlag, Berlin.
- Rosenthal, A. J. (1999). Relation between instrumental and sensory measures of food texture. *Dalam Rosenthal A. J., (ed). Food Texture: Measurement and Perception*, hal 1–17. Aspen Publishers Inc., Gaithersburg.
- Rukmana, R. (1997). *Ubi Kayu, Budidaya dan Pasca Panen*. Kanisius, Yogyakarta.

- Rutenberg, M. W. dan Solarek, D. (1984). Starch derivatives: production and uses. *Dalam: Whistler, R.L., Bemiller, J. N. dan Paschall, E. F. (ed.). Starch, Chemistry and Technology*, hal 312–388. Academic Press, New York.
- Saha, D. dan Bhattacharya, S. (2010). Hydrocolloids as thickening and gelling agents in food: a critical review. *Journal of Food Science and Technology* **47**(6): 587–597.
- Sanders, P., Wilcox, W. dan Fretwel, M. (2013). *Confectionery and manufacturing method*. <https://patents.google.com/patent/WO2014181070A1/en>. [4-2-2017].
- Sanderson, G. R. (1990). Gellan Gum. *Dalam: Harris, P. (ed). Food Gels*, hal 201–232. Elsevier Science, New York.
- Sandhu, H. P. S., Manthey, F. A., Simsek, S. dan Ohm, J. (2011). Comparison between potassium bromate and ozone as flour oxidants in breadmaking. *Cereal Chemistry* **88**(1): 103–108.
- Sandhu, K. S., Kaur, M., Singh, N. dan Lim, S. T. (2008). A comparison of native and oxidized normal and waxy corn starches: Physicochemical, thermal, morphological and pasting properties. *LWT-Food Science and Technology* **41**: 1000–1010.
- Sangseethong, K., Termvejsayanon, N. dan Sriroth, K. (2010). Characterization of physicochemical properties of hypochlorite- and peroxide-oxidized cassava starches. *Carbohydrate Polymers* **82**(2): 446–453.
- Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R. dan Sahari, J. (2015). Effect of plasticizer type and concentration on physical properties of biodegradable films based on sugar palm (*Arenga pinnata*) starch for food packaging. *Journal of Food Science and Technology* **53**(1): 326–336.
- Schrieber, R. dan Gareis, H. (2007). *Gelatine Handbook : Theory and Industrial Practice*. 1<sup>st</sup> edn. Wiley-VCH, Weinheim.
- Searby, L. (2014). Tangerine taps oxidized starches for gelatin-free jellies. <http://www.confectionerynews.com/R-D/Gelatin-free-candy-with-oxidized-starches-Tangerine-patent>. [3-2-2017].
- Sikora, M., Juszczak, L., Sady, M. dan Krawontka, J. (2016). Use of modified starches as thickeners of cocoa syrups. *Food Science Technology Internasional* **10**(5): 347-354.
- Silva, L. B., da-Queiroz, M. B., Fadini, A. L., Fonseca, R. C. C. D., Germer, S. P. M., dan Efraim, P. (2016). Chewy candy as a model system to study the influence of polyols and fruit pulp (Açai) on texture and sensorial properties. *LWT- Food Science and Technology* **65**: 268–274.
- Sitorus, T. (2015). Sejarah Ubi Gajah. <http://www.ubigajah.com>. [1 April 2017]
- Simorangkir, T. R. S., Rawung, D. dan Moningka, J. (2017). Pengaruh konsentrasi sukrosa terhadap karakteristik permen jelly sirsak (*annona muricata* Linn).

*Jurnal Cocos*, **8**(1): 1-13.

- Smith, R. J., (1967). Production and used of hypochlorite oxidized starches. *Dalam* : Whistler R. L. dan Paschall E. F. (ed.). *Starch Chemistry and Technology*, hal 620–625. Academic Press, London.
- Sobral, P. J. A., Menegalli, F. C., Hubinger, M. D. dan Roques, M. A. (2001). Mechanical, water vapor marrier and thermal properties of gelatin based edible films. *Food Hydrocolloids* **15**(6): 423-432.
- Soekarto, T. S. (1985). *Penilaian Sensoris untuk Industri Pangan dan Hasil Pertanian*. Bharata Karya Aksara, Jakarta
- Song, H .N., Ji, S. A., Park, H. R., Kim, H. H. dan Hogstrand, C. (2018). Impact of various factors on color stability of fresh blueberry juice during storage. *Preventive Nutrition and Food Science* **23**(1): 46–51.
- Srichuwong, S., Sunarti, T. C., Mishima, T., Isono, N. dan Hisamatsu, M. (2005). Starches from different botanical sources I: contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydrate Polymers* **60**(4): 529-538.
- Steffe, J. F. (1996). *Rheological Methods in Food Process Engineering*, 2<sup>nd</sup> edn. Freeman Press, East Lansing.
- Subbiah, B., Blank, U. K. M. dan Morison, K. R. (2020). A review, analysis and extension of water activity data of sugars and model honey solutions. *Food Chemistry* **326**: 1–8.
- Suhendro, E. L., Waniska, R. D., Rooney, L. W. dan Gomez, M. H. (1995). Effects of polyols on the processing and qualities of wheat tortillas. *Cereal Chemistry* **72**(1): 122–127.
- Susan, L., Furcsi, K. dan Mauro, D. J. (1990). *Starch jelly candy*. <https://patents.google.com/patent/US5035912A/en?q=jelly+candy&oq=jelly+candy+>. [19 mei 2017]
- Syamsir, E., Hariyadi, P., Fardiat, D., Andarwulan, N. dan Kusnandar, F. (2009). Karakteristik tapioka dari lima varietas ubikayu (*Manihot utilisima* crantz) asal Lampung. *Jurnal Agrotek* **5**(1): 93–105.
- Szczesniak, A. S. (1986). Sensory texture evaluation methodology. *Reciprocal Meat Conference Proceedings* **39**: 86-96.
- Szczesniak, A. S. (2002). Texture is a sensory property. *Food Quality and Preference* **13**(4): 215–225.
- Tao, H., Wang, B., Wen, H., Cui, B., Zhang, Z., Kong, X. dan Wang, Y. (2021a). Improvement of the textural characteristics of curdlan gel by the formation of hydrogen bonds with erythritol. *Food Hydrocolloids* **117**(17): 1–8.
- Tao, X., Zhang, Y., Chen, F., Huang, Y. dan Chen, P. (2021b). Effects of sucrose

- on pasting, thermal, rheological and textural properties of native and alcohol-alkali-treated waxy rice starch. *International Journal of Biological Macromolecules* **166** : 108–116.
- Blácido, D. R. T. Sobral, P. J. A. dan Menegalli, F. C. (2011). Optimization of amaranth flour films plasticized with glycerol and sorbitol by multi-response analysis. *Food Science and Technology*, **44**(8): 1731-1738.
- Tarique, J., Sapuan, S. M. dan Khalina, A. (2021). Effect of glycerol plasticizer loading on the physical, mechanical, thermal, and barrier properties of arrowroot (*Maranta arundinacea*) starch biopolymers. *Scientific Reports* **11**(1): 1–17.
- Teixeira-Lemos, E., Almeida, A. R., Vouga, B., Morais, C., Correia, I., Pereira, P., dan Guiné, R. P. F. (2021). Development and characterization of healthy gummy jellies containing natural fruits. *Open Agriculture*, **6**(1), 466–478.
- Tester, R. F. dan Morrison, W. R. (1990). Swelling and gelatinization of cereal starches I: effects of amylopectin, amylose, and lipids. *Cereal Chemistry* **67**: 551-557.
- Tharanathan, R. N. (2005). Starch-value addition by modification. *Food Science and Nutrition* **45**(5): 371–384.
- Todica, M., Nagy, E. M., Niculaescu, C., Stan, O., Cioica, N. dan Pop, C. V. (2016). XRD Investigation of some thermal degraded starch based materials. *Journal of Spectroscopy* **1**: 1–6.
- Tunnarut, D. dan Pongsawatmanit, R. (2017). Quality enhancement of tapioca starch gel using sucrose and xanthan gum. *International Journal of Food Engineering* **13**(8): 1-9.
- Utomo, B. S. B., Darmawan, M., Hakim, A. R. dan Ardi, D. T. (2014). Physicochemical properties and sensory evaluation of jelly candy made from different ratio of k-carrageenan and konjac. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology* **9**(1): 25.-34.
- Van, S. J. J. G., Wit, D. D., Tournois, H. dan Vliegenthart, J. F. G. (1994). Retrogradation of potato starch as studied by Fourier transform infrared spectroscopy. *Starch/Stärke* **46**: 453–457.
- Van, S. J. J. G., Tournois, H., Wit, D. D. dan Vliegenthart, J. F. G. (1995). Short range structure in partially crystalline potato starch determined with attenuated total reflectance FTIR. *Carbohydrate Research* **279**: 201–214.
- Vanier, N. L., Zavareze, E. D. R., Pinto, V. Z., Klein, B., Botelho, F. T., Dias, A. R. G. dan Elias, M. C. (2012). Physicochemical, crystallinity, pasting and morphological properties of bean starch oxidised by different concentrations of sodium hypochlorite. *Food Chemistry* **131**(4): 1255–1262.
- Vanier, N. L., Halal, S. L. M. E., Dias, A. R. G. dan Zavareze, D. R. E. (2017).

- Molecular structure, functionality and applications of oxidized starches: a review. *Food Chemistry* **221**: 1546–1559.
- Vasanthan, T. dan Bhatta, R. S. (1996). Physicochemical properties of small and large granule starches of waxy, regular and high-amylose barleys. *Cereal Chemistry* **73**: 199-207.
- Wang, Y. J. dan Wang, L. (2003). Physicochemical properties of common and waxy corn starches oxidized by different levels of sodium hypochlorite. *Carbohydrate Polymers* **52**(3): 207–217.
- Winarno, F. G. (2002). *Kimia Pangan dan Gizi*. PT Gramedia, Jakarta.
- Wurzburg, O. B. (1986). *Modified Starches: Properties and Uses*. CRC Press, Boca Raton.
- Yuliatmoko, W., Murdiati, A., Pranoto, Y. dan Marsono, Y. (2020). The effect of mixture of banana pseudostem flour proportion on organoleptic. *Food Research* **4**(3): 906 - 916.
- Yusof, N., Jaswir, I., Jamal, P. dan Jami, M. S. (2019). Texture Profile Analysis (TPA) of the jelly dessert prepared from halal gelatin extracted using High Pressure Processing (HPP). *Malaysian Journal of Fundamental and Applied Sciences* **15**(4): 604–608.
- Zaidul, I. S. M., Norulaini, N. A. N., Omar, A. K. M., Yamauchi, H. dan Noda, T. (2007). RVA analysis of mixtures of wheat flour and potato, sweet potato, yam, and cassava starches. *Carbohydrate Polymers* **69**(4): 784–791.
- Zavareze, E. D. R., Pinto, V. Z., Klein, B., Halal, S. L. M. E., Elias, M. C., Hernández, C. P. dan Dias, A. R. G. (2012). Development of oxidised and heat-moisture treated potato starch film. *Food Chemistry* **132**(1): 344–350.
- Zhang, S. D., Zhang, Y. R., Wang, X. L. dan Wang, Y. Z. (2009). High carbonyl content oxidized starch prepared by hydrogen peroxide and its thermoplastic application. *Starch/Starke* **61**(11) : 646–655.
- Zhou, H., Wang, J., Li, J., Fang, X. dan Sun, Y. (2011). Pasting properties of Angelica dahurica starches in the presence of NaCl, Na<sub>2</sub>CO<sub>3</sub>, NaOH, glucose, fructose and sucrose. *Starch/Starke* **63**: 323–332.
- Zhou, C. F., Qian, P., Meng, J., Gao, S. M. dan Lu, R. R. (2016). Effect of glycerol and sorbitol on the properties of dough and white bread. *Cereal Chemistry* **93**(2): 196–200.
- Zobel, H. F. (1988). Starch crystal transformations and their industrial importance. *Starch/Stärke* **40**: 1–7.