KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aini, N., dan Hariyadi, P. (2010). Sifat sensori *marshmallow cream* yang menggunakan pati jagung putih termodifikasi sebagai pengganti gelatin. Prosiding seminar nasional: Peran keamanan pangan produk unggulan daerah dalam menunjang ketahanan pangan dan menekan laju inflasi. Purwokerto.

Allistair dan Stephen, M. (1995). *Food Polysaccharides and Their Applications*. Marcell Dekker, Inc., New York.

Anonim. (1995). Official Methods of Analysis. The Asociation of Official Analytical Chemistry. Washington DC. USA.

Anonim, (2008). SNI 3547.2:2008, Kembang gula - Bagian 2: Lunak. Badan Standarisasi Nasional. Jakarta.

Anomin, (2015). SNI 2346:2015, Pedoman pengujian sensori pada produk perikanan. Badan Standardisasi Nasional. Jakarta.

Adebowale, K. O., Afolabi, T. A. dan Owolabi, B. R. O. (2006). Functional, physicochemical and retrogradation properties of sword bean (*Canavalia gladiata*) acetylated and oxidized starches. *Carbohydrate Polymers* **65**: 93–101.

Adji, D., Zuliyanti dan Larashanty, H. (2007). Perbandingan efektivitas sterilisasi alkohol 70%, inframerah, otoklaf dan ozon terhadap pertumbuhan bakteri *Bacillus subtilis. Jurnal Sain Veteriner* **25 (**1):17-24.

Amrullah. (2015). Teknologi budidaya singkong gajah. *Jurnal Agro UPY* **6**(2): 35-44

An, D., Li, Q., Li, E., Obadi, M., Li, C., Li, H. dan Zhang, J. (2021). Structural basis of wheat starch determines the adhesiveness of cooked noodles by affecting the fine structure of leached starch. *Food Chemistry* **341**: 1–9.

Arts, S. J. H. F., Mombarg, E. J. M., VanBekkum, H. dan Sheldon, R. A. (1997). Hydrogen peroxide and oxygen in catalytic oxidation of carbohydrates and related compounds. *Synthesis* **6**: 597-613.

Avelar, M. H. M. dan Efraim, P. (2020). Alginate/pectin cold-set gelation as a potential sustainable method for *jelly candy* production. *LWT-Food Science and Technology* **123**: 1–9.

Barkakaty, B. (2021). Plasticizers help in improving the flexibility and mechanical stability of the polymer-based materials. https://herald.uohyd.ac.in/acrhem-at-uoh-receives-patent-for-green-method-in-energetic-plasticizers.[12-10-2021].

Bergthaller, W., Hollmann, J., (2014). *Starch Biosynthesis of Starch in Plants*. Max Rubner Institut - Federal Research Institute of Nutrition and Food. Detmold,

UNIVERSITAS
GADJAH MADA
KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Germany.

Boruch, M. L. (1985) Transformation of potato starch during oxidation with hypochlorite. *Starch* **37**(3): 91–98.

Buchan, K. A. H., Martin-Robichaud, D. J. dan Benfey, T. J. (2005). Measurement of dissolved ozone in sea water: a comparison of methods. *Aquacultural Engineering* **33**(3): 225–231.

Buckle, K. A., Edward, R. A. Fleet G. H. dan Wooton, N. (1987). *Ilmu Pangan*. Diterjemahkan oleh: Purnomo dan Adiono. UI Press, Jakarta.

Burey, P., Bhandari, B. R., Rutgers, R. P. G., Halley, P. J. dan Torley, P. J. (2009). Confectionery gels: A review on formulation, rheological and structural aspects. *International Journal of Food Properties* **12** (1): 176-210.

Cai, J., Man, J., Huang, J., Liu, Q., Wei, W. dan Wei, C. (2015). Relationship between structure and functional properties of normal rice starches with different amylose contents. *Carbohydrate Polymers* **125:** 35–44.

Cappa, C., Lavelli, V. dan Mariotti, M. (2015). Fruit candies enriched with grape skin powders: physicochemical properties. *LWT-Food Science and Technology* **62**(1): 569–575.

Carvalho, C. W. P. dan Mitchell, J. R. (2001). Effect of sucrose on starch conversion and glass transition of nonexpanded maize and wheat extrudates. *Cereal Chemistry* **78**(2): 342–348.

Castanha, N., Junior, M. D. M. dan Augusto, P. E. D. (2017). Potato starch modification using the ozone technology. *Food Hydrocolloids* **66**: 343–356.

Castanha, N., Santos, D. N., Cunha, R. L. dan Augusto, P. E. D. (2019). Properties and possible applications of ozone-modified potato starch. *Food Research Internasional* **116**: 1192–1201.

Castanha, N., Miano, A. C., Jones, O. G., Reuhs, B. L., Campanella, O. H. dan Augusto, P. E. D. (2020). Starch modification by ozone: Correlating molecular structure and gel properties in different starch sources. *Food Hydrocolloids* **108**: 1–13.

Çatal, H. dan Ibanoğlu, Ş. (2012a). Ozonation of corn and potato starch in aqueous solution: Effects on the thermal, pasting and structural properties. *International Journal of Food Science and Technology* **47**(9): 1958–1963.

Çatal, H. dan Ibanoğlu, Ş. (2012b). Structure, physico-chemical and microbiological properties of ozone-oxidized wheat, corn, potato and rice starches. *Journal of Food Science and Engineering* **2(**4): 196–205.

Çatal, H. dan Ibanoğlu, Ş. (2014). Effect of aqueous ozonation on the pasting, flow and gelatinization properties of wheat starch. *LWT-Food Science and Technology* **59**(1): 577–582.

UNIVERSITAS
GADJAH MADA
KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Cereda, M. P., Vilpoux, O. dan Demiate, I. M. (2003). *Modified Starch: Technology, Use and Potentialities of Latin American Starchy Tubers*. CPC International, Milho, Brazil.

Chan, H. T., Bhat, R. dan Karim, A. A. (2009). Physicochemical and functional properties of ozone-oxidized starch. *Journal of Agricultural and Food Chemistry* **57**(13): 5965–5970.

Chan, H. T., Leh, C. P., Bhat, R., Senan, C., Williams, P. A. dan Karim, A. A. (2011). Molecular structure, rheological and thermal characteristics of ozone-oxidized starch. *Food Chemistry* **126**(3): 1019–1024.

Chan, H. T., Fazilah, A., Bhat, R., Leh, C. P., dan Karim, A. A. (2012). Effect of deproteinization on degree of oxidation of ozonated starch. *Food Hydrocolloids* **26**(2): 339–343.

Chandra, M. V. dan Shamasundar, B. A. (2015). Texture profile analysis and functional properties of gelatin from the skin of three species of fresh water fish. *International Journal of Food Properties* **18**(3): 572–584.

Chang, Y. H., Lim, S. T. dan Yoo, B. (2004). Dynamic rheology of corn starch – sugar composites. *Journal of Food Engineering* **64**: 521–527.

Chattopadhyay, S., Singhal, R. S. dan Kulkarni, P. R. (1997). Optimization of conditions of synthesis of oxidized starch from corn and amaranth for use in film-forming applications. *Carbohydrate Polymers* **34**: 203–212.

Chau, C. F., dan Cheung, P. C. K. (1998). Functional properties of flours prepared from three Chinese indigenous legume seeds. *Food Chemistry*, **61**(4): 429–433.

Chau, C. F. dan Huang, Y. L. (2004). Characterization of passion fruit seed fibres - a potential fibre source. *Food Chemistry* **85:** 189-194.

Chung, K. M., dan Seib, P. A. (1991). Thin-boiling and nongelling adhesive prepared from maize and wheat starches. *Starch/Stärke*, **43**(11): 441–446.

Coates, J. (2000). Interpretation of infrared spectra: a practical approach. *Dalam* : Meyers, R. A. (ed.). *Encyclopedia of Analytical Chemistry*, hal 1-23. John Wiley and Sons Ltd, Hoboken, New Jersey.

Craig, S. A. S, Maningat, C. C., Seib, P. A. dan Hoseney, R. C. (1989). Starch paste clarity. *Cereal Chemistry* **66**(3):173-182.

Cui, S. W. (2005). *Food Carbohidrates : Chemistry, Physical Properties, and Aplications*, 1st edn. CRC Press, Boca Raton, London.

Dachriyanus. (2004). *Analisis Struktur Senyawa Organik secara Spektroskopi*. LPTIK Universitas Andalas, Padang.

David, W., dan David, F. (2020). *Analisis Sensori Lanjut untuk Industri Pangan dengan R Preference Mapping dan Survival analysis*. Universitas Bakrie

KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Press, Jakarta.

Degarmo, E. P., Sullivan, W. G., Bontadelli, J. A. dan Wicks, E. M. (1984). *Engineering economy*, 7th edn. Macmillan, London

Delgado, P. dan Bañón, S. (2015). Determining the minimum drying time of gummy confections based on their mechanical properties. *CYTA-Journal of Food* **13**(3): 329–335.

Diana (2017). Sistem pendukung keputusan menentukan lokasi usaha waralaba menggunakan metode bayes. *Jurnal Ilmiah Matrik*, 19(1): 1-10.

Dolmer, M. dan Winning, M. (2016). *Glycerin-based gummy candy and foam candy products with probiotic bacteria*. South Korea. WO 2016/198440 Al.

Dome, K., Podgorbunskikh, E., Bychkov, A. dan Lomovsky, O. (2020). Changes in the crystallinity degree of starch having different types of crystal structure after mechanical pretreatment. *Polymers* **641**(12): 1–12.

Donnell, C. O., Cullen, P. J. dan Rice, G. R. (2012). *Ozone in Food Processing*, 1st edn. Blackwell Publishing Ltd, Chichester.

Egorova, G. V., Voblikova, V. A., Sabitova, L. V., Tkachenko, I. S., Tkachenko, S. N. dan Lunin,V. V. (2015). Ozone Solubility in Water. *Moscow University Chemistry Bulletin*, **70** : 207–210.

Ergun, R., Lietha, R. dan Hartel, R. W. (2010). Moisture and shelf life in sugar confections. *Critical Reviews in Food Science and Nutrition* **50**(2): 162–192.

Farahnaky, A., Ansari, S. dan Majzoobi, M. (2010). The effects of glucose syrup and glycerol on some physical properties of dried figs. *Journal of Texture Studies* **41**(5): 633–650.

Farizha, K. M., Legowo, A. M., dan Pratama, Y. (2021). Aplikasi teknologi ozon pada bahan pangan. *Jurnal Teknologi Pangan* **5**(1):27-29.

Fastabiqudin. (2018). Singkong gajah di lampung. web.facebook.com/singkong-gajah-di-lampung-1009816605764330/ [19 Mei 2008].

Fennema, O. R. (1996). *Food Chemistry*, 3th edn. Marcel Dekker, Inc. New York.

Fonseca, L. M., Gonçalves, J. R., Halal, S. L. M. E., Pinto, V. Z., Dias, A. R. G., Jacques, A. C. dan Zavareze, E. D. R. (2015). Oxidation of potato starch with different sodium hypochlorite concentrations and its effect on biodegradable films. *LWT - Food Science and Technology* **60**(2): 714–720.

Gani, A., Haq, S. S., Masoodi, F.A., Broadway, A. A. dan Gani, A. (2010). Physicochemical, morphological and pasting properties of starches extracted from water chestnuts (Trapa natans) from three lakes of Kashmir, India. *Brazilian Archives of Biology and Technology* **53**(3): 731–740.

Garrido, J. I., Lozano, J. E. dan Genovese, D. B. (2015). Effect of formulation

KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

variables on rheology, texture, colour, and acceptability of apple jelly: Modelling and optimization. *LWT- Food Science and Technology* **62**(1): 325–332.

Gianti, I. dan Evanuarini, H. (2011). The effect of sugar addition and time of storage on physical quality of fermented milk. *Jurnal Ilmu dan Teknologi Hasil Ternak* **6**(1): 28–33.

Goldberg, I. (1994). *Functional foods*. Chapmann Hall. New York

Gökşen, G. dan Ekiz, H. I. (2019). Pasting and gel texture properties of starch-molasses combinations. *Food Science and Technology, Campinas* **39**(1): 93-102.

Gontard, N., Guilbert, S. dan Cuq, J. L. (1993). Water and glycerol as plasticizers affect mechanical and water vapor barrier properties of an edible wheat gluten film. *Journal of Food Science* **58**: 206-211.

Grotmol, S., Dahl-Paulsen, E. dan Totland, G. K. (2003). Hatchability of eggs from atlantic cod, turbot and atlantic halibut after disinfection with ozonated seawater. *Aquaculture* **221**: 245-254.

Gunaratne, A., Ranaweera, S. dan Corke, H. (2007). Thermal, pasting, and gelling properties of wheat and potato starches in the presence of sucrose, glucose, glycerol, and hydroxypropyl b-cyclodextrin. *Carbohydrate Polymers* **70**: 112–122.

Habilla, C., Sim, S. Y., Aziah, N. dan Cheng, L. H. (2011). The properties of jelly candy made of acid-thinned starch supplemented with konjac glucomannan or psyllium husk powder. *International Food Research Journal* **18**(1): 213–220.

Halal, S. L. M. El, Colussi, R., Pinto, V. Z., Bartz, J., Radunz, M., Carreño, N. L. V., Dias, A. R. G. dan Zavareze, E. D. R. (2015). Structure, morphology and functionality of acetylated and oxidised barley starches. *Food Chemistry* **168**: 247–256.

Hamedi, F., Mohebbi, M., Shahidi, F. dan Azarpazhooh, E. (2018). Ultrasound-assisted osmotic treatment of model food impregnated with pomegranate peel phenolic compounds: mass transfer, texture, and phenolic evaluations. *Food and Bioprocess Technology* **11**(5): 1061–1074.

Han, J. H. dan Cennadios, A. (2014). Edible films and coatings: a review. *Dalam*: Han, J. H (ed). *Innovations in Food Packaging*, hal 213-255. Academic Press, USA.

Harijono, Kusnadi, J. dan Mustikasari, S. A. (2001). Pengaruh kadar karaginan dan total padatan terlarut sari buah apel muda terhadap aspek kualitas permen *jelly*. *Jurnal Teknologi Pertanian* **2**(2): 110–116.

Hebeish, A., El-Thalouth, I. A., Refai, R. dan Dokki, A. R. (1989). Synthesis and characterization of hypochlorite oxidized starches. *Starch/Stärke* **41**: 293-298.

UNIVERSITAS
GADJAH MADA
KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hedayati, S., Shahidi, F., Koocheki, A., Farahnaky, A., dan Majzoobi, M. (2016). Comparing the effects of sucrose and glucose on functional properties of pregelatinized maize starch. *International Journal of Biological Macromolecules* **88**: 499–504.

Herlane, D. S. C., dan Antonio, L. (2006). *Experimental Study Using Ozone: Applicability of DPD Method and Interference in Analytic Methods for Hydrogen Peroxide.* Universitas de Sau Paulo dan Universitas federal de Itajube. Brasil.

Huang, M., Kennedy, J. F., Li, B., Xu, X. dan Xie, B. J. (2007). Characters of rice starch gel modified by gellan, carrageenan, and glucomannan: A texture profile analysis study. *Carbohydrate Polymers* **69**(3): 411–418.

Huang, L., Wan, J., Huang, W., Rayas-Duarte, P. dan Liu, G. (2011). Effects of glycerol on water properties and steaming performance of prefermented frozen dough. *Journal of Cereal Science* **53**(1): 19–24.

Hutching, J. B. (1999). *Food Colour and Appearance*. 2nd edn. Aspen Publication Inc. Gaithersburg, Maryland.

Hutami, R., Handayani, A. dan Rohmayanti, T. (2019). Karakteristik sensori dan fisikokimia permen *jelly* ubi cilembu (*ipomoea batatas L*. Lam) CV. Cilembu dengan *gelling agent*. *Jurnal Pangan Halal* **1**(2): 66–74.

Igoe, R. S. dan Hui Y. H. (1994). *Dictionary of Food Ingredients*. Chapman and Hill. New York

Irudayaraj, J. dan Yang, H. (2002). Depth profiling of a heterogeneous food-packaging model using step-scan Fourier transform infrared photoacoustic spectroscopy. *Journal of Food Engineering* **55**(1): 25–33.

Isah, S., Oshodi, A. A. dan Atasie, V. N. (2015). Oxidation of acha (*Digitaria exilis*) starch using 3.5% active chlorine sodium hypochlorite. *African Journal of Pure and Applied Chemistry* **9**(4): 65–70.

Iwe, M. O., Onyeukwu, U. dan Agiriga, A. N. (2016). Proximate, functional and pasting properties of FARO 44 rice, African yam bean and brown cowpea seeds composite flour. *Cogent Food and Agriculture* **2**(1): 1-10.

Juliano, B.O. (1971). A simplifi assay for milled rice amylose measurement. *Journal of Cereal Science Today* **16**: 334-336.

Kantouch, F. dan Tawfik, S. (1998). Gelatinization of hypochlorite oxidized maize starch in aqueous solutions. *Starch/Staerke* **50**: 114–119.

Kearsley, M. W. dan Deis, R. C. (2006). Sorbitol and Mannitol. *Dalam* Mitchell, H. (ed). S*weeteners and Sugar Alternatives in Food Technology*, hal 249-261. Blackwell Publishing Ltd, New Jersey.

Khadre, M. A., Yousef, A. E. dan Kim, J.G. (2001). Microbiological aspects of ozone applications in food: A review. *Journal of Food Science* **66**(9): 1242–

KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

1252.

Kharyeki, M. E., Rezaei, M. dan Motamedzadegan, A. (2011). International aquatic research the effect of processing conditions on physico-chemical properties of whitecheek shark (*Carcharhinus dussumieri*) skin gelatin. *International Aquatic Research* **3**: 63–69.

Kochkar, H., Morawietz, M. dan Hölderich, W. F. (2001). Oxidation of potato starch with NO_2: characterization of the carboxylic acid salts. *Applied Catalysis* **210**: 325–328.

Konoo, S., Ogawa, H., Mizuno., H., dan Iso, N. (1996). The emulsificating ability of oxidized tapioca starches with sodium hypochlorite. *Journal of the Japanese Society for Food Science and Technology* 43(8): 880-886.

Korma, S. A., Niazi, S., Ammar, A., dan Zaaboul, F. (2016). Chemically Modified Starch and Utilization in Food Stuffs Chemically Modified Starch and Utilization in Food Stuffs. *International Journal of Nutrition and Food Sciences*, **5**(4): 264-272.

Klein, B., Vanier, N. L., Moomand, K., Pinto, V. Z., Colussi, R., Zavareze, D. R. E. dan Dias, A. R. G. (2014). Ozone oxidation of cassava starch in aqueous solution at different pH. *Food Chemistry* **155**: 167–173.

Kreungngern, D. dan Chaikham, P. (2016). Rheological, physical and sensory attributes of *Chao Kuay* jelly added with gelling agents. *International Food Research Journal* **23**(4): 1474-1478.

Kuakpetoon, D. dan Wang, Y. (2001). Characterization of different starches oxidized. *Starch/Stärke* **53**: 211–218.

Kuakpetoon, D. dan Wang, Y. (2006). Structural characteristics and physicochemical properties of oxidized corn starches varying in amylose content. *Carbohydrate Research* **341**: 1896–1915.

Kuakpetoon, D. dan Wang, Y. J. (2008). Locations of hypochlorite oxidation in corn starches varying in amylose content. *Carbohydrate Research* **343**(1): 90–100.

Ladamay, N. A dan Yuwono, S. S. (2014). The use local material in the production foodbars (study of tapioca: green bean flour ratio and cmc proportion). *Jurnal Pangan dan Agroindustri* **2 (**1): 67-78.

Lamadrid, C. M., Calín-Sánchez, Á., Clemente-Villalba, J., Hernández, F., Carbonell-Barrachina, Á. A., Sendra, E. dan Wojdyło, A. (2020). Quality parameters and consumer acceptance of jelly candies based on pomegranate juice (mollar de elche). *Foods* **9**(4): 1–17.

Langlais, B., Reckhow, David, A. dan Brink, D. R. (1991). *Ozone in Water Treatment: Application and Engineering*. CRC Press, Boca Raton.

Lawal, O. S. (2004). Composition, physicochemical properties and retrogradation

KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

characteristics of native, oxidised, acetylated and acid-thinned new cocoyam (*Xanthosoma sagittifolium*) starch. *Food Chemistry* **87**(2): 205–218.

Lawal, O. S., Adebowale, K. O., Ogunsanwo, B. M., Barba, L. L. dan Ilo, N. S. (2005). Oxidized and acid thinned starch derivatives of hybrid maize: Functional characteristics, wide-angle X-ray diffractometry and thermal properties. *International Journal of Biological Macromolecules* **35**: 71–79.

Lee, E. J., Kweon, D. K., Koh, B. K. dan Lim, S. T. (2004). Physical characteristics of sweet potato pulp/polycaprolactone blends. *Journal of Applied Polymer Science* **92**(2): 861–866.

Lees, R dan Jackson, E. B. (1983). *Sugar Confectionary and Chocolate Manufacture*. Thomson Litho Ltd, East Kilbride, Scotland.

Lemos, E. T., Almeida, A. R., Vouga, B., Morais, C., Correia, I., Pereira, P. dan Guiné, R. P. F. (2021). Development and characterization of healthy gummy jellies containing natural fruits. *Open Agriculture* **6**(1): 466–478.

Linsay, R. (1985). *Food Additives*. *Dalam*: Fennama, O. R. (ed). *Food Chemistry*, hal 767-824. Marcel Dekker Ink, New York.

Liu, J., Wang, B., Lin, L., Zhang, J., Liu, W., Xie, J. dan Ding, Y. (2014). Functional, physicochemical properties and structure of cross-linked oxidized maize starch. *Food Hydrocolloids* **36**: 45–52.

Mahapatra, A. K., Muthukumarappan, K. dan Julson, J. L. (2005). Applications of ozone, bacteriocins and irradiation in food processing: A review. *Food Science and Nutrition* **45**(6): 447–461.

Maniglia, B. C., Lima D. C., Junior, M. D. M., Le-Bailb, P., Le-Baila, A. dan Augusto, P. E. D. (2020). Preparation of cassava starch hydrogels for application in 3D printing using dry heating treatment (DHT): A prospective study on the effects of DHT and gelatinization conditions. *Food Research Internasional*, **128**: 1-11.

Marfil, P. H. M., Anhê, A. C. B. M. dan Telis, V. R. N. (2012). Texture and microstructure of gelatin/corn starch-based gummy confections. *Food Biophysics* **7**(3): 236–243.

Martínez, M. M., Pico, J. dan Gómez, M. (2015). Effect of different polyols on wheat and maize starches paste and gel properties. *Food Hydrocolloids* **44:** 81–85.

Mártinez, L. B., Cervera, C. P., dan Pizarro, R. A.(2020). Effect of glycerol and sorbitol concentrations on mechanical, optical, and barrier properties of sweet potato starch film. *NFS Journal* **20** : 1-9.

Mazur, P. M., Stoljarowa, L. W., Djatlow, W. A. (1989). Modified starches as dough conditioners for bread. *Journal Nutrition* **13**(3): 155-156.

McHugh, T. H. dan Krochta, J. M. (1994). Sorbitol vs glycerol plasticed whey

KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

protein edible film: Integrated oxygen permeability and tensite property evaluation. *Journal Agriculture and Food Chemistry* **2**(4): 841-845.

Mei, J., Liu, G., Huang, X. dan Ding, W. (2016). Effects of ozone treatment on medium hard wheat (*Triticum aestivum* L.) flour quality and performance in steamed bread making quality and performance in steamed bread making. *CyTA-Journal of Food* **14**(3): 449–456.

Meilgaard, M., Civille, G. V. dan Carr, B. T. (2006). *Sensory Evaluation Techniques*, 4th edn. CRC Press, USA.

Meunpol, O., Lopinyosiri, K. dan Menasveta, P. (2003). The effects of ozone and probiotics on the survival of black tiger shrimp (*Penaeus monodon*). *Aquaculture* **220**(1): 437–448.

Miranda, J. S., Costa, B. V., Oliveira, I. V., Lima, D. C. N., Martins, E. M. F., Castro, L. J. B. R., Almeida, N. B. W. C., Campelo, Q. I., Ribeiro, S. R. dan Martins, M. L. (2020). Probiotic jelly candies enriched with native Atlantic Forest fruits and Bacillus coagulans GBI-30 6086. *LWT- Food Science and Technology* **126**: 1–6.

Miyazaki, M. R., Hung, P. V., Maeda, T. dan Morita, N. (2006). Recent advances in application of modified starches for breadmaking. *Trends in Food Science and Technology* **17**: 591-599.

Moloughney, S. (2011). Functional confectionery: Finding the sweet spot. http://www.nutraceuticalsworld.com/issues/2011-3/view_features/functional-confectionery-finding-the-sweet-spot/. [17 Mei 2018].

Mondal, S. C., Kamal, M. M., Mumin, M. I. A., Hosain, M. M. dan Ali, M. R. (2017). Effect of sucrose on the physicochemical properties, organoleptic qualities and shelf-life stability of Aonla (*Emblica Officinalis*) candy. *IOSR Journal of Environmental Science, Toxicology and Food Technology* **11**(12): 85–94.

Mua, J. P. dan Jackson, D. S. (1997). Relationships between functional attributes and molecular structures of amylose and amylopectin fractions from corn starch. *Journal Agriculture of Food Chemistry* **45**: 3848–3854

Mueller, R., Zurich dan Federico, I. (2006). *Starch-based rubber-elastic confectionery*. USA. US0134311A.

Muflihati, I., Marseno, D. W., dan Pranoto, Y. (2019). Oxidation of oven-dried cassava starch using hydrogen peroxide and UV-C irradiation to improve frying expansion. *Indonesian Food and Nutrition Progress* **16**(1): 14-22.

Mutlu, C., Tontul, S. A. dan Erbaş, M. (2018). Production of a minimally processed *jelly candy* for children using honey instead of sugar. *LWT-Food Science and Technology* **93**: 499–505.

Naito, S., Sawada, Y. dan Yamaguchi, N. (1989). Studies on utilization of ozone in

KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

food preservation: effects of ozone treatment on packaged Namamen Japanese raw noodle. *Journal Antibacterial and Antifungal Agents, Japan* **17**(11): 517–526.

Naknaen, P., Tobkaew, W. dan Chaichaleom, S. (2017). Properties of jackfruit seed starch oxidized with different levels of sodium hypochlorite. *International Journal of Food Properties* **20**(5): 979–996.

Nara, S. dan Komiya, T. (1983). Studies on the relationship between water-satured state and crystallinity by the diffraction method for moistened potato starch. *Starch/Stärke* **35**(12): 407–410.

Natalie, V., Lekahena, J. dan Boboleha, M. R. (2020). The effects of sucrose substitution with sorbitol on physicochemical properties and sensory evaluation of seaweed jelly candy. 5th International Conference on Food, Agriculture and Natural Resources **194**: 263–267.

Nurhayati, R., Herawati, E. R. N., Putri, A. S. dan Adyana, G. P. (2019). The addition of sorbitol and glycerol to improve the physicochemical and sensory characteristics of chocolate dodol. *IOP Conference Series: Materials Science and Engineering* **633**(1): 1–5.

Oakenfull, D. dan Glicksman, M. (1987). Gelling Agents. *Critical Reviews in Food Science and Nutrition* **26**:1-25

Oladebeye, A. O., Oshodi, A. A., Amoo, I. A. dan Karim, A. A. (2013). Functional, thermal and molecular behaviours of ozone-oxidised cocoyam and yam starches. *Food Chemistry* **141**(2): 1416–1423.

Oladebeye, A. O., Oshodi, A. A., Amoo, I. A. dan Karim, A. A. (2018). Gaseous ozonation of pigeon pea, lima bean, and jack bean starches: Functional, thermal, and molecular properties. *Starch/Starke* **70**: 1–11.

Parovuori, P., Hamunen, A., Forssell, P., Autio, K. dan Poutanen, K. (1995). Oxidation of potato starch by hydrogen peroxide. *Starch/Stärke* **47**: 19–23.

Pereira, J. M., Evangelho, J. A., Moura, F. A., Gutkoski, L. C., Zavareze, E. R. dan Dias, A. R. G. (2017). Crystallinity, thermal and gel properties of oat starch oxidized using hydrogen peroxide. *International Food Research Journal* **24**(4): 1545–1552.

Perez, S., Baldwin, P. M. dan Gallant, D. J. (2009). Structural features of starch granules I. *Dalam:* Whistler, R. L., Bemiller J. N. dan Paschall, E. F. (ed). *Starch: Chemistry and Technology*, hal 149-188. Academic Press, New York.

Pietrzyk, S., Juszczak, L., Fortuna, T. dan Ciemniewska, A. (2014). Effect of the oxidation level of corn starch on its acetylation and physicochemical and rheological properties. *Journal of Food Engineering* **120**(1): 50–56.

Pongsawatmanit, R., Temsiripong, T. dan Suwonsichon, T. (2007). Thermal and rheological properties of tapioca starch and xyloglucan mixtures in the

UNIVERSITAS
GADJAH MADA
KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

presence of sucrose. *Food Research Internasional* **40**(2): 239–248.

Popov-Raljić, J. V., Mastilović, J. S., Laličić-Petronijević, J. G. dan Popov, V. S. (2009). Investigations of bread production with postponed staling applying instrumental measurements of bread crumb color. *Sensors* **9**(11): 8613–8623.

Poppe, J. (1992). *Gelatine. Dalam*: Imeson, A. (ed.). *Thickening and Gelling Agents for Food*, hal 144-168. Blackie Academic and Proffesional, London.

Pranoto, Y., Paramita, B. L., Cahyanto, M. N., dan Benjakul, S. (2021). Properties of ozone-oxidized tapioca starch and its use in coating of fried peanuts. *Molecules* **26**(20): 1–12.

Prat, C., Vicente, M. dan Esplugas, S. (1989). Ozonation of bleaching waters of the paper industry. *Water Research* **23**(1): 51–55.

Purcell, S., Wang, Y. J. dan Seo, H. S. (2014). Application of oxidized starch in bake-only chicken nuggets. *Journal of Food Science* **79**(5): 810–5.

Remya, R. dan Jyothi, A. N. (2015). A comparative study on the resistant starch content from different botanical sources in relation to their physicochemical properties. *Journal of Root Crops* **41**(1) : 37–47.

Rice, R. G., Robson, C. M., Miller, G. W. dan Hill, A. G. (1981). Uses of ozone in drinking water treatment. *Journal of the American Water Works Association* **73**(1): 44–57.

Rice, R. G. (1986). *Application of ozone in water and wastewater treatment*. *Dalam*: Rice, R. G., Bollyky L. J. dan Lacy, W. J. (ed). *Analytical Aspects of Ozone Treatment of Water and Wastewater*, hal 7–26. Lewis Publishers, Chelsea.

Rivera, M. M. S., Suárez, F. J. L. G., del-Valle, M. V., Meraz, F. G. dan Pérez, L. A. B. (2005). Partial characterization of banana starches oxidized by different levels of sodium hypochlorite. *Carbohydrate Polymers* **62**(1): 50–56.

Robyt, J. F. (2008). Starch: structure, properties, chemistry, and enzymology. *Dalam* : Fraser-Reid B. O., Tatsuta K., Thiem, J. (ed). *Glycoscience*, hal 1438-1466. Springer, Berlin.

Rodriguez, A., Rosal, R., Perdigon, J. A., Mezena, M., Aguera, A., Hernando, M. D., Leton, P., Fernandez, A. R. dan Calvo, E. G. (2008). Ozone based technologies in water and waste water treatment. *Dalam*: Barcelona, D dan Kostianoy, A. G. (ed). *The Handbook of Environmental Chemistry*, hal 139-172. Springer-Verlag, Berlin.

Rosenthal, A. J. (1999). Relation between instrumental and sensory measures of food texture. *Dalam* Rosenthal A. J., (ed). *Food Texture: Measurement and Perception*, hal 1–17. Aspen Publishers Inc., Gaithersburg.

Rukmana, R. (1997). *Ubi Kayu, Budidaya dan Pasca Panen*. Kanisius,Yogyakarta.

UNIVERSITAS
GADJAH MADA
KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Rutenberg, M. W. dan Solarek, D. (1984). Starch derivatives: production and uses. *Dalam:* Whistler, R.L., Bemiller, J. N. dan Paschall, E. F. (ed.). *Starch, Chemistry and Technology*, hal 312–388. Academic Press, New York.

Saha, D. dan Bhattacharya, S. (2010). Hydrocolloids as thickening and gelling agents in food: a critical review. *Journal of Food Science and Technology* **47**(6): 587–597.

Sanders, P., Wilcox, W. dan Fretwel, M. (2013). *Confectionery and manufacturing method*. https://patents.google.com/patent/WO2014181070A1/en.[4-2-2017].

Sanderson, G. R. (1990). Gellan Gum. *Dalam*: Harris, P. (ed). *Food Gels*, hal 201–232. Elsevier Science, New York.

Sandhu, H. P. S., Manthey, F. A., Simsek, S. dan Ohm, J. (2011). Comparison between potassium bromate and ozone as flour oxidants in breadmaking. *Cereal Chemistry* **88**(1): 103–108.

Sandhu, K. S., Kaur, M., Singh, N. dan Lim, S. T. (2008). A comparison of native and oxidized normal and waxy corn starches: Physicochemical, thermal, morphological and pasting properties. *LWT-Food Science and Technology* **41**: 1000–1010.

Sangseethong, K., Termvejsayanon, N. dan Sriroth, K. (2010). Characterization of physicochemical properties of hypochlorite- and peroxide-oxidized cassava starches. *Carbohydrate Polymers* **82**(2): 446–453.

Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R. dan Sahari, J. (2015). Effect of plasticizer type and concentration on physical properties of biodegradable films based on sugar palm (*Arenga pinnata*) starch for food packaging. *Journal of Food Science and Technology* **53**(1): 326–336.

Schrieber, R. dan Gareis, H. (2007). *Gelatine Handbook : Theory and Industrial Practice*. 1st edn. Wiley-VCH, Weinheim.

Searby, L. (2014). Tangerine taps oxidized starches for gelatin-free jellies. http://www.confectionerynews.com/R-D/Gelatin-free-candy-with-oxidized-starches-Tangerine-patent. [3-2-2017].

Sikora, M., Juszczak, L., Sady, M. dan Krawontka, J. (2016). Use of modified starches as thickeners of cocoa syrups. *Food Science Technology Internasional* **10**(5): 347-354.

Silva, L. B., da-Queiroz, M. B., Fadini, A. L., Fonseca, R. C. C. D., Germer, S. P. M., dan Efraim, P. (2016). Chewy candy as a model system to study the influence of polyols and fruit pulp (Açai) on texture and sensorial properties. *LWT- Food Science and Technology* 65: 268–274.

Sitorus, T. (2015). Sejarah Ubi Gajah. http://www.ubigajah.com. [1 April 2017]

Simorangkir, T. R. S., Rawung, D. dan Moningka, J. (2017). Pengaruh konsentrasi sukrosa terhadap karakteristik permen *jelly* sirsak (*annona muricata* Linn).

UNIVERSITAS
GADJAH MADA
KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Jurnal Cocos, **8**(1): 1-13.

Smith. R. J., (1967). Production and used of hypochlorite oxidized starches. *Dalam* : Whistler R. L. dan Paschall E. F. (ed.). S*tarch Chemistry and Technology*, hal 620–625. Academic Press, London.

Sobral, P. J. A., Menegalli, F. C., Hubinger, M. D. dan Roques, M. A. (2001). Mechanical, water vapor marrier and thermal properties of gelatin based edible films. *Food Hydroccolloids* **15**(6): 423-432.

Soekarto, T. S. (1985). *Penilaian Sensoris untuk Industri Pangan dan Hasil Pertanian*. Bharata Karya Aksara, Jakarta

Song, H .N., Ji, S. A., Park, H. R., Kim, H. H. dan Hogstrand, C. (2018). Impact of various factors on color stability of fresh blueberry juice during storage. *Preventive Nutrition and Food Science* **23**(1): 46–51.

Srichuwong, S., Sunarti, T. C., Mishima, T., Isono, N. dan Hisamatsu, M. (2005). Starches from different botanical sources I: contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydrate Polymers* **60**(4): 529-538.

Steffe, J. F. (1996). *Rheological Methods in Food Process Engineering*, 2nd edn. Freeman Press, East Lansing.

Subbiah, B., Blank, U. K. M. dan Morison, K. R. (2020). A review, analysis and extension of water activity data of sugars and model honey solutions. *Food Chemistry* **326**: 1–8.

Suhendro, E. L., Waniska, R. D., Rooney, L. W. dan Gomez, M. H. (1995). Effects of polyols on the processing and qualities of wheat tortillas. *Cereal Chemistry* **72**(1): 122–127.

Susan, L., Furcsi, K. dan Mauro, D. J. (1990). *Starch jelly candy*. https://patents.google.com/patent/US5035912A/en?q=jelly+candydanoq=jelly+candy+. [19 mei 2017]

Syamsir, E., Hariyadi, P., Fardiat, D., Andarwulan, N. dan Kusnandar, F. (2009). Karakteristik tapioka dari lima varietas ubikayu (*Manihot utilisima* crantz) asal Lampung. *Jurnal Agrotek* **5**(1): 93–105.

Szczesniak, A. S. (1986). Sensory texture evaluation methodology. *Reciprocal Meat Conference Proceedings* **39**: 86-96.

Szczesniak, A. S. (2002). Texture is a sensory property. *Food Quality and Preference* **13**(4): 215–225.

Tao, H., Wang, B., Wen, H., Cui, B., Zhang, Z., Kong, X. dan Wang, Y. (2021a). Improvement of the textural characteristics of curdlan gel by the formation of hydrogen bonds with erythritol. *Food Hydrocolloids* **117**(17): 1–8.

Tao, X., Zhang, Y., Chen, F., Huang, Y. dan Chen, P. (2021b). Effects of sucrose

UNIVERSITAS
GADJAH MADA
KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

on pasting, thermal, rheological and textural properties of native and alcohol-alkali-treated waxy rice starch. *International Journal of Biological Macromolecules* **166** : 108–116.

Blácido, D. R. T. Sobral, P. J. A. dan Menegalli, F. C. (2011). Optimization of amaranth flour films plasticized with glycerol and sorbitol by multi-response analysis. *Food Science and Technology,* **44**(8): 1731-1738.

Tarique, J., Sapuan, S. M. dan Khalina, A. (2021). Effect of glycerol plasticizer loading on the physical, mechanical, thermal, and barrier properties of arrowroot (*Maranta arundinacea*) starch biopolymers. *Scientific Reports* **11**(1): 1–17.

Teixeira-Lemos, E., Almeida, A. R., Vouga, B., Morais, C., Correia, I., Pereira, P., dan Guiné, R. P. F. (2021). Development and characterization of healthy gummy jellies containing natural fruits. *Open Agriculture*, **6**(1), 466–478.

Tester, R. F. dan Morrison, W. R. (1990). Swelling and gelatinization of cereal starches I: effects of amylopectin, amylose, and lipids. *Cereal Chemistry* **67**: 551-557.

Tharanathan, R. N. (2005). Starch-value addition by modification. *Food Science and Nutrition* **45**(5): 371–384.

Todica, M., Nagy, E. M., Niculaescu, C., Stan, O., Cioica, N. dan Pop, C. V. (2016). XRD Investigation of some thermal degraded starch based materials. *Journal of Spectroscopy* **1**: 1–6.

Tunnarut, D. dan Pongsawatmanit, R. (2017). Quality enhancement of tapioca starch gel using sucrose and xanthan gum. *International Journal of Food Engineering* **13**(8): 1-9.

Utomo, B. S. B., Darmawan, M., Hakim, A. R. dan Ardi, D. T. (2014). Physicochemical properties and sensory evaluation of *jelly candy* made from different ratio of k-carrageenan and konjac. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology* **9**(1): 25.-34.

Van, S. J. J. G., Wit, D. D., Tournois, H. dan Vliegenthart, J. F. G. (1994). Retrogradation of potato starch as studied by Fourier transform infrared spectroscopy. *Starch/Stärke* **46**: 453–457.

Van, S. J. J. G., Tournois, H., Wit, D. D. dan Vliegenthart, J. F. G. (1995). Short range structure in partially crystalline potato starch determined with attenuated total reflectance FTIR. *Carbohydrate Research* **279**: 201–214.

Vanier, N. L., Zavareze, E. D .R., Pinto, V. Z., Klein, B., Botelho, F. T., Dias, A. R. G. dan Elias, M. C. (2012). Physicochemical, crystallinity, pasting and morphological properties of bean starch oxidised by different concentrations of sodium hypochlorite. *Food Chemistry* **131**(4): 1255–1262.

Vanier, N. L., Halal, S. L. M. E., Dias, A. R. G. dan Zavareze, D. R. E. (2017).

KARAKTERISTIK FISIKO-KIMIA PATI SINGKONG GAJAH HASIL MODIFIKASI MENGGUNAKAN OZON DAN APLIKASINYA
SEBAGAI GELLING AGENT PADA JELLY CANDY
WIWIT MURDIANTO, Prof. Dr. Yudi Pranoto S.T.P, M.P. ; Prof. Dr. Ir. Sri Anggrahini M.S. ; Prof. Dr. Ir. Sutardi, M.Ap
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Molecular structure, functionality and applications of oxidized starches: a review. *Food Chemistry* **221**: 1546–1559.

Vasanthan, T. dan Bhatty, R. S. (1996). Physicochemical properties of small and large granule starches of waxy, regular and high-amylose barleys. *Cereal Chemistry* **73**: 199-207.

Wang, Y. J. dan Wang, L. (2003). Physicochemical properties of common and waxy corn starches oxidized by different levels of sodium hypochlorite. *Carbohydrate Polymers* **52**(3): 207–217.

Winarno, F. G. (2002). *Kimia Pangan dan Gizi*. PT Gramedia, Jakarta.

Wurzburg, O. B. (1986). *Modified Starches: Properties and Uses*. CRC Press, Boca Raton.

Yuliatmoko, W., Murdiati, A., Pranoto, Y. dan Marsono, Y. (2020). The effect of mixture of banana pseudostem flour proportion on organoleptic. *Food Research* **4**(3): 906 - 916.

Yusof, N., Jaswir, I., Jamal, P. dan Jami, M. S. (2019). Texture Profile Analysis (TPA) of the jelly dessert prepared from halal gelatin extracted using High Pressure Processing (HPP). *Malaysian Journal of Fundamental and Applied Sciences* **15**(4): 604–608.

Zaidul, I. S. M., Norulaini, N. A. N., Omar, A. K. M., Yamauchi, H. dan Noda, T. (2007). RVA analysis of mixtures of wheat flour and potato, sweet potato, yam, and cassava starches. *Carbohydrate Polymers* **69**(4): 784–791.

Zavareze, E. D. R., Pinto, V. Z., Klein, B., Halal, S. L. M. E., Elias, M. C., Hernández, C. P. dan Dias, A. R. G. (2012). Development of oxidised and heat-moisture treated potato starch film. *Food Chemistry* **132**(1): 344–350.

Zhang, S. D., Zhang, Y. R., Wang, X. L. dan Wang, Y. Z. (2009). High carbonyl content oxidized starch prepared by hydrogen peroxide and its thermoplastic application. *Starch/Starke* **61**(11) : 646–655.

Zhou, H., Wang, J., Li, J., Fang, X. dan Sun, Y. (2011). Pasting properties of Angelica dahurica starches in the presence of NaCl, Na_2CO_3, NaOH, glucose, fructose and sucrose. *Starch/Starke* **63**: 323–332.

Zhou, C. F., Qian, P., Meng, J., Gao, S. M. dan Lu, R. R. (2016). Effect of glycerol and sorbitol on the properties of dough and white bread. *Cereal Chemistry* **93**(2): 196–200.

Zobel, H. F. (1988). Starch crystal transformations and their industrial importance. *Starch/Stärke* **40**: 1–7.