

DAFTAR PUSTAKA

- [1] D. Makassari, “Sebaran Kanker di Indonesia, Riset Kesehatan Dasar 2007,” *Indones. J. Cancer*, vol. 11, no. 29, pp. 1–8, 2017, [Online]. Available: <https://media.neliti.com/media/publications/197251-ID-sebaran-kanker-di-indonesia-riset-keseha.pdf>.
- [2] M. I. Sari, I. Wahid, and A. Suchitra, “Kemoterapi Adjuvan pada Kanker Kolorektal,” *J. Kesehat. Andalas*, vol. 8, no. 1S, p. 51, 2019, doi: 10.25077/jka.v8i1s.925.
- [3] S. J. Lee *et al.*, “Changes in treatment intent and target definition for preoperative radiotherapy after 18F-Fluorodeoxyglucose positron emission tomography in rectal cancer: A Meta-analysis,” *Eur. J. Radiol.*, vol. 145, no. November, 2021, doi: 10.1016/j.ejrad.2021.110061.
- [4] E. Tamburini *et al.*, “Critical Reviews in Oncology / Hematology Adjuvant chemotherapy after neoadjuvant chemo-radiotherapy and surgery in locally advanced rectal cancer . A systematic review of literature with a meta-analysis of randomized clinical trials,” *Crit. Rev. Oncol. / Hematol.*, vol. 172, no. February, p. 103627, 2022, doi: 10.1016/j.critrevonc.2022.103627.
- [5] S. Nougaret *et al.*, “Structured and shared MRI staging lexicon and report of rectal cancer: A consensus proposal by the French Radiology Group (GRERCAR) and Surgical Group (GRECCAR) for rectal cancer,” *Diagn. Interv. Imaging*, vol. 000, 2021, doi: 10.1016/j.diii.2021.08.003.
- [6] L. Rahayuwati, A. Rizal, Iqbal, M. Lukman, and N. Juniarti, “Pendidikan Kesehatan tentang Pencegahan Penyakit Kanker dan Menjaga Kualitas Kesehatan,” *Media Karya Kesehat.*, vol. 3, no. 1, pp. 59–69, 2020.
- [7] R. L. Siegel, K. D. Miller, H. E. Fuchs, and A. Jemal, “Cancer Statistics, 2021,” *CA. Cancer J. Clin.*, vol. 71, no. 1, pp. 7–33, 2021, doi: 10.3322/caac.21654.
- [8] N. Fitriatuzzakiyyah, R. K. Sinuraya, and I. M. Puspitasari, “Cancer Therapy



- with Radiation: The Basic Concept of Radiotherapy and Its Development in Indonesia,” *Indones. J. Clin. Pharm.*, vol. 6, no. 4, pp. 311–320, 2017, doi: 10.15416/ijcp.2017.6.4.311.
- [9] M. Suzuki, “Boron neutron capture therapy (BNCT): a unique role in radiotherapy with a view to entering the accelerator-based BNCT era,” *Int. J. Clin. Oncol.*, vol. 25, no. 1, pp. 43–50, 2020, doi: 10.1007/s10147-019-01480-4.
- [10] B. W. Cheon *et al.*, “Optimization of target, moderator, and collimator in the accelerator-based boron neutron capture therapy system: A Monte Carlo study,” *Nucl. Eng. Technol.*, vol. 53, no. 6, pp. 1970–1978, 2021, doi: 10.1016/j.net.2020.12.006.
- [11] N. C. Therapy, “cells A Model for Estimating Dose-Rate Effects on Cell-Killing of Human Melanoma after Boron,” pp. 1–16, 2020.
- [12] M. H. Bölükdemir, E. Uyar, G. Aksoy, H. Ünlü, H. Dikmen, and M. Özgür, “Investigation of shape effects and dead layer thicknesses of a coaxial HPGe crystal on detector efficiency by using PHITS Monte Carlo simulation,” *Radiat. Phys. Chem.*, vol. 189, no. August, 2021, doi: 10.1016/j.radphyschem.2021.109746.
- [13] S. Pak and F. A. Cucinotta, “Comparison between PHITS and GEANT4 Simulations of the Heavy Ion Beams at the BEVALAC at LBNL and the Booster Accelerator at BNL,” *Life Sci. Sp. Res.*, vol. 29, no. January, pp. 38–45, 2021, doi: 10.1016/j.lssr.2021.03.002.
- [14] R. L. Siegel *et al.*, “Colorectal cancer statistics, 2020,” *CA. Cancer J. Clin.*, vol. 70, no. 3, pp. 145–164, 2020, doi: 10.3322/caac.21601.
- [15] M. Sayuti and N. Nouva, “Kanker Kolorektal,” *AVERROUS J. Kedokt. dan Kesehatan. Malikussaleh*, vol. 5, no. 2, p. 76, 2019, doi: 10.29103/averrous.v5i2.2082.
- [16] N. Matsubayashi, H. Tanaka, T. Takata, K. Okazaki, Y. Sakurai, and M.



- Suzuki, "Development of real-time neutron detectors with different sensitivities to thermal, epithermal, and fast neutrons in BNCT," *Radiat. Meas.*, vol. 140, no. November 2020, p. 106489, 2021, doi: 10.1016/j.radmeas.2020.106489.
- [17] H. Tanaka *et al.*, "Improvement of dose distribution in phantom by using epithermal neutron source based on the Be(p,n) reaction using a 30 MeV proton cyclotron accelerator," *Appl. Radiat. Isot.*, vol. 67, no. 7-8 SUPPL., pp. 258–261, 2009, doi: 10.1016/j.apradiso.2009.03.096.
- [18] M. Pedrosa-Rivera, J. Praena, I. Porras, M. J. Ruiz-Magaña, and C. Ruiz-Ruiz, "A simple approximation for the evaluation of the photon iso-effective dose in Boron Neutron Capture Therapy based on dose-independent weighting factors," *Appl. Radiat. Isot.*, vol. 157, 2020, doi: 10.1016/j.apradiso.2019.109018.
- [19] N. Hu *et al.*, "Evaluation of PHITS for microdosimetry in BNCT to support radiobiological research," *Appl. Radiat. Isot.*, vol. 161, no. March, 2020, doi: 10.1016/j.apradiso.2020.109148.
- [20] M. D. R. PUSPITA, "Analisis dosis radiasi terapi kanker serviks dengan boron neutron capture therapy (bnct) berbasis particle and heavy ion transport code system (phits)," UNIVERSITAS GADJAH MADA, 2021.
- [21] AZZAM ZUKHROFANI IMAN, "Analisis dosis pengobatan kanker pankreas dengan boron neutron capture therapy (bnct) menggunakan program particle and heavy ion transport code (PHITS)," UNIVERSITAS NEGERI YOGYAKARTA, 2018.
- [22] R. C. Stoner and E. K. Korngold, "Anatomy of Pelvic Lymph Nodal Stations and Their Role in Staging of Rectal Cancers," *Semin. Roentgenol.*, vol. 56, no. 2, pp. 152–157, 2021, doi: 10.1053/j.ro.2020.07.006.
- [23] V. Mahadevan, "Anatomy of the rectum and anal canal," *Surg. (United Kingdom)*, vol. 38, no. 1, pp. 7–11, 2020, doi: 10.1016/j.mpsur.2019.10.016.



- [24] M. S. Fazeli and M. R. Keramati, "Rectal cancer: A review," *Med. J. Islam. Repub. Iran*, vol. 29, no. June, 2015.
- [25] V. Mahadevan, "Anatomy of the lower urinary tract," *Surg. (United Kingdom)*, vol. 34, no. 7, pp. 318–325, 2016, doi: 10.1016/j.mpsur.2016.04.001.
- [26] N. Lalwani, D. D. B. Bates, H. Arif-Tiwari, A. Khandelwal, E. Korngold, and M. Lockhart, "Baseline MR Staging of Rectal Cancer: A Practical Approach," *Semin. Roentgenol.*, vol. 56, no. 2, pp. 164–176, 2021, doi: 10.1053/j.ro.2020.07.008.
- [27] H. Silaen, "Pengaruh Pemberian Konseling Dengan Tingkat Kecemasan Pada Pasien Pemasangan Chemoport Yang Menjalani Kemoterapi Di Rumah Sakit Kota Medan," *J. Keperawatan Prior.*, vol. 2, no. 1, pp. 86–92, 2019.
- [28] R. P. Pantow, B. J. Waleleng, and B. P. Sedli, "Profil Adenokarsinoma Kolon di RSUP Prof Dr. R. D. Kandou dan Siloam Hospitals Periode Januari 2016 – Juni 2017," *e-CliniC*, vol. 5, no. 2, 2017, doi: 10.35790/ecl.5.2.2017.18766.
- [29] I. Chen and S. C. Glasgow, "The technical aspects of rectal cancer surgery," *Semin. Colon Rectal Surg.*, vol. 30, no. 2, pp. 68–74, 2019, doi: 10.1053/j.scrs.2019.04.005.
- [30] A. Yudissanta and M. Ratna, "Analisis Pemakaian Kemoterapi pada Kasus Kanker Payudara dengan Menggunakan Metode Regresi Logistik Multinomial (Studi Kasus Pasien di Rumah Sakit 'X' Surabaya)," *J. Sains dan Seni ITS*, vol. 1, no. 1, pp. D112–D117, 2012, [Online]. Available: http://ejournal.its.ac.id/index.php/sains_seni/article/view/1269.
- [31] D. Setiawan, "the Effect of Chemotherapy in Cancer Patient To Anxiety," *J. Major.*, vol. 4, no. 4, pp. 94–99, 2015, [Online]. Available: <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/587>.
- [32] T. Itoh *et al.*, "Design and synthesis of boron containing monosaccharides



- by the hydroboration of D-glucal for use in boron neutron capture therapy (BNCT),” *Bioorganic Med. Chem.*, vol. 26, no. 22, pp. 5922–5933, 2018, doi: 10.1016/j.bmc.2018.10.041.
- [33] J. G. Fantidis and G. Nicolaou, “Optimization of Beam Shaping Assembly design for Boron Neutron Capture Therapy based on a transportable proton accelerator,” *Alexandria Eng. J.*, vol. 57, no. 4, pp. 2333–2342, 2018, doi: 10.1016/j.aej.2017.08.004.
- [34] P. Wongthai *et al.*, “Boronophenylalanine, a boron delivery agent for boron neutron capture therapy, is transported by ATB0+, LAT1 and LAT2,” *Cancer Sci.*, vol. 106, no. 3, pp. 279–286, 2015, doi: 10.1111/cas.12602.
- [35] K. Hu *et al.*, “Boron agents for neutron capture therapy,” *Coord. Chem. Rev.*, vol. 405, p. 213139, 2020, doi: 10.1016/j.ccr.2019.213139.
- [36] H. Cember and T. E. Jonhson, *Introduction To Health Physics*, 4th ed. The McGraw-Hill Companies, 1976.
- [37] M. V. Varaksin *et al.*, “Synthesis, characterization, and in vitro assessment of cytotoxicity for novel azaheterocyclic nido-carboranes – Candidates in agents for boron neutron capture therapy (BNCT) of cancer,” *Tetrahedron*, vol. 102, p. 132525, 2021, doi: 10.1016/j.tet.2021.132525.
- [38] R. F. Barth, P. Mi, and W. Yang, “Boron delivery agents for neutron capture therapy of cancer,” *Cancer Commun.*, vol. 38, no. 1, pp. 1–15, 2018, doi: 10.1186/s40880-018-0299-7.
- [39] I. M. Ardana and Y. Sardjono, “Optimization of a Neutron Beam Shaping Assembly Design for Bnct and Its Dosimetry Simulation Based on Mcnpx,” *J. Teknol. Reakt. Nukl. Tri Dasa Mega*, vol. 19, no. 3, p. 121, 2017, doi: 10.17146/tdm.2017.19.3.3582.
- [40] L. Zaidi, M. Belgaid, S. Taskaev, and R. Khelifi, “Beam shaping assembly design of ${}^7\text{Li}(p,n){}^7\text{Be}$ neutron source for boron neutron capture therapy of deep-seated tumor,” *Appl. Radiat. Isot.*, vol. 139, no. April 2017, pp. 316–



324, 2018, doi: 10.1016/j.apradiso.2018.05.029.

- [41] Laboratory for Chemistry and Life Science, “Japanese Society of Neutron Capture Therapy,” 2003. .
- [42] K. Alikaniotis, O. Borla, V. Monti, G. Vivaldo, A. Zanini, and G. Giannini, “Radiotherapy dose enhancement using BNCT in conventional LINACs high-energy treatment: Simulation and experiment,” *Reports Pract. Oncol. Radiother.*, vol. 21, no. 2, pp. 117–122, 2016, doi: 10.1016/j.rpor.2015.07.003.
- [43] “The 2007 Recommendations of the International Commission on Radiological Protection. ICRP publication 103.,” *Ann. ICRP*, vol. 37, no. 2–4, pp. 1–332, 2007, doi: 10.1016/j.icrp.2007.10.003.
- [44] A. D. P. Ramadhani *et al.*, “Dose Estimation of the BNCT Water Phantom Based on MCNPX Computer Code Simulation,” *J. Teknol. Reakt. Nukl. Tri Dasa Mega*, vol. 22, no. 1, p. 23, 2020, doi: 10.17146/tm.2020.22.1.5780.
- [45] V. Vendrely *et al.*, “Rectal cancer radiotherapy,” *Cancer/Radiothérapie*, vol. 26, no. 1–2, pp. 272–278, 2022, doi: 10.1016/j.canrad.2021.11.002.
- [46] P. Blanchard *et al.*, “Radiotherapy for nasopharyngeal cancer,” *Cancer/Radiothérapie*, vol. 26, no. 1–2, pp. 168–173, 2022, doi: 10.1016/j.canrad.2021.08.009.
- [47] J. Khalifa *et al.*, “Radiotherapy for primary lung cancer,” *Cancer/Radiothérapie*, vol. 26, no. 1–2, pp. 231–243, 2022, doi: 10.1016/j.canrad.2021.11.005.
- [48] R. Ramdani, S. Yani, M. F. Rhani, and I. Arif, “Commissioning Linear Accelerator Varian Clinax iX Foton Beam 10 MV Menggunakan Simulasi Monte Carlo EGSnrc Code System,” vol. 2015, no. Snips, pp. 653–656, 2015.
- [49] L. P. Hong, “Review on Some Computational Aspects of Boron Neutron



- Capture Therapy,” *Indones. J. Phys. Nucl. Appl.*, vol. 3, no. 2, pp. 56–63, 2018.
- [50] O. D. Rahayuningsih, S. Susilo, and Y. Sardjono, “Neutron Chareacterization of BNCT Water Phantom Based on 30 MeV Cyclotron Using PHITS Computational Code,” *Indones. J. Phys. Nucl. Appl.*, vol. 4, no. 1, pp. 22–26, 2019, doi: 10.24246/ijpna.v4i1.22-26.
- [51] T. Sato *et al.*, “Overview of particle and heavy ion transport code system PHITS,” *Ann. Nucl. Energy*, vol. 82, pp. 110–115, 2015, doi: 10.1016/j.anucene.2014.08.023.
- [52] “Ver. 3.24 User’s Manual,” p. 334, 2021.
- [53] U. S. Customs, B. Protection, D. Nuclear, and D. Office, “Compendium of Material Composition Data for Radiation Transport Modeling,” 2011, [Online]. Available: www.pnnl.gov/main/publications/external/technical_reports/pnnl-15870rev1.pdf.
- [54] I. NURFATTHAN, “Analisis dosis dan waktu terapi pada terapi kanker paru-paru berbasis terapi ion karbon dan boron neutron capture therapy menggunakan program phits,” UNIVERSITAS GADJAH MADA, 2019.
- [55] N. A. Rahmawati, “Analisis Dosis Pada Penyembuhan Kanker Payudara Dengan Boron Neutron Capture Therapy (BNCT) Menggunakan MCNP X,” pp. 1–94, 2014.
- [56] I. M. ARDANA, “OPTIMIZATION OF COLLIMATOR DESIGN FOR BNCT BASED CYCLOTRON 30 MEV AND ITS DOSIMETRY SIMULATION IN HEAD AND NECK SOFT TISSUE SARCOMA USING MONTE CARLO N PARTICLE X PROGRAM,” UNIVERSITAS GADJAH MADA, 2015.
- [57] L. Coia *et al.*, “Tolerance of normal tissue to therapeutic irradiation,” *Int. J. Radiat. Oncol. Biol. Phys.*, vol. 1, no. 1, pp. 35–48, 1991, [Online].



Available:

<https://neoscriber.org/cdn/serve/eb/27/eb27adb334594d3093f4ed1b7d088c>

[0a7a390f0b/4316-13810-1-](https://neoscriber.org/cdn/serve/eb/27/eb27adb334594d3093f4ed1b7d088c0a7a390f0b/4316-13810-1-PB.pdf)

[PB.pdf%0Ahttp://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=PubMed&cmd=Retrieve&list_uids=2032882&dopt=Citation.](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=PubMed&cmd=Retrieve&list_uids=2032882&dopt=Citation)

- [58] M.- Cristy, “Mathematcal Phantoms for Use in Reassessment of Radiation to Japanese Atomic-Bomb Survivors,” *Metab. Dosim. Res. Gr.*, pp. 1–55, 1985.
- [59] E. Hiswara, “Publikasi 103 ICRP: Rekomendasi Mutakhir tentang Proteksi Radiologik,” *Bul. Al.*, vol. 9, no. 3, pp. 79–86, 2008.

