Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial
Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ageno, W., Gallus, A.S., Wittkowsky, A., Crowther, M., Hylek, E.M., Palareti, G., 2012. Oral Anticoagulant Therapy. Chest 141, e44S-e88S. https://doi.org/10.1378/chest.11-2292

Albertsen, I.E., Overvad, T.F., Lip, G.Y.H., Larsen, T.B., 2015. Smoking, atrial fibrillation, and ischemic stroke: a confluence of epidemics. Curr. Opin. Cardiol. 30, 512–517. https://doi.org/10.1097/HCO.0000000000000205

Alkhouli, M., Alqahtani, F., Aljohani, S., Alvi, M., Holmes, D.R., 2018. Burden of Atrial Fibrillation–Associated Ischemic Stroke in the United States. JACC Clin. Electrophysiol. 4, 618–625. https://doi.org/10.1016/j.jacep.2018.02.021

Alqahtani, F., Aljohani, S., Tarabishy, A., Busu, T., Adcock, A., Alkhouli, M., 2017. Incidence and Outcomes of Myocardial Infarction in Patients Admitted With Acute Ischemic Stroke. Am. Heart Assoc. 48, 8. https://doi.org/10.1161/STROKEAHA.117.018408

Andersen, S.D., Gorst-Rasmussen, A., Lip, G.Y.H., Bach, F.W., Larsen, T.B., 2015. Recurrent Stroke: The Value of the CHA_2DS_2VASc Score and the Essen Stroke Risk Score in a Nationwide Stroke Cohort. Stroke 46, 2491–2497. https://doi.org/10.1161/STROKEAHA.115.009912

Apostolakis, S., Lane, D.A., Guo, Y., Buller, H., Lip, G.Y.H., 2012. Performance of the HEMORR2HAGES, ATRIA, and HAS-BLED Bleeding Risk–Prediction Scores in Patients With Atrial Fibrillation Undergoing Anticoagulation. J. Am. Coll. Cardiol. 60, 861–867. https://doi.org/10.1016/j.jacc.2012.06.019

Arboix, A., 2015. Cardiovascular Risk Factirs For Acute Stroke: Risk Profiles in the Different Subtypes of Ischemic Stroke. World J. Clin. Cases 3(5), 418–429.

ASA, 2020. Explaining Stroke. Am. Heart Assoc. 20.

Ball, J., 2017. Which anticoagulant for stroke prevention in atrial fibrillation? BMJ j5399. https://doi.org/10.1136/bmj.j5399

Bansal, S., Sangha, K.S., Khatri, P., 2013. Drug Treatment of Acute Ischemic Stroke. Am. J. Cardiovasc. Drugs 13, 57–69. https://doi.org/10.1007/s40256-013-0007-6

Barnes, G.D., 2020. Combining antiplatelet and anticoagulant therapy in cardiovascular disease. Hematology 2020, 642–648. https://doi.org/10.1182/hematology.2020000151

Baser, O., Du, J., Xie, L., Baser, E., 2011. PCV35 COMPARISON OF MAJOR BLEEDING RELATED MORTALITY, HEALTH CARE UTILIZATION AND COSTS OF PATIENTS WITH NON-VALVULAR ATRIAL

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

FIBRILLATION. Value Health 14, A38. https://doi.org/10.1016/j.jval.2011.02.223

Bassand, J.-P., Accetta, G., Al Mahmeed, W., Corbalan, R., Eikelboom, J., Fitzmaurice, D.A., Fox, K.A.A., Gao, H., Goldhaber, S.Z., Goto, S., Haas, S., Kayani, G., Pieper, K., Turpie, A.G.G., van Eickels, M., Verheugt, F.W.A., Kakkar, A.K., for the GARFIELD-AF Investigators, 2018. Risk factors for death, stroke, and bleeding in 28,628 patients from the GARFIELD-AF registry: Rationale for comprehensive management of atrial fibrillation. PLOS ONE 13, e0191592. https://doi.org/10.1371/journal.pone.0191592

Basu, E., Salehi Omran, S., Kamel, H., Parikh, N.S., 2021. Sex differences in the risk of recurrent ischemic stroke after ischemic stroke and transient ischemic attack. Eur. Stroke J. 6, 367–373. https://doi.org/10.1177/23969873211058568

Benjamin, E.J., Blaha, M.J., Chiuve, S.E., Cushman, M., Das, S.R., Deo, R., de Ferranti, S.D., Floyd, J., Fornage, M., Gillespie, C., Isasi, C.R., Jiménez, M.C., Jordan, L.C., Judd, S.E., Lackland, D., Lichtman, J.H., Lisabeth, L., Liu, S., Longenecker, C.T., Mackey, R.H., Matsushita, K., Mozaffarian, D., Mussolino, M.E., Nasir, K., Neumar, R.W., Palaniappan, L., Pandey, D.K., Thiagarajan, R.R., Reeves, M.J., Ritchey, M., Rodriguez, C.J., Roth, G.A., Rosamond, W.D., Sasson, C., Towfighi, A., Tsao, C.W., Turner, M.B., Virani, S.S., Voeks, J.H., Willey, J.Z., Wilkins, J.T., Wu, J.HY., Alger, H.M., Wong, S.S., Muntner, P., 2017. Heart Disease and Stroke Statistics—2017 Update: A Report From the American Heart Association. Circulation 135. https://doi.org/10.1161/CIR.0000000000000485

Birman-Deych, E., Radford, M.J., Nilasena, D.S., Gage, B.F., 2006. Use and Effectiveness of Warfarin in Medicare Beneficiaries With Atrial Fibrillation. Stroke 37, 1070–1074. https://doi.org/10.1161/01.STR.0000208294.46968.a4

Bonde, A., Lip, G., Kamper, A.-L., Staerk, L., Torp-Pedersen, C., Gislason, G., Olesen, J., 2017. Renal Function, Time in Therapeutic Range and Outcomes in Warfarin-Treated Atrial Fibrillation Patients: A Retrospective Analysis of Nationwide Registries. Thromb. Haemost. 117, 2291–2299. https://doi.org/10.1160/TH17-03-0198

Boonyawat, K., Caron, F., Li, A., Chai-Adisaksopha, C., Lim, W., Iorio, A., Lopes, R.D., Garcia, D., Crowther, M.A., 2017. Association of body weight with efficacy and safety outcomes in phase III randomized controlled trials of direct oral anticoagulants: a systematic review and meta-analysis. J. Thromb. Haemost. 15, 1322–1333. https://doi.org/10.1111/jth.13701

Bruins Slot, K.M., Berge, E., 2018. Factor Xa inhibitors versus vitamin K antagonists for preventing cerebral or systemic embolism in patients with

UNIVERSITAS
GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

atrial fibrillation. Cochrane Database Syst. Rev. https://doi.org/10.1002/14651858.CD008980.pub3

Bustamante, A., Giralt, D., García-Berrocoso, T., Rubiera, M., Álvarez-Sabín, J., Molina, C., Serena, J., Montaner, J., 2017. The impact of post-stroke complications on in-hospital mortality depends on stroke severity. Eur. Stroke J. 2, 54–63. https://doi.org/10.1177/2396987316681872

Castellano, J.M., Chinitz, J., Willner, J., Fuster, V., 2014. Mechanisms of Stroke in Atrial Fibrillation. Card. Electrophysiol. Clin. 6, 5–15. https://doi.org/10.1016/j.ccep.2013.10.007

Chan, Y., See, L., Tu, H., Yeh, Y., Chang, S., Wu, L., Lee, H., Wang, C., Kuo, Chang-Fu, Kuo, Chi-Tai, 2018. Efficacy and Safety of Apixaban, Dabigatran, Rivaroxaban, and Warfarin in Asians With Nonvalvular Atrial Fibrillation. J. Am. Heart Assoc. 7, e008150. https://doi.org/10.1161/JAHA.117.008150

Chan, Y.-H., Yen, K.-C., See, L.-C., Chang, S.-H., Wu, L.-S., Lee, H.-F., Tu, H.-T., Yeh, Y.-H., Kuo, C.-T., 2016. Cardiovascular, Bleeding, and Mortality Risks of Dabigatran in Asians With Nonvalvular Atrial Fibrillation. Stroke 47, 441–449. https://doi.org/10.1161/STROKEAHA.115.011476

Chang, K.-W., Xian, Y., Zhao, X., Mi, X., Matsouaka, R., Schwamm, L.H., Shah, S., Lytle, B.L., Smith, E.E., Bhatt, D.L., Fonarow, G.C., Hsu, J.C., 2020. Antiplatelet patterns and outcomes in patients with atrial fibrillation not prescribed an anticoagulant after stroke. Int. J. Cardiol. 321, 88–94. https://doi.org/10.1016/j.ijcard.2020.08.011

Chen, J., Li, S., Zheng, K., Wang, H., Xie, Y., Xu, P., Dai, Z., Gu, M., Xia, Y., Zhao, M., Liu, X., Xu, G., 2019. Impact of Smoking Status on Stroke Recurrence. J. Am. Heart Assoc. 8. https://doi.org/10.1161/JAHA.118.011696

Chen, L.-F., Chang, C.-Y., Hsu, L.-C., Tsai, P.-H., Chang, S.-J., Chang, S.-C., Yuan, M.-K., Lai, Y.-C., Liu, Y.-C., Wang, W.-S., 2013. Bacterial pneumonia following acute ischemic stroke. J. Chin. Med. Assoc. 76, 78–82. https://doi.org/10.1016/j.jcma.2012.10.005

Cho, H.-J., Kang, Y.J., Sung, S.M., Ahn, S.-H., Jung, Y.H., Lee, K.-Y., Seo, J.H., Han, S.W., Park, J.H., Choi, H.-Y., Kwon, J.-H., Kim, W.-J., Park, H.J., Choi, J.K., Nam, H.S., Heo, J.H., Kim, Y.D., 2020. Effects of dabigatran and rivaroxaban on stroke severity according to the results of routine coagulation tests. PLOS ONE 15, e0240483. https://doi.org/10.1371/journal.pone.0240483

Coleman, C.I., Peacock, W.F., Bunz, T.J., Alberts, M.J., 2017. Effectiveness and Safety of Apixaban, Dabigatran, and Rivaroxaban Versus Warfarin in Patients With Nonvalvular Atrial Fibrillation and Previous Stroke or

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Transient Ischemic Attack. Stroke 48, 2142–2149. https://doi.org/10.1161/STROKEAHA.117.017474

Dahal, K., Kunwar, S., Rijal, J., Schulman, P., Lee, J., 2016. Stroke, Major Bleeding, and Mortality Outcomes in Warfarin Users With Atrial Fibrillation and Chronic Kidney Disease. Chest 149, 951–959. https://doi.org/10.1378/chest.15-1719

de Jonge, J.C., van de Beek, D., Lyden, P., Brady, M.C., Bath, P.M., van der Worp, H.B., Lees, K.R., Alexandrov, A., Berge, E., Bluhmki, E., Bornstein, N., Chen, C., Claesson, L., Davis, S.M., Donnan, G., Diener, H.C., Fisher, M., Ginsberg, M., Gregson, B., Grotta, J., Hacke, W., Hennerici, M.G., Hommel, M., Kaste, M., Marler, J., Muir, K., Venketasubramanian, N., Sacco, R., Shuaib, A., Teal, P., Wahlgren, N.G., Warach, S., Weimar, C., 2022. Temporal Profile of Pneumonia After Stroke. Stroke 53, 53–60. https://doi.org/10.1161/STROKEAHA.120.032787

Ding, W.Y., Gupta, D., Lip, G.Y.H., 2020a. Atrial fibrillation and the prothrombotic state: revisiting Virchow's triad in 2020. Heart 106, 1463–1468. https://doi.org/10.1136/heartjnl-2020-316977

Ding, W.Y., Harrison, S., Gupta, D., Lip, G.Y.H., Lane, D.A., 2020b. Stroke and Bleeding Risk Assessments in Patients With Atrial Fibrillation: Concepts and Controversies. Front. Med. 7, 54. https://doi.org/10.3389/fmed.2020.00054

Dong, J., Wang, F., Sundararajan, S., 2020. Use of Dual Antiplatelet Therapy Following Ischemic Stroke. Stroke 51. https://doi.org/10.1161/STROKEAHA.119.028400

Douketis, J.D., Spyropoulos, A.C., Kaatz, S., Becker, R.C., Caprini, J.A., Dunn, A.S., Garcia, D.A., Jacobson, A., Jaffer, A.K., Kong, D.F., Schulman, S., Turpie, A.G.G., Hasselblad, V., Ortel, T.L., 2015. Perioperative Bridging Anticoagulation in Patients with Atrial Fibrillation. N. Engl. J. Med. 373, 823–833. https://doi.org/10.1056/NEJMoa1501035

Douros, A., Durand, M., Doyle, C.M., Yoon, S., Reynier, P., Filion, K.B., 2019. Comparative Effectiveness and Safety of Direct Oral Anticoagulants in Patients with Atrial Fibrillation: A Systematic Review and Meta-Analysis of Observational Studies. Drug Saf. 42, 1135–1148. https://doi.org/10.1007/s40264-019-00842-1

El-Hajj, M., Salameh, P., Rachidi, S., Hosseini, H., 2016. The epidemiology of stroke in the Middle East. Eur. Stroke J. 19.

Falk, G.E., Rogers, J., Lu, L., Ablah, E., Okut, H., Vindhyal, M.R., 2022. Sepsis, Septic Shock, and Differences in Cardiovascular Event Occurrence. J. Intensive Care Med. 088506662210836. https://doi.org/10.1177/08850666221083644

UNIVERSITAS
GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Fang, M.C., Singer, D.E., Chang, Y., Hylek, E.M., Henault, L.E., Jensvold, N.G., Go, A.S., 2005. Gender Differences in the Risk of Ischemic Stroke and Peripheral Embolism in Atrial Fibrillation: The AnTicoagulation and Risk factors In Atrial fibrillation (ATRIA) Study. Circulation 112, 1687–1691. https://doi.org/10.1161/CIRCULATIONAHA.105.553438

Farooque, U., Lohano, A.K., Kumar, A., Karimi, S., Yasmin, F., Bollampally, V.C., Ranpariya, M.R., 2020. Validity of National Institutes of Health Stroke Scale for Severity of Stroke to Predict Mortality Among Patients Presenting With Symptoms of Stroke. Cureus. https://doi.org/10.7759/cureus.10255

Feistritzer, H.-J., Desch, S., Zeymer, U., Fuernau, G., de Waha-Thiele, S., Dudek, D., Huber, K., Stepinska, J., Schneider, S., Ouarrak, T., Thiele, H., 2019. Prognostic Impact of Atrial Fibrillation in Acute Myocardial Infarction and Cardiogenic Shock: Results From the CULPRIT-SHOCK Trial. Circ. Cardiovasc. Interv. 12, e007661. https://doi.org/10.1161/CIRCINTERVENTIONS.118.007661

Feiz, F., Sedghi, R., Salehi, A., Hatam, N., Bahmei, J., Borhani-Haghighi, A., 2016. Study of the Efficacy, Safety and Tolerability of Low-Molecular-Weight Heparin vs. Unfractionated Heparin as Bridging Therapy in Patients with Embolic Stroke due to Atrial Fibrillation. J. Vasc. Interv. Neurol. 9, 7.

Fitzakerley, D.J., 2006. Anticoagulant, Thrombolytic and Anti-Platelet Drugs. 21.

Fonarow, G.C., Saver, J.L., Smith, E.E., Broderick, J.P., Kleindorfer, D.O., Sacco, R.L., Pan, W., Olson, D.M., Hernandez, A.F., Peterson, E.D., Schwamm, L.H., 2012. Relationship of National Institutes of Health Stroke Scale to 30-Day Mortality in Medicare Beneficiaries With Acute Ischemic Stroke. J. Am. Heart Assoc. 1, e000034. https://doi.org/10.1161/JAHA.111.000034

Gami, A.S., 2005. Anticoagulant plus antiplatelet treatment increased the risk of bleeding in atrial fibrillation. Evid. Based Med. 10, 56–56. https://doi.org/10.1136/ebm.10.2.56

Gattringer, T., Posekany, A., Niederkorn, K., Knoflach, M., Poltrum, B., Mutzenbach, S., Haring, H.-P., Ferrari, J., Lang, W., Willeit, J., Kiechl, S., Enzinger, C., Fazekas, F., for the Austrian Stroke Unit Registry Collaborators, 2019. Predicting Early Mortality of Acute Ischemic Stroke: Score-Based Approach. Stroke 50, 349–356. https://doi.org/10.1161/STROKEAHA.118.022863

Gebreyohannes, E.A., Bhagavathula, A.S., Abebe, T.B., Seid, M.A., Haile, K.T., 2019. In-Hospital Mortality among Ischemic Stroke Patients in Gondar University Hospital: A Retrospective Cohort Study. Stroke Res. Treat. 2019, 1–7. https://doi.org/10.1155/2019/7275063

George Institute for Global Health, 2017. Reducing The Burden of Cardiovascular Disease in Indonesia Evidence Review. Cardiovascular Division Health Services Research Centre, Newtown.

UNIVERSITAS
GADJAH MADA
**Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial
Fibrilasi**
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Gulilat, M., Jandoc, R., Jeyakumar, N., McArthur, E., Garg, A.X., Kim, R.B., Tirona, R.G., Schwarz, U.I., 2022. Association of Sex With Stroke and Bleeding Risk of Apixaban and Rivaroxaban in Elderly Atrial Fibrillation Patients Using Propensity Score Weights. CJC Open 4, 56–64. https://doi.org/10.1016/j.cjco.2021.09.002

Gutierrez, C., Blanchard, D.G., 2016. Diagnosis and Treatment of Atrial Fibrillation. Atr. Fibrillation 94, 11.

Gutierrez, C., Blanchard, D.G., 2011. Atrial Fibrillation: Diagnosis and Treatment. Atr. Fibrillation 83, 8.

Hakma, Z., Stofko, D., Binning, M., Liebman, K., Veznedaroglu, E., 2014. Retrospective study of Heparin Administration for Ischemic Stroke when there is an IV-tPA Contraindication. Surg. Neurol. Int. 5, 62. https://doi.org/10.4103/2152-7806.132032

Hamrah, M.S., Hamrah, Mohammad Hassan, Hamrah, Mohammad Hussain, Hamrah, E., Dahi, T., Musammen, M.N., Hamrah, Mohammad Hashem, 2019. An Overview of Anticoagulants. CPQ Med. 6(3), 01–09.

Han, J., Bae, H.-J., Wong, L.K.S., 2011. Pathophysiology and Mechanisms Whereby Hypertension May Cause Stroke, in: Aiyagari, V., Gorelick, P.B. (Eds.), Hypertension and Stroke. Humana Press, Totowa, NJ, pp. 77–94. https://doi.org/10.1007/978-1-60761-010-6_5

Hansen, M.L., Sørensen, R., Clausen, M.T., Fog-Petersen, M.L., Raunsø, J., Gadsbøll, N., Gislason, G.H., Folke, F., Andersen, S.S., Schramm, T.K., Abildstrøm, S.Z., Poulsen, H.E., Køber, L., Torp-Pedersen, C., 2010. Risk of Bleeding With Single, Dual, or Triple Therapy With Warfarin, Aspirin, and Clopidogrel in Patients With Atrial Fibrillation. Arch. Intern. Med. 170. https://doi.org/10.1001/archinternmed.2010.271

Hapsari, D.C., Kusharwanti, W., 2014. Efektivitas dan Keamanan Antikoagulan Pada Sindroma Koroner Akut Tanpa Elevasi Segmen ST. J. Manaj. Dan Pelayanan Farm. 4, 6.

Harskamp, R.E., Lucassen, W.A.M., Lopes, R.D., Himmelreich, J.C.L., Parati, G., Weert, H.C.P.M. van, 2021. Risk of stroke and bleeding in relation to hypertension in anticoagulated patients with atrial fibrillation: a meta-analysis of randomised controlled trials. Acta Cardiol. 1–5. https://doi.org/10.1080/00015385.2021.1882111

Hasegawa, S., Okada, A., Aso, S., Kumazawa, R., Matsui, H., Fushimi, K., Yasunaga, H., Nangaku, M., 2022. Association Between Diabetes and Major Bleeding Complications of Renal Biopsy. Kidney Int. Rep. 7, 232–240. https://doi.org/10.1016/j.ekir.2021.11.013

Hernandez, I., Zhang, Y., Saba, S., 2018. Effectiveness and Safety of Direct Oral Anticoagulants and Warfarin, Stratified by Stroke Risk in Patients With

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Atrial Fibrillation. Am. J. Cardiol. 122, 69–75. https://doi.org/10.1016/j.amjcard.2018.03.012

Heuschmann, P.U., Kolominsky-Rabas, P.L., Misselwitz, B., Hermanek, P., Leffrman, C., Janzen, R.W.C., Rother, J., Buecker-Nott, H.-J., Berger, K., 2004. Predictors of In-Hospital Mortality and Attributable Risks of Death After Ischemic Stroke: The German Stroke Registers Study Group. ARCH INTERN MED 164, 8.

Hojs Fabjan, T., Hojs, R., 2014. Stroke and renal dysfunction. Eur. J. Intern. Med. 25, 18–24. https://doi.org/10.1016/j.ejim.2013.08.710

Hsieh, Y.-C., Tsou, P.-Y., Wang, Y.-H., Chao, C.C.-T., Lee, W.-C., Lee, M.G., Wu, J.-Y., Chang, S.-S., Chen, P.-Y., Lee, C.-C., 2020. Risk Factors for Myocardial Infarction and Stroke Among Sepsis Survivors: A Competing Risks Analysis. J. Intensive Care Med. 35, 34–41. https://doi.org/10.1177/0885066619844936

Huang, C.-W., Duan, L., An, J., Sim, J.J., Lee, M.-S., 2021. Effectiveness and Safety of Dabigatran in Atrial Fibrillation Patients with Severe Obesity: a Real-World Retrospective Cohort Study. J. Gen. Intern. Med. https://doi.org/10.1007/s11606-021-07114-8

Hughes, M., Lip, G.Y.H., 2007. Risk factors for anticoagulation-related bleeding complications in patients with atrial fibrillation: a systematic review. QJM 100, 599–607. https://doi.org/10.1093/qjmed/hcm076

Hylek, E.M., Held, C., Alexander, J.H., Lopes, R.D., De Caterina, R., Wojdyla, D.M., Huber, K., Jansky, P., Steg, P.G., Hanna, M., Thomas, L., Wallentin, L., Granger, C.B., 2014. Major Bleeding in Patients With Atrial Fibrillation Receiving Apixaban or Warfarin. J. Am. Coll. Cardiol. 63, 2141–2147. https://doi.org/10.1016/j.jacc.2014.02.549

Induruwa, I., Hennebry, E., Hennebry, J., Thakur, M., Warburton, E.A., Khadjooi, K., 2022. Sepsis-driven atrial fibrillation and ischaemic stroke. Is there enough evidence to recommend anticoagulation? Eur. J. Intern. Med. 98, 32–36. https://doi.org/10.1016/j.ejim.2021.10.022

Issa, John MM, Douglas PZ, 2012. Clinical Arrhythmology and Electrophysiology: A Companion to Braunwald's Heart Disease. Elsevier. https://doi.org/10.1016/C2010-0-68723-2

Jaffe, T.A., Raiff, D., Ho, L.M., Kim, C.Y., 2015. Management of Anticoagulant and Antiplatelet Medications in Adults Undergoing Percutaneous Interventions. Am. J. Roentgenol. 205, 421–428. https://doi.org/10.2214/AJR.14.13342

Jeger, R.V., Assmann, S.F., Yehudai, L., Ramanathan, K., Farkouh, M.E., Hochman, J.S., 2007. Causes of death and re-hospitalization in cardiogenic shock. Acute Card. Care 9, 25–33. https://doi.org/10.1080/17482940601178039

UNIVERSITAS
GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Johnson, S.G., Witt, D.M., Eddy, T.R., Delate, T., 2007. Warfarin and Antiplatelet Combination Use Among Commercially Insured Patients Enrolled in an Anticoagulation Management Service. Chest 131, 1500–1507. https://doi.org/10.1378/chest.06-2374

Jun, M., James, M.T., Manns, B.J., Quinn, R.R., Ravani, P., Tonelli, M., Perkovic, V., Winkelmayer, W.C., Ma, Z., Hemmelgarn, B.R., for the Alberta Kidney Disease Network, 2015. The association between kidney function and major bleeding in older adults with atrial fibrillation starting warfarin treatment: population based observational study. BMJ 350, h246–h246. https://doi.org/10.1136/bmj.h246

Jung, H., Yang, P.-S., Jang, E., Yu, H.T., Kim, T.-H., Uhm, J.-S., Kim, J.-Y., Pak, H.-N., Lee, M.-H., Joung, B., Lip, G.Y.H., 2019. Effectiveness and Safety of Non-Vitamin K Antagonist Oral Anticoagulants in Patients With Atrial Fibrillation With Hypertrophic Cardiomyopathy. Chest 155, 354–363. https://doi.org/10.1016/j.chest.2018.11.009

Kai, B., Bogorad, Y., Nguyen, L.-A.N., Yang, S.-J., Chen, W., Spencer, H.T., Shen, A.Y.-J., Lee, M.-S., 2017. Warfarin use and the risk of mortality, stroke, and bleeding in hemodialysis patients with atrial fibrillation. Heart Rhythm 14, 645–651. https://doi.org/10.1016/j.hrthm.2017.01.047

Kanyal, N., 2015. The Science of Ischemic Stroke: Pathophysiology & Pharmacological Treatment. Int. J. Pharma Res. Rev. 4(10), 65–84.

Kapil, N., Datta, Y.H., Alakbarova, N., Bershad, E., Selim, M., Liebeskind, D.S., Bachour, O., Rao, G.H.R., Divani, A.A., 2017. Antiplatelet and Anticoagulant Therapies for Prevention of Ischemic Stroke. Clin. Appl. Thromb. 23, 301–318. https://doi.org/10.1177/1076029616660762

Khan, A.A., Lip, G.Y.H., 2018. Role of chronic kidney disease and atrial fibrillation in outcomes of patients with ischemic stroke. Eur. J. Neurol. 25, 1009–1010. https://doi.org/10.1111/ene.13664

Kim, D., Yang, P.-S., Sung, J.-H., Jang, E., Yu, H.T., Kim, T.-H., Uhm, J.-S., Kim, J.-Y., Pak, H.-N., Lee, M.-H., Lip, G.Y.H., Joung, B., 2022. Effectiveness and Safety of Anticoagulation Therapy in Frail Patients With Atrial Fibrillation. Stroke STROKEAHA121036757. https://doi.org/10.1161/STROKEAHA.121.036757

Kim, T.-H., Yang, P.-S., Yu, H.T., Jang, E., Shin, H., Kim, H.Y., Uhm, J.-S., Kim, J.-Y., Sung, J.-H., Pak, H.-N., Lee, M.-H., Joung, B., Lip, G.Y.H., 2019. Effect of hypertension duration and blood pressure level on ischaemic stroke risk in atrial fibrillation: nationwide data covering the entire Korean population. Eur. Heart J. 40, 809–819. https://doi.org/10.1093/eurheartj/ehy877

Kim, T.-H., Yang, P.-S., Yu, H.T., Jang, E., Uhm, J.-S., Kim, J.-Y., Pak, H.-N., Lee, M.-H., Joung, B., Lip, G.Y.H., 2018. Age Threshold for Ischemic

UNIVERSITAS
GADJAH MADA
**Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial
Fibrilasi**
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Stroke Risk in Atrial Fibrillation: Cohort Data Covering the Entire Korean Population. Stroke 49, 1872–1879. https://doi.org/10.1161/STROKEAHA.118.021047

Kim, Y.-H., Roh, S.-Y., 2016. The Mechanism of and Preventive Therapy for Stroke in Patients with Atrial Fibrillation 18, 9.

Kimura, K., 2005. Atrial fibrillation as a predictive factor for severe stroke and early death in 15 831 patients with acute ischaemic stroke. J. Neurol. Neurosurg. Psychiatry 76, 679–683. https://doi.org/10.1136/jnnp.2004.048827

Kirchhof, P., Haas, S., Amarenco, P., Hess, S., Lambelet, M., van Eickels, M., Turpie, A.G.G., Camm, A.J., the XANTUS Investigators*, 2020. Impact of Modifiable Bleeding Risk Factors on Major Bleeding in Patients With Atrial Fibrillation Anticoagulated With Rivaroxaban. J. Am. Heart Assoc. 9, e009530. https://doi.org/10.1161/JAHA.118.009530

Kjerpeseth, L.J., Selmer, R., Ariansen, I., Karlstad, Ø., Ellekjær, H., Skovlund, E., 2019. Comparative effectiveness of warfarin, dabigatran, rivaroxaban and apixaban in non-valvular atrial fibrillation: A nationwide pharmacoepidemiological study. PLOS ONE 14, e0221500. https://doi.org/10.1371/journal.pone.0221500

Klatsky, A.L., Friedman, G.D., Sidney, S., Kipp, H., Kubo, A., Armstrong, M.A., 2005. Risk of Hemorrhagic Stroke in Asian American Ethnic Groups. Neuroepidemiology 25, 26–31. https://doi.org/10.1159/000085310

Kolmos, M., Christoffersen, L., Kruuse, C., 2021. Recurrent Ischemic Stroke – A Systematic Review and Meta-Analysis. J. Stroke Cerebrovasc. Dis. 30, 105935. https://doi.org/10.1016/j.jstrokecerebrovasdis.2021.105935

Kuriakose, D., Xiao, Z., 2020. Pathophysiology and Treatment of Stroke: Present Status and Future Perspectives. Int. J. Mol. Sci. 21, 7609. https://doi.org/10.3390/ijms21207609

Kusuima, Y., Venketasubramanian, N., Kiemas, L.S., Misbach, J., 2009. Burden of Stroke in Indonesia. Int. J. Stroke 4, 379–380. https://doi.org/10.1111/j.1747-4949.2009.00326.x

Lackland, D.T., Roccella, E.J., Deutsch, A.F., Fornage, M., George, M.G., Howard, G., Kissela, B.M., Kittner, S.J., Lichtman, J.H., Lisabeth, L.D., Schwamm, L.H., Smith, E.E., Towfighi, A., 2014. Factors Influencing the Decline in Stroke Mortality: A Statement From the American Heart Association/American Stroke Association. Stroke 45, 315–353. https://doi.org/10.1161/01.str.0000437068.30550.cf

Langsted, A., Nordestgaard, B., 2019. Smoking is Associated with Increased Risk of Major Bleeding: A Prospective Cohort Study. Thromb. Haemost. 119, 039–047. https://doi.org/10.1055/s-0038-1675798

UNIVERSITAS
GADJAH MADA
**Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial
Fibrilasi**
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lau, Y.C., Proietti, M., Guiducci, E., Blann, A.D., Lip, G.Y.H., 2016. Atrial Fibrillation and Thromboembolism in Patients With Chronic Kidney Disease. J. Am. Coll. Cardiol. 68, 1452–1464. https://doi.org/10.1016/j.jacc.2016.06.057

Lee, H.-J., Kim, H.-K., Kim, B.-S., Han, K.-D., Park, J.-B., Lee, H., Lee, S.-P., Kim, Y.-J., 2021. Risk of upper gastrointestinal bleeding in patients on oral anticoagulant and proton pump inhibitor co-therapy. PLOS ONE 16, e0253310. https://doi.org/10.1371/journal.pone.0253310

Lee, S.-R., Choi, E.-K., Han, K.-D., Jung, J.-H., Oh, S., Lip, G.Y.H., 2019. Comparison of Once-Daily Administration of Edoxaban and Rivaroxaban in Asian Patients with Atrial Fibrillation. Sci. Rep. 9, 6690. https://doi.org/10.1038/s41598-019-43224-4

Levine, G.N. (Ed.), 2018. Cardiology secrets, Fifth edition. ed, Secrets. Elsevier, Philadelphia, PA.

Li, H., Ye, S., Wu, Y.-L., Huang, S.-M., Li, Y.-X., Lu, K., Huang, J.-B., Chen, L., Li, H.-Z., Wu, W.-J., Wu, Z.-L., Wu, J.-Z., Zhong, W.-T., Xian, W.-C., Liao, F., Tung, T.-H., Wu, Q.-L., Chen, H., Yuan, L., Yang, Z., Huang, L.-A., 2021. Predicting mortality in acute ischaemic stroke treated with mechanical thrombectomy: analysis of a multicentre prospective registry. BMJ Open 11, e043415. https://doi.org/10.1136/bmjopen-2020-043415

Li, X., Pathadka, S., Man, K.K.C., Ng, V.W.S., Siu, C.W., Wong, I.C.K., Chan, E.W., Lau, W.C.Y., 2020. Comparative Outcomes Between Direct Oral Anticoagulants, Warfarin, and Antiplatelet Monotherapy Among Chinese Patients with Atrial Fibrillation: A Population-Based Cohort Study. Drug Saf. 43, 1023–1033. https://doi.org/10.1007/s40264-020-00961-0

Liabeuf, S., Scaltieux, L.-M., Masmoudi, K., Roussel, B., Moragny, J., Andrejak, M., Gras-Champel, V., 2015. Risk Factors for Bleeding in Hospitalized at Risk Patients With an INR of 5 or More Treated With Vitamin K Antagonists. Medicine (Baltimore) 94, e2366. https://doi.org/10.1097/MD.0000000000002366

Lin, K.J., Hernández, S., Rodríguez, L.A.G., 2011. Acid Suppressants Reduce Risk of Gastrointestinal Bleeding in Patients on Antithrombotic or Anti-Inflammatory Therapy 141, 9.

Lin, M.C., Streja, E., Soohoo, M., Hanna, M., Savoj, J., Kalantar-Zadeh, K., Lau, W.L., 2017. Warfarin Use and Increased Mortality in End-Stage Renal Disease. Am. J. Nephrol. 46, 249–256. https://doi.org/10.1159/000481207

Lin, S.-F., Lu, Y.-H., Bai, C.-H., 2020. Risk of recurrent stroke for Asian stroke patients treated with non-vitamin K antagonist oral anticoagulant and warfarin. Ther. Adv. Chronic Dis. 11, 204062232097485. https://doi.org/10.1177/2040622320974853

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lip, G.Y.H., Clementy, N., Pericart, L., Banerjee, A., Fauchier, L., 2015. Stroke and Major Bleeding Risk in Elderly Patients Aged ≥75 Years With Atrial Fibrillation: The Loire Valley Atrial Fibrillation Project. Stroke 46, 143–150. https://doi.org/10.1161/STROKEAHA.114.007199

Lip, G.Y.H., Freedman, B., De Caterina, R., Potpara, T.S., 2017. Stroke prevention in atrial fibrillation: Past, present and future: Comparing the guidelines and practical decision-making. Thromb. Haemost. 117, 1230–1239. https://doi.org/10.1160/TH16-11-0876

Liu, F., Xu, Z., Luo, J., Yu, P., Ma, J., Yuan, P., Zhu, W., 2021. Effectiveness and Safety of DOACs vs. VKAs in AF Patients With Cancer: Evidence From Randomized Clinical Trials and Observational Studies. Front. Cardiovasc. Med. 8, 766377. https://doi.org/10.3389/fcvm.2021.766377

Luo, Y., Wang, X., Matsushita, K., Wang, C., Zhao, X., Hu, B., Liu, L., Li, H., Liu, G., Jia, Q., Wang, Yilong, Wang, Yongjun, 2014. Associations Between Estimated Glomerular Filtration Rate and Stroke Outcomes in Diabetic Versus Nondiabetic Patients. Stroke 45, 2887–2893. https://doi.org/10.1161/STROKEAHA.114.005380

MacWalter, R.S., Wong, S.Y.S., Wong, K.Y.K., Stewart, G., Fraser, C.G., Fraser, H.W., Ersoy, Y., Ogston, S.A., Chen, R., 2002. Does Renal Dysfunction Predict Mortality After Acute Stroke?: A 7-Year Follow-Up Study. Stroke 33, 1630–1635. https://doi.org/10.1161/01.STR.0000016344.49819.F7

Mahdy, M.E., Ghonimi, N.A., Elserafy, T.S., Mahmoud, W., 2019. The NIHSS score can predict the outcome of patients with primary intracerebral hemorrhage. Egypt. J. Neurol. Psychiatry Neurosurg. 55, 21. https://doi.org/10.1186/s41983-019-0056-0

Manoukian, S.V., Feit, F., Mehran, R., Voeltz, M.D., Ebrahimi, R., Hamon, M., Dangas, G.D., Lincoff, A.M., White, H.D., Moses, J.W., King, S.B., Ohman, E.M., Stone, G.W., 2007. Impact of Major Bleeding on 30-Day Mortality and Clinical Outcomes in Patients With Acute Coronary Syndromes. J. Am. Coll. Cardiol. 49, 1362–1368. https://doi.org/10.1016/j.jacc.2007.02.027

Markidan, J., Cole, J.W., Cronin, C.A., Merino, J.G., Phipps, M.S., Wozniak, M.A., Kittner, S.J., 2018. Smoking and Risk of Ischemic Stroke in Young Men. Stroke 49, 1276–1278. https://doi.org/10.1161/STROKEAHA.117.018859

Masotti, L., Campanini, M., 2013. Pharmacology of new oral anticoagulants: mechanism of action, pharmacokinetics, pharmacodynamics. Ital. J. Med. 7, 1. https://doi.org/10.4081/itjm.2013.s8.1

McRae, S., Tran, H., Schulman, S., Ginsberg, J., Kearon, C., 2006. Effect of patient's sex on risk of recurrent venous thromboembolism: a meta-analysis 368, 8.

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Meinel, T.R., Branca, M., De Marchis, G.M., Nedeltchev, K., Kahles, T., Bonati, L., Arnold, M., Heldner, M.R., Jung, S., Carrera, E., Dirren, E., Michel, P., Strambo, D., Cereda, C.W., Bianco, G., Kägi, G., Vehoff, J., Katan, M., Bolognese, M., Backhaus, R., Salmen, S., Albert, S., Medlin, F., Berger, C., Schelosky, L., Renaud, S., Niederhauser, J., Bonvin, C., Schaerer, M., Mono, M., Rodic, B., Tarnutzer, A.A., Mordasini, P., Gralla, J., Kaesmacher, J., Engelter, S., Fischer, U., Seiffge, D.J., the Investigators of the Swiss Stroke Registry, 2021. Prior Anticoagulation in Patients with Ischemic Stroke and Atrial Fibrillation. Ann. Neurol. 89, 42–53. https://doi.org/10.1002/ana.25917

Mentias, A., Briasoulis, A., Shantha, G., Alvarez, P., Vaughan-Sarrazin, M., 2019. Impact of Heart Failure Type on Thromboembolic and Bleeding Risk in Patients With Atrial Fibrillation on Oral Anticoagulation. Am. J. Cardiol. 123, 1649–1653. https://doi.org/10.1016/j.amjcard.2019.02.027

Mestre, H., Cohen-Minian, Y., Zajarias-Fainsod, D., Ibarr, A., 2013. Pharmacological Treatment of Acute Ischemic Stroke, in: Kishore, U. (Ed.), Neurodegenerative Diseases. InTech. https://doi.org/10.5772/53774

Miller, J., Ye, X., Lenhart, G.M., M. Farr, A., Tran, O., Kwong, W.J., Magnuson, E., Weintraub, W., 2016. Cost-effectiveness of edoxaban versus rivaroxaban for stroke prevention in patients with nonvalvular atrial fibrillation (NVAF) in the US. Clin. Outcomes Res. 215. https://doi.org/10.2147/CEOR.S98888

Mittal, S., Goel, D., 2017. Mortality in ischemic stroke score: A predictive score of mortality for acute ishemic stroke. Brain Circ. 3, 29–34. https://doi.org/10.4103/2394-8108.203256

Mizokami, Y., Yamamoto, T., Atarashi, H., Yamashita, T., Akao, M., Ikeda, T., Koretsune, Y., Okumura, K., Shimizu, W., Tsutsui, H., Toyoda, K., Hirayama, A., Yasaka, M., Yamaguchi, T., Teramukai, S., Kimura, T., Kaburagi, J., Takita, A., Inoue, H., 2020. Current status of proton pump inhibitor use in Japanese elderly patients with non-valvular atrial fibrillation: A subanalysis of the ANAFIE Registry. PLOS ONE 15, e0240859. https://doi.org/10.1371/journal.pone.0240859

Mohan, K.M., Wolfe, C.D.A., Rudd, A.G., Heuschmann, P.U., Kolominsky-Rabas, P.L., Grieve, A.P., 2011. Risk and Cumulative Risk of Stroke Recurrence: A Systematic Review and Meta-Analysis. Stroke 42, 1489–1494. https://doi.org/10.1161/STROKEAHA.110.602615

Molteni, M., Cimminiello, C., 2014. Warfarin and atrial fibrillation: from ideal to real the warfarin affaire. Thromb. J. 12, 5. https://doi.org/10.1186/1477-9560-12-5

Morady, F., Oral, H., Chugh, A., Pelosi, F., Bogun, F., Good, E., Jongnarangsin, K., Crawford, T., Latchamsetty, R., 2011. The Treatment of Atrial Fibrillation. Regents Univ. Mich. 18.

UNIVERSITAS
GADJAH MADA
**Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial
Fibrilasi**
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Moscucci, M., Cannon, C.P., Klein, M., Lopez-Sendon, J., Montalescot, G., White, K., Goldberg, R.J., 2003. Predictors of major bleeding in acute coronary syndromes: the Global Registry of Acute Coronary Events (GRACE). Eur. Heart J. 24, 1815–1823. https://doi.org/10.1016/S0195-668X(03)00485-8

Namale, G., Kamacooko, O., Makhoba, A., Mugabi, T., Ndagire, M., Ssanyu, P., Ddamulira, J.B.M., Yperzeele, L., Cras, P., Ddumba, E., Seeley, J., Newton, R., 2020. Predictors of 30-day and 90-day mortality among hemorrhagic and ischemic stroke patients in urban Uganda: a prospective hospital-based cohort study. BMC Cardiovasc. Disord. 20, 442. https://doi.org/10.1186/s12872-020-01724-6

Nayak, S., Natarajan, B., Pai, R.G., 2020. Etiology, Pathology, and Classification of Atrial Fibrillation. Int. J. Angiol. 29, 065–071. https://doi.org/10.1055/s-0040-1705153

Ndrepepa, G., Groha, P., Lahmann, A.L., Lohaus, R., Cassese, S., Schulz-Schüpke, S., Kufner, S., Mayer, K., Bernlochner, I., Byrne, R.A., Fusaro, M., Laugwitz, K.-L., Schunkert, H., Kastrati, A., 2016. Increased bleeding risk during percutaneous coronary interventions by arterial hypertension: Bleeding and Arterial Hypertension. Catheter. Cardiovasc. Interv. 88, 184–190. https://doi.org/10.1002/ccd.26272

Ocak, G., Rookmaaker, M.B., Algra, A., de Borst, G.J., Doevendans, P.A., Kappelle, L.J., Verhaar, M.C., Visseren, F.L., the SMART Study Group, 2018. Chronic kidney disease and bleeding risk in patients at high cardiovascular risk: a cohort study. J. Thromb. Haemost. 16, 65–73. https://doi.org/10.1111/jth.13904

Ogata, T., Kamouchi, M., Matsuo, R., Hata, J., Kuroda, J., Ago, T., Sugimori, H., Inoue, T., Kitazono, T., on behalf of the Fukuoka Stroke Registry, 2014. Gastrointestinal Bleeding in Acute Ischemic Stroke: Recent Trends from the Fukuoka Stroke Registry. Cerebrovasc. Dis. Extra 4, 156–164. https://doi.org/10.1159/000365245

Ong, C.-T., Sung, S.-F., Wong, Y.-S., Wu, C.-S., Hsu, Y.-C., Su, Y.-H., Li, C.-H., Hung, L.-C., 2016. Risk Factors for In-Hospital Mortality among Ischemic Stroke Patients in Southern Taiwan. Int. J. Gerontol. 10, 86–90. https://doi.org/10.1016/j.ijge.2014.06.013

Oral, H., Latchamsetty, R., 2014. Atrial Fibrillation, in: Cardiac Electrophysiology: From Cell to Bedside. Elsevier, pp. 739–754. https://doi.org/10.1016/B978-1-4557-2856-5.00075-3

Osório, J., 2012. Aspirin and diabetes mellitus—no increase in bleeding risk? Nat. Rev. Endocrinol. 8, 442–442. https://doi.org/10.1038/nrendo.2012.108

Ovbiagele, B., 2011. Chronic kidney disease and risk of death during hospitalization for stroke. J. Neurol. Sci. 301, 46–50. https://doi.org/10.1016/j.jns.2010.11.002

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Owolabi, M., Akarolo-Anthony, S., Akinyemi, R., Arnett, D., Gebregziabher, M., Jenkins, C., Tiwari, H., Arulogun, O., Akpalu, A., Sarfo, F., Obiako, R., Owolabi, L., Sagoe, K., Melikam, S., Adeoye, A., Lackland, D., Ovbiagele, B., 2015. The burden of stroke in Africa: a glance at the present and a glimpse into the future: review article. Cardiovasc. J. Afr. 26, S27–S38. https://doi.org/10.5830/CVJA-2015-038

Oza, R., Rundell, K., 2017. Recurrent Ischemic Stroke: Strategies for Prevention 96, 5.

Paciaroni, M., Agnelli, G., Micheli, S., Caso, V., 2007. Efficacy and Safety of Anticoagulant Treatment in Acute Cardioembolic Stroke: A Meta-Analysis of Randomized Controlled Trials. Stroke 38, 423–430. https://doi.org/10.1161/01.STR.0000254600.92975.1f

Pahuja, M., Chehab, O., Ranka, S., Mishra, T., Ando, T., Yassin, A.S., Thayer, K.L., Shah, P., Kimmelstiel, C.D., Salehi, P., Kapur, N.K., 2021. Incidence and clinical outcomes of stroke in ST -elevation myocardial infarction and cardiogenic shock. Catheter. Cardiovasc. Interv. 97, 217–225. https://doi.org/10.1002/ccd.28919

Palareti, G., Cosmi, B., 2009. Bleeding with anticoagulation therapy – Who is at risk, and how best to identify such patients. Thromb. Haemost. 102, 268–278. https://doi.org/10.1160/TH08-11-0730

Pamela J, B., Joseph, H., Matthew, K., Thomas G, B., Lee, N., Judith M, K., Jamie M, R., Frank M, S., 2019. Warfarin Use and Mortality, Stroke, and Bleeding Outcomes in a Cohort of Elderly Patients with non-Valvular Atrial Fibrillation. J. Atr. Fibrillation 12, 2155. https://doi.org/10.4022/jafib.2155

Pan, Y., Jing, J., Chen, W., Wang, Y., He, Y., 2018. Association between impaired renal function and stroke outcome in patients with versus without atrial fibrillation. Eur. J. Neurol. 25, 1041–1048. https://doi.org/10.1111/ene.13617

Patel, J.P., Roberts, L.N., Arya, R., 2011. Anticoagulating obese patients in the modern era: Review. Br. J. Haematol. 155, 137–149. https://doi.org/10.1111/j.1365-2141.2011.08826.x

Phan, D., Yang, S.-J., Shen, A.Y.-J., Lee, M.-S., 2019. Effect of Warfarin on Ischemic Stroke, Bleeding, and Mortality in Patients with Atrial Fibrillation Receiving Peritoneal Dialysis. Am. J. Cardiovasc. Drugs 19, 509–515. https://doi.org/10.1007/s40256-019-00347-3

Pisters, R., Lane, D.A., Nieuwlaat, R., de Vos, C.B., Crijns, H.J.G.M., Lip, G.Y.H., 2010. A Novel User-Friendly Score (HAS-BLED) To Assess 1-Year Risk of Major Bleeding in Patients With Atrial Fibrillation. Chest 138, 1093–1100. https://doi.org/10.1378/chest.10-0134

Pol, T., Held, C., Westerbergh, J., Lindbäck, J., Alexander, J.H., Alings, M., Erol, C., Goto, S., Halvorsen, S., Huber, K., Hanna, M., Lopes, R.D., Ruzyllo,

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

W., Granger, C.B., Hijazi, Z., 2018. Dyslipidemia and Risk of Cardiovascular Events in Patients With Atrial Fibrillation Treated With Oral Anticoagulation Therapy: Insights From the ARISTOTLE (Apixaban for Reduction in Stroke and Other Thromboembolic Events in Atrial Fibrillation) Trial. J. Am. Heart Assoc. 7, e007444. https://doi.org/10.1161/JAHA.117.007444

Power, A., 2013. Stroke in Dialysis and Chronic Kidney Disease. Blood Purif. 36, 179–183. https://doi.org/10.1159/000356086

Powers, W.J., Rabinstein, A.A., Ackerson, T., Adeoye, O.M., Bambakidis, N.C., Becker, K., Biller, J., Brown, M., Demaerschalk, B.M., Hoh, B., Jauch, E.C., Kidwell, C.S., Leslie-Mazwi, T.M., Ovbiagele, B., Scott, P.A., Sheth, K.N., Southerland, A.M., Summers, D.V., Tirschwell, D.L., 2018. 2018 Guidelines for the Early Management of Patients With Acute Ischemic Stroke: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association. Stroke 49. https://doi.org/10.1161/STR.0000000000000158

Pullicino, P., Thompson, J.L.P., Barton, B., Levin, B., Graham, S., Freudenberger, R.S., 2006. Warfarin Versus Aspirin in Patients With Reduced Cardiac Ejection Fraction (WARCEF): Rationale, Objectives, and Design. J. Card. Fail. 12, 39–46. https://doi.org/10.1016/j.cardfail.2005.07.007

Qian, Y., Ye, D., Wu, D.J., Feng, C., Zeng, Z., Ye, L., Zhu, R., Zhang, Z., Mao, Y., 2019. Role of cigarette smoking in the development of ischemic stroke and its subtypes: a Mendelian randomization study. Clin. Epidemiol. Volume 11, 725–731. https://doi.org/10.2147/CLEP.S215933

Rahmadina, A., Gofir, A., Nugroho, A.E., 2015. The Role of Anticoagulation Control on the Mortality Rate in Warfarin Treated Ischemic Stroke Patients with Atrial Fibrillation. 7, 5.

Ray, W.A., Chung, C.P., Murray, K.T., Smalley, W.E., Daugherty, J.R., Dupont, W.D., Stein, C.M., 2018. Association of Oral Anticoagulants and Proton Pump Inhibitor Cotherapy With Hospitalization for Upper Gastrointestinal Tract Bleeding. JAMA 320, 2221. https://doi.org/10.1001/jama.2018.17242

Roy-O'Reilly, M., McCullough, L.D., 2018. Age and Sex Are Critical Factors in Ischemic Stroke Pathology. Endocrinology 159, 3120–3131. https://doi.org/10.1210/en.2018-00465

Rozjabek, H.M., Coleman, C.I., Ashton, V., Laliberté, F., Oyefesobi, P., Lejeune, D., Germain, G., Schein, J.R., Yuan, Z., Lefebvre, P., Peterson, E.D., 2019. Healthcare costs of stroke and major bleeding in patients with atrial fibrillation treated with non-vitamin K antagonist oral anticoagulants. J. Med. Econ. 22, 751–759. https://doi.org/10.1080/13696998.2019.1603156

Ryan, M., Nestor, M., 2020. Stroke, in: Pharmacotherapy: A Pathophysiologic Approach. McGraw Hill Medical, New York.

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Savelieva, I., Bajpai, A., John Camm, A., 2007. Stroke in atrial fibrillation: Update on pathophysiology, new antithrombotic therapies, and evolution of procedures and devices. Ann. Med. 39, 371–391. https://doi.org/10.1080/07853890701320662

Saxena, R., Koudstaal, P.J., 2004. Anticoagulants versus antiplatelet therapy for preventing stroke in patients with nonrheumatic atrial fibrillation and a history of stroke or transient ischemic attack. Cochrane Database Syst. Rev. https://doi.org/10.1002/14651858.CD000187.pub2

Saxena, R., Lewis, S., Berge, E., Sandercock, P.A.G., Koudstaal, P.J., for the International Stroke Trial Collaborative Group, 2001. Risk of Early Death and Recurrent Stroke and Effect of Heparin in 3169 Patients With Acute Ischemic Stroke and Atrial Fibrillation in the International Stroke Trial. Stroke 32, 2333–2337. https://doi.org/10.1161/hs1001.097093

Sedaghat, M., Lima, B.S., Bouzari, R., Shadlou, S., 2021. Gastrointestinal Bleeding Associated With Warfarin and Rivaroxaban Therapy in Atrial Fibrillation Cases with Concomitant Coagulopathy. Cardiovasc. Hematol. Disord. Drug Targets. 21, 123–127. https://doi.org/10.2174/1871529X20999201231210044

Segev, A., Strauss, B.H., Tan, M., Constance, C., Langer, A., Goodman, S.G., 2005. Predictors and 1-year outcome of major bleeding in patients with non–ST-elevation acute coronary syndromes: Insights from the Canadian Acute Coronary Syndrome Registries. Am. Heart J. 150, 690–694. https://doi.org/10.1016/j.ahj.2004.11.012

Senoo, K., Lane, D., Lip, G.Y., 2014. Stroke and Bleeding Risk in Atrial Fibrillation. Korean Circ. J. 44, 281. https://doi.org/10.4070/kcj.2014.44.5.281

Setyopranoto, I., Halwan, F., Andre, S., Sarasiti, A., Lutfan, L., Fatwa, S., Rusdy, G., 2019. Prevalence of Stroke and Associated Risk Factors in Sleman District of Yogyakarta Special Region, Indonesia. Stroke Res. Treat. 1–8.

Shahpouri, M.M., Mousavi, S.A., Khorvash, F., Mousavi, S.M., Hoseini, T., 2012. Anticoagulant therapy for ischemic stroke: A review of literature. J. Res. Med. Sci. 6.

Shen, A.Y.-J., Yao, J.F., Brar, S.S., Jorgensen, M.B., Chen, W., 2007. Racial/Ethnic Differences in the Risk of Intracranial Hemorrhage Among Patients With Atrial Fibrillation. J. Am. Coll. Cardiol. 50, 309–315. https://doi.org/10.1016/j.jacc.2007.01.098

Siegal, D., Yudin, J., Kaatz, S., Douketis, J.D., Lim, W., Spyropoulos, A.C., 2012. Periprocedural Heparin Bridging in Patients Receiving Vitamin K Antagonists: Systematic Review and Meta-Analysis of Bleeding and Thromboembolic Rates. Circulation 126, 1630–1639. https://doi.org/10.1161/CIRCULATIONAHA.112.105221

UNIVERSITAS
GADJAH MADA
**Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial
Fibrilasi**
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Silva, R.L., Guhl, E.N., Althouse, A.D., Herbert, B., Sharbaugh, M., Essien, U.R., Hausmann, L.R.M., Magnani, J.W., 2021. Sex differences in atrial fibrillation: patient-reported outcomes and the persistent toll on women. Am. J. Prev. Cardiol. 8, 100252. https://doi.org/10.1016/j.ajpc.2021.100252

Smythe, M.A., Parker, D., Garwood, C.L., Cuker, A., Messé, S.R., 2020. Timing of Initiation of Oral Anticoagulation after Acute Ischemic Stroke in Patients with Atrial Fibrillation. Pharmacother. J. Hum. Pharmacol. Drug Ther. 40, 55–71. https://doi.org/10.1002/phar.2345

So, C.H., Eckman, M.H., 2017. Combined aspirin and anticoagulant therapy in patients with atrial fibrillation. J. Thromb. Thrombolysis 43, 7–17. https://doi.org/10.1007/s11239-016-1425-5

Son, M.K., Lim, N.-K., Kim, H.W., Park, H.-Y., 2017. Risk of ischemic stroke after atrial fibrillation diagnosis: A national sample cohort. PLOS ONE 12, e0179687. https://doi.org/10.1371/journal.pone.0179687

Sorensen, S.V., Dewilde, S., Singer, D.E., Goldhaber, S.Z., Monz, B.U., Plumb, J.M., 2009. Cost-effectiveness of warfarin: Trial versus "real-world" stroke prevention in atrial fibrillation. Am. Heart J. 157, 1064–1073. https://doi.org/10.1016/j.ahj.2009.03.022

Spence, J.D., 2018. Cardioembolic stroke: everything has changed. Stroke Vasc. Neurol. 3, 76–83. https://doi.org/10.1136/svn-2018-000143

Stanton, R.J., Eckman, M.H., Woo, D., Moomaw, C.J., Haverbusch, M., Flaherty, M.L., Kleindorfer, D.O., 2020. Ischemic Stroke and Bleeding. Am. Heart Assoc. 51, 7. https://doi.org/10.1161/STROKEAHA.119.027370

Steinberg, B.A., Peterson, E.D., Kim, S., Thomas, L., Gersh, B.J., Fonarow, G.C., Kowey, P.R., Mahaffey, K.W., Sherwood, M.W., Chang, P., Piccini, J.P., Ansell, J., 2015. Use and Outcomes Associated With Bridging During Anticoagulation Interruptions in Patients With Atrial Fibrillation. Circulation 131, 8.

Tanaka, K., Koga, M., Lee, K.-J., Kim, B.J., Park, E.L., Lee, J., Mizoguchi, T., Yoshimura, S., Cha, J.-K., Lee, B.-C., Nakahara, J., Suzuki, N., Bae, H.-J., Toyoda, K., for the CRCS-K Investigators and the SAMURAI Study Investigators, 2020. Atrial Fibrillation-Associated Ischemic Stroke Patients With Prior Anticoagulation Have Higher Risk for Recurrent Stroke. Stroke 51, 1150–1157. https://doi.org/10.1161/STROKEAHA.119.027275

Toyoda, K., Yasaka, M., Iwade, K., Nagata, K., Koretsune, Y., Sakamoto, T., Uchiyama, S., Gotoh, J., Nagao, T., Yamamoto, M., Takahashi, J.C., Minematsu, K., 2008. Dual Antithrombotic Therapy Increases Severe Bleeding Events in Patients With Stroke and Cardiovascular Disease: A Prospective, Multicenter, Observational Study. Stroke 39, 1740–1745. https://doi.org/10.1161/STROKEAHA.107.504993

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Tseng, E., Crowther, M.A., Hillis, C.M., 2016. Bridging anticoagulation for interruption of warfarin in a patient with atrial fibrillation. Can. Med. Assoc. J. 188, 361–362. https://doi.org/10.1503/cmaj.150867

van Rein, N., Heide-Jørgensen, U., Lijfering, W.M., Dekkers, O.M., Sørensen, H.T., Cannegieter, S.C., 2019. Major Bleeding Rates in Atrial Fibrillation Patients on Single, Dual, or Triple Antithrombotic Therapy: Results From a Nationwide Danish Cohort Study. Circulation 139, 775–786. https://doi.org/10.1161/CIRCULATIONAHA.118.036248

Vemmos, K.N., Tsivgoulis, G., Spengos, K., Zakopoulos, N., Synetos, A., Manios, E., Konstantopoulou, P., Mavrikakis, M., 2004. U-shaped relationship between mortality and admission blood pressure in patients with acute stroke. J. Intern. Med. 255, 257–265. https://doi.org/10.1046/j.1365-2796.2003.01291.x

Verdecchia, P., Angeli, F., Reboldi, G., 2018. Hypertension and Atrial Fibrillation. Am. Heart Assoc. 122, 17. https://doi.org/10.1161/CIRCRESAHA.117.311402

Vinding, N.E., Kristensen, S.L., Rørth, R., Butt, J.H., Østergaard, L., Olesen, J.B., Torp-Pedersen, C., Gislason, G.H., Køber, L., Kruuse, C., Johnsen, S.P., Fosbøl, E.L., 2022. Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation. J. Am. Heart Assoc. 11, e022638. https://doi.org/10.1161/JAHA.121.022638

Wachtel, T.J., 2007. Geriatric clinical advisor: instant diagnosis and treatment. Elsevier Mosby, Philadelphia.

Walkey, A.J., Wiener, R.S., Ghobrial, J.M., Curtis, L.H., Benjamin, E.J., 2011. Incident Stroke and Mortality Associated With New-Onset Atrial Fibrillation in Patients Hospitalized With Severe Sepsis. JAMA 306. https://doi.org/10.1001/jama.2011.1615

Wang, C., Wu, V.C., Huang, Y., Kuo, C., Chu, P., Chen, Y., Wen, M., Chang, S., 2019. Safety and Effectiveness of Non–Vitamin K Antagonist Oral Anticoagulants for Stroke Prevention in Patients With Atrial Fibrillation and Anemia: A Retrospective Cohort Study. J. Am. Heart Assoc. 8. https://doi.org/10.1161/JAHA.119.012029

Wang, Yilong, Xu, J., Zhao, X., Wang, D., Wang, C., Liu, L., Wang, A., Meng, X., Li, H., Wang, Yongjun, 2013. Association of Hypertension With Stroke Recurrence Depends on Ischemic Stroke Subtype. Stroke 44, 1232–1237. https://doi.org/10.1161/STROKEAHA.111.000302

Waranugraha, Y., Rizal, A., Syaban, M.F.R., Faratisha, I.F.D., Erwan, N.E., Yunita, K.C., 2021. Direct comparison of non-vitamin K antagonist oral anticoagulant versus warfarin for stroke prevention in non-valvular atrial fibrillation: a systematic review and meta-analysis of real-world evidences. Egypt. Heart J. 73, 70. https://doi.org/10.1186/s43044-021-00194-1

UNIVERSITAS GADJAH MADA
Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial Fibrilasi
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Warden, B.A., Diep, C., Ran, R., Thomas, M., Cigarroa, J.E., 2019. The effect of heparin infusion intensity on outcomes for bridging hospitalized patients with atrial fibrillation. Clin. Cardiol. 42, 995–1002. https://doi.org/10.1002/clc.23256

Wetmore, J.B., Herzog, C.A., Sexter, A., Gilbertson, D.T., Liu, J., Kasner, S.E., 2020. Outcomes Following Ischemic Stroke in Older Patients With CKD Stages 4 and 5: A Retrospective Cohort Study. Am. J. Kidney Dis. 76, 784–793. https://doi.org/10.1053/j.ajkd.2020.03.021

WHO, 2016. Tobacco & Stroke. World Health Organ.

WHO, [World Health Organization], 2018. The Top 10 Causes of Death.

WHO, [World Health Organization], 2012. Indonesia: WHO Statistical Profile.

Woo, H.G., Chung, I., Gwak, D.S., Kim, B.K., Kim, B.J., Bae, H.-J., Han, M.-K., 2019. Recurrent ischemic stroke in atrial fibrillation with non-vitamin K antagonist oral anticoagulation. J. Clin. Neurosci. 64, 127–133. https://doi.org/10.1016/j.jocn.2019.03.037

Wu, E., Howard, G., Milena, M., Edward, T., Adam, R., Warren, J., Jeremy, R., 2015. Economic Burden and Co-Morbidities of Atrial Fibrillation in a Privately Insured Population. Curr. Med. Res. Opin. 21(10), 1693–1699.

Wysowski, D.K., Nourjah, P., Swartz, L., 2007. Bleeding Complications With Warfarin Use: A Prevalent Adverse Effect Resulting in Regulatory Action. Arch. Intern. Med. 167, 1414. https://doi.org/10.1001/archinte.167.13.1414

Xian, Y., Wu, J., O'Brien, E.C., Fonarow, G.C., Olson, D.M., Schwamm, L.H., Bhatt, D.L., Smith, E.E., Suter, R.E., Hannah, D., Lindholm, B., Maisch, L., Greiner, M.A., Lytle, B.L., Pencina, M.J., Peterson, E.D., Hernandez, A.F., 2015. Real world effectiveness of warfarin among ischemic stroke patients with atrial fibrillation: observational analysis from Patient-Centered Research into Outcomes Stroke Patients Prefer and Effectiveness Research (PROSPER) study. BMJ h3786. https://doi.org/10.1136/bmj.h3786

Yamashita, Y., Morimoto, T., Toyota, T., Shiomi, H., Makiyama, T., Ono, K., Kimura, T., 2018. Asian patients versus non-Asian patients in the efficacy and safety of direct oral anticoagulants relative to vitamin K antagonist for venous thromboembolism: A systemic review and meta-analysis. Thromb. Res. 166, 37–42. https://doi.org/10.1016/j.thromres.2018.04.008

Yong, J.W., Yang, L.X., Ohene, B.E., Zhou, Y.J., Wang, Z.J., 2017. Periprocedural heparin bridging in patients receiving oral anticoagulation: a systematic review and meta-analysis. BMC Cardiovasc. Disord. 17, 295. https://doi.org/10.1186/s12872-017-0719-7

Yuan, M., Li, Q., Zhang, R., Zhang, W., Zou, N., Qin, X., Cai, Z., 2021. Risk factors for and impact of poststroke pneumonia in patients with acute ischemic

UNIVERSITAS
GADJAH MADA
**Efektivitas dan Keamanan Penggunaan Antikoagulan Pada Pasien Rawat Inap Stroke Iskemik dengan Atrial
Fibrilasi**
JUNIARTO MENDE, Dr. apt. Fita Rahmawati, Sp.FRS; Dr. apt. Ika Puspita Sari, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

stroke. Medicine (Baltimore) 100, e25213. https://doi.org/10.1097/MD.0000000000025213

Zhou, Y., Ma, J., Zhu, W., 2020. Efficacy and Safety of Direct Oral Anticoagulants Versus Warfarin in Patients with Atrial Fibrillation Across BMI Categories: A Systematic Review and Meta-Analysis. Am. J. Cardiovasc. Drugs 20, 51–60. https://doi.org/10.1007/s40256-019-00362-4

Zhu, W., Guo, L., Liu, F., Wan, R., Shen, Y., Lip, G.Y.H., Hong, K., 2017. Efficacy and safety of triple *versus* dual antithrombotic therapy in atrial fibrillation and ischemic heart disease: a systematic review and meta-analysis. Oncotarget 8, 81154–81166. https://doi.org/10.18632/oncotarget.20870

Zipes, D.P., Jalife, J., Stevenson, W.G. (Eds.), 2018. Cardiac electrophysiology: from cell to bedside, Seventh edition. ed. Elsevier, Philadelphia, PA.