

## DAFTAR PUSTAKA

- Abbas, A. K., Lichtman, A. H. and Pillai, S. (2016) *Imunologi Dasar Abbas: Fungsi dan Kelainan Sistem Imun*. 5th edn. Singapore: Elsevier Inc.
- Abebe, F. *et al.* (2017) 'Association of ESAT-6/CFP-10-induced IFN- $\gamma$ , TNF- $\alpha$  and IL-10 with clinical tuberculosis: evidence from cohorts of pulmonary tuberculosis patients, household contacts and community controls in an endemic setting', *Clinical and Experimental Immunology*, 189(2), pp. 241–249. doi: 10.1111/cei.12972.
- Advani, J. *et al.* (2019) 'Whole genome sequencing of Mycobacterium tuberculosis clinical isolates from India reveals genetic heterogeneity and region-specific variations that might affect drug susceptibility', *Frontiers in Microbiology*, 10(FEB), pp. 1–15. doi: 10.3389/fmicb.2019.00309.
- Agustin, H. *et al.* (2021) 'Analysis of CD4 and CD8 expression in multidrug-resistant tuberculosis infection with diabetes mellitus: An experimental study in mice', *Annals of Medicine and Surgery*, 68(July), p. 102596. doi: 10.1016/j.amsu.2021.102596.
- Arlehamn, C. L. *et al.* (2014) 'Transcriptional Profile of Tuberculosis Antigen-Specific T Cells Reveals Novel Multifunctional Features', *The Journal of Immunology*, 193(6), pp. 2931–2940. doi: 10.4049/jimmunol.1401151.
- Arlehamn, C. S. L. *et al.* (2014) 'in Tuberculosis', pp. 1–15.
- Babaki, M. K. Z., Soleimanpour, S. and Rezaee, S. A. (2017) 'Antigen 85 complex as a powerful Mycobacterium tuberculosis immunogene: Biology, immune-pathogenicity, applications in diagnosis, and vaccine design', *Microbial Pathogenesis*, 112, pp. 20–29. doi: 10.1016/j.micpath.2017.08.040.
- Bajaj, A. O. *et al.* (2021) 'Accurate Identification of Closely Related Mycobacterium tuberculosis Complex Species by High Resolution Tandem Mass Spectrometry', *Frontiers in Cellular and Infection Microbiology*, 11(June), pp. 1–9. doi: 10.3389/fcimb.2021.656880.
- Beery, A. K. (2018) 'Inclusion of females does not increase variability in rodent research studies', *Current Opinion in Behavioral Sciences*, 23, pp. 143–149. doi: 10.1016/j.cobeha.2018.06.016.
- Carranza, C. *et al.* (2020) 'Diagnosis for Latent Tuberculosis Infection: New Alternatives', *Frontiers in Immunology*, 11(September), pp. 1–13. doi: 10.3389/fimmu.2020.02006.
- Chakaya, J. *et al.* (2021) 'Global Tuberculosis Report 2020 – Reflections on the Global TB burden, treatment and prevention efforts', *International Journal of Infectious Diseases*, (xxxx), pp. 4–9. doi: 10.1016/j.ijid.2021.02.107.
- Chileshe, J. *et al.* (2019) 'A commercial ELISA for detection of interferon gamma in white rhinoceros', *Journal of Veterinary Diagnostic Investigation*, 31(4), pp.

531–536. doi: 10.1177/1040638719843955.

Ernst, J. D., Cornelius, A. and Bolz, M. (2019) ‘Dynamics of *Mycobacterium tuberculosis* Ag85B Revealed by a Sensitive Enzyme-Linked Immunosorbent Assay’, *mBio*, 10(2), pp. 1–10. doi: <https://doi.org/10.1128/mBio.00611-19>.

Favrot, L. *et al.* (2013) ‘Mechanism of inhibition of *Mycobacterium tuberculosis* antigen 85 by ebselen’, *Nature Communications*, 4(May). doi: 10.1038/ncomms3748.

Fihiruddin *et al.* (2020) ‘Cloning, expression and T cell epitope prediction of *fbpa* and *fbpb* genes of *mycobacterium tuberculosis* clinical isolates’, *Journal of Microbiology, Biotechnology and Food Sciences*, 9(5), pp. 998–1002. doi: 10.15414/jmbfs.2020.9.5.998-1002.

Fihiruddin, F. *et al.* (2019) ‘Expression of Immunoglobulin, Granzyme-B, and Perforin Against Ag85A and Ag85B of *Mycobacterium Tuberculosis* in Balb/c Mice’, *African Journal Infection Disease*, 13, pp. 13–20.

Fitzgerald, D. W., Sterling, T. R. and Haas, D. W. (2022) *Mycobacterium tuberculosis*. Ninth Edit, *Mandell, Douglas, and Bennett’s Principles and Practice of Infectious Diseases*. Ninth Edit. Elsevier Inc. doi: 10.1016/B978-0-323-48255-4.00249-6.

Flint, J. L. *et al.* (2004) ‘The RD1 virulence locus of *Mycobacterium tuberculosis* regulates DNA transfer in *Mycobacterium smegmatis*’, *Proceedings of the National Academy of Sciences of the United States of America*, 101(34), pp. 12598–12603. doi: 10.1073/pnas.0404892101.

Forrellad, M. A. *et al.* (2013) ‘Virulence factors of the *mycobacterium tuberculosis* complex’, *Virulence*, 4(1), pp. 3–66. doi: 10.4161/viru.22329.

Garcia-Pelayo, M. C. *et al.* (2015) ‘BALB/c mice display more enhanced BCG vaccine induced Th1 and Th17 response than C57BL/6 mice but have equivalent protection’, *Tuberculosis*, 95(1), pp. 48–53. doi: 10.1016/j.tube.2014.10.012.

Goletti, D. *et al.* (2016) ‘Tuberculosis biomarkers: From diagnosis to protection’, *Infectious Disease Reports*, 8(2), pp. 24–32. doi: 10.4081/idr.2016.6568.

Hertz, D. *et al.* (2020) ‘Increased male susceptibility to *Mycobacterium tuberculosis* infection is associated with smaller B cell follicles in the lungs’, *Scientific Reports*, 10(1), pp. 1–9. doi: 10.1038/s41598-020-61503-3.

Hur, Y. G. *et al.* (2015) ‘Adjunctive biomarkers for improving diagnosis of tuberculosis and monitoring therapeutic effects’, *Journal of Infection*, 70(4), pp. 346–355. doi: 10.1016/j.jinf.2014.10.019.

Huygen, K. (2014) ‘The immunodominant T-cell epitopes of the mycolyl-transferases of the antigen 85 complex of *M. tuberculosis*’, *Frontiers in Immunology*, 5(JUL), pp. 1–11. doi: 10.3389/fimmu.2014.00321.

Kemenkes, R. (2021) *Situasi Tuberkulosis Indonesia Tahun 2021, Data TBC pada*

*tanggal 4 Oktober 2021.* Available at: <https://tbindonesia.or.id/pustaka-tbc/dashboard-tb/> (Accessed: 11 May 2021).

- Konstantinou, G. N. (2017) 'Enzyme-Linked Immunosorbent Assay (ELISA)', in Lin, J. and Alcocer, M. (eds) *Methods in Molecular Biology*. Springer Science Businecc Media LCC, pp. 79–94. doi: 10.1007/978-1-4939-6925-8.
- Kumar, G. *et al.* (2010) 'Serodiagnostic efficacy of mycobacterium tuberculosis 30/32-kDa Mycolyl transferase complex, ESAT-6, and CFP-10 in patients with active tuberculosis', *Archivum Immunologiae et Therapiae Experimentalis*, 58(1), pp. 57–65. doi: 10.1007/s00005-009-0055-4.
- Leary, S. *et al.* (2013) *AVMA Guidelines for the Euthanasia of Animals: 2013 Edition*, American Veterinary Medical Association. doi: 10.1016/B978-012088449-0.50009-1.
- Lee, J. Y. *et al.* (2015) 'Immune parameters differentiating active from latent tuberculosis infection in humans', *Tuberculosis*, 95(6), pp. 758–763. doi: 10.1016/j.tube.2015.08.003.
- Leem, A. Y. *et al.* (2018) 'Changes in cytokine responses to TB antigens ESAT-6, CFP-10 and TB 7.7 and inflammatory markers in peripheral blood during therapy', *Scientific Reports*, 8(1), pp. 4–11. doi: 10.1038/s41598-018-19523-7.
- Liu, C. H., Liu, H. and Ge, B. (2017) 'Innate immunity in tuberculosis: Host defense vs pathogen evasion', *Cellular and Molecular Immunology*, 14(12), pp. 963–975. doi: 10.1038/cmi.2017.88.
- Maphasa, R. E., Meyer, M. and Dube, A. (2021) 'The Macrophage Response to Mycobacterium tuberculosis and Opportunities for Autophagy Inducing Nanomedicines for Tuberculosis Therapy', *Frontiers in Cellular and Infection Microbiology*, 10(February), pp. 1–22. doi: 10.3389/fcimb.2020.618414.
- Marín, N. D. *et al.* (2013) 'Functional profile of CD4<sup>+</sup> and CD8<sup>+</sup> T cells in latently infected individuals and patients with active TB', *Tuberculosis*, 93(2), pp. 155–166. doi: 10.1016/j.tube.2012.12.002.
- de Martino, M. *et al.* (2019) 'Immune Response to Mycobacterium tuberculosis: A Narrative Review', *Frontiers in Pediatrics*, 7(August), pp. 1–8. doi: 10.3389/fped.2019.00350.
- Mertaniasih, N. M. *et al.* (2016) 'Sequence Analysis of the Gene Region Encoding ESAT-6, Ag85B, and Ag85C Proteins from Clinical Isolates of Mycobacterium tuberculosis', *Procedia Chemistry*, 18(Mcls 2015), pp. 225–230. doi: 10.1016/j.proche.2016.01.035.
- Miggiano, R., Rizzi, M. and Ferraris, D. M. (2020) 'Mycobacterium tuberculosis pathogenesis, infection prevention and treatment', *Pathogens*, 9(5), pp. 10–13. doi: 10.3390/pathogens9050385.
- Mihret, A. (2012) 'The role of dendritic cells in Mycobacterium tuberculosis

- infection', *Virulence*, 3(7), pp. 654–659. doi: 10.4161/viru.22586.
- Movafagh, A. *et al.* (2011) 'The significance application of indigenous Phytohemagglutinin (PHA) mitogen on metaphase and cell culture procedure', *Iranian Journal of Pharmaceutical Research*, 10(4), pp. 895–903.
- Mustafa, A. S. (2021) 'Immunological characterization of proteins expressed by genes located in mycobacterium tuberculosis-specific genomic regions encoding the ESAT6-like proteins', *Vaccines*, 9(1), pp. 1–17. doi: 10.3390/vaccines9010027.
- Nakamura, H. (2013) *BALB/c Mouse, Brenner's Encyclopedia of Genetics: Second Edition*. Elsevier Inc. doi: 10.1016/B978-0-12-374984-0.00133-9.
- Nieuwenhuizen, N. E. *et al.* (2021) 'Weaker protection against tuberculosis in BCG-vaccinated male 129 S2 mice compared to females', *Vaccine*, 39(50), pp. 7253–7264. doi: 10.1016/j.vaccine.2021.09.039.
- Nikolova, M. *et al.* (2013) 'Antigen-specific CD4- and CD8-positive signatures in different phases of Mycobacterium tuberculosis infection', *Diagnostic Microbiology and Infectious Disease*, 75(3), pp. 277–281. doi: 10.1016/j.diagmicrobio.2012.11.023.
- O'Garra, A. *et al.* (2013) *The immune response in tuberculosis, Annual Review of Immunology*. doi: 10.1146/annurev-immunol-032712-095939.
- Pal, R., Bisht, M. K. and Mukhopadhyay, S. (2022) 'Secretory proteins of Mycobacterium tuberculosis and their roles in modulation of host immune responses: focus on therapeutic targets', *FEBS Journal*, pp. 1–26. doi: 10.1111/febs.16369.
- Parbhoo, T., Sampson, S. L. and Mouton, J. M. (2020) 'Recent Developments in the Application of Flow Cytometry to Advance our Understanding of Mycobacterium tuberculosis Physiology and Pathogenesis', *Cytometry Part A*, 97(7), pp. 683–693. doi: 10.1002/cyto.a.24030.
- Parkash, O., Singh, B. P. and Pai, M. (2009) 'Regions of differences encoded antigens as targets for immunodiagnosis of tuberculosis in humans', *Scandinavian Journal of Immunology*, 70(4), pp. 345–357. doi: 10.1111/j.1365-3083.2009.02312.x.
- Peng, X. and Sun, J. (2016) 'Mechanism of ESAT-6 membrane interaction and its roles in pathogenesis of Mycobacterium tuberculosis', *Toxicon*, 116, pp. 29–34. doi: 10.1016/j.toxicon.2015.10.003.
- Petrucchioli, E. *et al.* (2016) 'First characterization of the CD4 and CD8 T-cell responses to QuantiFERON-TB Plus', *Journal of Infection*, 73(6), pp. 588–597. doi: 10.1016/j.jinf.2016.09.008.
- Prezzemolo, T. *et al.* (2014) 'Functional signatures of human CD4 and CD8 T cell responses to Mycobacterium tuberculosis', *Frontiers in Immunology*, 5(APR),

- pp. 1–13. doi: 10.3389/fimmu.2014.00180.
- Prozorov, A. A. *et al.* (2014) ‘The virulence factors of Mycobacterium tuberculosis: Genetic control, new conceptions’, *Russian Journal of Genetics*, 50(8), pp. 775–797. doi: 10.1134/S1022795414080055.
- Qiao, D. *et al.* (2011) ‘Mycobacterium tuberculosis culture filtrate protein 10-specific effector/memory CD4+ and CD8+ T cells in tubercular pleural fluid, with biased usage of T cell receptor V $\beta$  Chains’, *Infection and Immunity*, 79(8), pp. 3358–3365. doi: 10.1128/IAI.00014-11.
- Rosano, G. L. and Ceccarelli, E. A. (2014) ‘Recombinant protein expression in Escherichia coli: Advances and challenges’, *Frontiers in Microbiology*, 5(APR), pp. 1–17. doi: 10.3389/fmicb.2014.00172.
- Ruhwald, M. *et al.* (2017) ‘Introducing the ESAT-6 free IGRA, a companion diagnostic for TB vaccines based on ESAT-6’, *Scientific Reports*, 7(March), pp. 1–10. doi: 10.1038/srep45969.
- Samten, B., Wang, X. and Barnes, P. F. (2011) ‘Immune regulatory activities of early antigenic target of 6-kD protein of Mycobacterium tuberculosis and implication for tuberculosis vaccine design’, *Tuberculosis*, 91S1, pp. s114–118. doi: 10.1016/j.tube.2011.10.020.
- Seghatoleslam, A. *et al.* (2016) ‘Macrophage Immune Response Suppression by Reombinant Mycobacterium tuberculosis Antigens, the ESAT-6, CFP-10, and ESAT-6/ CFP-10 Fusion Proteins’, 41(4).
- Sellers, R. S. *et al.* (2012) ‘Immunological variation between inbred laboratory mouse strains: Points to consider in phenotyping genetically immunomodified mice’, *Veterinary Pathology*, 49(1), pp. 32–43. doi: 10.1177/0300985811429314.
- Shete, P. B. *et al.* (2017) ‘Evaluation of antibody responses to panels of M. tuberculosis antigens as a screening tool for active tuberculosis in Uganda’, *PLoS ONE*, 12(8), pp. 1–13. doi: 10.1371/journal.pone.0180122.
- Soler, E. and Houdebine, L. M. (2007) ‘Preparation of recombinant vaccines’, *Biotechnology Annual Review*, 13(January), pp. 65–94. doi: 10.1016/S1387-2656(07)13004-0.
- Soman, S. *et al.* (2007) ‘Presence of region of difference 1 among clinical isolates of Mycobacterium tuberculosis from India’, *Journal of Clinical Microbiology*, 45(10), pp. 3480–3481. doi: 10.1128/JCM.01234-07.
- Sudbury, E. L. *et al.* (2019) ‘Mycobacterium tuberculosis-specific cytokine biomarkers for the diagnosis of childhood TB in a TB-endemic setting’, *Journal of Clinical Tuberculosis and Other Mycobacterial Diseases*, 16, p. 100102. doi: 10.1016/j.jctube.2019.100102.
- Tan, Yaoju *et al.* (2021) ‘Combined IFN- $\gamma$  and IL-2 release assay for detect active

pulmonary tuberculosis: a prospective multicentre diagnostic study in China', *Journal of Translational Medicine*, 19(1), pp. 1–8. doi: 10.1186/s12967-021-02970-8.

Tasbiti, A. H. *et al.* (2018) 'Cellular immune response in MDR-TB patients to different protein expression of MDR and susceptible Mycobacterium tuberculosis: Rv0147, a novel MDR-TB biomarker', *Immunologic Research*, 66(1), pp. 59–66. doi: 10.1007/s12026-017-8971-6.

Vinod, V. *et al.* (2020) 'The cell surface adhesins of Mycobacterium tuberculosis', *Microbiological Research*, 232(November 2019), p. 126392. doi: 10.1016/j.micres.2019.126392.

Wang, C. *et al.* (2016) 'A group of novel serum diagnostic biomarkers for multidrug-resistant tuberculosis by iTRAQ-2D LC-MS/MS and solexa sequencing', *International Journal of Biological Sciences*, 12(2), pp. 246–256. doi: 10.7150/ijbs.13805.

WHO (2019) *Consolidated Guidelines on Tuberculosis Treatment*, Who. Available at: <https://www.who.int/tb/publications/2019/consolidated-guidelines-drug-resistant-TB-treatment/en/>.

WHO (2021) *Global Tuberculosis Report 2021*. Geneva: World Health Organization.

Xu, Z. *et al.* (2017) 'Generation of monoclonal antibodies against Ag85A antigen of mycobacterium tuberculosis and application in a competitive ELISA for Serodiagnosis of bovine tuberculosis', *Frontiers in Veterinary Science*, 4(JUN), pp. 4–11. doi: 10.3389/fvets.2017.00107.

Yang, H., Garcia, N. A. K. and Dobos, K. M. (2012) 'Purified Protein Derivatives of Tuberculin- Past, Present, and Future', *FEMS Immunology Medical Microbiology*, 66(3), pp. 273–280. doi: 10.1111/j.1574-695X.2012.01002.x.

Yang, R. *et al.* (2014) 'The RD1 locus in the Mycobacterium tuberculosis genome contributes to the maturation and secretion of IL-1 $\alpha$  from infected macrophages through the elevation of cytoplasmic calcium levels and calpain activation', *Pathogens and Disease*, 70(1), pp. 51–60. doi: 10.1111/2049-632X.12075.

Yang, T. and Ge, B. (2018) 'miRNAs in immune responses to Mycobacterium tuberculosis infection', *Cancer Letters*, 431(May), pp. 22–30. doi: 10.1016/j.canlet.2018.05.028.

Yanti, B. *et al.* (2020) 'The role of Mycobacterium tuberculosis complex species on apoptosis and necroptosis state of macrophages derived from active pulmonary tuberculosis patients', *BMC Research Notes*, 13(1), pp. 1–7. doi: 10.1186/s13104-020-05256-2.

Yong, Y. K. *et al.* (2019) 'Immune Biomarkers for Diagnosis and Treatment Monitoring of Tuberculosis: Current Developments and Future Prospects', *Frontiers in Microbiology*, 10(December). doi: 10.3389/fmicb.2019.02789.