

DAFTAR PUSTAKA

- Anderson, R.R., 2006, Geology of the Precambrian surface of Iowa and surrounding area [Map], *Iowa Geological Survey*.
- Anderson, R., 2012, U.S. Geological Survey Airborne Study of Northeast Iowa, *Iowa Geological & Water Survey*.
- Araffa, S.A.S., El-bohoty, M., Abou Heleika, M., Mekkawi, M., Ismail, E., Khalil, A., Abd EL-Razek, E.M., 2018, Implementation of magnetic and gravity methods to delineate the subsurface structural features of the basement complex in central Sinai area, Egypt, *NRIAG Journal of Astronomy and Geophysics*, 7(1): 162-74.
- Blakely, R.J., 1996, *Potential Theory in Gravity and Magnetic Applications*, Cambridge University Press, Cambridge.
- Bullock, S.J. dan Isles, D.J., 1994, Airborne Geophysics in Western Australia, *EXPLOR GEOPHYS*, 25(3): 163.
- Clark, D.A., 1999, Magnetic petrology of igneous intrusions: implications for exploration and magnetic interpretation. *EXPLOR GEOPHYS*. 30(2): 5–26.
- Dentith, M. dan Mudge, S.T., 2014, *Geophysics for the Mineral Exploration Geoscientist*, Cambridge University Press, Cambridge.
- Desilva, R.E., 2018, Identifikasi Sistem Panas Bumi Daerah Prospek Elja pada Data Gravitasi dengan Menggunakan Metode Dekonvolusi Euler dan Permodelan 3D. [online] Available at: <<http://etd.repository.ugm.ac.id/penelitian/detail/167622>>.
- Drenth, B.J., Anderson, R.R., Schulz, K.J., Feinberg, J.M., Chandler, V.W., Cannon, W.F., 2015, What lies beneath: geophysical mapping of a concealed Precambrian intrusive complex along the Iowa–Minnesota border, *Canadian Journal of Earth Sciences*, 52(5): 279-93.
- Drenth, B.J., Souders, A.K., Schulz, K.J., Feinberg, J.M., Anderson, R.R., Chandler, V.W., Cannon, V.W., Clark, R.J., 2020, Evidence for a concealed Midcontinent Rift-related northeast Iowa intrusive complex, *Precambrian Research*, 347(105845): 1-23.
- Everett, M. E., 2013, *Near-Surface Applied Geophysics*, Cambridge University Press, Cambridge.
- Fitzgerald, D., Reid, A., McInerney, P., 2004, New discrimination techniques for Euler deconvolution, *Comput. Geosci*, 30: 461-9.
- French, B.M., McKay, R.M., Liu, H.P., Briggs, D.E., Witzke, B.J., 2018, The Decorah structure, northeastern Iowa: Geology and evidence for formation by meteorite impact. *GSA Bulletin*. 130(11-12): 2062-86.
- Githiri, J.G., Patel, J.P., Barongo, J.O., Karanja, P.K., 2011, Application of Euler Deconvolution Technique In Determining Depths To Magnetic Structures In Magadi Area, Southern Kenya Rift. *Journal of Agriculture Science and Technology*. 13(1): 142-56.
- Hinze, W.J., Von Frese, R.R., Von Frese, R., Saad, A.H., 2013, *Gravity and Magnetic Exploration: Principles, Practices, and Applications*, Cambridge University Press, Cambridge.

- Interpid Documentation, 2022, Euler deconvolution (T44), <https://docs.intrepid-geophysics.com>, diakses tanggal 6 Juli 2022.
- Job, A., 2010, Report on a Helicopter-Borne AeroTEM System Electromagnetic & Magnetic Survey, *INFORM*, 1: 6.
- Keating, P.B., 1998, Weighted Euler deconvolution of gravity data. *Geophysics*, 63(5): 1595-603.
- Melo, F.F., dan Barbosa, V.C., 2018, Correct structural index in Euler deconvolution via base-level estimates, *Geophysics*, 83(6): J87-J98.
- Miller Jr, J.D., Green, J.C., Severson, M.J., Chandler, V.W., Hauck, S.A., Peterson, D.M., Wahl, T.E., 2002, *RI-58 Geology and mineral potential of the Duluth complex and related rocks of northeastern Minnesota*. Minnesota Geological Survey. Minnesota.
- Ravat, D., Kirkham, K. Hildenbrand, T.G., 2002, A source-depth separation filter: Using the Euler method on the derivatives of total intensity magnetic anomaly data, *The leading edge*, 21(4): 360-5.
- Reid, A.B., Allsop, J.M., Granser, H., Millett, A.T., Somerton, I.W., 1990, Magnetic Interpretation in three dimensions using Euler Deconvolution. *Geophysics*, 55(1): 80-91.
- Sage, R.P., 1991, Alkalic rock, carbonatite and kimberlite complexes of Ontario, Superior Province, *Geology of Ontario Part 1*, 683-709.
- Sun, J., Melo, A.T., Kim, J.D., Wei, X, 2020, Unveiling the 3D undercover structure of a Precambrian intrusive complex by integrating airborne magnetic and gravity gradient data into 3D kuasi-geology model building, *Interpretation*, 8(4): SS15-SS29.
- Sunbanu, N.E., Efendi, R., Abdullah, A., 2018, Estimasi Geometri dan Kedalaman Benda-Benda Megalit Tertanam Menggunakan Sinyal Analitik dan Dekonvolusi Euler (Studi Kasus Situs Pokekea Desa Hanggira, Kecamatan Lore Tengah, Kabupaten Poso), *Gravitasi*, 17(1): 26-32.
- Telford, W.M., Telford, W.M., Geldart, L.P., Sheriff, R.E., 1990, *Applied Geophysics*, second edition, Cambridge University Press, Cambridge.
- Thompson, D.T., 1982. EULDPH: A new technique for making computer-assisted depth estimates from magnetic data, *Geophysics*, 47(1): 31-7.
- Usman, N., Abdullah, K., Nawawi, M. and Khalil, A.E., 2018, New approach of solving Euler deconvolution relation for the automatic interpretation of magnetic data, *Terr. Atmos. Ocean. Sci*, 29(3): 243-59.
- Weeks, J., 2008, Can Ice Become Magnetik?, <http://www.madsci.org>, diakses tanggal 6 Juli 2022
- Whitehead, N. dan Musselman, C., 2005, *Montaj Grav/Mag Interpretation: Processing, Analysis and Visualization system for 3D Inversion of Potential Field Data for Oasis montaj v6.1*, Geosoft Incorporated, Toronto.
- Whitmeyer, S.J., Karlstrom, K.E., 2007, Tectonic model for the Proterozoic growth of North America. *Geosphere*, 3(4): 220-59.
- Yaghubpur, A., 1979, *Preliminary Geologic Appraisal and Economic Aspects of the Precambrian Basement of Iowa*, The University of Iowa, Iowa City.