UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abeysekera, W. P. K. M., Premakumara, G. A. S., & Ratnasooriya, W. D. (2013). In Vitro Antioxidant Properties of Leaf and Bark Extracts of Ceylon Cinnamon (Cinnamomum zeylanicum Blume). *Tropical Agricultural Research*, *24*(2), 128–138. https://www.pgia.ac.lk/files/Annual_congress/journel/w24/Journal-No 2/Papers/2-_23_-W.P.K.M.pdf

Ahmad, M., Ghaffar, A., & Rafiq, M. (2013). Host plants of leaf worm, spodoptera litura (fabricius) (lepidoptera: Noctuidae) in Pakistan. *Asian Journal of Agriculture and Biology*, *1*(1), 23–28.

Ahmad, M., Iqbal Arif, M., & Ahmad, M. (2007). Occurrence of insecticide resistance in field populations of Spodoptera litura (Lepidoptera: Noctuidae) in Pakistan. *Crop Protection*, *26*(6), 809–817. https://doi.org/10.1016/j.cropro.2006.07.006

Ahmad, M., Sayyed, A. H., Saleem, M. A., & Ahmad, M. (2008). Evidence for field evolved resistance to newer insecticides in Spodoptera litura (Lepidoptera: Noctuidae) from Pakistan. *Crop Protection*, *27*(10), 1367–1372. https://doi.org/10.1016/j.cropro.2008.05.003

Akpapunam, M. A., & Sefa-Dedeh, S. (1997). Jack bean (Canavalia ensiformis): Nutrition related aspects and needed nutrition research. In *Plant Foods for Human Nutrition* (Vol. 50). Kluwer Academic Publishers.

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Al-Dhubiab, B. E. (2012). Pharmaceutical applications and phytochemical profile of Cinnamomum burmannii. *Pharmacognosy Reviews*, *6*(12), 125–131. https://doi.org/10.4103/0973-7847.99946

Al-Sum, B. A. (2013). Antimicrobial Activity of the Aqueous Extract of Mint Plant. *Science Journal of Clinical Medicine*, *2*(3), 110. https://doi.org/10.11648/j.sjcm.20130203.19

Alves, L. F. A., Alves, S. B., Pereira, R. M., & Capalbo, D. M. F. (1997). Production of Bacillus thuringiensis berliner var. kurstaki Grown in alternative media. *Biocontrol Science and Technology*, *7*(3), 377–384. https://doi.org/10.1080/09583159730785

Anggraini, D. A., Effendi, H., & Krisanti, M. (2019). Uji toksisitas akut (LC50) limbah pengeboran minyak bumi terhadap Daphnia magna. *Jurnal Pengelolaan Lingkungan Berkelanjutan (Journal of Environmental Sustainability Management)*, *3*(1), 272–284. https://doi.org/10.36813/jplb.3.1.272-284

Anonim. (2002). WHO monographs on selected medicinal plants - Aetheroleum Menthae Piperitae. In *WHO monographs on selected medicinal plants* (Vol. 2, pp. 188–198).

Anonim. (2015). PM 7/124 (1) *Spodoptera littoralis, Spodoptera litura, Spodoptera frugiperda, Spodoptera eridania*. *EPPO Bulletin*, *45*(3), 410–444. https://doi.org/10.1111/epp.12258

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Anonim. (2021). *EPPO Global Database (Spodoptera litura: distribution)*. European and Mediterranean Plant Protection Organization Online EPPO Global Database. https://gd.eppo.int/taxon/PRODLI/distribution

Arivoli, S., & Tennyson, S. (2020). Antifeedant activity of leaf extracts against Spodoptera litura Fabricius 1775 (Lepidoptera : Noctuidae) highlighting the mechanism of action. *London Journal of Research in Science: Natural and Formal*, *20*(4), 67–80.

Batt, C. A., & Tortorello, M. lou. (2014). *Encyclopedia of Food Microbiology: Second Edition*.

Bechtel, D. B., & Bulla, L. A. (1976). Electron microscope study of sporulation and parasporal crystal formation in Bacillus thuringiensis. *Journal of Bacteriology*, *127*(3), 1472–1481. https://doi.org/10.1128/jb.127.3.1472-1481.1976

Bedjo. (2017). The potential of various isolates of Spodoptera litura nuclear polyhedrosis viruses from east java (Indonesia) to control Spodoptera litura on soybean. *Biodiversitas*, *18*(2), 582–588. https://doi.org/10.13057/biodiv/d180219

Belder, E. den, & Elderson, J. (2010). *The introduction of Integrated Pest Management in the Ethiopian Horticultural Sector: Bacillus thuringiensis strains and its toxicity*.

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Benoit,', T. G., Wilson, G. R., Bull,' And, D. L., & Aronson3, A. I. (1990). Plasmid-Associated Sensitivity of Bacillus thuringiensis to UV Light. In *APPLIED AND ENVIRONMENTAL MICROBIOLOGY* (Vol. 56, Issue 8).

Blouch, A., ul Mohsin, A., Naeem, M., & Mahmood, R. (2020). Comparative Efficacy of Bacillus thuringiensis Commercial Formulations against Leaf Worm, Spodoptera litura Fabricius under Laboratory Conditions. *Pakistan Journal of Zoology*, *52*(2), 609–616. https://doi.org/10.17582/journal.pjz/20180619100621

Bragard, C., Dehnen-Schmutz, K., di Serio, F., Gonthier, P., Jacques, M. A., Jaques Miret, J. A., Justesen, A. F., Magnusson, C. S., Milonas, P., Navas-Cortes, J. A., Parnell, S., Potting, R., Reignault, P. L., Thulke, H. H., van der Werf, W., Vicent Civera, A., Yuen, J., Zappalà, L., Malumphy, C., … MacLeod, A. (2019). Pest categorisation of Spodoptera litura. *EFSA Journal*, *17*(7). https://doi.org/10.2903/j.efsa.2019.5765

Bravo, A., Likitvivatanavong, S., Gill, S. S., & Soberón, M. (2011). Bacillus thuringiensis: A story of a successful bioinsecticide. *Insect Biochemistry and Molecular Biology*, *41*(7), 423–431. https://doi.org/10.1016/j.ibmb.2011.02.006

Cantwell, G. E., & Franklin, B. A. (1966). Inactivation by irradiation of spores of Bacillus thuringiensis var. thuringiensis. *Journal of Invertebrate Pathology*, *8*(2), 256–258. https://doi.org/10.1016/0022-2011(66)90139-X

UNIVERSITAS GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Capecka, E., Mareczek, A., & Leja, M. (2005). Antioxidant activity of fresh and dry herbs of some Lamiaceae species. *Food Chemistry*, *93*(2), 223–226. https://doi.org/10.1016/j.foodchem.2004.09.020

Cardona, E. V. Jr., Ligat, C. S., & Subang, M. P. (2007). LIFE HISTORY OF COMMON CUTWORM, Spodoptera litura Fabricius (Noctuidae: Lepidoptera) IN BENGUET. *Benguet State University Research Journal*, *56*(69), 69–80.

Cheema, H. K., Kang, B. K., Jindal, V., Kaur, S., & Gupta, V. K. (2020). Biochemical mechanisms and molecular analysis of fenvalerate resistant population of Spodoptera litura (Fabricius). *Crop Protection*, *127*(September 2019), 104951. https://doi.org/10.1016/j.cropro.2019.104951

Chi', H. (1988). *Life-Table Analysis Incorporating Both Sexes and Variable Development Rates Among Individuals*. https://academic.oup.com/ee/article/17/1/26/338126

de Maagd, R. A., Bravo, A., Berry, C., Crickmore, N., & Schnepf, H. E. (2003). Structure, Diversity, and Evolution of Protein Toxins from Spore-Forming Entomopathogenic Bacteria. *Annual Review of Genetics*, *37*, 409–433. https://doi.org/10.1146/annurev.genet.37.110801.143042

Desneux, N., Decourtye, A., & Delpuech, J. M. (2007). The sublethal effects of pesticides on beneficial arthropods. In *Annual Review of Entomology* (Vol. 52, pp. 81–106). https://doi.org/10.1146/annurev.ento.52.110405.091440

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Dunkle, R. L., & Shasha, B. S. (1989). Response of Starch-Encapsulated Bacillus thuringiensis Containing Ultraviolet Screens to Sunlight . *Environmental Entomology*, *18*(6), 1035–1041. https://doi.org/10.1093/ee/18.6.1035

Etman, A. A. M., & Hooper, G. H. S. (1980). DEVELOPMENTAL AND REPRODUCTIVE BIOLOGY OF SPODOPTERA LITURA (F.) (LEPIDOPTERA: NOCTUIDAE). *Australian Journal of Entomology*, *18*(4), 363–372. https://doi.org/10.1111/j.1440-6055.1979.tb00868.x

Fand, B. B., Sul, N. T., Bal, S. K., & Minhas, P. S. (2015). Temperature Impacts the Development and Survival of Common Cutworm (Spodoptera litura): Simulation and Visualization of Potential Population Growth in India under Warmer Temperatures through Life Cycle Modelling and Spatial Mapping. *PLOS ONE*, *10*(4), e0124682. https://doi.org/10.1371/journal.pone.0124682

Fattah, A., Sjam, S., Daud, I. D., Dewi, V. S., & Ilyas, A. (2020). Impact of armyworm spodoptera litura (Lepidoptera: Noctuidae) attack: Damage and loss of yield of three soybean varieties in South Sulawesi, Indonesia. *Journal of Crop Protection*, *9*(3), 483–495.

Fern, K. (2014). Cinnamomum burmannii. *Useful Tropical Plants Database*, *Skolmen 1960*, 2. http://tropical.theferns.info/viewtropical.php?id=Cinnamomum+burmannii

Finney, D. J. (1947). *Probit Analysis*. Cambridge University Press.

Fraser, J. (1919). *Herbarium Mentha Piperita*. http://specimens.kew.org/herbarium/K000494834

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ganguly, S., & Srivastava, C. P. (2020). COMPARATIVE BIOLOGY OF SPODOPTERA LITURA FABRICIUS ON DIFFERENT FOOD SOURCES UNDER CONTROLLED CONDITIONS. *Journal of Experimental Zoology*, *23*(1), 681–684. https://www.researchgate.net/publication/360411110

Gomez, K. A., & Gomez, A. A. (1984). *Statistical procedures for agricultural research*. John Wiley & Sons.

Griego, V. M., & Spence, K. D. (1978). Inactivation of Bacillus thuringiensis spores by ultraviolet and visible light. *Applied and Environmental Microbiology*, *35*(5), 906–910. https://doi.org/10.1128/aem.35.5.906-910.1978

Gupta, D. (2013). UV Absorbing Properties of Some Plant Derived Extracts. *Research Journal of Chemical and Environmental Sciences*, *1*(2), 34–36.

Gupta, G. P., Rani, S., Birah, A., & Raghuraman, M. (2005). Improved artificial diet for mass rearing of the tobacco caterpillar, Spodoptera litura (Lepidoptera: Noctuidae). *International Journal of Tropical Insect Science*, *25*(1), 55–58. https://doi.org/10.1079/IJT200551

Hardik, P., & Dolly, K. (2020). Effect of Abiotic Factors on the Life Cycle of Spodoptera litura Fabricius, 1775 (Lepidoptera: Noctuidae). *Applied Ecology and Environmental Sciences*, *8*(3), 87–91. https://doi.org/10.12691/aees-8-3-3

Herro, E., & Jacob, S. E. (2010). Mentha piperita (Peppermint). *Dermatitis*, *21*(6), 327–329. https://doi.org/10.2310/6620.2011.10080

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hestiana, A., Yasin, N., Hariri, A. M., & Subeki. (2014). AKTIVITAS ANTIFIDAN EKSTRAK DAUN MINT (Mentha arvensis L.) DAN BUAH LADA HITAM (Piper nigrum L.) TERHADAP ULAT KROP KUBIS (Crocidolompa pavonana F.). *Jurnal Agrotek Tropika*, *2*(1), 124–129.

Holloway, J. D. (1989). The moths of Borneo: family Noctuidae, trifine subfamilies: Noctuinae, Heliothinae, Hadeninae, Acronictinae, Amphipyrinae, Agaristinae. *Malayan Nature Journal*, *42*(2–3), 57–228. https://www.mothsofborneo.com/part-12/amphipyrinae/amphipyrinae_11_7.php

Ibrahim, M. A., Griko, N., Junker, M., & Bulla, L. A. (2010). Bacillus thuringiensis A genomics and proteomics perspective. *Bioengineered Bugs*, *1*(1), 31–50. https://doi.org/10.4161/bbug.1.1.10519

Idris, H., & Mayura, E. (2019). Teknologi Budidaya Dan Pasca Panen Kayu Manis. *Kementerian Pertanian, Balai Penelitian Tanaman Rempah Dan Obat*, 1.

Integrated Taxonomic Information System. (2021). *Mentha X piperita L. (pro. sp.)*. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=32275

Jadhav, R. S., Yadav, D. S., Amala, U., Ghule, S., & Sawant, I. S. (2015). Morphological, biological and molecular description of Spodoptera litura infesting grapevines in tropical climate of Maharashtra, India. *Current Biotica*, *9*(3), 207–220.

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kakde, A. M., Patel, K. G., & Tayade, S. (2014). *Role of Life Table in Insect Pest Management-A Review* (Vol. 7, Issue 1). www.iosrjournals.org

Keller, M., Sneh, B., Strizhov, N., Prudovsky, E., Regev, A., Koncz, C., Schell, J., & Zilberstein, A. (1996). Digestion of δ-endotoxin by gut proteases may explain reduced sensitivity of advanced instar larvae of Spodoptera littoralis to CryIC. *Insect Biochemistry and Molecular Biology*, *26*(4), 365–373. https://doi.org/10.1016/0965-1748(95)00102-6

Khetan, S. (2000). Microbial Pest Control. In *Soil Biochemistry: Vol. I*. CRC Press. https://doi.org/10.1201/9781482270631

Lee, K. P., Behmer, S. T., Simpson, S. J., & Raubenheimer, D. (2002). A geometric analysis of nutrient regulation in the generalist caterpillar Spodoptera littoralis (Boisduval). *Journal of Insect Physiology*, *48*, 655–665. www.elsevier.com/locate/jinsphys

Lestari, S., Ambarningrum, T. B., & Pratiknyo, H. (2013). Tabel Hidup Spodoptera litura Fabr. dengan Pemberian Pakan Buatan yang Berbeda. *Jurnal Sain Veteriner*, *31*(2), 166–179.

Lima-Pérez, J., López-Pérez, M., Viniegra-González, G., & Loera, O. (2019). Solid-state fermentation of Bacillus thuringiensis var kurstaki HD-73 maintains higher biomass and spore yields as compared to submerged fermentation using the same media. *Bioprocess and Biosystems Engineering*, *42*(9), 1527–1535. https://doi.org/10.1007/s00449-019-02150-5

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Loolaie, M., Moasefi, N., Rasouli, H., & Adibi, H. (2017). Peppermint and Its Functionality: A Review. *Archives of Clinical Microbiology*, *08*(04:54).

López-y-López, V. E., & de la Torre, M. (2005). Redirection of metabolism during nutrient feeding in fed-batch cultures of Bacillus thuringiensis. *Applied Microbiology and Biotechnology*, *67*(2), 254–260. https://doi.org/10.1007/s00253-004-1724-1

Lord, J. C., & Undeen, A. H. (1990). Inhibition of the Bacillus thuringiensis var. israelensis Toxin by Dissolved Tannins. In *Environ. Entomol* (Vol. 19, Issue 5). https://academic.oup.com/ee/article/19/5/1547/354737

Maghsoudi, S., & Jalali, E. (2017). Noble UV protective agent for Bacillus thuringiensis based on a combination of graphene oxide and olive oil. *Scientific Reports*, *7*(1), 7–12. https://doi.org/10.1038/s41598-017-11080-9

Mia, A., Javier-Hila, V., Caoili, B. L., & Journal, P. (2020). Cross-infectivity of a Putative Spodoptera picta Nucleopolyhedrovirus to Spodoptera litura Fabricius (Lepidoptera: Noctuidae). In *Science* (Vol. 149).

Mimica-Dukic, N., & Bozin, B. (2008). Mentha L. Species (Lamiaceae) as Promising Sources of Bioactive Secondary Metabolites. *Current Pharmaceutical Design*, *14*(29), 3141–3150. https://doi.org/10.2174/138161208786404245

Muhammad, D. R. A., Tuenter, E., Patria, G. D., Foubert, K., Pieters, L., & Dewettinck, K. (2021). Phytochemical composition and antioxidant activity of Cinnamomum burmannii Blume extracts and their potential application in

UNIVERSITAS GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

white chocolate. *Food Chemistry*, *340*(September 2020), 127983. https://doi.org/10.1016/j.foodchem.2020.127983

Myasnik, M., Manasherob, R., Ben-Dov, E., Zaritsky, A., Margalith, Y., & Barak, Z. (2001). Comparative sensitivity to UV-B radiation of two Bacillus thuringiensis subspecies and other Bacillus sp. *Current Microbiology*, *43*(2), 140–143. https://doi.org/10.1007/s002840010276

Navon, A., Klein, M., & Braun, S. (1990). Bacillus thuringiensis potency bioassays against Heliothis armigera, Earias insulana, and Spodoptera littoralis larvae based on standardized diets. *Journal of Invertebrate Pathology*, *55*(3), 387–393. https://doi.org/10.1016/0022-2011(90)90082-H

Nobre, R., & Fonseca, A. P. (2016). Determination Of Sun Protection Factor By Uv-Vis Spectrophotometry. *Health Care : Current Reviews*, *4*(2). https://doi.org/10.4172/hccr.1000108

Poinar, G. O., & Thomas, G. M. (1978). Diagnostic Manual for the Identification of Insect Pathogens. In *Bulletin of the Entomological Society of America* (Vol. 25, Issue 1). Springer US. https://doi.org/10.1007/978-1-4684-2439-3

Pramila D. M. (2012). Phytochemical analysis and antimicrobial potential of methanolic leaf extract of peppermint (Mentha piperita: Lamiaceae). *Journal of Medicinal Plants Research*, *6*(3). https://doi.org/10.5897/jmpr11.1232

Prasad, K. N., Yang, B., Dong, X., Jiang, G., Zhang, H., Xie, H., & Jiang, Y. (2009). Flavonoid contents and antioxidant activities from Cinnamomum

UNIVERSITAS GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

species. *Innovative Food Science and Emerging Technologies*, *10*(4), 627–632. https://doi.org/10.1016/j.ifset.2009.05.009

Priana, A. M. (2020). *EFEKTIVITAS BUAH NAGA MERAH (Hylocereus polirhyzus (F.A.C Weber) Britton & Rose) SEBAGAI PROTEKTAN FUSAN Bacillus thuringiensis PENGENDALI Spodoptera litura Fabricius, 1775*. Universitas Gadjah Mada.

Purohit, H., & Kumar, D. (2020). Influence of biotic factor on the life cycle of Spodoptera litura fabricius , 1775 (Lepidoptera : Noctuidae). *Journal of Entomology and Zoology Studies*, *8*(1), 1494–1498.

Pusztai, M., Fast, P., Gringorten, L., Kaplan, H., Lessard, T., & Carey, P. R. (1991). The mechanism of sunlight-mediated inactivation of Bacillus thuringiensis crystals. *Biochemical Journal*, *273*(1), 43–47. https://doi.org/10.1042/bj2730043

Rabinovitch, L., Vivoni, A. M., Machado, V., Knaak, N., Berlitz, D. L., Polanczyk, R. A., & Fiuza, L. M. (2017). Bacillus thuringiensis Characterization: Morphology, Physiology, Biochemistry, Pathotype, Cellular, and Molecular Aspects. In L. M. Fiuza, R. A. Polanczyk, & N. Crickmore (Eds.), *Bacillus thuringiensis and Lysinibacillus sphaericus* (1st ed., pp. 1–18). Springer International Publishing. https://doi.org/10.1007/978-3-319-56678-8_1

Ramaiah, M., & Maheswari, T. U. (2018). Biology studies of tobacco caterpillar , Spodoptera litura Fabricius. *Journal of Entomology and Zoology Studies*, *6*(5), 2284–2289.

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Revathi, K., Chandrasekaran, R., Thanigaivel, A., Arunachalam Kirubakaran, S., & Senthil-Nathan, S. (2014). Biocontrol efficacy of protoplast fusants between Bacillus thuringiensis and Bacillus subtilis against Spodoptera litura Fabr. *Archives of Phytopathology and Plant Protection*, *47*(11), 1365–1375. https://doi.org/10.1080/03235408.2013.840999

Riachi, L. G., & de Maria, C. A. B. (2015). Peppermint antioxidants revisited. *Food Chemistry*, *176*, 72–81. https://doi.org/10.1016/j.foodchem.2014.12.028

Salama, H. S., Foda, M. S., El-Sharaby, A., Matter, M., & Khalafallahs, M. (1981). Development of Some Lepidopterous Cotton Pests as Affected by Exposure to Sublethal Levels of Endotoxins of Bacillus thuringiensis for Different Periods. In *JOURNAL OF INVERTEBRATE PATHOLOGY* (Vol. 38).

Samarth, R. M., & Kumar, A. (2003). Mentha piperita (Linn.) leaf extract provides protection against radiation induced chromosomal damage in bone marrow of mice. *Indian Journal of Experimental Biology*, *41*(3), 229–237. http://www.ncbi.nlm.nih.gov/pubmed/15267153

Sari, D. M., Priani, S. E., & Darusman, F. (2015). Uji Aktivitas Tabir Surya Fraksi Kulit Batang Kayu Manis (Cinnamomun Burmanni Nees Ex Bl.) Secara In Vitro. In *Prosiding Penelitian Spesia*.

Saxena, D., Ben-Dov, E., Manasherob, R., Barak, Z., Boussiba, S., & Zaritsky, A. (2002). A UV tolerant mutant of Bacillus thuringiensis subsp. kurstaki

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

producing melanin. *Current Microbiology*, *44*(1), 25–30. https://doi.org/10.1007/s00284-001-0069-6

Schnepf, E., Crickmore, N., van Rie, J., Lereclus, D., Baum, J., Feitelson, J., Zeigler, D. R., & Dean, D. H. (1998). Bacillus thuringiensis and its pesticidal crystal proteins. *Microbiology and Molecular Biology Reviews : MMBR*, *62*(3), 775–806. https://doi.org/10.1590/s1519-69842010000500018

Schünemann, R., Knaak, N., & Fiuza, L. M. (2014). Mode of Action and Specificity of Bacillus thuringiensis Toxins in the Control of Caterpillars and Stink Bugs in Soybean Culture . *ISRN Microbiology*, *2014*, 1–12. https://doi.org/10.1155/2014/135675

Shan, B., Cai, Y. Z., Brooks, J. D., & Corke, H. (2007). Antibacterial properties and major bioactive components of cinnamon stick (Cinnamomum burmannii): Activity against foodborne pathogenic bacteria. *Journal of Agricultural and Food Chemistry*, *55*(14), 5484–5490. https://doi.org/10.1021/jf070424d

Shapiro, M., el Salamouny, S., & Shepard, B. M. (2009). Plant extracts as ultraviolet radiation protectants for the beet armyworm (Lepidoptera: Noctuidae) Nucleopolyhedrovirus: Screening of Extracts. *Journal of Agricultural and Urban Entomology*, *26*(2), 47–61. https://doi.org/10.3954/1523-5475-26.2.47

Shi, L., Li, W., Dong, Y., Shi, Y., Zhou, Y., & Liao, X. (2021). NADPH-cytochrome P450 reductase potentially involved in indoxacarb resistance in

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Spodoptera litura. *Pesticide Biochemistry and Physiology*, *173*(December 2020), 104775. https://doi.org/10.1016/j.pestbp.2021.104775

Shorey, H. H. (1963). A simple artificial rearing medium for the cabbage looper. *Journal of Economic Entomology*, *56*(4), 536–537.

Sisa, M., Bonnet, S. L., Ferreira, D., & van der Westhuizen, J. H. (2010). Photochemistry of flavonoids. In *Molecules* (Vol. 15, Issue 8, pp. 5196–5245). https://doi.org/10.3390/molecules15085196

Sneh, B., & Schuster, S. (1981). Recovery of Bacillus thuringiensis and other bacteria from larvae of Spodoptera littoralis previously fed B. thuringiensis-treated leaves. *Journal of Invertebrate Pathology*, *37*(3), 295–303. https://doi.org/10.1016/0022-2011(81)90090-2

Suhartati, T. (2017). *DASAR-DASAR SPEKTROFOTOMETRI UV-VIS DAN SPEKTROMETRI MASSA UNTUK PENENTUAN STRUKTUR SENYAWA ORGANIK*. AURA.

Sukirno, S., Lukmawati, D., Hanum, S. S. L., Ameliya, V. F., Sumarmi, S., Purwanto, H., Suparmin, S., Sudaryadi, I., Soesilohadi, R. C. H., & Aldawood, A. S. (2021). The effectiveness of Samia ricini Drury (Lepidoptera: Saturniidae) and Attacus atlas L. (Lepidoptera: Saturniidae) cocoon extracts as ultraviolet protectants of Bacillus thuringiensis for controlling Spodoptera litura Fab. (Lepidoptera: Noctuidae). *International Journal of Tropical Insect Science, Tampubolon 2013*. https://doi.org/10.1007/s42690-021-00540-5

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Sukirno, S., Tufail, M., Rasool, K. G., Salamouny, S. el, Sutanto, K. D., & Aldawood, bdulrahman S. (2018). The Efficacy and Persistence of Spodoptera littoralis Nucleopolyhedrovirus (SpliMNPV) Applied in UV Protectants against the Beet Armyworm, Spodoptera exigua (Hubner) (Lepidoptera: Noctuidae) under Saudi Field Conditions. *Pakistan Journal of Zoology*, *50*(5), 1895–1902. https://doi.org/10.17582/journal.pjz/2018.50.5.1895.1902

Sumarmi, S., Arlinda, M., & Sukirno, S. (2020). The Effectiveness of Red Spinach (Amaranthus tricolor L.) and Green Spinach (Amaranthus hybridus L.) Extracts for Bacillus thuringiensis var. kurstaki Protectant against UVB Radiation for the Control of Armyworm (Spodoptera litura Fab.). *Journal of Tropical Biodiversity and Biotechnology*, *5*(2), 143–148. https://doi.org/10.22146/jtbb.53004

Susanti, E., Wahjuningrum, D., Nuryati, S., & Setiawati, M. (2021). The effectiveness of cinnamon powder and cinnamon leaf extract to prevent Aeromonas hydrophila infection on striped catfish Pangasianodon hypophthalamus. *Jurnal Akuakultur Indonesia*, *20*(2), 163–173. https://doi.org/10.19027/jai.20.2.163-173

Sutanto, K. D., el Salamouny, S., Tufail, M., Ghulam Rasool, K., Sukirno, S., Shepard, M., Shapiro, M., & Saad Aldawood, A. (2017). Evaluation of Natural Additives to Enhance the Persistence of Spodoptera littoralis (Lepidoptera: Noctuidae) Nucleopolyhedrovirus (SpliMNPV) Under Field

UNIVERSITAS GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Conditions in Saudi Arabia. *Journal of Economic Entomology*, *110*(3), 924–930. https://doi.org/10.1093/jee/tox085

Tarigan, A., Sumarmi, S., & Sukirno. (2020). Effectiveness of Aloe (Aloe vera L.) as a protectant of Bacillus thuringiensis var kurstaki against ultraviolet light and biological control agenst of (Spodoptera litura Fab.). *AIP Conference Proceedings*, *2260*, 030003. https://doi.org/10.1063/5.0015743

Taufika, R., Sumarmi, S., & Hartatie, D. (2022). Pemeliharaan ulat grayak (Spodoptera litura Fabricius) (Lepidoptera: Noctuidae) menggunakan pakan buatan pada skala laboratorium. *AGROMIX*, *13*(1), 47–54. https://doi.org/10.35891/agx.v13i1.2866

Tavares, C. S., Santos-Amaya, O. F., Oliveira, E. E., Paula-Moraes, S. v., & Pereira, E. J. G. (2021). Facing Bt toxins growing up: Developmental changes of susceptibility to Bt corn hybrids in fall armyworm populations and the implications for resistance management. *Crop Protection*, *146*, 105664. https://doi.org/10.1016/j.cropro.2021.105664

Teng, L. W. (2020). *Mentha × piperita f. citrata "Chocolate."* https://www.nparks.gov.sg/florafaunaweb/flora/5/5/5512

Thermo Fisher Scientific. (2021a). *Dehydrated Culture Media: Brain Heart Infusion Agar*. http://www.oxoid.com/UK/blue/prod_detail/prod_detail.asp?pr=CM1136&c=UK&lang=EN

UNIVERSITAS GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Thermo Fisher Scientific. (2021b). *Laboratory Preparation/Biological Extracts: Ringer Solution 1/4 Strength Ringer Solution Tablets*. http://www.oxoid.com/UK/blue/prod_detail/prod_detail.asp?pr=BR0052&c=UK&lang=EN

Thomas, P., Sekhar, A. C., Upreti, R., Mujawar, M. M., & Pasha, S. S. (2015). Optimization of single plate-serial dilution spotting (SP-SDS) with sample anchoring as an assured method for bacterial and yeast cfu enumeration and single colony isolation from diverse samples. *Biotechnology Reports*, *8*, 45–55. https://doi.org/10.1016/j.btre.2015.08.003

Trisyono, Y. A., & Rahayu, S. T. S. (2004). BIOACTIVITY OF A BACILLUS THURINGIENSIS CRY1AC TOXIN TO SPODOPTERA LITURA. *Jurnal Perlindungan Tanaman Indonesia*, *10*(1), 53–62.

Vilani, A., Lozano, E. R., Potrich, M., Alves, L. F. A., Maia, F. M. C., Dall Agnol De Lima, J., & de Gouvea, A. (2017). Activity of plant aqueous extracts on Bacillus thuringiensis and their interactions on Anticarsia gemmatalis (Lepidoptera: Erebinae). *Semina:Ciencias Agrarias*, *38*(2), 1051–1058. https://doi.org/10.5433/1679-0359.2017v38n2p1051

Wan, P., Wu, K., Huang, M., Yu, D., & Wu, J. (2008). Population dynamics of Spodoptera litura (Lepidoptera: Noctuidae) on Bt cotton in the Yangtze River valley of China. *Environmental Entomology*, *37*(4), 1043–1048. https://doi.org/10.1603/0046-225X(2008)37[1043:PDOSLL]2.0.CO;2

UNIVERSITAS
GADJAH MADA
Efektivitas Ekstrak Daun Mint (Mentha piperita L.) dan Kayu Manis (Cinnamomum burmannii (Nees & T.Nees) Blume) sebagai Protektan Bacillus thuringiensis kurstaki Agensia Pengendali Ulat Grayak (Spodoptera litura Fabricius, 1775) terhadap Sinar UVB
ARYO SETO PANDU W, Dr. Siti Sumarmi
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, R., Wang, R., & Yang, B. (2009). Extraction of essential oils from five cinnamon leaves and identification of their volatile compound compositions. *Innovative Food Science and Emerging Technologies*, *10*(2), 289–292. https://doi.org/10.1016/j.ifset.2008.12.002

Windrati, W. S., Nafi, A., & Augustine, P. D. (2010). SIFAT NUTRISIONAL PROTEIN RICH FLOUR (PRF) KORO PEDANG (Canavalia ensiformis L.). *AGROTEK*, *4*(1), 18–26.

Wunderlin, R. P., Hansen, B. F., Franck, A. R., & Essig, F. B. (2021). *Atlas of Florida Plants*. https://cdn.plantatlas.org/img/specimens/USF/216398.jpg

Wuu-Kuang, S. (2011). Taxonomic revision of Cinnamomum (Lauraceae) in Borneo. *Blumea: Journal of Plant Taxonomy and Plant Geography*, *56*(3), 241–264. https://doi.org/10.3767/000651911X615168

Xu, L., Mei, Y., Liu, R., Chen, X., Li, D., & Wang, C. (2020). Transcriptome analysis of Spodoptera litura reveals the molecular mechanism to pyrethroids resistance. *Pesticide Biochemistry and Physiology*, *169*, 104649. https://doi.org/10.1016/j.pestbp.2020.104649