

DAFTAR PUSTAKA

- Abbas, S., Kaddour, M., and Trari, 2014, Kinetic and equilibrium studies of cobalt adsorption on apricot stone activated carbon, *J. Ind. Eng. Chem.*, 20(3), 745–751.
- Agusriyadin, 2021, Karakterisasi Abu Dasar Batubara Termodifikasi 8-Hidroksikuinolin sebagai Adsorben Ion Logam Cu(II) dan Cd(II), *Saintifik: Jurnal Matematika, Sains dan Pembelajarannya*, 7(1), 76-86.
- Ahmad, M.A., Ahmad, P.N.A., and Bello, O.S., 2014, Kinetic, Equilibrium and Thermodynamic Studies of Synthetic Dye Removal using Pomegranate Peel Activated Carbon Prepared by Microwave-Induced KOH Activation, *Water Resour. Ind.*, 6, 18-35.
- Apostol, L. C., Pereira, L., Pereira, R., Gavrielescu, M., and Alves, M.M., 2012, Biological decolorization of Xanthene dyes by anaerobic granular biomass, *Biodegrad.*, 23, 725-737.
- Arthur, Vogel, and Svehla, G., 1987, *Textbook of Macro and Semimicro Qualitative Inorganic Analysis*, Longman Scientific & Technical.
- Asokbunyarat, V., Lens, P.N.L., van Hullebusch, E.D., and Annachhatre, A.P., 2015, Coal Bottom Ash as Sorbing Material for Fe(II), Cu(II), Mn(II), and Zn(II) Removal from Aqueous Solutions, *Water Air Soil Pollut.*, 226(143), 1-17.
- Attia, L. A., 2021, Modified bentonite as adsorbent material for the removal of the basic dye methylene blue from aqueous solutions, *J. Part. Sci. Technol.*, 7, 23-31.
- Badiei, A., Goldooz, H., and Ziarani, G.M., 2011, A Novel Method for Preparation of 8-hydroxyquinoline Functionalized Mesoporous Silica: Aluminum Complexes and Photoluminescence Studies, *Appl. Surf. Sci.*, 257, 4912–4918.
- Bertolini, T.C.R., Izidoro, J.C., Magdalena, C.P., and Fungaro, D.A., 2013, Adsorption of Crystal Violet Dye from Aqueous Solution Onto Zeolites from Coal Fly and Bottom Ashes, *Electron. J. Chem.*, 5(3), 179-191.
- Bojinova, D., and Teodosieva, R., 2016, Leaching of Valuable Elements from Thermal Power Plant Bottom Ash Using a Thermo-hydro Metallurgical Process, *Waste Manage. Res.*, 34(5), 511-517.
- Bonusa, N. H., Endang, T. W., and Mudasir, 2021, Eco-friendly immobilization of dithizone on coal bottom ash for the adsorption of lead(II) ion from

water, *Results Eng.*, 10, 1-12.

- Boudechiche, N., Fares, M., Ouyahia, S., Yazid, H., Trari, M., and Sadaoui, Z., 2019, Comparative study on removal of two basic dyes in aqueous medium by adsorption using activated carbon from *Ziziphus lotus* stones, *Microchem. J.*, 146, 1010–1018.
- Chen, Y., Huang, R., and Zhu, C., 2014, Adsorptive Removal of La(III) from Aqueous Solutions with 8-Hydroxyquinoline Immobilized GMZ Bentonite, *J. Radioanal Nucl. Chem.*, 299, 665-674.
- Crini, G., and Badot, P.M., 2008, Application of Chitosan A Natural Aminopolysaccharide, for Dye Removal from Aqueous Solutions by Adsorption Processes using Batch Studies: A Review of Recent Literature, *Prog. Polym. Sci.*, 33, 399-447.
- Daneshfar, A., Ghaedi, M., Vafafard, S., Shiri, L., Sahrai, R., and Soylak, M., 2012, Amberlite IR-120 Modified with 8-Hydroxyquinoline as Efficient Adsorbent for Solid-phase Extraction and Flame Atomic Absorption Determination of Trace Amounts of Some Metal Ions., *Biol. Trace Elem. Res.*, 145, 240-247.
- Dincer, A. R., Günes, Y., and Karakaya, N., 2007, Comparison of activated carbon and bottom ash for removal of reactive dye from aqueous solution, *Bioresour. Technol.*, 9(8), 834-839.
- Dmitry, V., Irina, K., Andrei, S., Cristian, S., and Alex, K., 2020, High-pressure HCl leaching of coal ash to extract Al into a chloride solution with further use as a coagulant for water treatment, *J. Clean. Prod.*, 276, 1-15.
- Elliott, A., Hanby, W., and Malcolm, B., 1954, The near infra-red absorption spectra of natural and synthetic fibres, *Br. J. Appl. Phys.*, 5(1), 377.
- Ferreira, B.C.S., Teodoro, F.S., Mageste, A.B., Gil, L.F., de Freitas, R.P., and Gurgel, L.V.A., 2015, Application of a new carboxylate-functionalized sugarcane bagasse for adsorptive removal of crystal violet from aqueous solution: Kinetic, equilibrium and thermodynamic studies, *Ind. Crops Prod.*, 65, 521–534.
- Filip, E.M, Ionel, V., and Humelnicu, 2009, Some aspects of 8-hydroxyquinoline in solvents, *Acta Chemica Iasi*, 17, 85-96.
- Fontana, K.B., Chaves, E.S., Sanchez, J.D.S., Watanabe, E.R.L.R., Pietrobelli, J.M.T.A., and Lenzi, G.G., 2016, Textile dye removal from aqueous solutions by malt bagasse: isotherm, kinetic and thermodynamic studies, *Ecotoxicol. Environ. Saf.*, 124, 329–336.
- Genc, A., and Oguz, A., 2010, Sorption of acid dyes from aqueous solution by

- using non-ground ash and slag, *Desalination*, 264, 78-83.
- Gorme, J. B., Maniquiz, M. C., Kim, S.S., Son, Y. G., Kim, Y. T., and Kim, L. H., 2010, Characterization of Bottom Ash as An Adsorbent of Lead from Aqueous Solutions, *Environ. Eng. Res.*, 15(4), 207-213.
- Guo, W., Meng, X., Liu, Y., Ni, L., Hu, Z., Chen, R., Meng, M., Wang, Y., Han, J., and Luo, M., 2015, Synthesis and Application of 8-Hydroxyquinoline Modified Magnetic Mesoporous Carbons for Adsorption of Multivariate Metal Ions from Aqueous Solutions, *J. Ind. Eng. Chem.*, 21, 340-349.
- Gupta, V. K., Mittal, A., Krishnan, L., and Gajbe, V., 2005, Adsorption kinetics and column operations for the removal and recovery of malachite green from wastewater using bottom ash, *Sep. Purif. Technol.*, 87-96.
- Hardeli, Afrianti, R., Desy K., Nopri, A., dan Hary, S., 2014, Degradasi Metil Violet dan Metilen Blue oleh Fotokatalis TiO₂, *Eksakta*, 1(1), 1-8.
- Harrache, Z., Abbas, M., Aksil, T., and Trari, M., 2019, Thermodynamic and kinetics studies on adsorption of indigo carmine from aqueous solution by activated carbon, *Microchem. J.*, 144, 180-189.
- Hassaan, M. A., and El Nemr, A., 2017, Advanced Oxidation Processes for Textile Wastewater Treatment, *Int. J. Photochem. Photobiol.*, 2(3), 85-93.
- Hermania, E. W., Ernawati, A.B., Bibiana, D.T., Sherlly, M.F., dan Ledoh, 2020, Pemanfaatan Labu layang (Fly Ash) Sebagai Adsorben Pada Minyak Jelantah, *Chem. Notes*, 1(2), 57-69.
- Irawan, C., Atikah dan Rumhayati, 2014, Adsorption of Iron (II) by Fly Ash Adsorbent from Coal, *J. Pure App. Chem. Res.*, 3(3), 88-98.
- Jarusiripota, C., 2014, Removal of Reactive Dye by Adsorption over Chemical Pretreatment Coal Based Bottom Ash, *Procedia Chem.*, 9, 121 – 130.
- Kamal, M.M., El-Sayed, A.Y.E., Ahmed, S.M., Omran, A.A., and Shahata, M.M., 2011, Pre-concentration of Some Heavy Metal Ions with AlO-HQ and AlO-PHQ and Their Studies by FT-IR and Spectroscopy, *Arab. J. Chem.*, 7, 27.
- Kant, U., Saxena, V.K., Sarkar, A., Varma, A.K., and Mishra, K.K., 2012, Characterization of Coal Ash from A Captive Power Plant for Potential End Uses, *Proceedings of The Eurocoalash 2012 Conference*, 25-27 September 2012, Thessaloniki.
- Keyhanian, F., Shariati, S., Faraji, M., and Hesabi, M., 2016, Magnetite Nanoparticles with Surface Modification for Removal of Methyl Violet from Aqueous Solution, *Arab. J. Chem.*, 9, 348-354.

- Kilic, M., Apaydin-Varol, E., and Pütün, A. E., 2011, Adsorption Removal of Phenol from Aqueous Solution on Activated Carbon Prepared from Tobacco Residues: Equilibrium, Kinetics and Thermodynamics, *J. Hazard. Mater.*, 189, 397-403
- Laelatri, A., Suhartana, dan Sriatun, 2013, Sintesis dan Karakterisasi Senyawa Kompleks Cu(II)-8-Hidroksikuinolin dan Co(II)-8-Hidroksikuinolin, *Chem. Info.*, 1(1), 150-155.
- Lamis, A. A., 2021, Modified bentonite as adsorbent material for the removal of the basic dye methylene blue from aqueous solutions, *J. Part. Sci. Technol.*, 7, 23-31.
- Largitte, L., and Pasquier, R., 2016, A Review of The Kinetics Adsorption Models and Their Application to The Adsorption of Lead by An Activated Carbon, *Chem. Eng. Res. Des.*, 109, 495-504.
- Latifah, W.N., and Rahmayanti, M., 2020, Desorption of Indigosol Blue from Humic Acid Coated Fe₃O₄ Particles, *Proceeding Int. Conf. Sci. Eng.*, 3, 169–170.
- Lecomte, I., Henrist, C., Lilegeois, M., Maseri, F., Rulmont, A., and Cloots, R., 2006, Micro-Structural Comparison Between Geopolymer, Alkali-Activated Slag Cement and Portland Cement, *J. Eur. Ceram. Soc.*, 26, 3789-3797.
- Lestiani, D.D., Muhayatun, dan Adventini, N., 2010, Karakteristik Unsur pada Abu Dasar dan Abu Terbang Batubara Menggunakan Analisis Aktivasi Neutron Instrumental, *Jurnal Sains dan Teknologi Nuklir Indonesia*, 1(11), 27-34.
- Li, S., 2010, Removal of Crystal Violet From Aqueous Solution By Sorption Into Semi Interpenetrated Networks Hydrogels Constituted Of Poly (acrylic acid-acrylamide-methacrylate) And Amylose, *Bioresour. Technol.*, 101, 2197-2202.
- Mohan, D., Singh, K.O., Singh, G., dan Kumar, K., 2002, Removal of Dyes From Waste Water using Fly Ash, A Low Cost Adsorbent, *Ind. Eng. Chem. Res.*, 41, 3688-3695.
- Mohan, S., and Gandhimathi, R., 2009, Removal of Heavy Metals Ions from Municipal Solid Waste Leachate Using Coal Fly Ash as An Adsorbent, *J. Hazard. Mater.*, 169, 351-359.
- Mufrodi, Z., Widiastuti, N., dan Kardika, R.C., 2008, Adsorpsi Zat Warna Tekstil dengan Menggunakan Abu Terbang (Fly Ash) untuk Variasi Massa Adsorben dan Suhu Operasi, *ISBN : 978-979-3980-15-7*, 90-93.
- Mushtaq, F., Zahid, M., Bhatti, I.A., Nasir, S., and Hussain, T., 2019, Possible

- applications of coal fly ash in wastewater treatment, *J. Environ. Manag.*, 240, 27–46.
- Muthu, S. S., 2015, *Introduction. In S. S. Muthu (Ed.) Sustainability in the textile industry*, Springer, Heidelberg.
- Nese, T., Sivri, N., and Toroz, I., 2007, Pollutants of textile industry wastewater and assessment of its discharge limits by water quality standards, *Turkish J.*, 7(1), 97-103.
- Nethaji, S., Sivasamy, A., and Mandal, A. B., 2013, Adsorption Isotherm, Kinetics and Mechanism for The Adsorption of Cationic and Anionic Dyes Onto Carbonaceous Particles Prepared from Juglans regia Shell Biomass, *Int. J. Environ. Sci. Technol.*, 10, 231-242.
- Noorimotlagh, S. A., Mirzaee, S. S., Martinez, S., Alavi, M., Ahmadi, N., and Jaafarzadeh, 2019, Adsorption of textile dye in activated carbons prepared from DVD and CD wastes modified with multi-wall carbon nanotubes: equilibrium isotherms, kinetics and thermodynamic study, *Chem. Eng. Res. Des.*, 14(1), 290–301.
- Orts, F., del Río, A. I., Molina, J., Bonastre, J., and Cases, F., 2018, Electrochemical treatment of real textile wastewater, *J. Electroanal. Chem.*, 80(8), 387-394.
- Ozcan, S., Ozcan, G., and Ozcan, A., 2009, Adsorption of lead(II) ions onto 8-hydroxyquinoline-immobilized bentonite, *J. Hazard. Mater.*, 161, 499-509.
- Panda, H., Tiadi, N., Mohanty, M., and Mohanty, C.R., 2017, Studies on Adsorption Behavior of An Industrial Waste for Removal of Chromium from Aqueous Solution, *S. Afr. J. Chem.*, 23, 132-138.
- Pawar, P.R., and Bhosale, S.M., 2018, Heavy Metal Toxicity, Health hazards and their removal technique by natural adsorbents: a short overview, *IJCET*, 8(2), 56-59.
- Puspitha, N. P. D., 2017, Adsorpsi zat warna metil violet 2B dan metil oranye pada abu dasar batubara teraktivasi HCl dan H₂SO₄, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Putra, R., Khamidinal, Krisdiyanto, D., dan Nugraha, I., 2015, Adsorpsi Ion Mn(II) pada Zeolit dari Abu Dasar Batubara Termodifikasi Ditizon, *Jurnal Kimia Terapan Indonesia*, 2(17), 87-99.
- Rashidi, N.A., and Yusup, S., 2016, Overview on The Potential of Coal-based Bottom Ash as Low-cost Adsorbents, *ACS Sustainable Chem. Eng.*, 4(4),

1870-1884.

- Robert, L., Joseph, F., and Alexander, A., 2008, *Fisher's contact dermatitis in: Textiles and shoes*, BC Decker Inc., Ontario.
- Salam, M.A., Al-Zhrani, G., and Kosa, S.A., 2014, Removal of Heavy Metal Ions from Aqueous Solution by Multi-walled Carbon Nanotubes Modified with 8- Hydroxyquinoline: Kinetic Study, *J. Ind. Eng. Chem.*, 1366, 1-9.
- Sarma, G.K., Gupta, S.S., and Bhattacharyya, K.G., 2016, Adsorption of Crystal Violet on Raw and Acid-Treated Montmorillonite, K10, in Aqueous Suspension, *J. Environ. Manag.*, 171, 1-10.
- Savin, I., and Butnaru, R., 2008, Wastewater characteristics in textile finishing mills, *Environ. Eng. Manag. J.*, 7(6), 859-864.
- Schwantes, D., Goncalves Jr, A. C., Coelho, G. F., Campagnolo, M. A., Dragunski, D. C., Tarley, C. R. T., Miola, A. J., and Leismann, E. A. V., 2016, Chemical Modifications of Cassava Peel as Adsorbent Material for Metal Ions from Wastewater, *J. Chem.*, 2016, 1-15.
- Serrao, E., Debnath, B., Otake, H., Kuang, Y.T., Christ, F., Debyser, Z., and Neamati, N., 2013, Fragment-based discovery of 8-hydroxyquinoline inhibitors of the HI-1 integrase-lens epithelium-derived growth factor interaction, *J. Med. Chem.*, 56, 2311–2322.
- Shahata, M. M., 2012, Adsorption of Some Heavy Metal Ions by Used Different Immobilized Substances on Silica Gel, *Arab. J. Chem.*, 9, 755-763.
- Somsesta, N., Sricharoenchaikul, V., and Aht-Ong, D., 2020, Adsorption removal of methylene blue onto activated carbon/cellulose biocomposite films: Equilibrium and kinetic studies, *Mater. Chem. Phys.*, 240, 122221.
- Srivastava, S.L., Prasad, M., and Rohitashava, 1984, Spectra of 8-hydroxyquinoline, *Spectrochim. Acta*, 7(40A), 681-685.
- Syauqiyah, I., Amalia, M., dan Kartini, H. A., 2011, Analisis Variasi Waktu dan Kecepatan Pengaduk pada Proses Adsorpsi Limbah Logam Berat dengan Arang Aktif, *Info Teknik*, 12(1), 11-20.
- Tang, H., Zhou, W., and Zhang, L., 2012, Adsorption Isotherm and Kinetics Studies of Malachite Green on Chitin Hydrogels, *J. Hazard. Mater.*, 210, 218-225.
- Wahyuni, N.L.E., Soeswanto, B., Akmal, H., and Puspita, N., 2018, Effect of particle size distribution and acid treated coal bottom ash on TSS and COD removal from textile effluent using fixed bed column, *IOP Conf. Ser. Earth Environ. Sci.*, 2(1), 1–8.

- Wang, D. M., 2016, *Environmental protection in clothing industry*. In L. Zhu (Ed.), *sustainable development: Proceedings of the 2015 International Conference on sustainable developmen*, World Scientific Publishing Co Pte Ltd, Singapore.
- Wang, N., Hao, L., Chen, J., Zhao, Q., and Xu, H., 2018, Adsorptive Removal of Organics from Aqueous Phase by Acid-activated Coal Fly Ash: Preparation, Adsorption, and Fenton Regenerative Valorization of “Spent” Adsorbent, *Environ. Sci. Pollut. Res.*, 25, 12481-12490.
- Wang, J., and Guo, X., 2020a, Adsorption isotherm models: Classification, physical meaning, application and solving method, *Chemosphere*, 258, 127279.
- Wang, J., and Guo, X., 2020b, Adsorption kinetic models: Physical meanings, applications, and solving methods, *J. Hazard. Mater.*, 390, 122156.
- Wankasi, D., and Ayawei, N., Ebelegi, A.N., 2005, Review Article Modelling and Interpretation of Adsorption Isotherms, *J. Chem.*, 2017, 1-11.
- Weerasuriya, D.R.K., Wijesinghe, W.P.S.L., and Rajapakse, R.M.G., 2016, Encapsulation of Anticancer Drug Copper Bis(8-hydroxyquinoline) in Hydroxyapatite for pH-sensitive Targeted Delivery and Slow Release, *Mater. Sci. Eng. C.*, 71, 206-213.
- Wu, F., Wu, P., Tseng, R., and Juang, R., 2010, Preparation of activated carbons from unburnt coal in bottom ash with KOH, *J. Environ. Manag.*, 91, 1097-1102.
- Yang, L., Li, D., Zhu, Z., Xu, M., Yan, X., and Zhang, H., 2019, Effect of the intensification of preconditioning on the separation of unburned carbon from coal fly ash, *Fuel*, 24(2), 3174–3183.
- Yao, Y., He, B., Xu, F., and Chen, X., 2011, Equilibrium and Kinetics of Methyl Orange Adsorption on Multiwalled Carbon Nanotubes, *J. Chem. Eng.*, 170, 82-89.
- Yousef, N.S., Farouq, R., and Hazzaa, R., 2016, Adsorption kinetics and isotherms for the removal of nickel ions from aqueous solutions by an ion-exchange resin: application of two and three parameter isotherm models, *Desalin. Water Treat.*, 57, 21925–21938.