

## DAFTAR PUSTAKA

- Abdel-Farid, I.B., Sheded, M.G., dan Mohamed, E.A., 2014. Metabolomic profiling and antioxidant activity of some Acacia species. *Saudi Journal of Biological Sciences*, **21**: 400–408.
- Abu-Arabi, M.K., Allawzi, M.A., Al-Zoubi, H.S., dan Tamimi, A., 2000. Extraction of jojoba oil by pressing and leaching. *Chemical Engineering Journal*, **76**: 61–65.
- Ahmadi, F., Kadivar, M., dan Shahedi, M., 2007. Antioxidant activity of *Kelussia odoratissima* Mozaff. in model and food systems. *Food Chemistry*, **105**: 57–64.
- Akbari, S., Abdurahman, N.H., Yunus, R.M., Alara, O.R., dan Abayomi, O.O., 2019. Extraction, characterization and antioxidant activity of fenugreek (*Trigonella-Foenum Graecum*) seed oil. *Materials Science for Energy Technologies*, **2**: 349–355.
- Alabi, K.A., 2013. Analysis of Fatty Acid Composition of *Thevetia peruviana* and *Hura crepitans* Seed oils using GC-FID. *Fountain Journal of Natural and Applied Sciences*, **2**: 32–37.
- Ali, H., Saleem, M., Anser, M.R., Khan, S., Ullah, R., dan Bilal, M., 2018. Validation of Fluorescence Spectroscopy to Detect Adulteration of Edible Oil in Extra Virgin Olive Oil (EVOO) by Applying Chemometrics. *Applied Spectroscopy*, **72**: 1371–1379.
- Aliboudhar, H. dan Tigrine-Kordjani, N., 2014. Effect of extraction technique on the content and antioxidant activity of crude extract of *Anacyclus clavatus* flowers and their essential oil composition. *Natural Product Research*, **28**: 2140–2149.
- Alireza, S., Tan, C.P., Hamed, M., dan Che Man, Y.B., 2010. Effect of frying process on fatty acid composition and iodine value of selected vegetable oils and their blends. *International Food Research Journal*, **17**: 295–302.
- Alli, J.A., Kehinde, A.O., Kosoko, A.M., dan Ademowo, O.G., 2014. Oxidative Stress and Reduced Vitamins C and E Levels Are Associated with Multi-Drug Resistant Tuberculosis. *Journal of Tuberculosis Research*, **02**: 52–58.
- AOAC, 1999. 243342\_App, dalam: *AOAC*. hal. 143–152.
- AOAC, 2000. *Methods of Analysis of AOAC International*, dalam: *AOAC*. USA, Maryland.
- Ariestya Arlene, 2013. Ekstraksi Kemiri Dengan Metode Soxhlet Dan Karakterisasi Minyak Kemiri. *Jurnal Teknik Kimia USU*, **2**: 6–10.
- Arlene, A., 2013. Minyak Kemiri. *Jurusan Teknik Kimia, Fakultas Teknologi Industri, Universitas Katolik Parahyangan*, **2**: 6–10.
- Arlene, A., Kristanto, S., dan Suharto, I., 2010. Pengaruh Temperatur dan F/S Terhadap Ekstraksi Minyak Dari Biji Kemiri Sisa Penekanan Mekanik. *Seminar Rekayasa Kimia dan Proses*, 1–6.
- Arlene, A., Suharto, I., dan Jessica, N.R., 2013. Pengaruh Temperatur dan Ukuran Biji terhadap

Perolehan Minyak Kemiri pada Ekstraksi Biji Kemiri dengan Penekanan Mekanis.  
*Prosiding Seminar Nasional Teknik Kimia "Kejuangan" Pengembangan Teknologi Kimia untuk Pengolahan Sumber Daya Alam Indonesia*, 1–6.

- Bahadi, S.K. dan Riyanta, A.B., 2021. Pengaruh Penggunaan Media Sangrai Pasir Hitam **7**: 6–11.
- Balasubramanian, S., Allen, J.D., Kanitkar, A., dan Boldor, D., 2011. Oil extraction from *Scenedesmus obliquus* using a continuous microwave system - design, optimization, and quality characterization. *Bioresource Technology*, **102**: 3396–3403.
- Bayar, N., Kriaa, M., dan Kammoun, R., 2016. Extraction and characterization of three polysaccharides extracted from *Opuntia ficus indica* cladodes. *International Journal of Biological Macromolecules*, **92**: 441–450.
- Belwal, T., Devkota, H.P., Ramola, S., Andola, H.C., dan Bhatt, I.D., 2019. *Optimization of Extraction Methodologies and Purification Technologies to Recover Phytonutrients from Food*, *Phytonutrients in Food: From Traditional to Rational Usage*. Elsevier Inc.
- Benabdeslem, K. dan Bennani, Y., 2006. Dendogram-based SVM for Multi-Class Classification. *Journal Of Computing and Information Technology*, **14**: 283–289.
- Beretta, G., Granata, P., Ferrero, M., Orioli, M., dan Facino, R.M., 2005. Standardization of antioxidant properties of honey by a combination of spectrophotometric/fluorimetric assays and chemometrics. *Analytica Chimica Acta*, **533**: 185–191.
- Bissonnette, B., Pierre, P., dan Pigeon, M., 1999. Influence of key parameters on drying shrinkage of cementitious materials. *Cement and Concrete Research*, **29**: 1655–1662.
- Cabral, M.R.P., dos Santos, S.A.L., Stropa, J.M., da Silva, R.C. d. L., Cardoso, C.A.L., de Oliveira, L.C.S., dkk., 2016. Chemical composition and thermal properties of methyl and ethyl esters prepared from *Aleurites moluccanus* (L.) Willd (Euphorbiaceae) nut oil. *Industrial Crops and Products*, **85**: 109–116.
- Cai, Y., Sun, M., Xing, J., Luo, Q., dan Corke, H., 2006. Structure – radical scavenging activity relationships of phenolic compounds from traditional Chinese medicinal plants **78**: 2872–2888.
- Candra, A., Sulastry, T., dan Anwar, M., 2016. Pengaruh Konsentrasi dan Waktu Kontak pada Adsorpsi Arang Aktif Terhadap Viskositas Oli ( Minyak Pelumas ) Bekas Influence of Activated Charcoal Concentration and Contact Time the Adsorption Towards the Used Oil Viscosity ( Oil Lubrication ). *Chemica*, **17**: 27–33.
- Carvalho, M.S., Mendonça, M.A., Pinho, D.M.M., Resck, I.S., dan Suarez, P.A.Z., 2012. Chromatographic analyses of fatty acid methyl esters by HPLC-UV and GC-FID. *Journal of the Brazilian Chemical Society*, **23**: 763–769.
- çavdar, H.K., Yanik, D.K., Gok, U., dan Gogus, F., 2017. Optimisation of microwave-assisted extraction of pomegranate (*Punica granatum* L.) seed oil and evaluation of its physicochemical and bioactive properties. *Food Technology and Biotechnology*, **55**: 86–94.



- Chakraborty, S. dan Mueen Ahmed, K.K., 2011. Introducing a New Journal: Free Radicals Antioxidants. *Free Radicals and Antioxidants*, **1**: 1–3.
- Che Man, Y.B., Rohman, A., dan Mansor, T.S.T., 2011. Differentiation of lard from other edible fats and oils by means of Fourier transform infrared spectroscopy and chemometrics. *JAOCS, Journal of the American Oil Chemists' Society*, **88**: 187–192.
- Cheung, S.C.M., Szeto, Y.T., dan Benzie, I.F.F., 2007. Antioxidant protection of edible oils. *Plant Foods for Human Nutrition*, **62**: 39–42.
- Chimsook, T. dan Wannalangka, W., 2015. Effect of microwave pretreatment on extraction yield and quality of catfish oil in Northern Thailand. *MATEC Web of Conferences*, **35**: 1–5.
- Choi, S.A., Lee, S.Y., Lee, J., Cho, J.M., Lee, J.S., Kim, S.W., dkk., 2019. Rapid induction of edible lipids in *Chlorella* by mild electric stimulation. *Bioresource Technology*, **292**: 121950.
- Choi, Y.H., Kim, H.K., Hazekamp, A., Erkelens, C., Lefeber, A.W.M., dan Verpoorte, R., 2004. Metabolomic Differentiation of *Cannabis sativa* Cultivars Using <sup>1</sup>H NMR Spectroscopy and Principal Component Analysis 953–957.
- Cm, C., Portela, G., Rj, S., Mb, F., Ingenieria, F. De, Nacional, U., dkk., 2017. Exploring the effect of combined hydrothermal-microwave pretreatment operating conditions on canola oil expression . **1**: 1–6.
- Coitinho, T.B., Cassoli, L.D., Cerqueira, P.H.R., da Silva, H.K., Coitinho, J.B., dan Machado, P.F., 2017. Adulteration identification in raw milk using Fourier transform infrared spectroscopy. *Journal of Food Science and Technology*, **54**: 2394–2402.
- Concha, J., Soto, C., Chamy, R., dan Zúñiga, M.E., 2004. Enzymatic pretreatment on rose-hip oil extraction: Hydrolysis and pressing conditions. *JAOCS, Journal of the American Oil Chemists' Society*, **81**: 549–552.
- Craft, B.D., Kosińska, A., Amarowicz, R., dan Pegg, R.B., 2010. Antioxidant Properties of Extracts Obtained from Raw, Dry-roasted, and Oil-roasted US Peanuts of Commercial Importance. *Plant Foods for Human Nutrition*, **65**: 311–318.
- Dawidowicz, A.L. dan Olszowy, M., 2012. Mechanism change in estimating of antioxidant activity of phenolic compounds. *Talanta*, **97**: 312–317.
- de Figueiredo, A.K., Fernández, M.B., dan Nolasco, S.M., 2019. Extraction of high stearic high oleic sunflower oil (HSHO): Effect of dehulling and hydrothermal pretreatment. *Journal of Food Engineering*, **240**: 49–55.
- De, P., Dominguez-vidal, A., Bosque-sendra, J.M., Ruiz-medina, A., Cuadros-rodríguez, L., dan Ayora-cañada, M.J., 2012. Olive oil assessment in edible oil blends by means of ATR-FTIR and chemometrics. *Food Control*, **23**: 449–455.
- Delfan-Hosseini, S., Nayebzadeh, K., Mirmoghtadaie, L., Kavosi, M., dan Hosseini, S.M., 2017. Effect of extraction process on composition, oxidative stability and rheological properties of purslane seed oil. *Food Chemistry*, **222**: 61–66.



Departemen Kesehatan Republik Indonesia, D.R., 1979. *Farmakope Indonesia III*, Third Edit. ed. Kementerian Kesehatan Republik Indonesia, Jakarta.

Dhawan, V., 2015. Reactive Oxygen and Nitrogen Species, dalam: *Nursing Research*. hal. 53–66.

Dijkstra, T.K., 2013. Partial Least Square, dalam: *Journal of Chemical Information and Modeling*. hal. 1689–1699.

Du, S., Su, M., Jiang, Y., Yu, F., Xu, Y., Lou, X., dkk., 2019. Direct discrimination of edible oil type, oxidation, and adulteration by liquid interfacial surface-enhanced raman spectroscopy. *ACS Sensors*, **4**: 1798–1805.

Elevitch, C.R. dan Manner, H.I., 2006. *Aleurites moluccana* (kukui). *Traditional trees of Pacific Islands: Their culture, environment and use. Permanent Agriculture Resource, Holualoa*, 41–56.

Elzey, B., Pollard, D., dan Fakayode, S.O., 2016. Determination of adulterated neem and flaxseed oil compositions by FTIR spectroscopy and multivariate regression analysis. *Food Control*, **68**: 303–309.

Eroglu, E. dan Girgin, S.N., 2021. A unique phenolic extraction method from olive oil macerate of *Hypericum perforatum* using DMSO: Assessment of in vitro anticancer activity, LC-MS/MS profile, total phenolic content and antioxidant capacity. *South African Journal of Botany*, **139**: 6–11.

Erwiyani, A.R., Martodihardjo, S., dan Lukitaningsih, E., 2016. Antioxidant activity of dried strawberry juices (*Fragaria Vesca* L.) emulgel preparation using candlenut oil and it's diffusion. *Indonesian Journal of Pharmacy*, **27**: 145–151.

Fadzlillah, N.A., Che Man, Y.B., dan Rohman, A., 2014. FTIR spectroscopy combined with chemometric for analysis of sesame oil adulterated with corn oil. *International Journal of Food Properties*, **17**: 1275–1282.

Farah, A., De Paulis, T., Trugo, L.C., dan Martin, P.R., 2005. Effect of roasting on the formation of chlorogenic acid lactones in coffee. *Journal of Agricultural and Food Chemistry*, **53**: 1505–1513.

Floegel, A., Kim, D.O., Chung, S.J., Koo, S.I., dan Chun, O.K., 2011. Comparison of ABTS/DPPH assays to measure antioxidant capacity in popular antioxidant-rich US foods. *Journal of Food Composition and Analysis*, **24**: 1043–1048.

Fu, L., Zhang, G., Ge, J., Liao, K., He, Y., Wang, X., dkk., 2017. Study on dual-frequency ultrasounds assisted surfactant extraction of oil sands. *Fuel Processing Technology*, **167**: 146–152.

Garc, N., Mellado-carretero, J., Bengoa, C., Salvador, A., Sanz, T., Wang, J., dkk., 2021. ATR-FTIR Spectroscopy Combined with Multivariate Analysis Successfully Discriminates Raw Doughs and Baked 3D-Printed Snacks Enriched with Edible Insect Powder.

Gopinath, A., Puhan, S., dan Nagarajan, G., 2009. Theoretical modeling of iodine value and saponification value of biodiesel fuels from their fatty acid composition. *Renewable*

- Goszkiewicz, A., Kołodziejczyk, E., dan Ratajczyk, F., 2020. Comparison of microwave and convection method of roasting sunflower seeds and its effect on sensory quality, texture and physicochemical characteristics. *Food Structure*, **25**: .
- Granados, N., Amengual, J., Ribot, J., Palou, A., dan Bonet, M.L., 2011. Distinct effects of oleic acid and its trans-isomer elaidic acid on the expression of myokines and adipokines in cell models 1226–1234.
- Gurdeniz, G. dan Ozen, B., 2009. Detection of adulteration of extra-virgin olive oil by chemometric analysis of mid-infrared spectral data. *Food Chemistry*, **116**: 519–525.
- Habib, A., Biswas, S., Siddique, A.H., M, M., Uddin, B., Hasan, S., dkk., 2015. Nutritional and Lipid Composition Analysis of Pumpkin Seed (*Cucurbita maxima* Linn.). *Journal of Nutrition & Food Sciences*, **05**: .
- Hadiyah, F., Soerawidjaja, T.H., Subagjo, dan Prakoso, T., 2017. Low temperature catalytic-transfer hydrogenation of candlenut oil. *International Journal on Advanced Science, Engineering and Information Technology*, **7**: 843–849.
- Haile, M., Duguma, H.T., Chameno, G., dan Kuyu, C.G., 2019. Effects of location and extraction solvent on physico chemical properties of *Moringa stenopetala* seed oil **5**: .
- Hanafy, A., Kamali, M., Darvishi, M.H., dan Amani, A., 2018. Pretreatment with ultrasonication reduces the size of azelaic acid-chitosan nanoparticles prepared by electrospray. *Archives of Razi Institute*, **73**: 53–59.
- Hanani, E., 2016. *Analisis Fitokimia*, 1st ed. Penerbit Buku Kedokteran EGC, Bandung.
- Handayani, S.S., Gunawan, E.R., Kurniawati, L., Murniati, M., dan Budiarto, L.H., 2015. Analisis Asam Lemak Omega-3 dari Minyak Kepala Ikan Sunglir (*Elagatis bipinnulata*) melalui Esterifikasi Enzimatik. *Jurnal Natur Indonesia*, **15**: 75.
- Hashemi, S.M.B., Khaneghah, A.M., dan Akbarirad, H., 2016. The effects of amplitudes ultrasound-assisted solvent extraction and pretreatment time on the yield and quality of *Pistacia Khinjuk* hull oil. *Journal of Oleo Science*, **65**: 733–738.
- Hidayati, J.R., Yudiati, E., Pringgenies, D., Arifin, Z., dan Oktaviyanti, D.T., 2019. Antioxidant Activities, Total Phenolic Compound And Pigment Contents of Tropical *Sargassum* sp. Extract, Macerated In Different Solvents Polarity. *Jurnal Kelautan Tropis*, **22**: 73.
- Irnawati, I., Riswanto, F.D.O., Riyanto, S., Martono, S., dan Rohman, A., 2020. The use of software packages of R factoextra and FactoMineR and their application in principal component analysis for authentication of oils. *Indonesian Journal of Chemometrics and Pharmaceutical Analysis*, **1**.
- Istiqlaal, S., 2018. ( *Thunnus albacares* ) Extraction and Characteristics of Tuna ( *Thunnus albacares* ) Bone Oil 141–152.
- Ivanova, B.B., Tsalev, D.L., dan Arnaudov, M.G., 2006. Validation of reducing-difference

procedure for the interpretation of non-polarized infrared spectra of n-component solid mixtures. *Talanta*, **69**: 822–828.

Janporn, S., Ho, C.T., Chavasit, V., Pan, M.H., Chittrakorn, S., Ruttarattanamongkol, K., dkk., 2015. Physicochemical properties of *Terminalia catappa* seed oil as a novel dietary lipid source. *Journal of Food and Drug Analysis*, **23**: 201–209.

Jiang, X., Li, S., Xiang, G., Li, Q., Fan, L., He, L., dkk., 2016. Determination of the acid values of edible oils via FTIR spectroscopy based on the O-H stretching band. *Food Chemistry*, **212**: 585–589.

Jiao, J., Li, Z.G., Gai, Q.Y., Li, X.J., Wei, F.Y., Fu, Y.J., dkk., 2014. Microwave-assisted aqueous enzymatic extraction of oil from pumpkin seeds and evaluation of its physicochemical properties, fatty acid compositions and antioxidant activities. *Food Chemistry*, **147**: 17–24.

Jiménez-Carvelo, A.M., Osorio, M.T., Koidis, A., González-Casado, A., dan Cuadros-Rodríguez, L., 2017. Chemometric classification and quantification of olive oil in blends with any edible vegetable oils using FTIR-ATR and Raman spectroscopy. *LWT - Food Science and Technology*, **86**: 174–184.

Jiménez-Sotelo, P., Hernández-Martínez, M., Osorio-Revilla, G., Meza-Márquez, O.G., García-Ochoa, F., dan Gallardo-Velázquez, T., 2016. Use of ATR-FTIR spectroscopy coupled with chemometrics for the authentication of avocado oil in ternary mixtures with sunflower and soybean oils. *Food additives & contaminants. Part A, Chemistry, analysis, control, exposure & risk assessment*, **33**: 1105–15.

Jogihalli, P., Singh, L., Kumar, K., dan Sharanagat, V.S., 2017a. Physico-functional and antioxidant properties of sand-roasted chickpea (*Cicer arietinum*). *Food Chemistry*, **237**: 1124–1132.

Jogihalli, P., Singh, L., Kumar, K., dan Sharanagat, V.S., 2017b. Novel continuous roasting of chickpea (*Cicer arietinum*): Study on physico-functional, antioxidant and roasting characteristics. *LWT - Food Science and Technology*, **86**: 456–464.

Jovic, O., Smolic, T., dan Hrenar, T., 2016. Spectroscopic and Chemometric Analysis of Binary and Ternary Edible Oil Mixtures: Qualitative and Quantitative Study.

Juniarto, T. dan Isnasia, I.D., 2021. Uji Kualitas Minyak Goreng Sawit Yang Beredar Di Entikong, Kalimantan Barat. *Food Scientia : Journal of Food Science and Technology*, **1**: 117–130.

Karami, H., Rasekh, M., dan Mirzaee, E., 2020. Qualitative analysis of edible oil oxidation using an olfactory machine. *Journal of Food Measurement and Characterization*, **14**: 2600–2610.

Karmakar, A., Karmakar, S., dan Mukherjee, S., 2012. Biodiesel production from neem towards feedstock diversification: Indian perspective. *Renewable and Sustainable Energy Reviews*, **16**: 1050–1060.

Katsampa, P., Valsamedou, E., Grigorakis, S., dan Makris, D.P., 2015. A green ultrasound-assisted extraction process for the recovery of antioxidant polyphenols and pigments from

onion solid wastes using Box-Behnken experimental design and kinetics. *Industrial Crops and Products*, **77**: 535–543.

Kehili, M., Sayadi, S., Frikha, F., Zammel, A., dan Allouche, N., 2019. Optimization of lycopene extraction from tomato peels industrial by-product using maceration in refined olive oil. *Food and Bioproducts Processing*, **117**: 321–328.

Khaira, K., 2010. Menangkal Radikal Bebas dengan Anti-Oksidan. *STAIN Batusangkar Sumatera Barat*, .

Khruengsai, S., Sripahco, T., dan Pripdeevech, P., 2021. Volatile profiles and antioxidant activity of different cultivars of *Camellia sinensis* var. *assamica* grown in Thailand. *Food Research*, **5**: 354–362.

Khudzaifi, M., Retno, S.S., dan Rohman, A., 2020. The employment of FTIR spectroscopy and chemometrics for authentication of essential oil of curcuma mangga from candle nut oil. *Food Research*, **4**: 515–521.

King, I.B., Sorensen, T.K., dan Luthy, D.A., 1998. Risk of Preeclampsia in Relation to Elaidic Acid ( Trans Fatty Acid ) in **98104**: 84–87.

Kittiphoom, S. dan Sutasinee, S., 2015. Effect of microwaves pretreatments on extraction yield and quality of mango seed kernel oil. *International Food Research Journal*, **22**: 960–964.

Klein, A.P., Beach, E.S., Emerson, J.W., dan Zimmerman, J.B., 2010. Accelerated solvent extraction of lignin from *aleurites moluccana* (candlenut) nutshells. *Journal of Agricultural and Food Chemistry*, **58**: 10045–10048.

Kora, A.J., 2019. Applications of sand roasting and baking in the preparation of traditional Indian snacks: nutritional and antioxidant status. *Bulletin of the National Research Centre*, **43**: .

Krisnawati, H., Kallio, M., dan Kanninen, M., 2011. *Aleurites Moluccana* (L.) Willd.: *Ekologi, Silvikultur Dan Produktivitas*, *Aleurites moluccana* (L.) Willd.: ekologi, silvikultur dan produktivitas.

Kulaitienė, J., Černiauskiene, J., Jariene, E., Danilchenko, H., dan Levickienė, D., 2018. Antioxidant Activity and other Quality Parameters of Cold Pressing Pumpkin Seed Oil **46**: 161–166.

Kumar, S., Sandhir, R., dan Ojha, S., 2014. Evaluation of antioxidant activity and total phenol in different varieties of *Lantana camara* leaves. *BMC Research Notes*, **7**: 1–9.

Kurniawati, E., Rohman, A., dan Triyana, K., 2014. Analysis of lard in meatball broth using Fourier transform infrared spectroscopy and chemometrics. *Meat Science*, **96**: 94–98.

Lavine, B.K. dan Workman, J., 2013. Chemometrics. *Analytical Chemistry*, **85**: 705–714.

Lee, S.Y., Jung, M.Y., dan Yoon, S.H., 2014. Optimization of the refining process of *camellia* seed oil for edible purposes. *Food Science and Biotechnology*, **23**: 65–73.

Lee, Y.C., Kim, I.H., Chang, J., Rhee, Y.K., Oh, H.I., dan Park, H.K., 2004. Chemical

Composition and Oxidative Stability of Safflower Oil Prepared with Expeller from Safflower Seeds Roasted at Different Temperatures. *Journal of Food Science*, **69**: .

- Liaquat, L., Hamid, S., Khalid, B., dan Khan, J.I., 2008. Effect of microwave and sand roasting on physicochemical values and fatty acids of cicer arietinum (White Gram) and vigna mungo (Black Gram) oils. *Pakistan Journal of Scientific and Industrial Research*, **51**: 15–18.
- Lixia, H., Cuicui, L., dan Jihong, Q., 2018. Comparison of the Physicochemical Characteristics of *Pinus koraiensis* L. Nut Oils from Different Extraction Technologies. *Grain & Oil Science and Technology*, **1**: 113–118.
- López-Díez, E.C., Bianchi, G., dan Goodacre, R., 2003. Rapid quantitative assessment of the adulteration of virgin olive oils with hazelnut oils using Raman spectroscopy and chemometrics. *Journal of Agricultural and Food Chemistry*, **51**: 6145–6150.
- Lumakso, F.A., 2021. 'Autentikasi Minyak Buah Alpukat (*Persea americana* Mill.) dari Minyak Kedelai dan Minyak Biji Anggur Menggunakan Kombinasi Teknik Spektroskopi Inframerah dan Analisis Multivariat' *Fakultas Farmasi Universitas Gadjah Mada*. Universitas Gadjah Mada.
- Lumbantoruan, D., Rohana, A., dan Rindang, A., 2014. The Effect Oil Press Candlenut Heating Temperature On The Yield and Quality of Candlenut Oil **2**: 92–98.
- Marina, A.M., Che Man, Y.B., dan Amin, I., 2009. Virgin coconut oil: emerging functional food oil. *Trends in Food Science and Technology*, **20**: 481–487.
- Maroušek, J., Itoh, S., Higa, O., Kondo, Y., Ueno, M., Suwa, R., dkk., 2013. Pressure shockwaves to enhance oil extraction from *Jatropha curcas* L. *Biotechnology and Biotechnological Equipment*, **27**: 3654–3658.
- Marriott, P.J., Chin, S.T., Maikhunthod, B., Schmarr, H.G., dan Bieri, S., 2012. Multidimensional gas chromatography. *TrAC - Trends in Analytical Chemistry*, **34**: 1–21.
- Martín, C., Moure, A., Martín, G., Carrillo, E., Domínguez, H., dan Parajó, J.C., 2010. Fractional characterisation of jatropha, neem, moringa, trisperma, castor and candlenut seeds as potential feedstocks for biodiesel production in Cuba. *Biomass and Bioenergy*, **34**: 533–538.
- Martínez, M.L., Mattea, M.A., dan Maestri, D.M., 2008. Pressing and supercritical carbon dioxide extraction of walnut oil. *Journal of Food Engineering*, **88**: 399–404.
- Meirawati, D., Wardhani, S., Triandi, R., dan Tjahjanto., 2013. Studi Pengaruh Konsentrasi HCl dan Waktu Aging (Pematangan Gel) Terhadap Sintesis Slika Xerogel Berbahan Dasar Pasir Kuarssa Bangka. *Kimia.Student Journal*, **2**: 524–531.
- Miller, J.N. dan Miller, J.C., 2010. *Statistics and Chemometrics for Analytical Chemistry*, 6. ed. ed. Prentice Hall, Harlow.
- Monteiro, P.I., Santos, J.S., Rodionova, O.Y., Pomerantsev, A., Chaves, E.S., Rosso, N.D., dkk., 2019. Chemometric Authentication of Brazilian Coffees Based on Chemical Profiling. *Journal of Food Science*, **84**: 3099–3108.



- Mpopo, M.S., Pillai, M.K., dan Mekbib, S.B., 2021. 2,2-Diphenyl-1-picrylhydrazil radical scavenging activity of extracts from roots and leaves of *Searsia burchellii*. *Food Research*, **5**: 235–239.
- Müller, L., Fröhlich, K., dan Böhm, V., 2011. Comparative antioxidant activities of carotenoids measured by ferric reducing antioxidant power (FRAP), ABTS bleaching assay ( $\alpha$ TEAC), DPPH assay and peroxy radical scavenging assay. *Food Chemistry*, **129**: 139–148.
- Mwaurah, P.W., Kumar, S., Kumar, N., Attkan, A.K., Panghal, A., Singh, V.K., dkk., 2020. Novel oil extraction technologies: Process conditions, quality parameters, and optimization. *Comprehensive Reviews in Food Science and Food Safety*, **19**: 3–20.
- Ortega-Ortega, M. de los A., Cruz-Cansino, N. del S., Alanís-García, E., Delgado-Olivares, L., Ariza-Ortega, J.A., Amírezmoreno, E.R., dkk., 2017. Optimization of ultrasound extraction of cactus pear (*Opuntia ficus indica*) seed oil based on antioxidant activity and evaluation of its antimicrobial activity. *Journal of Food Quality*, **2017**: .
- Pandey, K.B. dan Rizvi, S.I., 2010. Markers of oxidative stress in erythrocytes and plasma during aging in humans. *Oxidative Medicine and Cellular Longevity*, **3**: 2–12.
- Patil, P.D., Gude, V.G., Mannarswamy, A., Cooke, P., Munson-McGee, S., Nirmalakhandan, N., dkk., 2011. Optimization of microwave-assisted transesterification of dry algal biomass using response surface methodology. *Bioresource Technology*, **102**: 1399–1405.
- Pham, L.N., Van Luu, B., Phuoc, H.D., Le, H.N.T., Truong, H.T., Duc Luu, P., dkk., 2018. Production of biodiesel from candlenut oil using a two-step co-solvent method and evaluation of its gaseous emissions. *Journal of Oleo Science*, **67**: 617–626.
- Pires, F. de C., Pereira, R.G.F.A., Baqueta, M.R., Valderrama, P., dan Alves da Rocha, R., 2021. Near-infrared spectroscopy and multivariate calibration as an alternative to the Agron to predict roasting degrees in coffee beans and ground coffees. *Food Chemistry*, **365**: 130471.
- Prakash, D., Singh, B.N., dan Upadhyay, G., 2007. Antioxidant and free radical scavenging activities of phenols from onion (*Allium cepa*). *Food Chemistry*, **102**: 1389–1393.
- Pratiwi, H. dan Panunggal, B., 2013. Analisis Total Fenol dan Aktivitas Antioksidan pada Yogurt Ganyong (*Conna edulis*) Sinbiotik dengan Substitusi Kacang Merah (*Phaseolus vulgaris* L.) **2**: 630–637.
- Putri, A.R., Rohman, A., dan Riyanto, S., 2019. Authentication of patin (*pangasius micronemus*) fish oil adulterated with palm oil using ftir spectroscopy combined with chemometrics. *International Journal of Applied Pharmaceutics*, **11**: 195–199.
- Quintão, N.L.M., Pastor, M.V.D., Antonialli, C. de S., da Silva, G.F., Rocha, L.W., Berté, T.E., dkk., 2019a. *Aleurites moluccanus* and its main active constituent, the flavonoid 2"-O-rhamnosylswertisin, in experimental model of rheumatoid arthritis. *Journal of Ethnopharmacology*, **235**: 248–254.
- Quintão, N.L.M., Pastor, M.V.D., Antonialli, C. de S., da Silva, G.F., Rocha, L.W., Berté, T.E., dkk., 2019b. *Aleurites moluccanus* and its main active constituent, the flavonoid 2"-O-rhamnosylswertisin, in experimental model of rheumatoid arthritis. *Journal of*

- Rahmania, H., Sudjadi, dan Rohman, A., 2015. The employment of FTIR spectroscopy in combination with chemometrics for analysis of rat meat in meatball formulation. *Meat Science*, **100**: 301–305.
- Rahmatia, A.R., 2018. Uji Aktivitas Antioksidan Ekstrak Etanol Daun Sisik Naga (*Drymoglossum piloselloides*(L.) Presl.) dengan Metode DPPH (1,1-Diphenyl-2-picrylhydrazyl). *Karya Tulis Ilmiah. Kementerian Kesehatan Republik Indonesia Politeknik Kesehatan Kemenkes Kupang Program Studi Farmasi. Kupang*, 1–58.
- Rahmiyani, I., Ruswanto, dan Fitriana, N.N., 2020. Influence of Extraction Method to Total Flavonoid Content of Mareme Leaf Extract (*Glochidion arborescens* Blume) **26**: 57–60.
- Rai, A., Mohanty, B., dan Bhargava, R., 2016. Supercritical extraction of sunflower oil: A central composite design for extraction variables. *Food Chemistry*, **192**: 647–659.
- Raigar, R.K., Upadhyay, R., dan Mishra, H.N., 2017. Optimization of microwave roasting of peanuts and evaluation of its physicochemical and sensory attributes. *Journal of Food Science and Technology*, **54**: 2145–2155.
- Ramkisson, J.S., Mahomoodally, M.F., Ahmed, N., dan Subratty, A.H., 2013. Antioxidant and anti-glycation activities correlates with phenolic composition of tropical medicinal herbs. *Asian Pacific Journal of Tropical Medicine*, **6**: 561–569.
- Ramos, L.B., Sánchez, R.J., De Figueiredo, A.K., Nolasco, S.M., dan Fernández, M.B., 2017. Optimization of Microwave Pretreatment Variables for Canola Oil Extraction. *Journal of Food Process Engineering*, **40**: .
- Rasmus, B. dan Smilde, A.K., 2014. Principal Component Analysis. *Analytical Methods*, **6**: 2812–2831.
- Rasyid, A., 2003. Asam Lemak Omega-3 dari Minyak Ikan. *Oseana*, **XXVIII**: 11–16.
- Re, R., Nicoletta, P., Anna, P., Ananth, P., Min, Y., dan Catherine, R.-E., 1999. Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free radical biology and medicine*, **26**: 1231–1237.
- Rezig, L., Chouaibi, M., Ojeda-Amador, R.M., Gomez-Alonso, S., Salvador, M.D., Fregapane, G., dkk., 2018. Cucurbita maxima pumpkin seed oil: From the chemical properties to the different extracting techniques. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, **46**: 663–669.
- Riebsomer, J.. dan Foote, N., 1921. Chemical Composition of Candlenut. *De Pauw University*, 116–119.
- Rifdah, 2017. Pengaruh Operasi Temperatur Pemanasan, Waktu Pemanasan Terhadap Persen Yield pada Proses Pengurusan Minyak Biji Kemiri Menggunakan Peralatan Expeller Pressing. *Distilasi*, **2**: 55–64.
- Rinninella, E., Mele, M.C., Merendino, N., Cintoni, M., Anselmi, G., Caporossi, A., dkk., 2018. The role of diet, micronutrients and the gut microbiota in age-related macular

degeneration: New perspectives from the gut–retina axis. *Nutrients*, **10**: .

- Riyanta, A. B., Riyanto, S., Lukitaningsih, E., dan Rohman, A., 2020. Analysis of sunflower oil in ternary mixture with grapeseed oil and candlenut oil. *Food Research*, **4**: 1726–1731.
- Riyanta, A. B., Riyanto, S., Lukitaningsih, E., dan Rohman, A., 2020. The employment of fourier transform infrared spectroscopy (FTIR) and chemometrics for analysis of candlenut oil in binary mixture with grape seed oil. *Food Research*, **4**: 184–190.
- Riyanta, A.B., Riyanto, S., Lukitaningsih, E., dan Rohman, A., 2021. Analysis of candlenut oil as oil adulterant in three functional oils of soybean oil, sunflower oil and grapeseed oil in quaternary mixture systems using FTIR spectroscopy and chemometrics. *Food Research*, **5**: 248–253.
- Roe, M., Pinchen, H., Church, S., Elahi, S., Walker, M., Farron-wilson, M., dkk., 2013. Trans fatty acids in a range of UK processed foods. *Food Chemistry*, **140**: 427–431.
- Rohman, A., 2014a. *Spektroskopi Inframerah Dan Kemometrika Untuk Analisis Farmasi*, 1st ed. Pustaka Pelajar, Yogyakarta.
- Rohman, A., 2014b. *No Title*, 1st ed. Pustaka Pelajar, Yogyakarta.
- Rohman, A. dan Ariani, R., 2013. Authentication of nigella sativa seed oil in binary and ternary mixtures with corn oil and soybean oil using FTIR spectroscopy coupled with partial least square. *The Scientific World Journal*, **2013**: .
- Rohman, A., Che Man, Y. Bin, dan Eakub Ali, M.D., 2019. The authentication of virgin coconut oil from grape seed oil and soybean oil using ftir spectroscopy and chemometrics. *International Journal of Applied Pharmaceutics*, **11**: 259–263.
- Rohman, A. dan Che Man, Y.B., 2011a. Application of Fourier transform infrared (FT-IR) spectroscopy combined with chemometrics for authentication of cod-liver oil. *Vibrational Spectroscopy*, **55**: 141–145.
- Rohman, A. dan Che Man, Y.B., 2011b. The use of Fourier transform mid infrared (FT-MIR) spectroscopy for detection and quantification of adulteration in virgin coconut oil. *Food Chemistry*, **129**: 583–588.
- Rohman, A., Ghazali, M.A.B., Windarsih, A., Irnawati, Riyanto, S., Yusof, F.M., dkk., 2020. Comprehensive Review on Application of FTIR Spectroscopy Coupled with Chemometrics for. *Molecules*, **25**: 1–28.
- Rohman, A. dan Man, Y.B.C., 2010. Fourier transform infrared (FTIR) spectroscopy for analysis of extra virgin olive oil adulterated with palm oil. *Food Research International*, **43**: 886–892.
- Rohman, A., Riyanto, S., Sasi, A.M., dan Yusof, F.M., 2014. The use of FTIR spectroscopy in combination with chemometrics for the authentication of red fruit (*Pandanus conoideus* Lam) oil from sunflower and palm oils. *Food Bioscience*, **7**: 64–70.
- Rohman, A. dan Sumantri, 2007. *Analisis Makanan*. Gadjah Mada University Press, Yogyakarta.



Rozak, A., Febrianasari, A., Noor, F., dan Syafitri, R., 2020. Analisis Kualitatif dan Kuantitatif Senyawa Organik dengan Spektrofotometer Infra-Red. *Academia*, .

Rozefelds, A.C., Dettmann, M.E., Clifford, H.T., dan Ekins, M., 2017. An Australian origin for the candle nut (*Aleurites*, Crotonoideae, Euphorbiaceae) and the fossil record of the Euphorbiaceae and related families in Australia and New Zealand. *Review of Palaeobotany and Palynology*, **241**: 39–48.

Salimon, J., Abdullah, B.M., dan Salih, N., 2011. Hydrolysis optimization and characterization study of preparing fatty acids from *Jatropha curcas* seed oil. *Chemistry Central Journal*, **5**: 1–9.

Santoso, B. dan Sumarno, 2018. The Correlation Matrix Among Vegetative Growth Factors of Candlenut Plants (*Reutealis Trisperma* (Blanco) Airy Shaw) in Producing Vegetable Oil Fuels. *Rjoas*, **8**: 160–166.

Santoso, U., 2017. *Antioksidan Pangan*, 2nd ed. Gadjah Mada University Press, Yogyakarta.

Saumya, S.M. dan Mahaboob, B.P., 2011. In vitro evaluation of free radical scavenging activities of *Panax ginseng* and *lagerstroemia speciosa*: A comparative analysis. *International Journal of Pharmacy and Pharmaceutical Sciences*, **3**: 165–169.

Schober, S., Seidl, I., dan Mittelbach, M., 2006. Ester content evaluation in biodiesel from animal fats and lauric oils. *European Journal of Lipid Science and Technology*, **108**: 309–314.

Shahidi, F., Varatharajan, V., Oh, W.Y., dan Peng, H., 2019. Phenolic compounds in agri-food by-products, their bioavailability and health effects. *Journal of Food Bioactives*, **5**: .

Sharma, P. dan Gujral, H.S., 2011. Effect of sand roasting and microwave cooking on antioxidant activity of barley. *Food Research International*, **44**: 235–240.

Shenoy, C., Patil, M.B., Kumar, R., dan Patil, S., 2009. Preliminary phytochemical investigation and wound healing activity of *Allium cepa* linn (Liliaceae). *International Journal of Pharmacy and Pharmaceutical Sciences*, **2**: 167–175.

Sherazi, S.T.H., Arain, S., Mahesar, S.A., Bhangar, M.I., dan Khaskheli, A.R., 2013. Erucic acid evaluation in rapeseed and canola oil by Fourier transform-infrared spectroscopy. *European Journal of Lipid Science and Technology*, **115**: 535–540.

Shi, X., Davis, J.P., Xia, Z., Sandeep, K.P., Sanders, T.H., dan Dean, L.O., 2017. Characterization of peanuts after dry roasting, oil roasting, and blister frying. *LWT - Food Science and Technology*, **75**: 520–528.

Shi, X., Dean, L.O., Davis, J.P., Sandeep, K.P., dan Sanders, T.H., 2018. The effects of different dry roast parameters on peanut quality using an industrial belt-type roaster simulator. *Food Chemistry*, **240**: 974–979.

Siddique, B.M., Ahmad, A., Alkarkhi, A.F.M., Ibrahim, M.H., dan Omar A.K, M., 2011a. Chemical Composition and Antioxidant Properties of Candlenut Oil Extracted by Supercritical CO<sub>2</sub>. *Journal of Food Science*, **76**: 535–542.



- Siddique, B.M., Ahmad, A., Alkarkhi, A.F.M., Ibrahim, M.H., dan Omar A.K, M., 2011b. Chemical Composition and Antioxidant Properties of Candlenut Oil Extracted by Supercritical CO<sub>2</sub>. *Journal of Food Science*, **76**: 535–542.
- Siddique, B.M., Muhamad, I.I., Ahmad, A., Ayob, A., Ibrahim, M.H., dan AK, M.O., 2015. Effect of frying on the rheological and chemical properties of palm oil and its blends. *Journal of Food Science and Technology*, **52**: 1444–1452.
- Singh Sharanagat, V., Jogihalli, P., Singh, L., Kumar, K., dan Professor, A., 2018. Effect of Roasting Method on Physico-Mechanical and Roasting Characteristics of Chickpea (*Cicer arietinum*). *Journal of Agricultural Engineering*, **55**: .
- Siregar, C., Martono, S., dan Rohman, A., 2018. Application of Fourier transform infrared (FTIR) spectroscopy coupled with multivariate calibration for quantitative analysis of curcuminoid in tablet dosage form. *Journal of Applied Pharmaceutical Science*, **8**: 151–156.
- Sodeifian, G., Ardestani, N.S., Sajadian, S.A., dan Moghadamian, K., 2018. Properties of *Portulaca oleracea* seed oil via supercritical fluid extraction: Experimental and optimization. *Journal of Supercritical Fluids*, **135**: 34–44.
- Stamenković, O.S., Djalović, I.G., Kostić, M.D., Mitrović, P.M., dan Veljković, V.B., 2018. Optimization and kinetic modeling of oil extraction from white mustard (*Sinapis alba* L.) seeds. *Industrial Crops and Products*, **121**: 132–141.
- Stanisavljević, I.T., Lazić, M.L., dan Veljković, V.B., 2007. Ultrasonic extraction of oil from tobacco (*Nicotiana tabacum* L.) seeds. *Ultrasonics Sonochemistry*, **14**: 646–652.
- Stuetzle, W. dan Nugent, R., 2014. Generalized Single Linkage Method for Estimating the Cluster Tree of a Density A Generalized Single Linkage Method for Estimating the Cluster Tree of a Density. *Journal of Computational and Graphical Statistic*, **19**: 37–41.
- Sulhatun, S., Mutiawati, M., dan Kurniawan, E., 2020. Pengaruh Temperatur Dan Waktu Pemasakan Terhadap Perolehan Minyak Kemiri Dengan Menggunakan Cara Basah. *Jurnal Teknologi Kimia Unimal*, **9**: 54.
- Sulistyo, H., Rahayu, S.S., Suardjaja, I.M., dan Setiadi, U.H., 2009. Crude Candlenut Oil Ethanolysis to Produce Renewable Energy at Ambient Condition. *Proceedings of the World Congress on Engineering and Computer Science 2009*, **I**: 20–23.
- Sulistyo, H., Rahayu, S.S., Winoto, G., dan Suardjaja, I.M., 2008. Biodiesel Production from High Iodine Number Candlenut Oil. *International Journal of Chemical and Molecular Engineering*, **2**: 373–376.
- Sumardiono, S., Adisukmo, G., Hanif, M., Budiyo, B., dan Cahyono, H., 2021a. Effects of pretreatment and ratio of solid sago waste to rumen on biogas production through solid-state anaerobic digestion. *Sustainability (Switzerland)*, **13**: .
- Sumardiono, S., Cahyono, H., Jos, B., Pudjihastuti, I., Yafiz, A.M., dan Rachmasari, M., 2021b. Physicochemical properties of sago ozone oxidation: The effect of reaction time, acidity, and concentration of starch. *Foods*, **10**: .



- Surya Wahyuningsih, E., Syamsuddin, Prismawiryanti, dan Pusptasari, D.J., 2020. Aktivitas Antioksidan Likopen Buah Tomat (*Solanum lycopersicum* L.) Terblending dalam Minyak Padat Ikan Lele (*Clarias* sp). *KOVALEN: Jurnal Riset Kimia*, **6**: 134–142.
- Suryanto, E., Raharjo, S., Sastrohamidjojo, H., dan Tranggono, 2012. Isolasi dan Aktivitas Penstabil Oksigen Singlet Fraksi Fenolik dari Ekstrak Andaliman (*Zanthoxylum acanthopodium* DC.). *Jurnal Agritech*, **28**: 102–108.
- Sutrisno, Assyfah, R.D., Retnosari, R., Rachman, I.B., dan Wijaya, H.W., 2020. Antibacterial activity of potassium salt, fatty acids, and methyl esters of candlenut seed oil against *Staphylococcus aureus* and *Escherichia coli*. *Proceedings Of The 3RD International Seminar On Metallurgy And Materials (ISMM2019): Exploring New Innovation in Metallurgy and Materials*, **2232**: 040081.
- Suwari, Kotta, H.Z., dan Buang, Y., 2017. Optimization of soxhlet extraction and physicochemical analysis of crop oil from seed kernel of Feun Kase (*Thevetia peruviana*). *AIP Conference Proceedings*, **1911**: .
- Syimir Fizal, A.N., Hossain, M.S., Zulkifli, M., Khalil, N.A., Abd Hamid, H., dan Ahmad Yahaya, A.N., 2021. Implementation of the supercritical CO<sub>2</sub> technology for the extraction of candlenut oil as a promising feedstock for biodiesel production: potential and limitations. *International Journal of Green Energy*, **00**: 1–12.
- Takagi, T., 1965. The Dehydrogenation of All- cis -5,11,14-Eicosatrienoic Acid to Arachidonic Acid . *Bulletin of the Chemical Society of Japan*, **38**: 2055–2057.
- Tapp, H.S., Defernez, M., dan Kemsley, E.K., 2003. FTIR spectroscopy and multivariate analysis can distinguish the geographic origin of extra virgin olive oils. *Journal of Agricultural and Food Chemistry*, **51**: 6110–6115.
- Taufik, M. dan Seftiono, H., 2018. Karakteristik Fisik dan Kimia Minyak Goreng Sawit Hasil Proses Penggorengan dengan Metode Deep-Fat Frying. *Jurnal Teknologi*, **10**: 123–129.
- Tesfaye, B. dan Tefera, T., 2017. Extraction of Essential Oil from Neem Seed by Using Soxhlet Extraction Methods. *International Journal of Advanced engineering, Management and Science*, **3**: 646–650.
- Thaipong, K., Boonprakob, U., Crosby, K., Cisneros-Zevallos, L., dan Hawkins Byrne, D., 2006. Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Composition and Analysis*, **19**: 669–675.
- Tongnuanchan, P., Benjakul, S., dan Prodpran, T., 2013. Physico-chemical properties, morphology and antioxidant activity of film from fish skin gelatin incorporated with root essential oils. *Journal of Food Engineering*, **117**: 350–360.
- Ulfa, G.M., Putri, W.D.R., Fibrianto, K., dan Widjanarko, S.B., 2021. Optimization studies on pre-gelatinized sweet potato starch influenced by temperature and time. *Food Research*, **5**: 25–30.
- Upadya, H., Devaraju, C.J., dan Joshi, S.R., 2015. Anti-inflammatory properties of blended edible oil with synergistic antioxidants. *Indian Journal of Endocrinology and Metabolism*,

- Vasconcelos, M., Coelho, L., Barros, A., dan de Almeida, J.M.M.M., 2015. Study of adulteration of extra virgin olive oil with peanut oil using FTIR spectroscopy and chemometrics. *Cogent Food & Agriculture*, **1**: 1018695.
- Veeranan, T., Kasirajaan, R., Gurunathan, B., dan Sahadevan, R., 2018. A novel approach for extraction of algal oil from marine macroalgae *Ulva fasciata*. *Renewable Energy*, **127**: 64–73.
- Wan Mohamad Din, W.N.I., Mohd Zin, Z., Abdullah, M.A.A., dan Zainol, M.K., 2020. The effects of different pre-treatments on the physicochemical composition and sensory acceptability of 'kacang koro' energy bar. *Food Research*, **4**: 1162–1171.
- Wijanarko, A., 2020. Standardisasi simplisia daun ciplukan. *Jurnal Farmasetis*, **9**: 31–40.
- Windarsih, A., 2018. 'Application of TLC and 1H-NMR Spectra Based Metabolite Fingerprinting Combined With Chemometrics an Integrated Study for The Authentication of *Curcuma longa*'. Universitas Gadjah Mada.
- Windarsih, A., Irnawati, Khadijah, Putri, A.R., Riyanto, S., dan Rohman, A., 2020. *Karakterisasi Minyak Dan Lemak*, 1st ed. Pustaka Pelajar, Yogyakarta.
- Wiyono, B., 1995. Pengolahan Minyak Kemiri Dengan Cara Pelarutan Dan Pengempaan (Processing candle nut oils with solvent extraction. *Jurnal Penelitian Hasil Hutan*, **13**: 110–117.
- Wiyono, B. dan Hastoeti, P., 1993. Pengaruh perlakuan pendahuluan biji kemiri terhadap rendemen dan sifat minyaknya. *Jurnal Penelitian Hasil Hutan*, .
- Xu, L., Yu, X., Liu, L., dan Zhang, R., 2016. A novel method for qualitative analysis of edible oil oxidation using an electronic nose. *FOOD CHEMISTRY*, **202**: 229–235.
- Yan, L., Chary, R., Armus, L., Teplitz, H., Helou, G., Frayer, D., dkk., 2005. Spitzer Detection of Polycyclic Aromatic Hydrocarbon and Silicate Dust Features in the Mid-Infrared Spectra of  $z \sim 2$  Ultraluminous Infrared Galaxies . *The Astrophysical Journal*, **628**: 604–610.
- Yang, K.M., Hsu, F.L., Chen, C.W., Hsu, C.L., dan Cheng, M.C., 2018. Quality characterization and oxidative stability of camellia seed oils produced with different roasting temperatures. *Journal of Oleo Science*, **67**: 389–396.
- Yuliani, F., Riyanto, S., dan Rohman, A., 2018. Application of ftir spectra combined with chemometrics for analysis of candlenut oil adulteration. *International Journal of Applied Pharmaceutics*, **10**: 54–59.
- Yuslianti, E.R., 2018. *Pengantar Radikal Bebas Dan Antioksidan*, 1st ed. Deepublish, Yogyakarta.
- Yusri, S., Meidiana, C., Marpaung, A.M., dan Sutanto, H., 2020. Encapsulation of candlenut oil by freeze-drying method. *Journal of Functional Food and Nutraceutical*, **2**: 53–61.



**Karakterisasi Minyak Kemiri (*Aleurites Moluccana*, Wild.): Penentuan Parameter Fisika-Kimia, Aktivitas Antioksidan Dan Autentikasi In Vitro**

ALDI BUDI RIYANTA, Prof. Dr. apt. Abdul Rohman, M.Si; Prof. Dr. apt. Sugeng Riyanto, MS; Prof. Dr. apt. RR. Enda

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS  
GADJAH MADA

Zhang, H., Hu, X., Liu, L., Wei, J., dan Bian, X., 2022. Near infrared spectroscopy combined with chemometrics for quantitative analysis of corn oil in edible blend oil. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 120841.

Zheng, L., Jin, J., Huang, J., Wang, Y., Korma, S.A., Wang, X., dkk., 2018. Effects of heat pretreatment of wet-milled corn germ on the physicochemical properties of oil. *Journal of Food Science and Technology*, **55**: 3154–3162.