

DAFTAR PUSTAKA

- Artacho, B. dan Savakis, A., 2019. Waterfall Atrous Spatial Pooling Architecture for Efficient Semantic Segmentation, *Sensors*, [Online] 24. 5361. Tersedia di DOI: 10.3390/s19245361.
- Azeez, B., & Alizadeh, F. (2020). Review and Classification of Trending Background Subtraction-Based Object Detection Techniques. Proceedings of the 6th International Engineering Conference “Sustainable Technology and Development”, IEC 2020, 185–190.
<https://doi.org/10.1109/IEC49899.2020.9122929>
- Berrar, D., 2018, Performance measures for binary classification, *Encyclopedia of Bioinformatics and Computational Biology: ABC of Bioinformatics*, [Online], hal. 546–560, tersedia di DOI:10.1016/B978-0-12-809633-8.20351-8.
- Black, M., 2013, An investigation into reach scale estimates of sub-pixel fluvial grain size from hyperspatial imagery, *Thesis for: Master of Science by Research (MScR)*, [Online] tersedia di DOI: 10.13140/RG.2.1.3806.0965.
- Bromley, J., Guyon, I., LeCun, Y., Sackinger, E. dan Shah, R., 1993, Signature Verification using a “Siamese” Time Delay Neural Network, *Advances in Neural Information Processing Systems* 6, 1993 hal.
- Elharrouss, O., Almaadeed, N. dan Al-Maadeed, S., 2021, A review of video surveillance systems, *Journal of Visual Communication and Image Representation, Volume 77, May 2021, 103116 [Online]*, tersedia di <https://doi.org/10.1016/j.jvcir.2021.103116>
- F. Fleuret, J. Berclaz, R. Lengagne and P. Fua, "Multicamera People Tracking with a Probabilistic Occupancy Map," in *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 30, no. 2, pp. 267-282, Feb. 2008, doi: 10.1109/TPAMI.2007.1174.
- Fausett, L., 2017, *Fundamentals Of Neural Network Architectures, Algorithms, and Applications, Inc., New Jersey*, 1161–476,
- Fitwi, A., Chen, Y., Zhu, S., Blasch, E. dan Chen, G, Privacy-Preserving Surveillance as an Edge Service Based on Lightweight Video Protection Schemes Using Face De-Identification and Window Masking, *Electronics* 2021, 10, 236, [Online] tersedia di <https://doi.org/10.3390/electronics10030236>
- Ghorbel, M., Ammar, S., Kessentini, Y., Jmaiel, M. (2019). Improving Person Re-identification by Background Subtraction Using Two-Stream Convolutional Networks. In: Karray, F., Campilho, A., Yu, A. (eds) *Image Analysis and Recognition. ICIAR 2019. Lecture Notes in Computer Science()*, vol 11662. Springer, Cham. https://doi.org/10.1007/978-3-030-27202-9_31
- González, A.A., Estrada, M.A., Berry, F., 2017, Dense Feature Matching Core for FPGA-based Smart Cameras, *Conference: 11th International Conference on Distributed Smart Cameras*, [Online], September 2017 Stanford, CA, USA., hlm. 41-48, tersedia di DOI:10.1145/3131885.3131922 diakses 20 Januari 2022
- Hadsell, R., Chopra, S., & LeCun, Y. (2006). Dimensionality Reduction by Learning an Invariant Mapping. 2006 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'06), 2, 1735-1742.

- Hidaka, A., dan Kurita, T. 2017, Consecutive Dimensionality Reduction by Canonical Correlation Analysis for Visualization of Convolutional Neural Networks, *Proceedings of the ISCIE International Symposium on Stochastic Systems Theory and its Applications 2017*, hlm. 160-167, [Online] tersedia di DOI: 10.5687/sss.2017.160
- Hu, X., Guo, X., Jiang, Z., Zhou, Y. dan Yang, Z., 2019, Person re-identification by refined attribute prediction and weighted multi-part constraints, 2018 IEEE Global Conference on Signal and Information Processing, GlobalSIP 2018 - Proceedings, [Online], 2019 IEEE., hal. 410–414, tersedia di DOI:10.1109/GlobalSIP.2018.8646466.
- Hwang, Y.T., Hung, Y.H., Wang, C.C. dan Terng, H.J., 2018, Finding the optimal threshold of a parametric ROC curve under a continuous diagnostic measurement, *Revstat Statistical Journal*, 16 (1), 23–43,
- Ioffe, S. dan Szegedy, C., 2015, Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift, *arXiv:1502.03167 [cs]*, [Online] tersedia di <http://arxiv.org/abs/1502.03167>, diakses 4 November 2020.
- Karsoliya, S., 2012, Approximating Number of Hidden Layer Neurons in Multiple Hidden Layer BPNN Architecture, *International Journal of Engineering Trends and Technology Vol.3 Issue.6*, 714-717, ISSN: 2231-5381, [Online] tersedia di DOI: <http://www.internationaljournalsrg.org>
- Khan, A. dan Janwe, M.N., 2017, Review on Moving Object Detection in Video Surveillance, *International Journal of Advanced Research in Computer and Communication Engineering*, [Online] 6 (5), 664–670, tersedia di DOI:10.17148/ijarccc.2017.65127
- Kim, C., Lee, J., Han, T. dan Kim, Y. M. 2018, A hybrid framework combining background subtraction and deep neural networks for rapid person detection, *Journal of Big Data*, 22 (2018), [Online] tersedia di DOI: <https://journalofbigdata.springeropen.com/articles/10.1186/s40537-018-0131-x>
- Ku, H., Zhou, P., Cai, X., Yang, H. dan Chen, Y., 2018, Person re-identification method based on CNN and manually-selected feature fusion, ICNC-FSKD 2017 - 13th International Conference on Natural Computation, Fuzzy Systems and Knowledge Discovery, [Online] 93–96, tersedia di DOI:10.1109/FSKD.2017.8393401.
- Li, W., Zhao, R., Xiao, T. dan Wang, X., 2014, DeepReID: Deep filter pairing neural network for person re-identification, *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, [Online], 2014 hal. 152–159, tersedia di DOI:10.1109/CVPR.2014.27.
- Li, W., Zhao, R., Xiao, T. dan Wang, X., 2014, DeepReID: Deep filter pairing neural network for person re-identification, *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, [Online], 2014 hal. 152–159, tersedia di DOI:10.1109/CVPR.2014.27
- Lina, Y., Zhengb, L., Zhenga, Z., Wua, Y., Hua, Z., Yanc, C. dan Yang, Y, Improving Person Re-identification by Attribute and Identity Learning, *arXiv:1703.07220 [cs.CV]*, [Online] tersedia di <https://doi.org/10.48550/arXiv.1703.07220>

- Liu, H. dan Huang, W., 2017, Body structure based triplet convolutional neural network for person reidentification, *IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP) 2017*, 1772–1776,
- Liu, H., 2020, Chapter 3-Rail transit collaborative robot systems, *Robot Systems for Rail Transit Applications Elsevier [Online]*, School of Traffic and Transportation Engineering Central South University, Changsha, China., Pages 89-141, ISBN 9780128229682, tersedia di <https://doi.org/10.1016/B978-0-12-822968-2.00003-6>
- Liu, Z., McClung, A., Yeung, H. W. F., Chung, Y. Y., & Zandavi, S. M. (2018). Top-Down Person Re-Identification with Siamese Convolutional Neural Networks. *Proceedings of the International Joint Conference on Neural Networks*, 2018-July, 1–8. <https://doi.org/10.1109/IJCNN.2018.8489317>
- Nielsen, M., 2015, *Neural Networks and Deep Learning*, [Online]. tersedia di DOI:10.1201/b22400-15.
- Padilla, R., Netto, S.L. dan da Silva, E.A.B., 2020, A Survey on Performance Metrics for Object-Detection Algorithms, *2020 International Conference on Systems, Signals and Image Processing (IWSSIP)*, [Online], Juli 2020 IEEE, Niterói, Brazil., hlm. 237–242, tersedia di DOI:10.1109/IWSSIP48289.2020.9145130, diakses 21 November 2020.
- Putra, M. P. K. (2020). person re-identification menggunakan partial siamese network untuk menangani masalah oklusi parsial pada objek.
- Qian, X., Fu, Y., Xiang, T., Wang, W., Qiu, J., Wu, Y., Jiang, Y. G, dan Xue, X., 2018, Pose-Normalized Image Generation for Person Re-identification, *arXiv:1712.02225 [cs.CV]*, [Online] tersedia di <https://doi.org/10.48550/arXiv.1712.02225>
- Richly, K., Moritz, F. and Schwarz, C, 2017, Utilizing Artificial Neural Networks to Detect Compound Events in Spatio-Temporal Soccer Data, *Conference: 3rd SIGKDD Workshop on Mining and Learning from Time Series*, [Online] Agustus 2017, Halifax, Nova Scotia, Canada, tersedia di <https://www.researchgate.net/publication/317888462>
- Sakpal, N. S., & Sabnis, M. (2018). Adaptive Background Subtraction in Images. *2018 International Conference On Advances in Communication and Computing Technology, ICACCT 2018*, 439–444. <https://doi.org/10.1109/ICACCT.2018.8529323>
- Sharma, R. D., Agrwal, S. L., Gupta, S. K., Prajapati, A., & Learning, M. (2017). Optimized Dynamic Background Subtraction Technique for Moving Object Detection and Tracking. *2017 2nd International Conference on Telecommunication and Networks (TEL-NET 2017)*, 2–4.
- Shahul, S. K. dan Jose, J. 2018, A Novel Approach For Person Re-Identification Using Background Substraction And Sift Features, *International Journal of Advanced Information in Engineering Technology (IJAIET), Vol.5, No.5, May 2018*, [Online] tersedia di <http://www.ijaiet.com/a-novel-approach-for-person-re-identification-using-background-substraction-and-sift-features/>
- Shen, C., Jin, Z., Zhao, Y., Fu, Z., Jiang, R., Chen, Y., & Hua, X. S. (2017). Deep siamese network with multi-level similarity perception for person re-identification. *MM 2017 - Proceedings of the 2017 ACM Multimedia*

- Conference, February 2018, 1942–1950.
<https://doi.org/10.1145/3123266.3123452>
- Sobral, A dan Vacavant, A., 2014, A comprehensive review of background subtraction algorithms evaluated with synthetic and real videos, *Computer Vision and Image Understanding*, Volume 122, 2014, Pages 4-21, ISSN 1077-3142, <https://doi.org/10.1016/j.cviu.2013.12.005>
- Sun, X. dan Zheng, L. 2019, Dissecting Person Re-identification from the Viewpoint of Viewpoint, *arXiv:1812.02162 [cs.CV]*, [Online] tersedia di DOI: <https://doi.org/10.48550/arXiv.1812.02162>
- Szeliski, R., 2011, *Computer Vision: Algorithms and Applications*, 1 edisi, Springer-Verlag London, London., [Online]. tersedia di <https://www.springer.com/gp/book/9781848829343>
- T. Young, I., J. Gerbrands, J. dan J. van Vliet, L., 1995, *Fundamentals of Image Processing*.
- Utkin, Lev., Kovalev, M. dan Kasimov, E. 2019, An Explanation Method for Siamese Neural Networks, *Proceedings of International Scientific Conference on Telecommunications, Computing and Control*, pp 219–230, vol 220. Springer, Singapore, [Online] tersedia di https://doi.org/10.1007/978-981-33-6632-9_19
- Wahyudi, N., Suhartono, V. dan Pramunendar, R.A. Background Subtraction Berbasis Self Organizing Map Untuk Deteksi Objek Bergerak, *SYSTEMIC, Vol. 1, No. 1, Agustus 2015, 42-51, SSN 2460-8092(p) , 2548-6551(e)*, [Online] tersedia di <http://repository.uinsby.ac.id/id/eprint/567/1/>
- Wang, H., Lai, Y., Cheng, W., Cheng, C., dan Hua, K. 2017, Background extraction based on joint gaussian conditional random fields, *In IEEE Transactions on Circuits and Systems for Video Technology*, [Online] tersedia di DOI: 10.1109/TCSVT.2017.2733623
- Wu, H., Xu, Z., Zhang, J., Yan, W. dan Ma, X., 2018, Face recognition based on convolution siamese networks, *Proceedings - 2017 10th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics, CISP-BMEI 2017*, [Online], 2018 hal. 1–5, tersedia di DOI:10.1109/CISP-BMEI.2017.8302003.
- Ying, X., 2019, An Overview of Overfitting and its Solutions, *Journal of Physics: Conference Series*, [Online] 1168 (2), tersedia di DOI:10.1088/1742-6596/1168/2/022022.
- Yu, T., Yang, J., & Lu, W. (2019). Combining background subtraction and convolutional neural network for anomaly detection in pumping-unit surveillance. *Algorithms*, 12(6). <https://doi.org/10.3390/a12060115>
- Zhang, Y., Shi, W., Liu, S., Bao, J., & Wei, Y. (2020). Scale-Invariant Siamese Network for Person Re-Identification. *Proceedings - International Conference on Image Processing, ICIP, 2020-October(2)*, 2436–2440. <https://doi.org/10.1109/ICIP40778.2020.9191079>
- Zheng, M., Karanam, S., Wu, Z., & Radke, R. J. (2019). Re-identification with consistent attentive siamese networks. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 2019-June*, 5728–5737. <https://doi.org/10.1109/CVPR.2019.00588>