



DAFTAR PUSTAKA

- Adak, A., & Khan, M. R. (2019). An insight into gut microbiota and its functionalities. *Cellular and Molecular Life Sciences*, 76(3), 473–493. <https://doi.org/10.1007/s00018-018-2943-4>
- Ahmed, A. I. (2016). The effect of high-fat diet on the structure of the colon and the possible protective role of L-arginine. *The Egyptian Journal of Histology*, 39(1), 25–37. <https://doi.org/10.1097/01.EHX.0000481745.36053.64>
- Alfred A. Aziz, Laura S. Kenney, Benoit Goulet, El-Sayed Abdel-Aal, Dietary Starch Type Affects Body Weight and Glycemic Control in Freely Fed but Not Energy-Restricted Obese Rats, *The Journal of Nutrition*, Volume 139, Issue 10, October 2009, Pages 1881–1889, <https://doi.org/10.3945/jn.109.110650>
- Al-Sheraji, S.H., Ismail, A., Manap, M.Y., Mustafa, S., Yusof, R.M., Hassan, F.A., (2013). Prebiotics as functional foods: a review. *J. Funct. Foods* 5, 1542–1553.
- Atamni, H. J. A.-T., Mott, R., Soller, M., & Iraqi, F. A. (2016). High-fat-diet induced development of increased fasting glucose levels and impaired response to intraperitoneal glucose challenge in the collaborative cross mouse genetic reference population. *BMC Genetics*, 17(1), 10. <https://doi.org/10.1186/s12863-015-0321-x>
- Baothman, O. A., Zamzami, M. A., Taher, I., Abubaker, J., & Abu-Farha, M. (2016). The role of gut microbiota in the development of obesity and diabetes. *Lipids in health and disease*, 15(1), 1-8. <https://doi.org/10.1186/s12944-016-0278-4>
- Barber, T. M., Kabisch, S., Pfeiffer, A., & Weickert, M. O. (2020). The Health Benefits of Dietary Fibre. *Nutrients*, 12(10), 3209. <https://doi.org/10.3390/nu12103209>
- Bindels, L. B., Delzenne, N. M., Cani, P. D., & Walter, J. (2015). Towards a more comprehensive concept for prebiotics. *Nature reviews. Gastroenterology & hepatology*, 12(5), 303–310. <https://doi.org/10.1038/nrgastro.2015.47>
- Beam, A., Clinger, E., & Hao, L. (2021). Effect of Diet and Dietary Components on the Composition of the Gut Microbiota. *Nutrients*, 13(8), 2795. <https://doi.org/10.3390/nu13082795>
- Benoit, B., Plaisancié, P., Géloën, A., Estienne, M., Debard, C., Meugnier, E., Loizon, E., Daira, P., Bodennec, J., Cousin, O., Vidal, H., Laugerette, F., & Michalski, M. C. (2014). Pasture v. standard dairy cream in high-fat diet-fed mice: improved metabolic outcomes and stronger intestinal barrier. *The British*



journal of nutrition, 112(4), 520–535.
<https://doi.org/10.1017/S0007114514001172>

Bozzetto, L., Costabile, G., Della Pepa, G., Ciciola, P., Vetrani, C., Vitale, M., Rivelles, A., & Annuzzi, G. (2018). Dietary Fibre as a Unifying Remedy for the Whole Spectrum of Obesity-Associated Cardiovascular Risk. *Nutrients*, 10(7), 943. <https://doi.org/10.3390/nu10070943>

Brubaker PL, Anini Y. Direct and indirect mechanisms regulating secretion of glucagon-like peptide-1 and glucagon-like peptide-2. *Can J Physiol Pharmacol*. 2003;81:1005-12. <https://doi.org/10.1139/y03-107>

Buckman, E. S., Oduro, I., Plahar, W. A., & Tortoe, C. (2018). Determination of the chemical and functional properties of yam bean (*Pachyrhizus erosus* (L.) Urban) flour for food systems. *Food Science and Nutrition*, 6(2), 457–463. <https://doi.org/10.1002/fsn3.574>

Cani, P. D., Lecourt, E., Dewulf, E. M., Sohet, F. M., Pachikian, B. D., Naslain, D., De Backer, F., Neyrinck, A. M., & Delzenne, N. M. (2009). Gut microbiota fermentation of prebiotics increases satietogenic and incretin gut peptide production with consequences for appetite sensation and glucose response after a meal. *The American journal of clinical nutrition*, 90(5), 1236–1243. <https://doi.org/10.3945/ajcn.2009.28095>

Caspi, R., Billington, R., Fulcher, C. A., Keseler, I. M., Kothari, A., Krummenacker, M., Latendresse, M., Midford, P. E., Ong, Q., Ong, W. K., Paley, S., Subhraveti, P., & Karp, P. D. (2018). The MetaCyc database of metabolic pathways and enzymes. *Nucleic Acids Research*, 46(D1), D633–D639. <https://doi.org/10.1093/nar/gkx935>

Cronin, P., Joyce, S. A., O'Toole, P. W., & O'Connor, E. M. (2021). Dietary Fibre Modulates the Gut Microbiota. *Nutrients*, 13(5), 1655. <https://doi.org/10.3390/nu13051655>

Dhingra D., Michael, M., Rajput, H., Patil, RT. (2013). Dietary fibre in foods: a review. *J Food Sci Technol*. 49(3): 255–266.

Everard, A., Lazarevic, V., Derrien, M., Girard, M., Muccioli, G. G., Neyrinck, A. M., Possemiers, S., Van Holle, A., François, P., de Vos, W. M., Delzenne, N. M., Schrenzel, J., & Cani, P. D. (2011). Responses of gut microbiota and glucose and lipid metabolism to prebiotics in genetic obese and diet-induced leptin-resistant mice. *Diabetes*, 60(11), 2775–2786. <https://doi.org/10.2337/db11-0227>

Fortea, M., Albert-Bayo, M., Abril-Gil, M., Ganda Mall, J. P., Serra-Ruiz, X., Henao-Paez, A., Expósito, E., González-Castro, A. M., Guagnazzi, D., Lobo, B., Alonso-Cotoner, C., & Santos, J. (2021). Present and Future Therapeutic



Approaches to Barrier Dysfunction. *Frontiers in nutrition*, 8, 718093. <https://doi.org/10.3389/fnut.2021.718093>

Gill, S. K., Rossi, M., Bajka, B., & Whelan, K. (2021). Dietary fibre in gastrointestinal health and disease. *Nature Reviews Gastroenterology & Hepatology*, 18(2), 101–116. <https://doi.org/10.1038/s41575-020-00375-4>

Green, M., Arora, K., & Prakash, S. (2020). Microbial Medicine: Prebiotic and Probiotic Functional Foods to Target Obesity and Metabolic Syndrome. *International journal of molecular sciences*, 21(8), 2890. <https://doi.org/10.3390/ijms21082890>

Houtman, T. A., Eckermann, H. A., Smidt, H., & de Weerth, C. (2022). Gut microbiota and BMI throughout childhood: the role of firmicutes, bacteroidetes, and short-chain fatty acid producers. *Scientific Reports*, 12(1), 3140. <https://doi.org/10.1038/s41598-022-07176-6>

Hupfauf, S., Etemadi, M., Fernández-Delgado Juárez, M., Gómez-Brandón, M., Insam, H., & Podmirseg, S. M. (2020). CoMA – an intuitive and user-friendly pipeline for amplicon-sequencing data analysis. *PLOS ONE*, 15(12), e0243241. <https://doi.org/10.1371/journal.pone.0243241>

Jaiswal, V., Chauhan, S., & Lee, H.-J. (2021). The Bioactivity and Phytochemicals of Pachyrhizus erosus (L.) Urb.: A Multifunctional Underutilized Crop Plant. *Antioxidants*, 11(1), 58. <https://doi.org/10.3390/antiox11010058>

Jenkins, D. J., Wolever, T. M., Leeds, A. R., Gassull, M. A., Haisman, P., Dilawari, J., Goff, D. V, Metz, G. L., & Alberti, K. G. (1978). Dietary fibres, fibre analogues, and glucose tolerance: importance of viscosity. *BMJ*, 1(6124), 1392–1394. <https://doi.org/10.1136/bmj.1.6124.1392>

Johnson, A. M. F., Costanzo, A., Gareau, M. G., Armando, A. M., Quehenberger, O., Jameson, J. M., & Olefsky, J. M. (2015). High Fat Diet Causes Depletion of Intestinal Eosinophils Associated with Intestinal Permeability. *PLOS ONE*, 10(4), e0122195. <https://doi.org/10.1371/journal.pone.0122195>

Kaji I, Karaki S, Kuwahara A: Short-Chain Fatty Acid Receptor and Its Contribution to Glucagon-Like Peptide-1 Release. *Digestion* 2014;89:31-36. <https://doi.org/10.1159/000356211>

Kanagy, N. L., Szabo, C., & Papapetropoulos, A. (2017). Vascular biology of hydrogen sulfide. *American Journal of Physiology-Cell Physiology*, 312(5), C537–C549. <https://doi.org/10.1152/ajpcell.00329.2016>

Karp, P. D., Billington, R., Caspi, R., Fulcher, C. A., Latendresse, M., Kothari, A., Keseler, I. M., Krummenacker, M., Midford, P. E., Ong, Q., Ong, W. K.,



- Paley, S. M., & Subhraveti, P. (2019). The BioCyc collection of microbial genomes and metabolic pathways. *Briefings in Bioinformatics*, 20(4), 1085–1093. <https://doi.org/10.1093/bib/bbx085>
- Kalra, S., Das, A. K., Sahay, R. K., Baruah, M. P., Tiwaskar, M., Das, S., Chatterjee, S., Saboo, B., Bantwal, G., Bhattacharya, S., Priya, G., Chawla, M., Brar, K., Raza, S. A., Aamir, A. H., Shrestha, D., Somasundaram, N., Katulanda, P., Afsana, F., Sumanatileke, M. (2019). Consensus Recommendations on GLP-1 RA Use in the Management of Type 2 Diabetes Mellitus: South Asian Task Force. *Diabetes Therapy*, 10(5), 1645–1717. <https://doi.org/10.1007/s13300-019-0669-4>
- Kim, K. S., & Jang, H. J. (2015). Medicinal plants qua glucagon-like peptide-1 secretagogue via intestinal nutrient sensors. In Evidence-based Complementary and Alternative Medicine (Vol. 2015). Hindawi Publishing Corporation. <https://doi.org/10.1155/2015/171742>
- Kumalasari, I. D., Nishi, K., Harmayani, E., Raharjo, S., & Sugahara, T. (2014). Immunomodulatory activity of Bengkoang (*Pachyrhizus erosus*) fiber extract in vitro and in vivo. *Cytotechnology*, 66(1), 75–85. <https://doi.org/10.1007/s10616-013-9539-5>
- Kumar, V., Abbas, A. K., & Aster, J. C. (2017). *Robbins Basic Pathology* (10th ed.). Elsevier - Health Sciences Division.
- Lattimer, J. M., & Haub, M. D. (2010). Effects of Dietary Fiber and Its Components on Metabolic Health. *Nutrients*, 2(12), 1266–1289. <https://doi.org/10.3390/nu2121266>
- Le Bastard, Q., Chapelet, G., Javaudin, F., Lepelletier, D., Batard, E., & Montassier, E. (2020). The effects of inulin on gut microbial composition: a systematic review of evidence from human studies. *European Journal of Clinical Microbiology & Infectious Diseases*, 39(3), 403–413. <https://doi.org/10.1007/s10096-019-03721-w>
- Le Chatelier, E., Nielsen, T., Qin, J., Prifti, E., Hildebrand, F., Falony, G., Almeida, M., Arumugam, M., Batto, J. M., Kennedy, S., Leonard, P., Li, J., Burgdorf, K., Grarup, N., Jørgensen, T., Brandlund, I., Nielsen, H. B., Juncker, A. S., Bertalan, M., Levenez, F., Pedersen, O. (2013). Richness of human gut microbiome correlates with metabolic markers. *Nature*, 500(7464), 541–546. <https://doi.org/10.1038/nature12506>
- Lecomte, V., Kaakoush, N. O., Maloney, C. A., Raipuria, M., Huinao, K. D., Mitchell, H. M., & Morris, M. J. (2015). Changes in Gut Microbiota in Rats



Fed a High Fat Diet Correlate with Obesity-Associated Metabolic Parameters.
PLOS ONE, 10(5), e0126931. <https://doi.org/10.1371/journal.pone.0126931>

Li, X., Guo, J., Ji, K., & Zhang, P. (2016). Bamboo shoot fiber prevents obesity in mice by modulating the gut microbiota. *Scientific Reports*, 6(1), 32953. <https://doi.org/10.1038/srep32953>

Liu, B.-N., Liu, X.-T., Liang, Z.-H., & Wang, J.-H. (2021). Gut microbiota in obesity. *World Journal of Gastroenterology*, 27(25), 3837–3850. <https://doi.org/10.3748/wjg.v27.i25.3837>

Liu, F., Prabhakar, M., Ju, J., Long, H., & Zhou, H. W. (2017). Effect of inulin-type fructans on blood lipid profile and glucose level: a systematic review and meta-analysis of randomized controlled trials. *European journal of clinical nutrition*, 71(1), 9–20. <https://doi.org/10.1038/ejcn.2016.156>

Liu, H.-Y., Walden, T. B., Cai, D., Ahl, D., Bertilsson, S., Phillipson, M., Nyman, M., & Holm, L. (2019). Dietary Fiber in Bilberry Ameliorates Pre-Obesity Events in Rats by Regulating Lipid Depot, Cecal Short-Chain Fatty Acid Formation and Microbiota Composition. *Nutrients*, 11(6), 1350. <https://doi.org/10.3390/nu11061350>

Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. *Methods (San Diego, Calif.)*, 25(4), 402–408. <https://doi.org/10.1006/meth.2001.1262>

Love, M. I., Huber, W., & Anders, S. (2014). Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2. *Genome Biology*, 15(12), 550. <https://doi.org/10.1186/s13059-014-0550-8>

Lovegrove, A., Edwards, C. H., De Noni, I., Patel, H., El, S. N., Grassby, T., Zielke, C., Ulmius, M., Nilsson, L., Butterworth, P. J., Ellis, P. R., & Shewry, P. R. (2017). Role of polysaccharides in food, digestion, and health. *Critical Reviews in Food Science and Nutrition*, 57(2), 237–253. <https://doi.org/10.1080/10408398.2014.939263>

Magne, F., Gotteland, M., Gauthier, L., Zazueta, A., Pesoa, S., Navarrete, P., & Balamurugan, R. (2020). The Firmicutes/Bacteroidetes Ratio: A Relevant Marker of Gut Dysbiosis in Obese Patients? *Nutrients*, 12(5), 1474. <https://doi.org/10.3390/nu12051474>

McMurdie, P. J., & Holmes, S. (2013). phyloseq: An R Package for Reproducible Interactive Analysis and Graphics of Microbiome Census Data. *PLoS ONE*, 8(4), e61217. <https://doi.org/10.1371/journal.pone.0061217>



Miao, M., Dai, Y., Rui, C., Fan, Y., Wang, X., Fan, C., Mu, J., Hou, W., Dong, Z., Li, P., Sun, G., & Zeng, X. (2021). Dietary supplementation of inulin alleviates metabolism disorders in gestational diabetes mellitus mice via RENT/AKT/IRS/GLUT4 pathway. *Diabetology & metabolic syndrome*, 13(1), 150. <https://doi.org/10.1186/s13098-021-00768-8>

Micciche, A. C., Foley, S. L., Pavlidis, H. O., McIntyre, D. R., and Ricke, S. C. (2018). A review of prebiotics against Salmonella in poultry: current and future potential for microbiome research applications. *Front. Vet. Sci.* 5:191. <https://doi.org/10.3389/fvets.2018.00191>

Mongad, D. S., Chavan, N. S., Narwade, N. P., Dixit, K., Shouche, Y. S., & Dhotre, D. P. (2021). MicFunPred: A conserved approach to predict functional profiles from 16S rRNA gene sequence data. *Genomics*, 113(6), 3635–3643. <https://doi.org/10.1016/j.ygeno.2021.08.016>

Montagne, L., Pluske, J. R., & Hampson, D. J. (2003). A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals. *Animal feed science and technology*, 108(1-4), 95-117.

Moran, G. W., Leslie, F. C., Levison, S. E., & McLaughlin, J. T. (2008). Review: Enteroendocrine cells: Neglected players in gastrointestinal disorders? *Therapeutic Advances in Gastroenterology*, 1(1), 51–60. <https://doi.org/10.1177/1756283X08093943>

Müller, T. D., Finan, B., Bloom, S. R., D'Alessio, D., Drucker, D. J., Flatt, P. R., Fritzsche, A., Gribble, F., Grill, H. J., Habener, J. F., Holst, J. J., Langhans, W., Meier, J. J., Nauck, M. A., Perez-Tilve, D., Pocai, A., Reimann, F., Sandoval, D. A., Schwartz, T. W., Tschöp, M. H. (2019). Glucagon-like peptide 1 (GLP-1). *Molecular Metabolism*, 30, 72–130. <https://doi.org/10.1016/j.molmet.2019.09.010>

Müller, T. D., Finan, B., Clemmensen, C., Dimarchi, R. D., & Tschöp, M. H. (2017). The New Biology and Pharmacology of Glucagon. *Physiol Rev*, 97, 721-766. <https://doi.org/10.1152/physrev.00025.2016>

Murphy, E. A., Velazquez, K. T., & Herbert, K. M. (2015). Influence of high-fat diet on gut microbiota. *Current Opinion in Clinical Nutrition and Metabolic Care*, 18(5), 515–520. <https://doi.org/10.1097/MCO.0000000000000209>

Muskiet, M. H. A., Tonniejck, L., Smits, M. M., van Baar, M. J. B., Kramer, M. H. H., Hoorn, E. J., Joles, J. A., & van Raalte, D. H. (2017). GLP-1 and the kidney: From physiology to pharmacology and outcomes in diabetes. In



Nature Reviews Nephrology (Vol. 13, Issue 10, pp. 605-628). Nature Publishing Group. <https://doi.org/10.1038/nrneph.2017.123>

Nakanishi, T., Fukui, H., Wang, X., Nishiumi, S., Yokota, H., Makizaki, Y., Tanaka, Y., Ohno, H., Tomita, T., Oshima, T., & Miwa, H. (2021). Effect of a High-Fat Diet on the Small-Intestinal Environment and Mucosal Integrity in the Gut-Liver Axis. *Cells*, 10(11), 3168. <https://doi.org/10.3390/cells10113168>

Nicolucci, A. C., Hume, M. P., Martínez, I., Mayengbam, S., Walter, J., & Reimer, R. A. (2017). Prebiotics Reduce Body Fat and Alter Intestinal Microbiota in Children Who Are Overweight or With Obesity. *Gastroenterology*, 153(3), 711–722. <https://doi.org/10.1053/j.gastro.2017.05.055>

Novogene (2021). 16S/18S/ITS Amplicon Metagenomic Sequencing. <https://en.novogene.com/services/research-services/metagenome-sequencing/16s-18s-its-amplicon-metagenomic-sequencing/>. Terakhir diakses tanggal 19 Desember 2021

Pandey, A., Chawla, S., Guchhait, P. 2015. Type-2 diabetes: *Current understanding and future perspectives*. *IUBMB Life* 67: 506–513.

Park, C. J., Lee, H.-A., & Han, J. S. (2016). Jicama (*Pachyrhizus erosus*) extract increases insulin sensitivity and regulates hepatic glucose in C57BL/Ksj-db/db mice. *Journal of Clinical Biochemistry and Nutrition*, 58(1), 56–63. <https://doi.org/10.3164/jcbn.15-59>

Parker, B. J., Wearsch, P. A., Veloo, A. C. M., & Rodriguez-Palacios, A. (2020). The Genus Alistipes: Gut Bacteria With Emerging Implications to Inflammation, Cancer, and Mental Health. *Frontiers in Immunology*, 11. <https://doi.org/10.3389/fimmu.2020.00906>

Pinyo, J., Hira, T., & Hara, H. (2019). Enhanced postprandial glucagon-like peptide-1 secretion during obesity development has a protective role against glucose intolerance induction in rats. *British Journal of Nutrition*, 122(04), 411–422. <https://doi.org/10.1017/S0007114519001223>

Psichas, A., Sleeth, M. L., Murphy, K. G., Brooks, L., Bewick, G. A., Hanyaloglu, A. C., Ghatei, M. A., Bloom, S. R., & Frost, G. (2015). The short chain fatty acid propionate stimulates GLP-1 and PYY secretion via free fatty acid receptor 2 in rodents. *International Journal of Obesity*, 39(3), 424-429. <https://doi.org/10.1038/ijo.2014.153>

Richards, P., Pais, R., Habib, A. M., Brighton, C. A., Yeo, G. S. H., Reimann, F., & Gribble, F. M. (2016). High fat diet impairs the function of glucagon-like



peptide-1 producing L-cells. Peptides, 77, 21-27.
<https://doi.org/10.1016/j.peptides.2015.06.006>

Rinninella, E., Raoul, P., Cintoni, M., Franceschi, F., Miggiano, G., Gasbarrini, A., & Mele, M. (2019). What is the Healthy Gut Microbiota Composition? A Changing Ecosystem across Age, Environment, Diet, and Diseases. *Microorganisms*, 7(1), 14. <https://doi.org/10.3390/microorganisms7010014>

Ritov, V. B., Menshikova, E. V., He, J., Ferrell, R. E., Goodpaster, B. H., and Kelley, D. E. (2005) Deficiency of subsarcolemmal mitochondria in obesity and type 2 diabetes. *Diabetes*, 54, 8–14.

Sandoval, D. A., & D'alessio, D. A. (2015). Physiology of Proglucagon Peptides: Role of Glucagon and GLP-1 in Health and Disease. *Physiol Rev*, 95, 513-548. <https://doi.org/10.1152/physrev.00013.2014>

Santoso, P., Amelia, A., & Rahayu, R. (2019). Jicama (*Pachyrhizus erosus*) fiber prevents excessive blood glucose and body weight increase without affecting food intake in mice fed with high-sugar diet. *Journal of Advanced Veterinary and Animal Research*, 6(2), 222. <https://doi.org/10.5455/javar.2019.f336>

Santoso, P., Maliza, R. (2020) *Isolasi dan Uji Khasiat Serat Bengkuang*. (Cet. 1). Yogyakarta. K-Media.

Santoso, P., Maliza, R., Insani, S. J., Fadhila, Q., & Rahayu, R. (2021). Preventive effect of jicama (*Pachyrhizus erosus*) fiber against diabetes development in mice fed with high-fat diet. *Journal of Applied Pharmaceutical Science*, 11(1), 137–143. <https://doi.org/10.7324/JAPS.2021.110116>

Schoeler, M., & Caesar, R. (2019). Dietary lipids, gut microbiota and lipid metabolism. *Reviews in Endocrine and Metabolic Disorders*, 20(4), 461–472. <https://doi.org/10.1007/s11154-019-09512-0>

Schwiertz, A., Taras, D., Schäfer, K., Beijer, S., Bos, N. A., Donus, C., & Hardt, P. D. (2010). Microbiota and SCFA in Lean and Overweight Healthy Subjects. *Obesity*, 18(1), 190–195. <https://doi.org/10.1038/oby.2009.167>

Seganfredo, F. B., Blume, C. A., Moehlecke, M., Giongo, A., Casagrande, D. S., Spolidoro, J., Padoin, A. V., Schaen, B. D., & Mottin, C. C. (2017). Weight-loss interventions and gut microbiota changes in overweight and obese patients: a systematic review. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 18(8), 832–851. <https://doi.org/10.1111/obr.12541>

Sferra, R., Pompili, S., Cappariello, A., Gaudio, E., Latella, G., & Vetuschi, A. (2021). Prolonged Chronic Consumption of a High Fat with Sucrose Diet



Alters the Morphology of the Small Intestine. *International Journal of Molecular Sciences*, 22(14), 7280. <https://doi.org/10.3390/ijms22147280>

Shah, M., & Vella, A. (2014). Effects of GLP-1 on appetite and weight. *Reviews in endocrine & metabolic disorders*, 15(3), 181-187. <https://doi.org/10.1007/s11154-014-9289-5>

Sheflin, A. M., Melby, C. L., Carbonero, F., & Weir, T. L. (2017). Linking dietary patterns with gut microbial composition and function. *Gut Microbes*, 8(2), 113–129. <https://doi.org/10.1080/19490976.2016.1270809>

Singh, R. K., Chang, H.-W., Yan, D., Lee, K. M., Ucmak, D., Wong, K., Abrouk, M., Farahnik, B., Nakamura, M., Zhu, T. H., Bhutani, T., & Liao, W. (2017). Influence of diet on the gut microbiome and implications for human health. *Journal of Translational Medicine*, 15(1), 73. <https://doi.org/10.1186/s12967-017-1175-y>

Singh, R. P., Halaka, D. A., Hayouka, Z., & Tirosh, O. (2020). High-Fat Diet Induced Alteration of Mice Microbiota and the Functional Ability to Utilize Fructooligosaccharide for Ethanol Production. *Frontiers in Cellular and Infection Microbiology*, 10. <https://doi.org/10.3389/fcimb.2020.00376>

Singh, S., & Lin, H. (2015). Hydrogen Sulfide in Physiology and Diseases of the Digestive Tract. *Microorganisms*, 3(4), 866–889. <https://doi.org/10.3390/microorganisms3040866>

Slavin J. (2013). Fiber and prebiotics: mechanisms and health benefits. *Nutrients*, 5(4), 1417–1435. <https://doi.org/10.3390/nu5041417>

So, D., Whelan, K., Rossi, M., Morrison, M., Holtmann, G., Kelly, J. T., Shanahan, E. R., Staudacher, H. M., & Campbell, K. L. (2018). Dietary fiber intervention on gut microbiota composition in healthy adults: a systematic review and meta-analysis. *The American Journal of Clinical Nutrition*, 107(6), 965–983. <https://doi.org/10.1093/ajcn/nqy041>

Song, J., Li, Q., Everaert, N., Liu, R., Zheng, M., Zhao, G., et al. (2020). Effects of inulin supplementation on intestinal barrier function and immunity in specific pathogen-free chickens with *Salmonella* infection. *J. Anim. Sci.* 98:skz396. <https://doi.org/10.1093/jas/skz396>

Stanley, S., Wynne, K., & Bloom, S. (2004). Gastrointestinal Satiety Signals III. Glucagon-like peptide 1, oxyntomodulin, peptide YY, and pancreatic polypeptide. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 286(5), G693–G697. <https://doi.org/10.1152/ajpgi.00536.2003>



Sunarti, & Tanti. (2016). *Serat makanan dalam penanganan Sindrom Metabolik* (Cet. 1.). Yogyakarta: UGM Press.

Thompson, A. & Venkateswarlu, K. (2013). Type 2 Diabetes Mellitus and Glucagon Like Peptide-1 Receptor Signalling. *Clinical & Experimental Pharmacology*, 03(04). <https://doi.org/10.4172/2161-1459.1000138>

Tolhurst G, Heffron H, Shan Lam Y, Parker HE, Habib AM, Diakogiannaki E, et al. Short-Chain Fatty Acids Stimulate Glucagon-Like Peptide-1 Secretion via the G protein-Coupled Receptor FFAR2. *Diabetes* (2012) 61:364. <https://doi.org/10.2337/db11-1019>

Walker, A., Pfitzner, B., Harir, M., Schaubeck, M., Calasan, J., Heinzmann, S. S., Turaev, D., Rattei, T., Endesfelder, D., Castell, W. zu, Haller, D., Schmid, M., Hartmann, A., & Schmitt-Kopplin, P. (2017). Sulfonolipids as novel metabolite markers of Alistipes and Odoribacter affected by high-fat diets. *Scientific Reports*, 7(1), 11047. <https://doi.org/10.1038/s41598-017-10369-z>

Wang, Y., Tang, C., Tang, Y., Yin, H., & Liu, X. (2020a). Capsaicin has an anti-obesity effect through alterations in gut microbiota populations and short-chain fatty acid concentrations. *Food & nutrition research*, 64, 10.29219/fnr.v64.3525. <https://doi.org/10.29219/fnr.v64.3525>

Wang, Y., Zhao, Y., Xue, F., Nan, X., Wang, H., Hua, D., Liu, J., Yang, L., Jiang, L., & Xiong, B. (2020b). Nutritional value, bioactivity, and application potential of Jerusalem artichoke (*Helianthus tuberosus* L.) as a neotype feed resource. *Animal Nutrition*, 6(4), 429–437. <https://doi.org/10.1016/j.aninu.2020.09.001>

Wang, B., Kong, Q., Li, X., Zhao, J., Zhang, H., Chen, W., & Wang, G. (2020c). A High-Fat Diet Increases Gut Microbiota Biodiversity and Energy Expenditure Due to Nutrient Difference. *Nutrients*, 12(10), 3197. <https://doi.org/10.3390/nu12103197>

Wang, Z. Q., Yu, Y., Zhang, X. H., Floyd, Z. E., Boudreau, A., Lian, K., & Cefalu, W. T. (2012). Comparing the effects of nano-sized sugarcane fiber with cellulose and psyllium on hepatic cellular signaling in mice. *International journal of nanomedicine*, 7, 2999–3012. <https://doi.org/10.2147/IJN.S30887>

Weitkunat, K., Stuhlmann, C., Postel, A., Rumberger, S., Fankhänel, M., Woting, A., Petzke, K. J., Gohlke, S., Schulz, T. J., Blaut, M., Klaus, S., & Schumann, S. (2017). Short-chain fatty acids and inulin, but not guar gum, prevent diet-induced obesity and insulin resistance through differential mechanisms in mice. *Scientific reports*, 7(1), 6109. <https://doi.org/10.1038/s41598-017-06447-x>



WHO (World Health Organization) (2021) Obesity and overweight. Fact sheet no. 311. <http://www.who.int/mediacentre/factsheets/fs311/en/>. Diakses 25 Juli 2021.

Xi, Y., & Xu, P. F. (2021). Diabetes and gut microbiota. *World journal of diabetes*, 12(10), 1693–1703. <https://doi.org/10.4239/wjd.v12.i10.1693>

Xu, G., Kaneto, H., Laybutt, D. R., Duvivier-Kali, V. F., Trivedi, N., Suzuma, K., King, G. L., Weir, G. C., & Bonner-Weir, S. (2007). Downregulation of GLP-1 and GIP Receptor Expression by Hyperglycemia: Possible Contribution to Impaired Incretin Effects in Diabetes. *Diabetes*, 56(6), 1551–1558. <https://doi.org/10.2337/db06-1033>

Xu, G., Li, Z., Ding, L., Tang, H., Guo, S., Liang, H., Wang, H., & Zhang, W. (2015). Intestinal mTOR regulates GLP-1 production in mouse L cells. *Diabetologia*, 58(8), 1887–1897. <https://doi.org/10.1007/s00125-015-3632-6>

Xu, X., Fukui, H., Ran, Y., Tomita, T., Oshima, T., Watari, J., & Miwa, H. (2019). Alteration of GLP-1/GPR43 expression and gastrointestinal motility in dysbiotic mice treated with vancomycin. *Scientific Reports*, 9(1), 1-10. <https://doi.org/10.1038/s41598-019-40978-9>

Yang, S., & Yu, M. (2021). Role of Goblet Cells in Intestinal Barrier and Mucosal Immunity. *Journal of inflammation research*, 14, 3171–3183. <https://doi.org/10.2147/JIR.S318327>

Yuniritha, E., Avelia, A. (2019). Effectiveness of Jicama Probiotic Yoghurt (*Pachyrhizus erosus*) on Blood Glucose in Diabetic Mice. *KnE Life Sciences*. <https://doi.org/10.18502/cls.v4i15.5768>

Zhao, L., Zhang, F., Ding, X., Wu, G., Lam, Y. Y., Wang, X., Fu, H., Xue, X., Lu, C., Ma, J., Yu, L., Xu, C., Ren, Z., Xu, Y., Xu, S., Shen, H., Zhu, X., Shi, Y., Shen, Q., Zhang, C. (2018). Gut bacteria selectively promoted by dietary fibers alleviate type 2 diabetes. *Science*, 359(6380), 1151–1156. <https://doi.org/10.1126/science.aa05774>

Zhou, J., Hegsted, M., Mccutcheon, K. L., Keenan, M. J., Xi, X., Raggio, A. M., Martin, R. J., Zhou, A., & Peptide, R. J. M. (2006). Peptide YY and Proglucagon mRNA Expression Patterns and Regulation in the Gut. <https://doi.org/10.1038/oby.2006.77>