



## DAFTAR PUSTAKA

- (APA), A. P. A. (2013) *Diagnostic and statistical manual of mental disorders (DSM-5)*.
- Adan, R. A., van der Beek, E. M., Buitelaar, J. K., Cryan, J. F., Hebebrand, J., Higgs, S., ... & Dickson, S. L. (2019) 'Nutritional psychiatry: Towards Improving Mental Health by What You Eat.', *European Neuropsychopharmacology*, 29(12), pp. 1321–1332.
- Agusanty, S.F., Kandarina, I. & Gunawan, I. M. A. (2014) 'Faktor risiko sarapan pagi dan makanan selingan terhadap kejadian overweight pada remaja sekolah menengah atas', *Jurnal Gizi Klinik Indonesia*, 10(3), pp. 139–149.
- Akbaraly, T. N., Kerleau, C., Wyart, M., Chevallier, N., Ndiaye, L., Shivappa, N., ... & Kivimäki, M. (2016) 'Dietary inflammatory index and recurrence of depressive symptoms: results from the Whitehall II Study', *Clinical Psychological Science*, 4(6), pp. 1125–1134.
- Ali, R., Javed, N., Shah, S.M., Naqvi, R., Farrukh, Z., Jadoon, M.S.K., Tahir, T. & Iqbal, S. P. (2019) 'Physical Activity and Depression Among Young Adults in Islamabad: A Cross-sectional Study', *Cureus*, 11(9).
- Anderson, R. J., Goddard, L., & Powell, J. H. (2011) 'ocial problem-solving and depressive symptom vulnerability: The importance of real-life problem-solving performance.', *Cognitive Therapy and Research*, 35(1), pp. 48–56.
- Andresen, E. M., Malmgren, J. A., Carter, W. B., & Patrick, D. L. (1994) 'Screening for depression in well older adults: Evaluation of a short form of the CES-D.', *American journal of preventive medicine*, 10(2), pp. 77–84.
- Arnett, J. J., Žukauskienė, R., & Sugimura, K. (2014) 'The new life stage of emerging adulthood at ages 18–29 years: Implications for mental health', *The Lancet Psychiatry*, 1(7), pp. 569–576.
- Avena, N. M., Rada, P., & Hoebel, B. G. (2008) 'Evidence for sugar addiction: behavioral and neurochemical effects of intermittent, excessive sugar intake', *Neuroscience & Biobehavioral Reviews*, 32(1), pp. 20–39.
- Bahria, B., Triyanti, T. (2010) 'faktor-faktor yang terkait dengan konsumsi buah dan sayur pada remaja di 4 sma jakarta barat', *Jurnal Kesehatan Masyarakat Andalas*, 4(2), pp. 63–71.
- Bajpai, A. et al. (2014) 'Oxidative stress and major depression', *Journal of Clinical and Diagnostic Research*, 8(12), pp. CC04–CC07. doi: 10.7860/JCDR/2014/10258.5292.
- Baltacı, G., Ersoy, G., Karaağaoğlu, N., Derman, O. & Kanbur, N. (2008) *Adolescents Healthy Eating and Active Living*. Ankara: Klasmat Printing.
- Belmaker, R. H., & Agam, G. (2008) 'Mechanisms of disease: Major depressive disorder.', *The New England Journal of Medicine*, 358(1), pp. 55–68.
- Bender, A., Hagan, K. E. and Kingston, N. (2017) 'The association of folate and depression: A meta-analysis', *Journal of Psychiatric Research*, 95, pp. 9–18. doi: 10.1016/j.jpsychires.2017.07.019.
- Berkins, S., Schiöth, H. B., & Rukh, G. (2021) 'Depression and Vegetarians : Association between Dietary', *Nutrients*, 13(6), p. 1790.
- Bettendorff, L., & Wins, P. (2013) 'Biological functions of thiamine



- derivatives: focus on non-coenzyme roles.', *OA Biochemistry*, 1(1), p. 10.
- Biglan, A. et al. (2015) 'The role of experiential avoidance in the relationship between family conflict and depression among early adolescents', *Journal of Contextual Behavioral Science*, 4(1), pp. 30–36. doi: 10.1016/j.jcbs.2014.12.001.
- Bishwajit, G. et al. (2017) 'Association between depression and fruit and vegetable consumption among adults in South Asia', *BMC Psychiatry*, 17(1), pp. 1–9. doi: 10.1186/s12888-017-1198-1.
- Black, L. J. et al. (2015) 'Low dietary intake of magnesium is associated with increased externalising behaviours in adolescents', *Public Health Nutrition*, 18(10), pp. 1824–1830. doi: 10.1017/S1368980014002432.
- Bordini, B., & Rosenfield, R. L. (2011) 'Normal pubertal development: part II: clinical aspects of puberty.', *Pediatrics in Review*, 32(7), pp. 281–292.
- Bottiglieri, T. (2005) 'Homocysteine and folate metabolism in depression.', *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 29(7), pp. 1103–1112.
- BPS (2021a) *Rata-rata Konsumsi Perkapita Seminggu Menurut Kelompok Buah-Buahan Per Kabupaten/kota (Satuan Komoditas)*. Available at: <https://www.bps.go.id/indicator/5/2102/1/rata-rata-konsumsi-perkapita-seminggu-menurut-kelompok-buah-buahan-per-kabupaten-kota.html> (Accessed: 15 July 2022).
- BPS (2021b) *Rata-rata Konsumsi Perkapita Seminggu Menurut Kelompok Sayur-Sayuran Per Kabupaten/kota (Satuan Komoditas)*. Available at: <https://www.bps.go.id/indicator/5/2100/1/rata-rata-konsumsi-perkapita-seminggu-menurut-kelompok-sayur-sayuran-per-kabupaten-kota.html> (Accessed: 15 July 2022).
- BPS (2022) *Kota Surabaya dalam Angka*, BPS. Available at: <http://bappeda.jatimprov.go.id/bappeda/wp-content/uploads/potensi-kab-kota-2013/kota-surabaya-2013.pdf>.
- Brigitta, B. (2002) 'Pathophysiology of depression and mechanisms of treatment.', *Dialogues in clinical neuroscience*, 4(1), p. 7.
- Brown, J. E. (2013) *Nutrition through the life cycle*. Boston: Cengage Learning.
- Cahuas, A. et al. (2020) 'Relationship of physical activity and sleep with depression in college students', *Journal of American College Health*, 68(5), pp. 557–564. doi: 10.1080/07448481.2019.1583653.
- Camara, M., Bacigalupe, G. and Padilla, P. (2017) 'The role of social support in adolescents: are you helping me or stressing me out?', *International Journal of Adolescence and Youth*, 22(2), pp. 123–136. doi: 10.1080/02673843.2013.875480.
- Castro, A., Gomez-Arbelaez, D., Crujeiras, A., Granero, R., Aguera, Z., Jimenez-Murcia, S., ... & Casanueva, F. (2018) 'Effect of a Very Low-calorie Ketogenic Diet on Food and Alcohol Cravings, Physical and Sexual Activity, Sleep Disturbances, and Quality of Life in Obese Patients.', *Nutrients*, 10(10), p. 1348.
- Chen, M. H., Su, T. P., Chen, Y. S., Hsu, J. W., Huang, K. L., Chang, W. H., ... & Bai, Y. M. (2013) 'Association between psychiatric disorders and iron



- deficiency anemia among children and adolescents: a nationwide population-based study.', *BMC psychiatry*, 13(1), pp. 1–8.
- Cherubal, A. G., Suhavana, B., Padmavati, R., & Raghavan, V. (2019) 'Physical activity and mental health in India: A narrative review.', *International Journal of Social Psychiatry*, 65(7), pp. 656-667.
- Chukwuere, P. C. (2021) 'Bio-Psychosocial Impact on the Development of Depression in Adolescents', *International Journal of Criminology and Sociology*, 10, pp. 1455–1463.
- Cimino, S., Cerniglia, L., & Paciello, M. (2015) 'Mothers with depression, anxiety or eating disorders: Outcomes on their children and the role of paternal psychological profiles.', *Child Psychiatry & Human Development*, 46(2), pp. 228–236.
- Cody, M. M., Gravani, R., Edge, M. S., Dooher, C., & White, C. (2012) 'International Food Information Council Foundation food and health survey, 2006–2010, food safety: a web-enabled survey.', *Food Protection Trends*, 32(6), pp. 309–326.
- Committee., I. R. (2005) *Guidelines for data processing and analysis of the International Physical Activity Questionnaire (IPAQ)-short and long forms*.
- Conner, T. S., Richardson, A. C., & Miller, J. C. (2015) 'Optimal serum selenium concentrations are associated with lower depressive symptoms and negative mood among young adults.', *The Journal of nutrition*, 145(1), pp. 59–65.
- Corkins, M.R., Daniels, S.R., de Ferranti, S.D., Golden, N.H., Kim, J.H., Magge, S.N. & Schwarzenberg, S. J. (2016) 'Nutrition in children and adolescents.', *Medical Clinics*, 100(6), pp. 1217–1235.
- Craft, L.L., & Perna, F. M. (2004) 'The benefits of exercise for the clinically depressed.', *Primary care companion to the Journal of clinical psychiatry*, 6(3), p. 104.
- D'Zurilla, T. J., Maydeu-Olivares, A., & Gallardo-Pujol, D. (2011) 'Predicting social problem solving using personality traits.', *Personality and individual Differences*, 50(2), pp. 142–247.
- D'Zurilla, T.J., & Nezu, A. M. (2010) 'Problem-solving therapy', in *Handbook of Cognitive-Behavioral Therapies*. Third. New York: Guilford Press, pp. 197–225.
- Daly, A. N., O'Sullivan, E. J., & Kearney, J. M. (2021) 'Considerations for health and food choice in adolescents.', *Proceedings of the Nutrition Society*.
- Dantzer, R., O'connor, J. C., Freund, G. G., Johnson, R. W., & Kelley, K. W. (2008) 'From inflammation to sickness and depression: when the immune system subjugates the brain.', *Nature reviews neuroscience*, 9(1), pp. 46–56.
- Das, J.K., Salam, R.A., Thornburg, K.L., Prentice, A.M., Campisi, S., Lassi, Z.S., Koletzko, B. & Bhutta, Z. A. (2017) 'Nutrition in adolescents: physiology, metabolism, and nutritional needs.', *Annals of the New York Academy of Sciences*, 1393(1), pp. 21–33.
- Dean, J., & Keshavan, M. (2017) 'The neurobiology of depression: An



integrated view', *Asian journal of psychiatry*, 27, pp. 101–111.

DeMar, J.C., Ma, K., Bell, J.M., Igarashi, M., Greenstein, D., & Rapoport, S. I. (2013) 'One generation of n-3 polyunsaturated fatty acid deprivation increases depression and aggression test scores in rats', *Journal of lipid research*, 16(5), pp. 191–206.

Dewi, Y., Relaksana, R. and Siregar, A. Y. M. (2021) 'Analisis Faktor Socioeconomic Status (Ses) Terhadap Kesehatan Mental: Gejala Depresi Di Indonesia', *Jurnal Ekonomi Kesehatan Indonesia*, 5(2), pp. 29–40. doi: 10.7454/eki.v5i2.4125.

Dharmayani, P. N. A. et al. (2021) 'Association between fruit and vegetable consumption and depression symptoms in young people and adults aged 15–45: A systematic review of cohort studies', *International Journal of Environmental Research and Public Health*, 18(2), pp. 1–22. doi: 10.3390/ijerph18020780.

Dianovinina, K. (2018) 'Depresi pada remaja: gejala dan permasalahannya', *Jurnal Psikogenesis*, 6(1), pp. 69–78.

Dobersek, U. et al. (2021) 'Meat and mental health: A meta-analysis of meat consumption, depression, and anxiety', *Critical Reviews in Food Science and Nutrition*, 0(0), pp. 1–18. doi: 10.1080/10408398.2021.1974336.

Dusek, P., Jankovic, J. and Le, W. (2012) 'Iron dysregulation in movement disorders', *Neurobiology of Disease*, 46(1), pp. 1–18. doi: 10.1016/j.nbd.2011.12.054.

Eby, G. A., & Eby, K. L. (2010) 'Magnesium for treatment-resistant depression: a review and hypothesis.', *Medical hypotheses*, 74(4), pp. 649–660.

Eckert, K.L., Loffredo, V.A. & O'Connor, K. (2009) 'Adolescent physiology', in *Behavioral Approaches to Chronic Disease in Adolescence*. New York: Springer, pp. 29–45.

Van Eijndhoven, P., van Wingen, G., van Oijen, K., Rijpkema, M., Goraj, B., Verkes, R. J., ... & Tendolkar, I. (2009) 'Amygdala volume marks the acute state in the early course of depression', *Biological psychiatry*, 65(9), pp. 812–818.

Elstgeest, L. E. M. et al. (2019) 'Bidirectional associations between food groups and depressive symptoms: Longitudinal findings from the Invecchiare in Chianti (InCHIANTI) study', *British Journal of Nutrition*, 121(4), pp. 439–450. doi: 10.1017/S0007114518003203.

Ferro, M. A., Gorter, J. W. and Boyle, M. H. (2015) 'Trajectories of depressive symptoms in Canadian emerging adults', *American Journal of Public Health*, 105(11), pp. 2322–2327. doi: 10.2105/AJPH.2015.302817.

Fiedor, J. and Burda, K. (2014) 'Potential role of carotenoids as antioxidants in human health and disease', *Nutrients*, 6(2), pp. 466–488. doi: 10.3390/nu6020466.

Firincik, S., & Gurhan, N. (2019) 'The effect of problem-solving ability on suicide, depression, and hopelessness in cigarette, alcohol, or substance addicts and relationships with each other', *Journal of Psychiatric Nursing*, 10(1), pp. 39–47. doi: 10.14744/phd.2018.57689.

Freeman MP (2010) 'Nutrition and psychiatry.', *Am J Psychiatry*, 167, pp. 244–



## 7.

- Gautam, M., Agrawal, M., Gautam, M., Sharma, P., Gautam, A. S., & Gautam, S. (2012) 'Role of antioxidants in generalised anxiety disorder and depression.', *Indian journal of psychiatry*, 54(3), p. 244.
- Ghimire, S. et al. (2019) 'Is selenium intake associated with the presence of depressive symptoms among US adults? Findings from National Health and Nutrition Examination Survey (NHANES) 2011–2014', *Nutrition*, 62, pp. 169–176. doi: 10.1016/j.nut.2018.12.007.
- gholamreza Noorazar, S., Ranjbar, F., Nemati, N., Yasamineh, N., & Kalejahi, P. (2015) 'Relationship between severity of depression symptoms and iron deficiency anemia in women with major depressive disorder.', *Journal of Research in Clinical Medicine*, 3(4), pp. 219–224.
- Głabska, D., Guzek, D., Groele, B., & Gutkowska, K. (2020) 'Fruit and Vegetable Dietary Patterns and Mental Health in Women: A Systematic Review', *Nutrients*, 12(1), p. 115. doi: 10.1093/nutrit/nuab007.
- Grosso, G. et al. (2016) 'Dietary n-3 PUFA, fish consumption and depression: A systematic review and meta-analysis of observational studies', *Journal of Affective Disorders*, 205, pp. 269–281. doi: 10.1016/j.jad.2016.08.011.
- Guelinckx, I., Iglesia, I., Bottin, J.H., De Miguel-Etayo, P., González-Gil, E.M., Salas-Salvado, J., Kavouras, S.A., Gandy, J., Martinez, H., Bardosono, S., & Abdollahi, M. (2015) 'Intake of water and beverages of children and adolescents in 13 countries.', *European journal of nutrition*, 54(2), pp. 69–79.
- Halverson, J. L., Bhalla, N. L., Bhalla, P. M., Andrew, L. B., Leonard, L. C., Talavera, F., Bienenfeld, D., Ahmed, I., Aronson, S. C., Liskow, B. I., Memon, M. A., Walaszek, A. (2017) *Depression: Practice Essentials, Background, Pathophysiology., Medscape*.
- Haroz, E. E., Ybarra, M. L., & Eaton, W. W. (2014) 'Psychometric evaluation of a self-report scale to measure adolescent depression: the CESDR-10 in two national adolescent samples in the United States.', *Journal of affective disorders*, 158, pp. 154–160.
- Hasegawa, A., Hattori, Y., Nishimura, H., & Tanno, Y. (2015) 'Prospective associations of depressive rumination and social problem solving with depression: A 6-month longitudinal study', *Psychological Reports*, 116(3), pp. 870–888.
- Heine, V. M., Maslam, S., Joëls, M., & Lucassen, P. J. (2004) 'Prominent decline of newborn cell proliferation, differentiation, and apoptosis in the aging dentate gyrus, in absence of an age-related hypothalamus–pituitary–adrenal axis activation.', *Neurobiology of aging*, 25(3), pp. 361–375.
- Henriksen, I. O., Ranøyen, I., Indredavik, M. S., & Stenseng, F. (2017) 'The role of self-esteem in the development of psychiatric problems: a three-year prospective study in a clinical sample of adolescents.', *Child and adolescent psychiatry and mental health*, 11(1), pp. 1–9.
- Herdiyanto, Y. K., Tobing, D. H., & Vembriati, N. (2017) 'Stigma terhadap orang dengan gangguan jiwa di Bali.', *INQUIRY: Jurnal Ilmiah Psikologi*, 8(2), pp. 121–132.



- Hermina, H., & Prihatini, S. (2016) ‘Gambaran konsumsi sayur dan buah penduduk Indonesia dalam konteks gizi seimbang: analisis lanjut survei konsumsi makanan individu (SKMI) 2014’, *Indonesian Bulletin of Health Research*, 44(3), pp. 205–218.
- Hvas, A.M., Juul, S., Bech, P., & Nexø, E. (2004) ‘itamin B6 level is associated with symptoms of depression.’, *Psychotherapy and psychosomatics*, 73(6), pp. 340–343.
- Ilmi, A. F., & Utari, D. M. (2018) ‘Faktor Dominan Premenstrual Syndrome Pada Mahasiswa (Studi Pada Mahasiswa Fakultas Kesehatan Masyarakat Dan Departemen Arsitektur Fakultas Teknik, Universitas Indonesia)’, *Media Gizi Mikro Indonesia*, 10(1), pp. 39–50.
- Jacka, F. N. et al. (2012) ‘Nutrient intakes and the common mental disorders in women’, *Journal of Affective Disorders*, 141(1), pp. 79–85. doi: 10.1016/j.jad.2012.02.018.
- Jacobsen, J. P., Krystal, A. D., Krishnan, K. R. R., & Caron, M. G. (2016) ‘Adjunctive 5-Hydroxytryptophan slow-release for treatment-resistant depression: clinical and preclinical rationale.’, *Trends in pharmacological sciences*, 37(11), pp. 933–944.
- Jetté, M., Sidney, K., & Blümchen, G. (1990) ‘Metabolic equivalents (METS) in exercise testing, exercise prescription, and evaluation of functional capacity.’, *Clinical cardiology*, 13(8), pp. 555–565.
- Ju, S. Y. and Park, Y. K. (2019) ‘Low fruit and vegetable intake is associated with depression among Korean adults in data from the 2014 Korea National Health and Nutrition Examination Survey’, *Journal of Health, Population and Nutrition*, 38(1), pp. 1–10. doi: 10.1186/s41043-019-0204-2.
- Karakuła, H., Opolska, A., Kowal, A., Domański, M., Płotka, A. & Perzyński, J. (2009) ‘Does diet affect our mood? The significance of folic acid and homocysteine.’, *Polski Merkuriusz Lekarski: Organ Polskiego Towarzystwa Lekarskiego*, 26(152), pp. 136–141.
- Kaufman, J., DeLorenzo, C., Choudhury, S., & Parsey, R. V. (2016) ‘The 5-HT1A receptor in major depressive disorder.’, *European Neuropsychopharmacology*, 26(3), pp. 397–410.
- Kazemi, S. et al. (2021) ‘Red and White Meat Intake in Relation to Mental Disorders in Iranian Adults’, *Frontiers in Nutrition*, 8(July). doi: 10.3389/fnut.2021.710555.
- Kessler, R.C., Amminger, G.P., Aguilar-Gaxiola, S., Alonso, J., Lee, S. and Ustun, T. B. (2007) ‘Age of onset of mental disorders: a review of recent literature’, *Current opinion in psychiatry*, 20(4), p. 359.
- Khayyatzaeh, S. S. et al. (2021) ‘Dietary antioxidants and fibre intake and depressive symptoms in Iranian adolescent girls’, *Public Health Nutrition*, 24(17), pp. 5650–5656. doi: 10.1017/S1368980020004838.
- Kim, T. H. et al. (2015) ‘Associations between Dietary Pattern and Depression in Korean Adolescent Girls’, *Journal of Pediatric and Adolescent Gynecology*, 28(6), pp. 533–537. doi: 10.1016/j.jpag.2015.04.005.
- King, L. E., Osati-Ashtiani, F., & Fraker, P. J. (2002) ‘Apoptosis plays a distinct role in the loss of precursor lymphocytes during zinc deficiency in mice’,



*The Journal of nutrition*, 132(5), pp. 974–979.

- Knüppel, A., Shipley, M. J., Llewellyn, C. H., & Brunner, E. J. (2017) ‘Sugar intake from sweet food and beverages, common mental disorder and depression: prospective findings from the Whitehall II study.’, *Scientific reports*, 7(1), p. 6287.
- Kraus, C., Castrén, E., Kasper, S., & Lanzenberger, R. (2017) ‘Serotonin and neuroplasticity-links between molecular, functional and structural pathophysiology in depression.’, *Neuroscience & Biobehavioral Reviews*, 77, pp. 317–326.
- Kris-Etherton, P. M. et al. (2021) ‘Nutrition and behavioral health disorders: Depression and anxiety’, *Nutrition Reviews*, 79(3), pp. 247–260. doi: 10.1093/nutrit/nuaa025.
- Kwong, A. S. F. et al. (2019) ‘Identifying Critical Points of Trajectories of Depressive Symptoms from Childhood to Young Adulthood’, *Journal of Youth and Adolescence*, 48(4), pp. 815–827. doi: 10.1007/s10964-018-0976-5.
- de la Fuente, A. et al. (2019) ‘The psychological impact of social problem solving under stress in adults: Debased life satisfaction, heightened depressed mood, or both?’, *Personality and Individual Differences*, 146(March 2018), pp. 46–52. doi: 10.1016/j.paid.2019.03.033.
- de la Torre, R., de Sola, S., Hernandez, G., Farré, M., Pujol, J., Rodriguez, J., ... & Xicota, L. (2018) ‘Safety and efficacy of cognitive training plus epigallocatechin-3-gallate in young adults with Down’s syndrome (TESDAD): a double-blind, randomised, placebo-controlled, phase 2 trial.’, *The Lancet Neurology*, 15(8), pp. 801–810.
- LaChance, L. R., & Ramsey, D. (2018) ‘Antidepressant foods: An evidence-based nutrient profiling system for depression.’, *World journal of psychiatry*, 8(3), p. 97.
- Latifah, A.N., Palipi, K.C. & Sapang, M. (2021) ‘Pengaruh Pemberian Buah Terhadap Gejala Depresi, Suasana Hati (Mood) Dan Vitalitas Pada Remaja Putri Di Pondok Pesantren Assiddiqiyah.’, *Gizi Indonesia*, 44(1), pp. 11–20.
- Lee, S. A., Park, E. C., Ju, Y. J., Lee, T. H., Han, E., & Kim, T. H. (2017) ‘Breakfast consumption and depressive mood: A focus on socioeconomic status.’, *Appetite*, 114, pp. 313–319.
- Lee, Y. S., & Kim, T. H. (2019) ‘Household food insecurity and breakfast skipping: Their association with depressive symptoms’, *Psychiatry research*, 271, pp. 83–88.
- Lestari, W., & Wardhani, Y. F. (2014) ‘Stigma dan Penanganan Penderita Gangguan Jiwa Berat yang Dipasung.’, *Buletin penelitian sistem kesehatan*, 17(2), pp. 157–166.
- Levin, R. L., Heller, W., Mohanty, A., Herrington, J. D., & Miller, G. A. (2007) ‘Cognitive deficits in depression and functional specificity of regional brain activity.’, *Cognitive Therapy and Research*, 31(2), pp. 211–233.
- Li, Z., Li, B., Song, X., & Zhang, D. (2017) ‘Dietary zinc and iron intake and risk of depression: A meta-analysis.’, *Psychiatry research*, 251, pp. 41–47.



- Li, S. H. and Graham, B. M. (2017) 'Why are women so vulnerable to anxiety, trauma-related and stress-related disorders? The potential role of sex hormones', *The Lancet Psychiatry*, 4(1), pp. 73–82. doi: 10.1016/S2215-0366(16)30358-3.
- Li, Z. et al. (2018) 'Association of total zinc, iron, copper and selenium intakes with depression in the US adults', *Journal of Affective Disorders*, 228(November 2017), pp. 68–74. doi: 10.1016/j.jad.2017.12.004.
- Lim, S.Y., Kim, E.J., Kim, A., Lee, H.J., Choi, H.J. & Yang, S. J. (2016) 'Nutritional factors affecting mental health.', *Clinical Nutrition Research*, 5(3), pp. 143–152.
- Liu, T. et al. (2015) 'A meta-analysis of oxidative stress markers in depression', *PLoS ONE*, 10(10), pp. 1–17. doi: 10.1371/journal.pone.0138904.
- MacQueen, G. M., Yucel, K., Taylor, V. H., Macdonald, K., & Joffe, R. (2008) 'Posterior hippocampal volumes are associated with remission rates in patients with major depressive disorder', *Biological psychiatry*, 64(10), pp. 880–883.
- Mahdavifar, B. et al. (2021) 'Dietary intake of B vitamins and their association with depression, anxiety, and stress symptoms: A cross-sectional, population-based survey', *Journal of Affective Disorders*, 288(March), pp. 92–98. doi: 10.1016/j.jad.2021.03.055.
- Marcus, M., Yasamy, M. T., van Ommeren, M. V., Chisholm, D., & Saxena, S. (2012) *Depression: A global public health concern*.
- Martínez-González, M. Á., & Sánchez-Villegas, A. (2016) 'Magnesium intake and depression: the SUN cohort.', *Magnesium Research*, 29(3), pp. 102–111.
- McKercher, C.M., Schmidt, M.D., Sanderson, K.A., Patton, G.C., Dwyer, T. & Venn, A. J. (2009) 'Physical activity and depression in young adults', *American journal of preventive medicine*, 36(2), pp. 161–164.
- Miki, T. et al. (2015) 'Dietary intake of minerals in relation to depressive symptoms in Japanese employees: The Furukawa Nutrition and Health Study', *Nutrition*, 31(5), pp. 686–690. doi: 10.1016/j.nut.2014.11.002.
- Miller, A. L. (2008) 'The methylation, neurotransmitter, and antioxidant connections between folate and depression.', *Alternative medicine review*, 13(3).
- Moretti, M., Colla, A., de Oliveira Balen, G., dos Santos, D. B., Budni, J., de Freitas, A. E., ... & Rodrigues, A. L. S. (2012) 'Ascorbic acid treatment, similarly to fluoxetine, reverses depressive-like behavior and brain oxidative damage induced by chronic unpredictable stress.', *Journal of psychiatric research*, 46(3), pp. 331–340.
- Mrug, S., Orihuela, C., Mrug, M., & Sanders, P. W. (2019) 'Sodium and potassium excretion predict increased depression in urban adolescents.', *Physiological reports*, 7(16).
- Mubasyiroh, R., Putri, I. Y. S., & Tjandrarini, D. H. (2017) 'Mental Emotional Symptoms: Determinants of Junior-Senior High School Student in Indonesia 2015', *Buletin Penelitian Kesehatan*, 45(2), pp. 103–112.
- Mukharromah, Y. (2016) *Kontribusi Persepsi Remaja Mengenai Pola Asuh*



*Orang Tua Terhadap Kemampuan Pemecahan Masalah.* Universitas Pendidikan Indonesia.

- Nezu, A. M., Nezu, C. M., & D'Zurilla, T. (2012) *Problem-solving therapy: A treatment manual*. Springer publishing company.
- Nguyen, H. D. et al. (2022) 'Environmental science and pollution research role of heavy metal concentrations and vitamin intake from food in depression: a national cross-sectional study (2009–2017)', *Environmental Science and Pollution Research*, 29(3), pp. 4574–4586. doi: 10.1007/s11356-021-15986-w.
- Nique, S., Fournis, G., El-Hage, W., Nabhan-Abou, N., Garre, J.B. & Gohier, B. (2014) 'Serotonin transporter, anxiety disorders and depression: review of the literature', *European Psychiatry*, 29(8), pp. 544–545.
- Numakawa, T. et al. (2014) 'The role of brain-derived neurotrophic factor (BDNF) in comorbid depression: Possible linkage with steroid hormones, cytokines, and nutrition', *Frontiers in Psychiatry*, 5(SEP), pp. 1–12. doi: 10.3389/fpsyg.2014.00136.
- Oddy, W. H. et al. (2011) 'Dietary intake of omega-3 fatty acids and risk of depressive symptoms in adolescents', *Depression and Anxiety*, 28(7), pp. 582–588. doi: 10.1002/da.20822.
- Oldehinkel, A. J., Ormel, J., Verhulst, F. C., & Nederhof, E. (2014) 'Childhood adversities and adolescent depression: A matter of both risk and resilience', *Development and psychopathology*, 26(4), pp. 1067–1075.
- Olfson M, D. B. & M. S. (2015) 'Trends in mental health care among children and adolescents.', *N Engl J Med*, 372, pp. 2029–2038.
- Olson, C. R., & Mello, C. V. (2010) 'Significance of vitamin A to brain function, behavior and learning.', *Molecular nutrition & food research*, 54(4), pp. 489–495.
- Opie, R. S. et al. (2017) 'Dietary recommendations for the prevention of depression', *Nutritional Neuroscience*, 20(3), pp. 161–171. doi: 10.1179/1476830515Y.0000000043.
- Özdemir, A., Utkualp, N., & Palloş, A. (2016) 'Physical and psychosocial effects of the changes in adolescence period.', *International Journal of Caring Science*, 9(2), pp. 717–723.
- Palmer, C. M. (2019) 'Diets and Disorders: Can Foods or Fasting Be Considered Psychopharmacologic Therapies?.', *The Journal of clinical psychiatry*, 81(1).
- Pariante, C. M. (2017) 'Why are depressed patients inflamed? A reflection on 20 years of research on depression, glucocorticoid resistance and inflammation.', *European neuropsychopharmacology*, 27(6), pp. 554–559.
- Parker, G., Gibson, N.A., Brotchie, H., Heruc, G., Rees, A.M. & Hadzi-Pavlovic, D. (2006) 'Omega-3 fatty acids and mood disorders.', *American Journal of Psychiatry*, 163(6), pp. 969–978.
- Pasco, J. A., Jacka, F. N., Williams, L. J., Evans-Cleverdon, M., Brennan, S. L., Kotowicz, M. A., ... & Berk, M. (2012) 'Dietary selenium and major depression: a nested case-control study.', *Complementary therapies in medicine*, 20(3), pp. 119–123.



- Petrilli, M. A., Kranz, T. M., Kleinhaus, K., Joe, P., Getz, M., & Johnson, P. (2017) ‘The emerging role for zinc in depression and psychosis.’, *Front Pharmacol*, 8, p. 414.
- Pitts, M. W., Byrns, C. N., Ogawa-Wong, A. N., Kremer, P., & Berry, M. J. (2014) ‘Selenoproteins in nervous system development and function.’, *Biological trace element research*, 161(3), pp. 231–245.
- Purnama, G., Yani, D. I., & Sutini, T. (2016) ‘Gambaran Stigma Masyarakat Terhadap Klien Gangguan Jiwa Di RW 09 Desa Cileles Kabupaten Sumedang’, *Jurnal Pendidikan Keperawatan Indonesia*, 2(1), pp. 29–37.
- Rachmi, C. N., Jusril, H., Ariawan, I., Beal, T., & Sutrisna, A. (2021) ‘Eating behaviour of Indonesian adolescents: a systematic review of the literature.’, *Public Health Nutrition*, 24(2), pp. 84–97.
- Ranjbar, E., Kasaei, M. S., Mohammad-Shirazi, M., Nasrollahzadeh, J., Rashidkhani, B., Shams, J., ... & Mohammadi, M. R. (2013) ‘Effects of zinc supplementation in patients with major depression: a randomized clinical trial.’, *Iranian journal of psychiatry*, 8(2), p. 73.
- Rechenberg, K. (2016) ‘Nutritional interventions in clinical depression.’, *Clinical Psychological Science*, 4(1), pp. 144–162.
- Remes, O., Mendes, J. F., & Templeton, P. (2021) ‘Biological, psychological, and social determinants of depression: a review of recent literature.’, *Brain sciences*, 11(12), pp. 16–33.
- Ren, P., Qin, X., Zhang, Y., & Zhang, R. (2018) ‘Is social support a cause or consequence of depression? A longitudinal study of adolescents.’, *Frontiers in psychology*, p. 1634.
- Riskesdas (2018) *Riset Kesehatan Dasar 2018, Badan Penelitian dan Pengembangan Kesehatan Kementerian RI*. Available at: [http://www.depkes.go.id/resources/download/infoterkini/materi\\_rakorpop\\_20%0A18/Hasil Riskesdas 2018.pdf](http://www.depkes.go.id/resources/download/infoterkini/materi_rakorpop_20%0A18/Hasil Riskesdas 2018.pdf).
- Robinson, S. L., Marín, C., Oliveros, H., Mora-Plazas, M., Richards, B. J., Lozoff, B., & Villamor, E. (2018) ‘Iron deficiency, anemia, and low vitamin B-12 serostatus in middle childhood are associated with behavior problems in adolescent boys: Results from the Bogotá school children cohort.’, *The Journal of nutrition*, 148(5), pp. 760–770.
- Roman, M., Jitaru, P. and Barbante, C. (2014) ‘Selenium biochemistry and its role for human health’, *Metallomics*, 6(1), pp. 25–54. doi: 10.1039/c3mt00185g.
- Rothenberg, W. A., Hussong, A. M., & Chassin, L. (2018) ‘Intergenerational continuity in high conflict family environments: Investigating a mediating depressive pathway’, *Developmental psychology*, 54(2), p. 385. doi: 10.1037/dev0000419. Intergenerational.
- Rucklidge, J. J., & Kaplan, B. J. (2013) ‘Broad-spectrum micronutrient formulas for the treatment of psychiatric symptoms: A systematic review.’, *Expert Review of Neurotherapeutics*, 13, pp. 49–73. doi: 10.1586/ern.12.143.
- Rudolph, K.D., Flynn, M. & Abaied, J. L. (2008) *A developmental perspective on interpersonal theories of youth depression*.



- Rueger, S. Y. *et al.* (2016) ‘A meta-analytic review of the association between perceived social support and depression in childhood and adolescence’, *Psychological Bulletin*, 142(10), pp. 1017–1067. doi: 10.1037/bul0000058.
- Saghafian, F. *et al.* (2018) ‘Fruit and vegetable consumption and risk of depression: Accumulative evidence from an updated systematic review and meta-Analysis of epidemiological studies’, *British Journal of Nutrition*, 119(10), pp. 1087–1101. doi: 10.1017/S0007114518000697.
- Sajjadi, S. S., Foshati, S., Haddadian-Khouzani, S., & Rouhani, M. H. (2022) ‘The role of selenium in depression: a systematic review and meta-analysis of human observational and interventional studies.’, *Scientific Reports*, 12(1), pp. 1–13.
- Salari-Moghaddam, A. *et al.* (2019) ‘Glycemic index, glycemic load, and depression: a systematic review and meta-analysis’, *European Journal of Clinical Nutrition*, 73(3), pp. 356–365. doi: 10.1038/s41430-018-0258-z.
- Salk, R. H. *et al.* (2016) ‘The contemporary face of gender differences and similarities in depression throughout adolescence: Development and chronicity’, *Journal of Affective Disorders*, 205, pp. 28–35. doi: 10.1016/j.jad.2016.03.071.
- Sánchez-Villegas, A. *et al.* (2018) ‘Seafood consumption, omega-3 fatty acids intake, and life-time prevalence of depression in the PREDIMED-plus trial’, *Nutrients*, 10(12). doi: 10.3390/nu10122000.
- Sarris, J., Logan, A. C., Akbaraly, T. N., Amminger, G. P., Balanzá-Martínez, V., Freeman, M. P., ... & Nanri, A. (2015) ‘Nutritional medicine as mainstream in psychiatry.’, *The Lancet Psychiatry*, 2(3), pp. 271–274.
- Savige, G., MacFarlane, A., Ball, K., Worsley, A., & Crawford, D. (2007) ‘Snacking behaviours of adolescents and their association with skipping meals.’, *International Journal of Behavioral Nutrition and Physical Activity*, 4(1), pp. 1–9.
- Sen, S., Duman, R. & Sanacora, G. (2008) ‘serum brain-derived neurotrophic factor, depression, and antidepressant medications: meta-analyses and implications.’, *Biological psychiatry*, 64(6), pp. 527–532.
- Shaffer, D.R. and Kipp, K. (2013) *Developmental psychology: Childhood and adolescence*. Boston: Cengage Learning.
- Sinclair, A., Begg, D., Mathai, M. & Weisinger, R. (2007) ‘Omega 3 fatty acids and the brain: review of studies in depression.’, *Asia Pacific journal of clinical nutrition*, 16(1), pp. 391–397.
- Siwi, L. G., & Qomaruddin, M. B. (2021) ‘Perasaan Kesepian Berhubungan dengan Depresi, Kecemasan dan Stres pada Siswa SMA’, *urnal Ilmiah Permas: Jurnal Ilmiah STIKES Kendal*, 11(4), pp. 739–746.
- Sokratous, S., Merkouris, A., Middleton, N., & Karanikola, M. (2013) ‘The association between stressful life events and depressive symptoms among Cypriot university students: a cross-sectional descriptive correlational study’, *BMC public health*, 13(1), pp. 1–16.
- Stahl, S. M. (2008) ‘L-methylfolate: a vitamin for your monoamines.’, *J Clin Psychiatry*, 69(9), pp. 1352–1353.
- Steinberg, L. (2014) *Age of opportunity: Lessons from the new science of*



*adolescence*. Boston: Houghton Mifflin Harcourt.

- Strawbridge, R., Young, A. H., & Cleare, A. J. (2018) ‘Biomarkers for depression: recent insights, current challenges and future prospects.’, *Focus*, 16(2), pp. 194–209.
- Sudiman, H., & Jahari, A. B. (2012) ‘Pengetahuan, sikap dan perilaku remaja tentang keluarga sadar gizi (Kadarzi): dengan perhatian khusus terhadap pantauan berat badan dan mengonsumsi makanan beragam.’, *Media Penelitian dan Pengembangan Kesehatan*, 22(2).
- Sutrisno, A. R. (2020) *Hubungan Antara Skala Stres dengan Derajat Keparahan Akne Vulgaris*.
- Syafiq, A., Fikawati, S. and Gemily, S. C. (2022) ‘Household food security during the COVID-19 pandemic in urban and semi-urban areas in Indonesia’, *Journal of Health, Population and Nutrition*, 41(1), pp. 1–8. doi: 10.1186/s41043-022-00285-y.
- Szewczyk, B., Poleszak, E., Sowa-Kucma, M., Siwek, M., Dudek, D., Ryszewska-Pokrasniewicz, B., ... & Nowak, G. (2008) ‘Antidepressant activity of zinc and magnesium in view of the current hypotheses of antidepressant action.’, *Pharmacological Reports*, 60(5), p. 588.
- Tarleton, E. K., Littenberg, B., MacLean, C. D., Kennedy, A. G., & Daley, C. (2017) ‘Role of magnesium supplementation in the treatment of depression: A randomized clinical trial’, *PloS one*, 12(6).
- Taylor, S. E. (2011) *Social support: A review*.
- Thapar, A., Collishaw, S., Pine, D.S. & Thapar, A. K. (2012) ‘Depression in adolescence’, *The Lancet*, 379(9820), pp. 1056–1067.
- Tran, T. D., Kaligis, F., Wiguna, T., Willenberg, L., Nguyen, H. T. M., Luchters, S., ... & Fisher, J. (2019) ‘Screening for depressive and anxiety disorders among adolescents in Indonesia: Formal validation of the centre for epidemiologic studies depression scale-revised and the Kessler psychological distress scale’, *Journal of affective disorders*, 246, pp. 189–194.
- UNICEF (2011) *The State of The World’s Children 2011: Adolescence An Age of Opportunity*. New York: UNICEF.
- UU RI (2014) ‘UNDANG-UNDANG REPUBLIK INDONESIA NOMOR 18 TAHUN 2014 TENTANG KESEHATAN JIWA’.
- Vilagut, G. et al. (2016) ‘Screening for depression in the general population with the center for epidemiologic studies depression (ces-d): A systematic review with meta-analysis’, *PLoS ONE*, 11(5), pp. 1–17. doi: 10.1371/journal.pone.0155431.
- Wang, Y. et al. (2020) ‘Family dysfunction and Adolescents’ anxiety and depression: A multiple mediation model’, *Journal of Applied Developmental Psychology*, 66(November 2019), p. 101090. doi: 10.1016/j.appdev.2019.101090.
- White, R. L., Babic, M. J., Parker, P. D., Lubans, D. R., Astell-Burt, T., & Lonsdale, C. (2017) ‘Domain-specific physical activity and mental health: a meta-analysis.’, *American journal of preventive medicine*, 52(5), pp. 653–666.



- Whittle, S., Licher, R., Dennison, M., Vijayakumar, N., Schwartz, O., Byrne, M.L., Simmons, J.G., Yücel, M., Pantelis, C., McGorry, P. & Allen, N. B. (2014) 'Structural brain development and depression onset during adolescence: a prospective longitudinal study', *American Journal of Psychiatry*, 171(5), pp. 564–571.
- WHO (2013) *Childhood Overweight and Obesity , Global Strategy On Diet , Physical Activity and Health*.
- WHO (2020) *Depression*. Available at: <https://www.who.int/news-room/factsheets/detail/depression>.
- Yary, T., Aazami, S., & Soleimannejad, K. (2013) 'Dietary intake of magnesium may modulate depression.', *Biological trace element research*, 151(3), pp. 324–329.
- Yary, T. and Aazami, S. (2012) 'Dietary intake of zinc was inversely associated with depression', *Biological Trace Element Research*, 145(3), pp. 286–290. doi: 10.1007/s12011-011-9202-y.
- Yary, T., Aazami, S. and Soleimannejad, K. (2013) 'Dietary intake of magnesium may modulate depression', *Biological Trace Element Research*, 151(3), pp. 324–329. doi: 10.1007/s12011-012-9568-5.
- Zang, Y., Gallagher, T., McLean, C. P., Tannahill, H. S., Yarvis, J. S., Foa, E. B., & S. S. C. (2017) 'The impact of social support, unit cohesion, and trait resilience on PTSD in treatment-seeking military personnel with PTSD: The role of posttraumatic cognitions.', *Journal of psychiatric research*, 86, pp. 18–25.
- Zhang, Y. et al. (2017) 'Is meat consumption associated with depression? A meta-analysis of observational studies', *BMC Psychiatry*, 17(1), pp. 1–7. doi: 10.1186/s12888-017-1540-7.
- Zhong, S., Shalev, I., Koh, D., Ebstein, R. P., & Chew, S. H. (2018) 'Competitiveness and stress', *International Economic Review*, 59(3), pp. 1263–1281.
- Zhou, Q., Fan, L. and Yin, Z. (2018) 'Association between family socioeconomic status and depressive symptoms among Chinese adolescents: Evidence from a national household survey', *Psychiatry Research*, 259(121), pp. 81–88. doi: 10.1016/j.psychres.2017.09.072.
- Zou, R. et al. (2020) 'Higher Socioeconomic Status Predicts Less Risk of Depression in Adolescence: Serial Mediating Roles of Social Support and Optimism', *Frontiers in Psychology*, 11(August), pp. 1–9. doi: 10.3389/fpsyg.2020.01955.