UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Al-Rashed, F., Ahmad, Z., Iskandar, M. A., Tuomilehto, J., Al-Mulla, F., & Ahmad, R. (2019). TNF-α Induces a Pro-Inflammatory Phenotypic Shift in Monocytes through ACSL1: Relevance to Metabolic Inflammation. *Cellular physiology and biochemistry : international journal of experimental cellular physiology, biochemistry, and pharmacology*, *52*(3), 397–407. https://doi.org/10.33594/000000028

Amr, K. S., Elmawgoud Atia, H. A., Elazeem Elbnhawy, R. A., & Ezzat, W. M. (2017). Early diagnostic evaluation of miR-122 and miR-224 as biomarkers for hepatocellular carcinoma. *Genes & diseases*, 4(4), 215–221. https://doi.org/10.1016/j.gendis.2017.10.003

Arrieta, O., Cacho, B., Morales-Espinosa, D., Ruelas-Villavicencio, A., Flores-Estrada, D., & Hernández-Pedro, N. (2007). The progressive elevation of alpha fetoprotein for the diagnosis of hepatocellular carcinoma in patients with liver cirrhosis. *BMC cancer*, 7, 28. https://doi.org/10.1186/1471-2407-7-28

Asrani, S. K., Devarbhavi, H., Eaton, J., & Kamath, P. S. (2019). Burden of liver diseases in the world. *Journal of hepatology*, 70(1), 151–171. https://doi.org/10.1016/j.jhep.2018.09.014

Axley, P., Ahmed, Z., Ravi, S., & Singal, A. K. (2018). Hepatitis C Virus and Hepatocellular Carcinoma: A Narrative Review. *Journal of clinical and translational hepatology*, 6(1), 79–84. https://doi.org/10.14218/JCTH.2017.00067

Balogh, J., Victor, D., 3rd, Asham, E. H., Burroughs, S. G., Boktour, M., Saharia, A., Li, X., Ghobrial, R. M., & Monsour, H. P., Jr (2016). Hepatocellular carcinoma: a review. *Journal of hepatocellular carcinoma*, 3, 41–53. https://doi.org/10.2147/JHC.S61146

Bandiera, S., Pfeffer, S., Baumert, T. F., & Zeisel, M. B. (2015). miR-122--a key factor and therapeutic target in liver disease. *Journal of hepatology*, 62(2), 448–457. https://doi.org/10.1016/j.jhep.2014.10.004

Barghini, V., Donnini, D., Uzzau, A., & Giorgio Soardo, G. (2013). Signs and Symptoms. In (Ed.). *Hepatocellular Carcinoma - Future Outlook*. IntechOpen. https://doi.org/10.5772/56162

Boozarpour, S., Mashreghi, M., Mirahmadi, M. (2014). Mechanisms of hepatitis B virus-induced hepatocellular carcinoma. *Reviews in Medical Microbiology*, *25*(1), 20–25. doi: 10.1097/MRM.0b013e328365c4c3

Bosetti, C., Turati, F., & La Vecchia, C. (2014). Hepatocellular carcinoma epidemiology. Best practice & research. *Clinical gastroenterology*, 28(5), 753–770. https://doi.org/10.1016/j.bpg.2014.08.007

Cai, P., Mu, Y., Olveda, R. M., Ross, A. G., Olveda, D. U., & McManus, D. P. (2018). Circulating miRNAs as footprints for liver fibrosis grading in schistosomiasis. *EBioMedicine*, 37, 334–343. https://doi.org/10.1016/j.ebiom.2018.10.048

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ad/

Cassinotto, C., Aubé, C., & Dohan, A. (2017). Diagnosis of hepatocellular carcinoma: An update on international guidelines. *Diagnostic and interventional imaging*, 98(5), 379–391. https://doi.org/10.1016/j.diii.2017.01.014

Chang, W. A., Tsai, M. J., Hung, J. Y., Wu, K. L., Tsai, Y. M., Huang, Y. C., Chang, C. Y., Tsai, P. H., & Hsu, Y. L. (2021). miR-150-5p-Containing Extracellular Vesicles Are a New Immunoregulator That Favor the Progression of Lung Cancer in Hypoxic Microenvironments by Altering the Phenotype of NK Cells. *Cancers*, 13(24), 6252. https://doi.org/10.3390/cancers13246252

Chen, W., Fan, X. M., Mao, L., Zhang, J. Y., Li, J., Wu, J.Z., Tang, J. H. (2015). MicroRNA-224: as a potential target for miR-based therapy of cancer. *Tumor Biology*, 36, 6645–6652. https://doi.org/10.1007/s13277-015-3883-3

Chen, W., Yan, X., Yang, A., Xu, A., Huang, T., & You, H. (2020). miRNA-150-5p promotes hepatic stellate cell proliferation and sensitizes hepatocyte apoptosis during liver fibrosis. *Epigenomics*, 12(1), 53–67. https://doi.org/10.2217/epi-2019-0104

Chen, Y., & Verfaillie, C. M. (2014). MicroRNAs: the fine modulators of liver development and function. *Liver international : official journal of the International Association for the Study of the Liver*, 34(7), 976–990. https://doi.org/10.1111/liv.12496

Cui, M., Wang, Y., Sun, B., Xiao, Z., Ye, L., & Zhang, X. (2014). MiR-205 modulates abnormal lipid metabolism of hepatoma cells via targeting acyl-CoA synthetase long-chain family member 1 (ACSL1) mRNA. *Biochemical and biophysical research communications*, 444(2), 270–275. https://doi.org/10.1016/j.bbrc.2014.01.051

Cui, M., Xiao, Z., Wang, Y., Zheng, M., Song, T., Cai, X., Sun, B., Ye, L., & Zhang, X. (2015). Long noncoding RNA HULC modulates abnormal lipid metabolism in hepatoma cells through an miR-9-mediated RXRA signaling pathway. *Cancer research*, *75*(5), 846–857. https://doi.org/10.1158/0008-5472.CAN-14-1192

Dabbish, A. M., Abdelzaher, H. M., Abohawya, M., Shamma, S., Mahmoud, Y. H., Maged, A., Manaa, M., Hassany, M., Kobeissy, F., Bazgir, O., El-Fawal, H., Azzazy, H., & Abdelnaser, A. (2022). Prognostic MicroRNA Panel for HCV-Associated HCC: Integrating Computational Biology and Clinical Validation. *Cancers*, 14(13), 3036. https://doi.org/10.3390/cancers14133036

Dahlan, M.S., 2016. *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (4th ed). Epidemiologi Indonesia.

D'Amico, G., Bernardi, M., & Angeli, P. (2022). Towards a new definition of decompensated cirrhosis. *Journal of hepatology*, 76(1), 202–207. https://doi.org/10.1016/j.jhep.2021.06.018

de Kroon, L. M., Narcisi, R., van den Akker, G. G., Vitters, E. L., Blaney Davidson, E. N., van Osch, G. J., & van der Kraan, P. M. (2017). SMAD3 and SMAD4 have a more dominant role than SMAD2 in TGFβ-induced

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

chondrogenic differentiation of bone marrow-derived mesenchymal stem cells. *Scientific reports*, 7, 43164. https://doi.org/10.1038/srep43164

Deng, P., Chen, L., Liu, Z., Ye, P., Wang, S., Wu, J., Yao, Y., Sun, Y., Huang, X., Ren, L., Zhang, A., Wang, K., Wu, C., Yue, Z., Xu, X., & Chen, M. (2016). MicroRNA-150 Inhibits the Activation of Cardiac Fibroblasts by Regulating c-Myb. *Cellular physiology and biochemistry : international journal of experimental cellular physiology, biochemistry, and pharmacology*, 38(6), 2103–2122. https://doi.org/10.1159/000445568

Devhare, P. B., Steele, R., Di Bisceglie, A. M., Kaplan, D. E., & Ray, R. B. (2017). Differential Expression of MicroRNAs in Hepatitis C Virus-Mediated Liver Disease Between African Americans and Caucasians: Implications for Racial Health Disparities. *Gene expression*, 17(2), 89–98. https://doi.org/10.3727/105221616X693594

Dhanasekaran, R., Bandoh, S., & Roberts, L. R. (2016). Molecular pathogenesis of hepatocellular carcinoma and impact of therapeutic advances. *F1000Research*, 5, F1000 Faculty Rev-879. https://doi.org/10.12688/f1000research.6946.1

Ding, X., Yang, L. Y., Huang, G. W., Wang, W., & Lu, W. Q. (2004). ADAM17 mRNA expression and pathological features of hepatocellular carcinoma. *World journal of gastroenterology*, 10(18), 2735–2739. https://doi.org/10.3748/wjg.v10.i18.2735

Durand, F., & Valla, D. (2005). Assessment of the prognosis of cirrhosis: Child-Pugh versus MELD. *Journal of hepatology*, 42 Suppl(1), S100–S107. https://doi.org/10.1016/j.jhep.2004.11.015

Dustin, L. B., Bartolini, B., Capobianchi, M. R., & Pistello, M. (2016). Hepatitis C virus: life cycle in cells, infection and host response, and analysis of molecular markers influencing the outcome of infection and response to therapy. *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases*, 22(10), 826–832. https://doi.org/10.1016/j.cmi.2016.08.025

EASL (European Association for the Study of the Liver). Electronic address: easloffice@easloffice.eu, & European Association for the Study of the Liver (2018). EASL Clinical Practice Guidelines: Management of hepatocellular carcinoma. *Journal of hepatology*, 69(1), 182–236. https://doi.org/10.1016/j.jhep.2018.03.019

El-Garem, H., Ammer, A., Shehab, H., Shaker, O., Anwer, M., El-Akel, W., & Omar, H. (2014). Circulating microRNA, miR-122 and miR-221 signature in Egyptian patients with chronic hepatitis C related hepatocellular carcinoma. *World journal of hepatology*, 6(11), 818–824. https://doi.org/10.4254/wjh.v6.i11.818

Ellis, J. M., Bowman, C. E., & Wolfgang, M. J. (2015). Metabolic and tissue-specific regulation of acyl-CoA metabolism. *PloS one*, *10*(3), e0116587. https://doi.org/10.1371/journal.pone.0116587

El-Serag, H.B. (2020). Epidemiology of Hepatocellular Carcinoma. In *The liver* (eds I.M. Arias, H.J. Alter, J.L. Boyer, D.E. Cohen, D.A. Shafritz, S.S.

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Thorgeirsson and A.W. Wolkoff). https://doi.org/10.1002/9781119436812.ch59

Fu, Y., & Chung, F. L. (2018). Oxidative stress and hepatocarcinogenesis. *Hepatoma research*, 4, 39. https://doi.org/10.20517/2394-5079.2018.29

Galle, P. R., Foerster, F., Kudo, M., Chan, S. L., Llovet, J. M., Qin, S., Schelman, W. R., Chintharlapalli, S., Abada, P. B., Sherman, M., & Zhu, A. X. (2019). Biology and significance of alpha-fetoprotein in hepatocellular carcinoma. *Liver international : official journal of the International Association for the Study of the Liver*, 39(12), 2214–2229. https://doi.org/10.1111/liv.14223

Gani, R.A. (2017). Hepatocellular Carcinoma (HCC) Surveillance – Comprehensive Management in Liver Cirrhosis Patients. *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy*, 18(3), 137–139. doi:10.24871/1832017137-139

George, O. L., & Ness, S. A. (2014). Situational awareness: regulation of the myb transcription factor in differentiation, the cell cycle and oncogenesis. *Cancers*, 6(4), 2049–2071. https://doi.org/10.3390/cancers6042049

Ghouri, Y. A., Mian, I., & Rowe, J. H. (2017). Review of hepatocellular carcinoma: Epidemiology, etiology, and carcinogenesis. *Journal of carcinogenesis*, 16, 1. https://doi.org/10.4103/jcar.JCar_9_16

Giray, B. G., Emekdas, G., Tezcan, S., Ulger, M., Serin, M. S., Sezgin, O., Altintas, E., & Tiftik, E. N. (2014). Profiles of serum microRNAs; miR-125b-5p and miR223-3p serve as novel biomarkers for HBV-positive hepatocellular carcinoma. *Molecular biology reports*, 41(7), 4513–4519. https://doi.org/10.1007/s11033-014-3322-3

Goldman, M., Germain, M., Grégoire, Y., Vassallo, R. R., Kamel, H., Bravo, M., Irving, D. O., Di Angelantonio, E., Steele, W. R., O'Brien, S. F., & Biomedical Excellence for Safer Transfusion Collaborative (BEST) Investigators (2019). Safety of blood donation by individuals over age 70 and their contribution to the blood supply in five developed countries: a BEST Collaborative group study. *Transfusion*, 59(4), 1267–1272. https://doi.org/10.1111/trf.15132

Gomes, M. A., Priolli, D. G., Tralhão, J. G., & Botelho, M. F. (2013). Hepatocellular carcinoma: epidemiology, biology, diagnosis, and therapies. *Revista da Associacao Medica Brasileira* (1992), 59(5), 514–524. https://doi.org/10.1016/j.ramb.2013.03.005

Goodman Z. D. (2007). Grading and staging systems for inflammation and fibrosis in chronic liver diseases. *Journal of hepatology*, 47(4), 598–607. https://doi.org/10.1016/j.jhep.2007.07.006

Gooz M. (2010). ADAM-17: the enzyme that does it all. *Critical reviews in biochemistry and molecular biology*, 45(2), 146–169. https://doi.org/10.3109/10409231003628015

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Gui, Z. R., Hao, T. Z., Jie, F., Qing, Z. G., Sheng, Y. Y. (2008). The expression of c-myb in HCC tissues and clinical significance. *Journal of Clinical Hepatology*, 24(2), 106–108

Gumilas, N.S.A., Harini, I.M., Sylviningrum, T., Djatmiko, W., & Rujito, L. (2019). Hepatitis B as hepatocellular carcinoma (HCC) risk factor in the south region of Java, Indonesia. *Journal of Physics: Conference Series* 1246: 012013. https://doi.org/10.1088/1742-6596/1246/1/012013

Guss, D., Sherigar, J., & Mohanty, S. R. (2018). Missed Diagnosis of Liver Cirrhosis Leads to Disparities in Care for Older Patients. *Gastroenterology research*, 11(5), 333–339. https://doi.org/10.14740/gr1074w

H Muljono D. (2017). Epidemiology of Hepatitis B and C in Republic of Indonesia. *Euroasian journal of hepato-gastroenterology*, 7(1), 55–59. https://doi.org/10.5005/jp-journals-l0018-1212

Hayes, C. N., & Chayama, K. (2016). MicroRNAs as Biomarkers for Liver Disease and Hepatocellular Carcinoma. *International journal of molecular sciences*, 17(3), 280. https://doi.org/10.3390/ijms17030280

Hernanda, P. Y., Chen, K., Das, A. M., Sideras, K., Wang, W., Li, J., Cao, W., Bots, S. J., Kodach, L. L., de Man, R. A., Ijzermans, J. N., Janssen, H. L., Stubbs, A. P., Sprengers, D., Bruno, M. J., Metselaar, H. J., ten Hagen, T. L., Kwekkeboom, J., Peppelenbosch, M. P., & Pan, Q. (2015). SMAD4 exerts a tumor-promoting role in hepatocellular carcinoma. *Oncogene*, 34(39), 5055–5068. https://doi.org/10.1038/onc.2014.425

Hester, C. A., Rich, N. E., Singal, A. G., & Yopp, A. C. (2019). Comparative Analysis of Nonalcoholic Steatohepatitis- Versus Viral Hepatitis- and Alcohol-Related Liver Disease-Related Hepatocellular Carcinoma. *Journal of the National Comprehensive Cancer Network : JNCCN*, 17(4), 322–329. https://doi.org/10.6004/jnccn.2018.7105

Hu, X., Chen, R., Wei, Q., & Xu, X. (2022). The Landscape Of Alpha Fetoprotein In Hepatocellular Carcinoma: Where Are We?. *International journal of biological sciences*, 18(2), 536–551. https://doi.org/10.7150/ijbs.64537

Innes, H., Morling, J. R., Aspinall, E. A., Goldberg, D. J., Hutchinson, S. J., & Guha, I. N. (2020). Late diagnosis of chronic liver disease in a community cohort (UK biobank): determinants and impact on subsequent survival. *Public health*, 187, 165–171. https://doi.org/10.1016/j.puhe.2020.07.017

Irshad, M., Gupta, P., & Irshad, K. (2017). Molecular basis of hepatocellular carcinoma induced by hepatitis C virus infection. *World journal of hepatology*, 9(36), 1305–1314. https://doi.org/10.4254/wjh.v9.i36.1305

Jiang, X. P., Ai, W. B., Wan, L. Y., Zhang, Y. Q., & Wu, J. F. (2017). The roles of microRNA families in hepatic fibrosis. *Cell & bioscience*, 7, 34. https://doi.org/10.1186/s13578-017-0161-7

Jin, Y., Wong, Y. S., Goh, B., Chan, C. Y., Cheow, P. C., Chow, P., Lim, T., Goh, G., Krishnamoorthy, T. L., Kumar, R., Ng, T. P., Chong, S. S., Tan, H. H., Chung, A., Ooi, L., Chang, J., Tan, C. K., & Lee, C. (2019).

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ad.id/

Circulating microRNAs as Potential Diagnostic and Prognostic Biomarkers in Hepatocellular Carcinoma. *Scientific reports*, 9(1), 10464. https://doi.org/10.1038/s41598-019-46872-8

Jopling C. (2012). Liver-specific microRNA-122: Biogenesis and function. *RNA biology*, 9(2), 137–142. https://doi.org/10.4161/rna.18827

Kamath, P. S., Kim, W. R., & Advanced Liver Disease Study Group (2007). The model for end-stage liver disease (MELD). *Hepatology* (Baltimore, Md.), 45(3), 797–805. https://doi.org/10.1002/hep.21563

Kementerian Kesehatan Republik Indonesia. (2015). *Situasi Penyakit Kanker*. https://pusdatin.kemkes.go.id/resources/download/pusdatin/infodatin/infodatin-kanker.pdf

Kementerian Kesehatan Republik Indonesia. (2017). *150 ribu orang Potensial Alami Hepatitis Kronis*. https://sehatnegeriku.kemkes.go.id/baca/umum/20170726/3021882/150-ribu-orang-potensial-alami-hepatitis-kronis/

Kim, C. W., & Chang, K. M. (2013). Hepatitis C virus: virology and life cycle. *Clinical and molecular hepatology*, 19(1), 17–25. https://doi.org/10.3350/cmh.2013.19.1.17

Kinoshita, A., Onoda, H., Fushiya, N., Koike, K., Nishino, H., & Tajiri, H. (2015). Staging systems for hepatocellular carcinoma: Current status and future perspectives. *World journal of hepatology*, 7(3), 406–424. https://doi.org/10.4254/wjh.v7.i3.406

Kirstein, M. M., & Vogel, A. (2014). The pathogenesis of hepatocellular carcinoma. *Digestive diseases* (Basel, Switzerland), 32(5), 545–553. https://doi.org/10.1159/000360499

Kitada, T., Seki, S., Nakatani, K., Kawada, N., Kuroki, T., & Monna, T. (1997). Hepatic expression of c-Myb in chronic human liver disease. *Hepatology* (Baltimore, Md.), 26(6), 1506–1512. https://doi.org/10.1053/jhep.1997.v26.pm0009397991

Krammer, J., Digel, M., Ehehalt, F., Stremmel, W., Füllekrug, J., & Ehehalt, R. (2011). Overexpression of CD36 and acyl-CoA synthetases FATP2, FATP4 and ACSL1 increases fatty acid uptake in human hepatoma cells. *International journal of medical sciences*, 8(7), 599–614. https://doi.org/10.7150/ijms.8.599

Kuang, J., Yan, X., Genders, A. J., Granata, C., & Bishop, D. J. (2018). An overview of technical considerations when using quantitative real-time PCR analysis of gene expression in human exercise research. *PloS one*, 13(5), e0196438. https://doi.org/10.1371/journal.pone.0196438

Kumar, V., & Mahato, R. I. (2015). Delivery and targeting of miRNAs for treating liver fibrosis. *Pharmaceutical research*, 32(2), 341–361. https://doi.org/10.1007/s11095-014-1497-x

Lan, S. H., Wu, S. Y., Zuchini, R., Lin, X. Z., Su, I. J., Tsai, T. F., Lin, Y. J., Wu, C. T., & Liu, H. S. (2014). Autophagy suppresses tumorigenesis of hepatitis B virus-associated hepatocellular carcinoma through degradation of microRNA-224. *Hepatology* (Baltimore, Md.), 59(2), 505–517. https://doi.org/10.1002/hep.26659

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lee, K. S., Buck, M., Houglum, K., & Chojkier, M. (1995). Activation of hepatic stellate cells by TGF alpha and collagen type I is mediated by oxidative stress through c-myb expression. *The Journal of clinical investigation*, 96(5), 2461–2468. https://doi.org/10.1172/JCI118304

Lestari, P., 2017. *Profil Ekspresi hsa-miR-29c-3p dan mRNA PTEN pada Karsinoma Hepatoseluler* (Thesis, Universitas Gadjah Mada)

Li, B., Liu, J., Xin, X., Zhang, L., Zhou, J., Xia, C., Zhu, W., & Yu, H. (2021). MiR-34c promotes hepatic stellate cell activation and Liver Fibrogenesis by suppressing ACSL1 expression. *International journal of medical sciences*, 18(3), 615–625. https://doi.org/10.7150/ijms.51589

Li, J., Liu, X., Li, C., & Wang, W. (2019). miR-224-5p inhibits proliferation, migration, and invasion by targeting PIK3R3/AKT3 in uveal melanoma. *Journal of cellular biochemistry*, *120*(8), 12412–12421. https://doi.org/10.1002/jcb.28507

Li, T., Xie, J., Shen, C., Cheng, D., Shi, Y., Wu, Z., Zhan, Q., Deng, X., Chen, H., Shen, B., Peng, C., Li, H., & Zhu, Z. (2014). miR-150-5p inhibits hepatoma cell migration and invasion by targeting MMP14. *PloS one*, 9(12), e115577. https://doi.org/10.1371/journal.pone.0115577

Li, W. Q., Chen, C., Xu, M. D., Guo, J., Li, Y. M., Xia, Q. M., Liu, H. M., He, J., Yu, H. Y., & Zhu, L. (2011). The rno-miR-34 family is upregulated and targets ACSL1 in dimethylnitrosamine-induced hepatic fibrosis in rats. The *FEBS journal*, 278(9), 1522–1532. https://doi.org/10.1111/j.1742-4658.2011.08075.x

Li, X. J., Ren, Z. J., & Tang, J. H. (2014). MicroRNA-34a: a potential therapeutic target in human cancer. *Cell death & disease*, 5(7), e1327. https://doi.org/10.1038/cddis.2014.270

Liu, F., & Di Wang, X. (2019). miR-150-5p represses TP53 tumor suppressor gene to promote proliferation of colon adenocarcinoma. *Scientific reports*, 9(1), 6740. https://doi.org/10.1038/s41598-019-43231-5

Liu, Q., Bengmark, S., & Qu, S. (2010). The role of hepatic fat accumulation in pathogenesis of non-alcoholic fatty liver disease (NAFLD). *Lipids in health and disease*, 9, 42. https://doi.org/10.1186/1476-511X-9-42

Liu, Y., Wu, C., Wang, Y., Wen, S., Wang, J., Chen, Z., He, Q., & Feng, D. (2014). Expression of miR-224, miR-145, and their putative target ADAM17 in hepatocellular carcinoma. *Acta biochimica et biophysica Sinica*, 46(8), 720–722. https://doi.org/10.1093/abbs/gmu052

Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. *Methods* (San Diego, Calif.), 25(4), 402–408. https://doi.org/10.1006/meth.2001.1262

Lo, R. C., & Kim, H. (2017). Histopathological evaluation of liver fibrosis and cirrhosis regression. *Clinical and molecular hepatology*, 23(4), 302–307. https://doi.org/10.3350/cmh.2017.0078

Macfarlane, L. A., & Murphy, P. R. (2010). MicroRNA: Biogenesis, Function and Role in Cancer. *Current genomics*, 11(7), 537–561. https://doi.org/10.2174/138920210793175895

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Mamdouh, S., Khorshed, F., Aboushousha, T., Hamdy, H., Diab, A., Seleem, M., & Saber, M. (2017). Evaluation of Mir-224, Mir-215 and Mir-143 as Serum Biomarkers for HCV Associated Hepatocellular Carcinoma. *Asian Pacific journal of cancer prevention : APJCP*, 18(11), 3167–3171. https://doi.org/10.22034/APJCP.2017.18.11.3167

Mao, B., & Wang, G. (2015). MicroRNAs involved with hepatocellular carcinoma (Review). *Oncology reports*, 34(6), 2811–2820. https://doi.org/10.3892/or.2015.4275

Mashek, D. G., Li, L. O., & Coleman, R. A. (2007). Long-chain acyl-CoA synthetases and fatty acid channeling. *Future lipidology*, 2(4), 465–476. https://doi.org/10.2217/17460875.2.4.465

McCormick, P.A. and Jalan, R. (2018). Hepatic Cirrhosis. In J.S. Dooley, A.S.F. Lok, G. Garcia-Tsao and M. Pinzani (Ed.). *Sherlock's Diseases of the Liver and Biliary System*. https://doi.org/10.1002/9781119237662.ch8

McGlynn, K. A., Petrick, J. L., & El-Serag, H. B. (2021). Epidemiology of Hepatocellular Carcinoma. *Hepatology* (Baltimore, Md.), 73 Suppl 1(Suppl 1), 4–13. https://doi.org/10.1002/hep.31288

Mehinovic, L., Islamagic, E., Husic-Selimovic, A., Kurtovic-Kozaric, A., Vukobrat-Bijedic, Z., & Suljevic, D. (2018). Evaluation of Diagnostic Efficiency of Alpha-Fetoprotein in Patients with Liver Cirrhosis and Hepatocellular Carcinoma: Single-Center Experience. *Open access Macedonian journal of medical sciences*, 6(9), 1668–1673. https://doi.org/10.3889/oamjms.2018.344

miRBase (2020a, January 03). *Stem-loop sequence hsa-mir-34a*. https://www.mirbase.org/cgi-bin/mirna_entry.pl?acc=MI0000268

miRBase (2020b, January 04). *Stem-loop sequence hsa-mir-150*. https://www.mirbase.org/cgi-bin/mirna_entry.pl?acc=MI0000479

miRBase (2020c, January 05). *Stem-loop sequence hsa-mir-224*. https://www.mirbase.org/cgi-bin/mirna_entry.pl?acc=MI0000301

Misso, G., Di Martino, M. T., De Rosa, G., Farooqi, A. A., Lombardi, A., Campani, V., Zarone, M. R., Gullà, A., Tagliaferri, P., Tassone, P., & Caraglia, M. (2014). Mir-34: a new weapon against cancer?. Molecular therapy. *Nucleic acids*, 3(9), e194. https://doi.org/10.1038/mtna.2014.47

Mjelle, R., Dima, S. O., Bacalbasa, N., Chawla, K., Sorop, A., Cucu, D., Herlea, V., Sætrom, P., & Popescu, I. (2019). Comprehensive transcriptomic analyses of tissue, serum, and serum exosomes from hepatocellular carcinoma patients. *BMC cancer*, 19(1), 1007. https://doi.org/10.1186/s12885-019-6249-1

Mokdad, A. A., Lopez, A. D., Shahraz, S., Lozano, R., Mokdad, A. H., Stanaway, J., Murray, C. J., & Naghavi, M. (2014). Liver cirrhosis mortality in 187 countries between 1980 and 2010: a systematic analysis. *BMC medicine*, 12, 145. https://doi.org/10.1186/s12916-014-0145-y

Mokdad, A.A., Singal, A.G., Yopp, A.C. (2015). Liver Cancer. *JAMA*, *314*(24), 2701. doi:10.1001/jama.2015.15425

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Moss, M. L., & Minond, D. (2017). Recent Advances in ADAM17 Research: A Promising Target for Cancer and Inflammation. *Mediators of inflammation*, 2017, 9673537. https://doi.org/10.1155/2017/9673537

Mourad, L., El-Ahwany, E., Zoheiry, M., Abu-Taleb, H., Hassan, M., Ouf, A., Rahim, A. A., Hassanien, M., & Zada, S. (2018). Expression analysis of liver-specific circulating microRNAs in HCV-induced hepatocellular Carcinoma in Egyptian patients. *Cancer biology & therapy*, 19(5), 400–406. https://doi.org/10.1080/15384047.2018.1423922

Muir, K., Hazim, A., He, Y., Peyressatre, M., Kim, D. Y., Song, X., & Beretta, L. (2013). Proteomic and lipidomic signatures of lipid metabolism in NASH-associated hepatocellular carcinoma. *Cancer research*, 73(15), 4722–4731. https://doi.org/10.1158/0008-5472.CAN-12-3797

Muniategui, A., Pey, J., Planes, F. J., Rubio, A. (2013). Joint analysis of miRNA and mRNA expression data. *Briefings in Bioinformatics*, 14(3), 263–278. https://doi.org/10.1093/bib/bbs028

Murphy, B. (2013). Chapter 254 - ADAM17, Tumor Necrosis Factor α-Convertase. In N.D. Rawlings, G. Salvesen (Ed.). *Handbook of Proteolytic Enzymes* (Third Edition., pp. 1126–1130). Academic Press.

Nakao, K., Miyaaki, H., & Ichikawa, T. (2014). Antitumor function of microRNA-122 against hepatocellular carcinoma. *Journal of gastroenterology*, 49(4), 589–593. https://doi.org/10.1007/s00535-014-0932-4

Nakata, Y., Shetzline, S., Sakashita, C., Kalota, A., Rallapalli, R., Rudnick, S. I., Zhang, Y., Emerson, S. G., & Gewirtz, A. M. (2007). c-Myb contributes to G2/M cell cycle transition in human hematopoietic cells by direct regulation of cyclin B1 expression. *Molecular and cellular biology*, 27(6), 2048–2058. https://doi.org/10.1128/MCB.01100-06

Naseha, A.D., Purnamaningsih, N.'A., Hardjo, K. (2021). Gambaran Pendonor Darah di UTD PMI Kabupaten Bantul Tahun 2020. *Jurnal Ilmiah Pannmed*, 16(3), 738– 43. https://doi.org/10.36911/pannmed.v16i3.1228

Nault, J. C. (2014). Pathogenesis of hepatocellular carcinoma according to aetiology. Best practice & research. *Clinical gastroenterology*, 28(5), 937–947. https://doi.org/10.1016/j.bpg.2014.08.006

NCBI Gene (2019). *ACSL1 acyl-CoA synthetase long chain family member 1* [Homo sapiens (human)]. https://www.ncbi.nlm.nih.gov/gene?Db=gene&Cmd=DetailsSearch&Term=2180

NCBI Gene (2022a, May 13). *ACSL1 acyl-CoA synthetase long chain family member 1* [Homo sapiens (human)]. https://www.ncbi.nlm.nih.gov/gene?Db=gene&Cmd=DetailsSearch&Term=2180

Nomair, A. M., Issa, N. M., Madkour, M. A., & Shamseya, M. M. (2020). The clinical significance of serum miRNA-224 expression in hepatocellular carcinoma. *Clinical and experimental hepatology*, 6(1), 20–27. https://doi.org/10.5114/ceh.2020.93052

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

O'Brien, J., Hayder, H., Zayed, Y., & Peng, C. (2018). Overview of MicroRNA Biogenesis, Mechanisms of Actions, and Circulation. *Frontiers in endocrinology*, 9, 402. https://doi.org/10.3389/fendo.2018.00402

Okajima, W., Komatsu, S., Ichikawa, D., Miyamae, M., Kawaguchi, T., Hirajima, S., Ohashi, T., Imamura, T., Kiuchi, J., Arita, T., Konishi, H., Shiozaki, A., Moriumura, R., Ikoma, H., Okamoto, K., Taniguchi, H., Itoh, Y., & Otsuji, E. (2016). Circulating microRNA profiles in plasma: identification of miR-224 as a novel diagnostic biomarker in hepatocellular carcinoma independent of hepatic function. *Oncotarget*, 7(33), 53820–53836. https://doi.org/10.18632/oncotarget.10781

Oliviero, B., Mantovani, S., Varchetta, S., Mele, D., Grossi, G., Ludovisi, S., Nuti, E., Rossello, A., & Mondelli, M. U. (2017). Hepatitis C virus-induced NK cell activation causes metzincin-mediated CD16 cleavage and impaired antibody-dependent cytotoxicity. *Journal of hepatology*, 66(6), 1130–1137. https://doi.org/10.1016/j.jhep.2017.01.032

Paschos, P., & Paletas, K. (2009). Non alcoholic fatty liver disease and metabolic syndrome. *Hippokratia*, 13(1), 9–19

Peng, X., Guo, C., Wu, Y., Ying, M., Chang, R., Song, L., Zhan, L., & Zhan, X. (2021). miR 224 5p regulates the proliferation, migration and invasion of pancreatic mucinous cystadenocarcinoma by targeting PTEN. *Molecular medicine reports*, 23(5), 346. https://doi.org/10.3892/mmr.2021.11985

Pinter, M., Trauner, M., Peck-Radosavljevic, M., & Sieghart, W. (2016). Cancer and liver cirrhosis: implications on prognosis and management. *ESMO open*, 1(2), e000042. https://doi.org/10.1136/esmoopen-2016-000042

Pinto, R. B., Schneider, A. C., & da Silveira, T. R. (2015). Cirrhosis in children and adolescents: An overview. *World journal of hepatology*, 7(3), 392–405. https://doi.org/10.4254/wjh.v7.i3.392

Pu, Q., Huang, Y., Lu, Y., Peng, Y., Zhang, J., Feng, G., Wang, C., Liu, L., & Dai, Y. (2016). Tissue-specific and plasma microRNA profiles could be promising biomarkers of histological classification and TNM stage in non-small cell lung cancer. *Thoracic cancer*, 7(3), 348–354. https://doi.org/10.1111/1759-7714.12317

Qiao, D. D., Yang, J., Lei, X. F., Mi, G. L., Li, S. L., Li, K., Xu, C. Q., & Yang, H. L. (2017). Expression of microRNA-122 and microRNA-22 in HBV-related liver cancer and the correlation with clinical features. *European review for medical and pharmacological sciences*, *21*(4), 742–747

Ramadori, P., Cubero, F. J., Liedtke, C., Trautwein, C., & Nevzorova, Y. A. (2017). Alcohol and Hepatocellular Carcinoma: Adding Fuel to the Flame. *Cancers*, 9(10), 130. https://doi.org/10.3390/cancers9100130

Ramakrishna, G., Rastogi, A., Trehanpati, N., Sen, B., Khosla, R., & Sarin, S. K. (2013). From cirrhosis to hepatocellular carcinoma: new molecular insights on inflammation and cellular senescence. *Liver cancer*, 2(3-4), 367–383. https://doi.org/10.1159/000343852

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ratnasari, N., Nurdjanah, S., Sadewa, A. H., Hakimi, M., & Yano, Y. (2017). Difference of polymorphism VEGF-gene rs699947 in Indonesian chronic liver disease population. *PloS one*, 12(8), e0183503. https://doi.org/10.1371/journal.pone.0183503

Rawla, P., Sunkara, T., Muralidharan, P., & Raj, J. P. (2018). Update in global trends and aetiology of hepatocellular carcinoma. *Contemporary oncology* (Poznan, Poland), 22(3), 141–150. https://doi.org/10.5114/wo.2018.78941

Reddy K. B. (2015). MicroRNA (miRNA) in cancer. *Cancer cell international*, 15, 38. https://doi.org/10.1186/s12935-015-0185-1

Rini, S. (2015). Sindrom Metabolik. *Medical Journal of Lampung University*, 4(4), 88

Rocks, N., Paulissen, G., Quesada Calvo, F., Polette, M., Gueders, M., Munaut, C., Foidart, J. M., Noel, A., Birembaut, P., & Cataldo, D. (2006). Expression of a disintegrin and metalloprotease (ADAM and ADAMTS) enzymes in human non-small-cell lung carcinomas (NSCLC). *British journal of cancer*, 94(5), 724–730. https://doi.org/10.1038/sj.bjc.6602990

Romanelli, R. G., & Stasi, C. (2016). Recent Advancements in Diagnosis and Therapy of Liver Cirrhosis. *Current drug targets*, 17(15), 1804–1817. https://doi.org/10.2174/1389450117666160613101413

Roy, S., Benz, F., Luedde, T., & Roderburg, C. (2015). The role of miRNAs in the regulation of inflammatory processes during hepatofibrogenesis. *Hepatobiliary surgery and nutrition*, 4(1), 24–33. https://doi.org/10.3978/j.issn.2304-3881.2015.01.05

Sajja, K. C., Mohan, D. P., & Rockey, D. C. (2014). Age and ethnicity in cirrhosis. *Journal of investigative medicine : the official publication of the American Federation for Clinical Research*, 62(7), 920–926. https://doi.org/10.1097/JIM.0000000000000106

Sathipati, S. Y., & Ho, S. Y. (2020). Novel miRNA signature for predicting the stage of hepatocellular carcinoma. *Scientific Reports*, 10(14452). https://doi.org/10.1038/s41598-020-71324-z

Sauzay, C., Petit, A., Bourgeois, A. M., Barbare, J. C., Chauffert, B., Galmiche, A., & Houessinon, A. (2016). Alpha-foetoprotein (AFP): A multi-purpose marker in hepatocellular carcinoma. *Clinica chimica acta; international journal of clinical chemistry*, 463, 39–44. https://doi.org/10.1016/j.cca.2016.10.006

Scaglione, S., Kliethermes, S., Cao, G., Shoham, D., Durazo, R., Luke, A., & Volk, M. L. (2015). The Epidemiology of Cirrhosis in the United States: A Population-based Study. *Journal of clinical gastroenterology*, 49(8), 690–696. https://doi.org/10.1097/MCG.0000000000000208

Scheel, T. K., & Rice, C. M. (2013). Understanding the hepatitis C virus life cycle paves the way for highly effective therapies. *Nature medicine*, 19(7), 837–849. https://doi.org/10.1038/nm.3248

Schlageter, M., Terracciano, L. M., D'Angelo, S., & Sorrentino, P. (2014). Histopathology of hepatocellular carcinoma. *World journal of*

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

gastroenterology, 20(43), 15955–15964. https://doi.org/10.3748/wjg.v20.i43.15955

Schmidt-Arras, D., & Rose-John, S. (2019). Regulation of Fibrotic Processes in the Liver by ADAM Proteases. *Cells*, 8(10), 1226. https://doi.org/10.3390/cells8101226

Schuppan, D., & Afdhal, N. H. (2008). Liver cirrhosis. *Lancet* (London, England), 371(9615), 838–851. https://doi.org/10.1016/S0140-6736(08)60383-9

Sethi, G., Sung, B., & Aggarwal, B. B. (2008). Nuclear factor-kappaB activation: from bench to bedside. *Experimental biology and medicine* (Maywood, N.J.), 233(1), 21–31. https://doi.org/10.3181/0707-MR-196

Shaheen, N., Zayed, N., Riad, N. M., Tamim, H. H., Shahin, R., Labib, D. A., ELsheikh, S. M., Moneim, R. A., Yosry, A., & Khalifa, R. H. (2018). Role of circulating miR-182 and miR-150 as biomarkers for cirrhosis and hepatocellular carcinoma post HCV infection in Egyptian patients. *Virus research*, 255, 77–84. https://doi.org/10.1016/j.virusres.2018.07.004

Sharma, S., Khalili, K., & Nguyen, G. C. (2014). Non-invasive diagnosis of advanced fibrosis and cirrhosis. *World journal of gastroenterology*, 20(45), 16820–16830. https://doi.org/10.3748/wjg.v20.i45.16820

Shehata, R. H., Abdelmoneim, S. S., Osman, O. A., Hasanain, A. F., Osama, A., Abdelmoneim, S. S., & Toraih, E. A. (2017). Deregulation of miR-34a and Its Chaperon Hsp70 in Hepatitis C virus-Induced Liver Cirrhosis and Hepatocellular Carcinoma Patients. *Asian Pacific journal of cancer prevention : APJCP*, 18(9), 2395–2401. https://doi.org/10.22034/APJCP.2017.18.9.2395

Shehab-Eldeen, S., Nada, A., Abou-Elela, D., El-Naidany, S., Arafat, E., & Omar, T. (2019). Diagnostic Performance of microRNA-122 and microRNA-224 in Hepatitis C Virus-Induced Hepatocellular Carcinoma (HCC). *Asian Pacific journal of cancer prevention : APJCP*, 20(8), 2515–2522. https://doi.org/10.31557/APJCP.2019.20.8.2515

Simeonova, P. P., Gallucci, R. M., Hulderman, T., Wilson, R., Kommineni, C., Rao, M., & Luster, M. I. (2001). The role of tumor necrosis factor-alpha in liver toxicity, inflammation, and fibrosis induced by carbon tetrachloride. *Toxicology and applied pharmacology*, 177(2), 112–120. https://doi.org/10.1006/taap.2001.9304

Singh, A. B., Kan, C. F., Dong, B., & Liu, J. (2016). SREBP2 Activation Induces Hepatic Long-chain Acyl-CoA Synthetase 1 (ACSL1) Expression in Vivo and in Vitro through a Sterol Regulatory Element (SRE) Motif of the ACSL1 C-promoter. *The Journal of biological chemistry*, 291(10), 5373–5384. https://doi.org/10.1074/jbc.M115.696872

Song, K., Han, C., Dash, S., Balart, L. A., & Wu, T. (2015). MiR-122 in hepatitis B virus and hepatitis C virus dual infection. *World journal of hepatology*, 7(3), 498–506. https://doi.org/10.4254/wjh.v7.i3.498

Spaniel, C., Honda, M., Selitsky, S. R., Yamane, D., Shimakami, T., Kaneko, S., Lanford, R. E., & Lemon, S. M. (2013). microRNA-122 abundance in

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

hepatocellular carcinoma and non-tumor liver tissue from Japanese patients with persistent HCV versus HBV infection. *PloS one*, 8(10), e76867. https://doi.org/10.1371/journal.pone.0076867

Stasi, C., Silvestri, C., Voller, F., & Cipriani, F. (2015). Epidemiology of Liver Cirrhosis. *Journal of clinical and experimental hepatology*, 5(3), 272. https://doi.org/10.1016/j.jceh.2015.06.002

Suresh, D., Srinivas, A. N., & Kumar, D. P. (2020). Etiology of Hepatocellular Carcinoma: Special Focus on Fatty Liver Disease. *Frontiers in oncology*, 10, 601710. https://doi.org/10.3389/fonc.2020.601710

Szabo, G., & Bala, S. (2013). MicroRNAs in liver disease. *Nature reviews. Gastroenterology & hepatology*, 10(9), 542–552. https://doi.org/10.1038/nrgastro.2013.87

Szabo, G., Sarnow, P., & Bala, S. (2012). MicroRNA silencing and the development of novel therapies for liver disease. *Journal of hepatology*, 57(2), 462–466. https://doi.org/10.1016/j.jhep.2012.01.030

Tai, Y., Zhao, C., Gao, J., Lan, T., & Tong, H. (2021). Identification of miRNA-target gene regulatory networks in liver fibrosis based on bioinformatics analysis. *PeerJ*, 9, e11910. https://doi.org/10.7717/peerj.11910

Tambunan, A., Mulyadi, Y., Kahtan, M.I. (2013). Karakteristik Pasien Sirosis Hati di RSUD Dr. Soedarso Pontianak Periode Januari 2008 Desember 2010. *Jurnal Mahasiswa Fakultas Kedokteran Untan, 2*(1)

Tellez-Gabriel, M., Ory, B., Lamoureux, F., Heymann, M. F., & Heymann, D. (2016). Tumour Heterogeneity: The Key Advantages of Single-Cell Analysis. *International journal of molecular sciences*, *17*(12), 2142. https://doi.org/10.3390/ijms17122142

Testino, G., Leone, S., & Borro, P. (2014). Alcohol and hepatocellular carcinoma: a review and a point of view. *World journal of gastroenterology*, 20(43), 15943–15954. https://doi.org/10.3748/wjg.v20.i43.15943

Thakral, S., & Ghoshal, K. (2015). miR-122 is a unique molecule with great potential in diagnosis, prognosis of liver disease, and therapy both as miRNA mimic and antimir. *Current gene therapy*, 15(2), 142–150. https://doi.org/10.2174/1566523214666141224095610

Tichý, M., Knopfová, L., Jarkovský, J., Pekarčíková, L., Veverková, L., Vlček, P., Katolická, J., Čapov, I., Hermanová, M., Šmarda, J., & Beneš, P. (2016). Overexpression of c-Myb is associated with suppression of distant metastases in colorectal carcinoma. *Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine*, 37(8), 10723–10729. https://doi.org/10.1007/s13277-016-4956-7

Toosi A. E. (2015). Liver Fibrosis: Causes and Methods of Assessment, A Review. *Romanian journal of internal medicine = Revue roumaine de medecine interne*, 53(4), 304–314. https://doi.org/10.1515/rjim-2015-0039

Tsai, W. C., Hsu, P. W., Lai, T. C., Chau, G. Y., Lin, C. W., Chen, C. M., Lin, C. D., Liao, Y. L., Wang, J. L., Chau, Y. P., Hsu, M. T., Hsiao, M., Huang,

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

H. D., & Tsou, A. P. (2009). MicroRNA-122, a tumor suppressor microRNA that regulates intrahepatic metastasis of hepatocellular carcinoma. *Hepatology* (Baltimore, Md.), 49(5), 1571–1582. https://doi.org/10.1002/hep.22806

Tsochatzis, E. A., Bosch, J., & Burroughs, A. K. (2014). Liver cirrhosis. *Lancet* (London, England), 383(9930), 1749–1761. https://doi.org/10.1016/S0140-6736(14)60121-5

Vaz, J., Eriksson, B., Strömberg, U., Buchebner, D., & Midlöv, P. (2020). Incidence, aetiology and related comorbidities of cirrhosis: a Swedish population-based cohort study. *BMC gastroenterology*, 20(1), 84. https://doi.org/10.1186/s12876-020-01239-6

Wacker, M. J., & Godard, M. P. (2005). Analysis of one-step and two-step real-time RT-PCR using SuperScript III. *Journal of biomolecular techniques : JBT*, 16(3), 266–271

Wang, F. Z., Sha, L., Zhang, W. Y., Wu, L. Y., Qiao, L., Li, N., Zhang, X. D., & Ye, L. H. (2007). Involvement of hepatitis B X-interacting protein (HBXIP) in proliferation regulation of cells. *Acta pharmacologica Sinica*, 28(3), 431–438. https://doi.org/10.1111/j.1745-7254.2007.00531.x

Wang, F., Ren, X., & Zhang, X. (2015). Role of microRNA-150 in solid tumors. *Oncology letters*, 10(1), 11–16. https://doi.org/10.3892/ol.2015.3170

Wang, H., Peng, R., Wang, J., Qin, Z., & Xue, L. (2018). Circulating microRNAs as potential cancer biomarkers: the advantage and disadvantage. *Clinical epigenetics*, 10, 59. https://doi.org/10.1186/s13148-018-0492-1

Wang, K., Yuan, Y., Cho, J. H., McClarty, S., Baxter, D., & Galas, D. J. (2012). Comparing the MicroRNA spectrum between serum and plasma. *PloS one*, 7(7), e41561. https://doi.org/10.1371/journal.pone.0041561

Wang, Y., & Lee, C. G. (2011). Role of miR-224 in hepatocellular carcinoma: a tool for possible therapeutic intervention?. *Epigenomics*, 3(2), 235–243. https://doi.org/10.2217/epi.11.5

Wang, Y., Cai, X., Zhang, S., Cui, M., Liu, F., Sun, B., Zhang, W., Zhang, X., & Ye, L. (2017). HBXIP up-regulates ACSL1 through activating transcriptional factor Sp1 in breast cancer. *Biochemical and biophysical research communications*, 484(3), 565–571. https://doi.org/10.1016/j.bbrc.2017.01.126

Wang, X., Zhao, Y., Lu, Q., Fei, X., Lu, C., Li, C., & Chen, H. (2020). MiR-34a-5p Inhibits Proliferation, Migration, Invasion and Epithelial-mesenchymal Transition in Esophageal Squamous Cell Carcinoma by Targeting LEF1 and Inactivation of the Hippo-YAP1/TAZ Signaling Pathway. *Journal of Cancer*, 11(10), 3072–3081. https://doi.org/10.7150/jca.39861

Wei, W., Tang, H., & Tang, L. (2018). MicroRNA-34a inhibits metastasis in liver cancer cells. *Oncology letters*, 16(6), 6960–6965. https://doi.org/10.3892/ol.2018.9555

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Wei, X. Y., Ding, J., Tian, W. G., & Yu, Y. C. (2020). MicroRNA-122 as a diagnostic biomarker for hepatocellular carcinoma related to hepatitis C virus: a meta-analysis and systematic review. *The Journal of international medical research*, 48(8), 300060520941634. https://doi.org/10.1177/0300060520941634

Wen, D. Y., Huang, J. C., Wang, J. Y., Pan, W. Y., Zeng, J. H., Pang, Y. Y., & Yang, H. (2018). Potential clinical value and putative biological function of miR-122-5p in hepatocellular carcinoma: A comprehensive study using microarray and RNA sequencing data. *Oncology letters*, 16(6), 6918–6929. https://doi.org/10.3892/ol.2018.9523

Wong, M., Huang, J., George, J., Huang, J., Leung, C., Eslam, M., Chan, H., & Ng, S. C. (2019). The changing epidemiology of liver diseases in the Asia-Pacific region. Nature reviews. *Gastroenterology & hepatology*, 16(1), 57–73. https://doi.org/10.1038/s41575-018-0055-0

Xiang, Y., Liu, L., Wang, Y., Li, B., Peng, J., & Feng, D. (2020). ADAM17 promotes the invasion of hepatocellular carcinoma via upregulation MMP21. *Cancer cell international*, *20*, 516. https://doi.org/10.1186/s12935-020-01556-6

Xu, J., Wu, C., Che, X., Wang, L., Yu, D., Zhang, T., Huang, L., Li, H., Tan, W., Wang, C., & Lin, D. (2011). Circulating microRNAs, miR-21, miR-122, and miR-223, in patients with hepatocellular carcinoma or chronic hepatitis. *Molecular carcinogenesis*, 50(2), 136–142. https://doi.org/10.1002/mc.20712

Xu, Z., Liu, G., Zhang, M., Zhang, Z., Jia, Y., Peng, L., Zhu, Y., Hu, J., Huang, R., & Sun, X. (2018). miR-122-5p Inhibits the Proliferation, Invasion and Growth of Bile Duct Carcinoma Cells by Targeting ALDOA. *Cellular physiology and biochemistry : international journal of experimental cellular physiology, biochemistry, and pharmacology*, 48(6), 2596–2606. https://doi.org/10.1159/000492702

Yan, G., Li, B., Xin, X., Xu, M., Ji, G., & Yu, H. (2015). MicroRNA-34a Promotes Hepatic Stellate Cell Activation via Targeting ACSL1. *Medical science monitor : international medical journal of experimental and clinical research*, 21, 3008–3015. https://doi.org/10.12659/MSM.894000

Yang, G., Zhang, M., Zhao, Y., Pan, Y., Kan, M., Li, J., He, K., & Zhang, X. (2020). HNF-4α inhibits hepatocellular carcinoma cell proliferation through mir-122-adam17 pathway. *PloS one*, 15(3), e0230450. https://doi.org/10.1371/journal.pone.0230450

Yano, Y., Utsumi, T., Lusida, M. I., & Hayashi, Y. (2015). Hepatitis B virus infection in Indonesia. *World journal of gastroenterology*, 21(38), 10714–10720. https://doi.org/10.3748/wjg.v21.i38.10714

Yao, L., Li, F. J., Tang, Z. Q., Gao, S., & Wu, Q. Q. (2012). Smad4 expression in hepatocellular carcinoma differs by hepatitis status. *Asian Pacific journal of cancer prevention : APJCP*, 13(4), 1297–1303. https://doi.org/10.7314/apjcp.2012.13.4.1297

Yu, F., Lu, Z., Chen, B., Dong, P., Zheng, J. (2015). microRNA-150: a promising novel biomarker for hepatitis B virus-related hepatocellular

UNIVERSITAS GADJAH MADA
EKSPRESI miR-34a-5p, miR-150-5p, miR-122-5p, miR-224-5p, mRNA ACSL1, mRNA c-Myb, mRNA ADAM17, dan mRNA SMAD4 PLASMA SEBAGAI PREDIKTOR PROGESIVITAS SIROSIS HATI MENJADI KARSINOMA HEPATOSELULER
NUR SIGNA AINI G., Prof. Dr. dr. Irianiwati, Sp.PA(K).; Dr. dr. Neneng Ratnasari, Sp.PD-KGEH.; dr. Didik Setyo Heri
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

carcinoma. *Diagnostic Pathology* 10, 129 (2015). https://doi.org/10.1186/s13000-015-0369-y

Zedan, A. H., Hansen, T. F., Assenholt, J., Pleckaitis, M., Madsen, J. S., & Osther, P. (2018). microRNA expression in tumour tissue and plasma in patients with newly diagnosed metastatic prostate cancer. T*umour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine*, 40(5), 1010428318775864. https://doi.org/10.1177/1010428318775864

Zhang, D. Y., & Friedman, S. L. (2012). Fibrosis-dependent mechanisms of hepatocarcinogenesis. *Hepatology* (Baltimore, Md.), 56(2), 769–775. https://doi.org/10.1002/hep.25670

Zhao, M., Mishra, L., & Deng, C. X. (2018). The role of TGF-β/SMAD4 signaling in cancer. *International journal of biological sciences*, 14(2), 111–123. https://doi.org/10.7150/ijbs.23230

Zhao, X. F., Li, N., Lin, D. D., & Sun, L. B. (2020). Circulating MicroRNA-122 for the Diagnosis of Hepatocellular Carcinoma: A Meta-Analysis. *BioMed research international*, 2020, 5353695. https://doi.org/10.1155/2020/5353695

Zhou, J., Zhou, W., Kong, F., Xiao, X., Kuang, H., & Zhu, Y. (2017). microRNA-34a overexpression inhibits cell migration and invasion via regulating SIRT1 in hepatocellular carcinoma. *Oncology letters*, 14(6), 6950–6954. https://doi.org/10.3892/ol.2017.7090

Zhou, W. C., Zhang, Q. B., & Qiao, L. (2014). Pathogenesis of liver cirrhosis. *World journal of gastroenterology*, 20(23), 7312–7324. https://doi.org/10.3748/wjg.v20.i23.7312

Zhu, R. X., Seto, W. K., Lai, C. L., & Yuen, M. F. (2016). Epidemiology of Hepatocellular Carcinoma in the Asia-Pacific Region. *Gut and liver*, 10(3), 332–339. https://doi.org/10.5009/gnl15257

Zhu, Z., Zhang, X., Wang, G., & Zheng, H. (2014). Role of MicroRNAs in Hepatocellular Carcinoma. *Hepatitis monthly*, 14(8), e18672. https://doi.org/10.5812/hepatmon.18672