

## DAFTAR PUSTAKA

- Abbate M, Zoja C, Remuzzi G. 2006. How does proteinuria cause progressive renal damage? *J Am Soc Nephrol*. 2006;17 (11):2974–2984.
- Abdalla MA, Ahmed KO, Yousef BA. 2022. Incidence dan Risk Factors of Contrast-Induced Acute Kidney Injury in Sudanese Patients Undergoing Coronary Angiography: A Descriptive Prospective Study. Published online 2022:8.
- Abe, D., Sato, A., Hoshi, T., Kakefuda, Y., Watabe, H., Ojima, E., Hiraya, D., Harunari, T., Takeyasu, N., & Aonuma, K. 2014. Clinical predictors of contrast-induced acute kidney injury in patients undergoing emergency versus elective percutaneous coronary intervention. *Circulation journal : official journal of the Japanese Circulation Society*, 78(1), 85–91. <https://doi.org/10.1253/circj.13-0574>
- Alwi, I., 2009. *Buku Ajar Ilmu Penyakit Dalam : Infark Miokard Akut Dengan Elevasi ST*. Jakarta: Internapublishing, pp. 1741-56. dan plaque rupture. *J. Intern. Med*. 276: 618–632. doi:10.1111/joim.12296
- Danreucci, M., Faga, T., Pisani, A., *et al.*, 2014. The choice of iodinated radiographic of contrast media to prevent contrast-induced nephropathy. *Advances in nephrology*; 11 pages.
- Badimon, L., Vilahur, G., 2014. Thrombosis formation on atherosclerotic lesions dan plaque rupture. *J Intern Med* 2014 Dec;276(6):618-32.
- Bagshaw SM, Bellomo R. 2012. Early Diagnosis Of AKI. *Current Opinion In Critical Care*. 13(6): 638–44
- Baitello AL, Marcatto G, Yagi RK., 2013. Risk factors for injury acute renal in patients with severe trauma dan its effect on mortality. *J Bras Nefrol*;35(2):127-31.
- Bdana J, Duarte R, Dickens C, Peek D, Muteba M, Paget G, 2016. Risk factors dan outcomes of contrast-induced. *Samj Research*. 2016 July; 106.
- Bdaniyah, S. 2009. Lanjut Usia dan Keperawatan Gerontik. Yogyakarta: Nuha Medika
- Bawazier LA. 2009. Proteinuria. Dalam : Buku Ajar Penyakit Dalam FKUI. Edisi keempat jiid I. Pusat Penerbit Departemen Ilmu Penyakit Dalam. Jakarta.
- Breidhardt T, Socrates T, Drexler B, *et al.*, 2012. Plasma neutrophil gelatinase-associated lipocalin for the prediction of acute kidney injury in acute heart failure. *Crit Care*;16:R

- Brito PL, Fioretto P, Drummond K, Kim Y, Steffes MW, Basgen JM, Sisson-Ross S, Mauer M., 1998. Proximal tubular basement membrane width in insulin-dependent diabetes mellitus. *Kidney Int* **53**:754–761, 1998
- Bruce, R.,J., Djamali, A., Shinki, K., *et al.*, 2009. Background fluctuation of kidney function versus contrast-induced nephrotoxicity. *Am J Roentgenol*; 192: 711-718.
- Chen H, Yu X, Ma L. 2020. Risk factors of contrast-induced nephropathy in patients with STEMI dan pump failure undergoing percutaneous coronary intervention. *Exp Ther Med.* 2020;21(2):140. doi:10.3892/etm.2020.9572
- Chyrchel M, Hałubiec P, Łazarczyk A, *et al.*, 2020. Low Ejection Fraction Predisposes to Contrast-Induced Nephropathy after the Second Step of Staged Coronary Revascularization for Acute Myocardial Infarction: A Retrospective Observational Study. *JCM.* 2020;9(6):1812. doi:10.3390/jcm9061812
- Coca SG, Bauling P, Schiffner T, Howard CS, Teitelbaum I, Parikh CR., 2007. Contribution of acute kidney injury toward morbidity dan mortality in burns: a contemporary analysis. *Am J Kidney Dis*;49(4):517-23.
- De Luca G, Suryapranata H, van 't Hof AW, de Boer MJ, Hoorntje JC, Dambrink JH, Gosselink AT, Ottervanger JP, Zijlstra F., 2004. Prognostic assessment of patients with acute myocardial infarction treated with primary angioplasty: implications for early discharge. *Circulation*; 109:2737–2743.
- Devarajan, P. 2010. Review: Neutrophil gelatinase-associated lipocalin: A troponin-like biomarker for human acute kidney injury. *Nephrology*; 15; 419–428
- Eeckhout E, Carlier S, Lerman A, Kern M., 2007. Hdanbook of Complications During Percutaneous Coronary Interventions. London: Taylor dan Francis: Informa Healthcare.
- Eng J, wilson r, Zhang A, sherrod c, hutless s, Bass e., 2016. Comparative effect of contrast media type on the incidence of contrast-induced nephropathy a systematic review dan meta-analysis. *annals of internal medicine.* 2016 march; 164.
- Falke P, Elneihoum AM, Ohlsson K., 2000. Leukocyte activation: relation to cardiovascular mortality after cerebrovascular ischemia. *Cerebrovasc Dis.* 10:97-101.
- Fang Y, Ding X, Zhong Y, Zou J, Teng J, Tang Y, *et al.*, 2010. Acute kidney injury in a Chinese hospitalized population. *Blood Purif*;30(2):120-6.

- Freeman, R.,V., O'Donnell, M., Share, D., *et al.*, 2002. Nephropathy requiring dialysis after percutaneous coronary intervention dan the critical role of an adjusted contrast dose. *Am J Cardiol.* 90: 1068-1073.
- Gdanasoebrata, R. 2010. Penuntun laboratorium Klinik, Edisi 16. Dian Rakyat. Jakarta
- Giacoppo, D., Madhavan, M. V., Baber, U., Warren, J., Bansilal, S., Witzenbichler, B., Dangas, G. D., Kirtane, A. J., Xu, K., Kornowski, R., Brener, S. J., Génereux, P., Stone, G. W., & Mehran, R. 2015. Impact of Contrast-Induced Acute Kidney Injury After Percutaneous Coronary Intervention on Short- dan Long-Term Outcomes: Pooled Analysis From the HORIZONS-AMI dan ACUITY Trials. *Circulation. Cardiovascular interventions*, 8(8), e002475. <https://doi.org/10.1161/CIRCINTERVENTIONS.114.002475>
- Giuseppe D'Amico., Claudio Bazzi., 2003. Patophysiology of Proteinuria. Perspective in Basic Science : Division of Nephrology, San Carlo Borromeo Hospital, Milano, Italy
- Goldberg RJ, Spencer FA, Gore JM, Lessard D, Yarzebski J., 2009. Thirty-year trends (1975 to 2005) in the magnitude of, management of, dan hospital death rates associated with cardiogenic shock in patients with acute myocardial infarction: a population-based perspective. *Circulation.* 119:1211-1219.
- Guh JY. Proteinuria versus albuminuria in chronic kidney disease. 2010. *Asian Pacific Society of Nephrology.* 2010;15:53–6.
- Guyton AC, Hall JE., 2008. Pembentukan Urin oleh Ginjal: Filtrasi Glomerulus, Aliran Darah Ginjal, dan Pengaturannya. Buku Ajar Fisiologi Kedokteran (11th ed). Jakarta: EGC.
- Haase, M., Bellomo, R., Devarajan, P, Schlattmann, P., Haase-Fielitz., 2009. Accuracy of Neutrophil Gelatinase-Associated Lipocalin (NGAL) in diagnosis dan prognosis in acute kidney injury: a systematic review dan meta-analysis. *American Journal of Kidney Diseases*; 54(6): 1012–1024.
- Haase VH. 2013. Mechanisms of Hypoxia Responses in Renal Tissue. *JASN.* 2013;24(4):537-541. doi:10.1681/ASN.2012080855
- Han SS, Ahn SY, Ryu J, *et al.*, 2014. Proteinuria dan hematuria are associated with acute kidney injury dan mortality in critically ill patients: a retrospective observational study. *BMC Nephrol* 2014;15:93
- Hidayat, A. 2009. Metode Penelitian Keperawatan dan Teknik. Analisis Data. Jakarta: Salemba Medika.
- Iakovou I, Dangas G, Lansky AJ, *et al.*, 2002. Impact of gender on the incidence dan outcome of contrast-induced nephropathy after

- percutaneous coronary intervention. *Journal of the American College of Cardiology*. 2002;39:2. doi:10.1016/S0735-1097(02)80004-3
- Isik, T. dan Demirtas, A.O. 2016. What is the optimal length of stay in hospital after primary PCI. *Int. J. Cardiol.* 221: 75–6.
- Jayakumar D, Ramachandran P. 2020. Contrast-induced Acute Kidney Injury. *Indian Journal of Critical Care Medicine*. 2020;24(S3):122-125. doi:10.5005/jp-journals-10071-23379
- Jaipaul, Manalo R, Sadjadi SA. 2010. Obesity is not associated with contrast nephropathy. *TCRM*. Published online May 2010:213. doi:10.2147/TCRM.S10198
- Kabeer MA, Cross J, Hamilton G, Rashid ST. 2021. Obesity as a Risk Factor for Radiographic Contrast-Induced Nephropathy. *Angiology*. 2021;72(3):274-278. doi:10.1177/0003319720969536
- Kacprzak M, Zielinska M., 2016. Prognostic value of myeloperoxidase concentration in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. *Int J Cardiol.* 223:452-457.
- Khalfallah M. 2001. Incidence, Predictors dan Outcomes of Contrast Induced Nephropathy in Patients with ST Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention.
- Khilji SA, Khan AH., 2004. Acute renal failure after cardiopulmonary bypass surgery. *J Ayub Med Coll Abbottabad*. 16(3):25-8.
- Kidney Disease Improving Global Outcomes (KDIGO)., 2012. KDIGO Clinical practice guideline for acute kidney injury. *Kidney Int Suppl.* 2:1-138.
- Kooiman J, Pasha S, Zondag W, SIjpkens Y, Vdamer MA, Huisman M, 2012. Metaanalysis: Serum creatinine changes Following contrast enhanced CT imaging. *Eur J Radiol.* 2012; 81: p. 2554–61.
- Kumar A, Cannon CP., 2009. Acute Coronary Syndromes: Diagnosis dan Management, Part 1. *Mayo Clinic Proc.* 84(10):917.
- Kuno T, Numasawa Y, Sawano M, *et al.*, 2018. Effects of body habitus on contrast-induced acute kidney injury after percutaneous coronary intervention. *Burdmann EA, ed. PLoS ONE.* 2018;13(9):e0203352. doi:10.1371/journal.pone.0203352
- Kwiatkowska E, Domański L, Dziedziejko V, Kajdy A, Stefańska K, Kwiatkowski S. 2021. The Mechanism of Drug Nephrotoxicity dan the Methods for Preventing Kidney Damage. *IJMS.*;22(11):6109. doi:10.3390/ijms22116109
- Lacquaniti A, Buemi F, Lupica R, Giardina C, Mure G, Arena A, *et al.*, 2013.

- Can Neutrophil Gelatinase-Associated Lipocalin Help Depict Early Contrast Material-Induced Nephropathy? *Radiology*. 2013 April; 267
- Lameire, N., Adam, A., Becker, C.,R., *et al.*, 2006. Baseline renal function screening. *Am J Cardiol*; 98: 21K-26K.
- Lemeshow, S., Hosmer Jr, D. W., Klar, J., & Lwanga, S. K. 1990. Adequacy Of Sample Size In Health Studies. New York: World Health Organization.
- Length of Hospital Stay after Coronary Angiography. *J. Am. Soc. Nephrol.* 17: 2871–7.
- Li, W. H., Li, D. Y., Han, F., Xu, T. D., Zhang, Y. B., & Zhu, H. 2013. Impact of anemia on contrast-induced nephropathy (CIN) in patients undergoing percutaneous coronary interventions. *International urology dan nephrology*, 45(4), 1065–1070. <https://doi.org/10.1007/s11255-012-0340-8>
- Liu D, Xu M, Ding LH, *et al.*, 2014. Activation of the Nlrp3 inflammasome by mitochondrial reactive oxygen species: a novel mechanism of albumininduced tubulointerstitial inflammation. *Int J Biochem Cell Biol* 2014; 57:7–19.
- Liu, Z.,Z., Viegas, V.,U., Perlewitz, A., *et al.*, 2012. Iodinated contrast media differentially affect afferent dan efferent arteriolar tone dan eactivity in mice: a possible explanation for reduced glomerular filtration rate. *Radiology*. 2012 Dec;265(3):762-71
- Mdanelzweig L, Battler A, Boyko V, Bueno H, Danchin N, Filippatos G, Gitt A, Hasdai D, Hasin Y, Marrugat J, Van de Werf F, Wallentin L, Behar S., 2006. The second Euro Heart Survey on acute coronary syndromes: characteristics, treatment, dan outcome of patients with ACS in Europe dan the Mediterranean Basin in 2004. *Eur Heart J.* 27:2285-2293.
- Marenzi, G., Lauri, G., Assanelli, E., *et al.*, 2004. Contrast-induced nephropathy in patients undergoing primary angioplasty for acute myocardial infarction. *J Am Coll Cardiol*; 44: 1780-1785.
- Martensson J, Bellomo R., 2014. The rise dan fall of NGAL in acute kidney injury. *Blood Purif.* 37:304-10.
- Matsushita K, van der Velde M, Astor BC, *et al.*, 2010. Chronic Kidney Disease Prognosis Consortium. Association of estimated glomerular fililtration rate dan albuminuria with all-cause dan cardiovascular mortality in general population cohorts: a collaborative meta-analysis. *Lancet* 2010;375:2073–81.

- McCullough PA 2008. Contrast-induced acute kidney injury. *J Am Coll Cardiol* 2008; **51**: 1419–1428
- McCullough, P.,A. 2019. Contrast-induced Acute Kidney Injury. Dalam: Ronco, C., Bellomo, R., Kellum, J.,A., Ricci, Z.: *Critical Care Nephrology*. 3<sup>rd</sup> Edition. Elsevier: Philadelphia.
- Mehran, R., Aymong, E.D., Nikolsky, E., Lasic, Z., Iakovou, I., Fahy, M., Mintz, G.S., Lansky, A.J., Moses, J.W., Stone, G.W., Leon, M.B., Dangas, G., 2004. A simple risk score for prediction of contrast-induced nephropathy after percutaneous coronary intervention: Development dan initial validation. *J. Am. Coll. Cardiol.* 44, 1393-1399.
- Mehran, R., Nikolsky, E. 2006. Contrast-induced nephropathy: definition, epidemiology, dan patients at risk. *Kidney Int Suppl*; 100: S11-5.
- Murakami R, Kumita S ichiro, Hayashi H, *et al.*, 2013. Anemia dan the risk of contrast-induced nephropathy in patients with renal insufficiency undergoing contrast-enhanced MDCT. *European Journal of Radiology*. 2013;82(10):e521-e524. doi:10.1016/j.ejrad.2013.06.004
- Murray PT, Devarajan P, Levey AS, *et al.*, 2008. A framework dan key research questions in AKI diagnosis dan staging in different environments. *Clin J Am Soc Nephrol*. 3: 864-868.
- Nikolsky E, Mehran R, Lasic Z, Mintz GS, Lansky AJ, Na Y, Pocock S, Negoita M, Moussa I, Stone GW, Moses JW, Leon MB, Dangas G. 2005. Low hematocrit predicts contrast-induced nephropathy after percutaneous coronary interventions. *Kidney Int* 67(2):706–713. doi:10.1111/j.1523-1755.2005.67131.x
- Palli E, Makris D, Papanikolaou J, Garoufalis G, Zakyntinos E. 2014 Contrast-Induced Nephropathy in Aged Critically Ill Patients. *Oxidative Medicine dan Cellular Longevity*. 2014;2014:1-6. doi:10.1155/2014/756469
- Parikh CR, Lu JC, Coca SG, Devarajan P. 2010. Tubular proteinuria in acute kidney injury: a critical evaluation of current status dan future promise. *Ann Clin Biochem*. 2010;47(4):301-312. doi:10.1258/acb.2010.010076
- Paul E, Felix G, Philip U, Marco M, Pierre-Frederic K, Dragana R., 2012. Characteristic dan outcome in acute coronary syndrome patients with dan without established modifiable cardiovascular risk factors: insights from the nationwide AMIS Plus Registry 1997-2010. *Cardiology*. 121: 228-36.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI). 2015. Pedoman Tatalaksana Sindrom Koroner Akut. PERKI : Jakarta. 2015

- Persson, P.B., Tepel, M. 2009. Contrast medium-induced nephropathy: The Pathophysiology. *Kidney Int*; 69; s8-10. reactivity in mice: a possible explanation for reduced glomerular filltration rate. *Radiology*; 265(3):762-771.
- Redwood SR. 2013. Coronary Intervention. *European heart journal*. 34(5):338-344.
- Saito Y, Makoto W, Kazutaka A, *et al.*, 2014. Proteinuria dan Reduced Estimated Glomerular Filtration Rate Are Independent Risk Factors for Contrast-Induced Nephropathy After Cardiac Catheterization. Official Journal of the Japanese Circulation Society
- Sarnak MJ, Levey AS, Schoolwerth AC, Coresh J, Culleton B, Hamm LL, *dkk.*, 2003. Kidney disease as a risk factor for development of cardiovascular disease. *Circulation*. 108:2154-69.
- Simarmata AEM. 2012. Profil Intervensi Koroner Perkutan (IKP) pada unit kateterisasi RSUP Haji Adam Malik periode 2009-2010. USU e-repository.
- Sreenivasan J, Li H, Khan MS, *et al.* Abstract 14937: Proteinuria as a Predictor of Contrast Induced Acute Kidney Injury Following Coronary Angiography. :6.
- Stevens, L.,A., Coresh, J., Greene, T., *et al.*, 2006. Assessing kidney function—measured dan estimated glomerular filtration rate. *N Engl J Med*; 354: 2473-2483.
- Taher, H.,S., Hassan, A., Dimitry, S.,R., 2015. Predicting contrast induced nephropathy post coronary intervention: A prospective cohort study. *The Egyptian Heart Journal*; 67: 337-343.
- Tang S, Leung JC, Abe K, *et al.*, 2003. Albumin stimulates interleukin-8 expression in proximal tubular epithelial cells in vitro dan in vivo. *J Clin Invest* 2003;111: 515–27.
- Tao Y, Dong W, Li Z, *et al.*, 2017. Proteinuria as an independent risk factor for contrast-induced acute kidney injury dan mortality in patients with stroke undergoing cerebral angiography. *J NeuroIntervent Surg*. 2017;9(5):445-448. doi:10.1136/neurintsurg-2016-012349
- Tavakol M, Ashraf S, Brener SJ., 2012. Risks dan complications of coronary angiography: a comprehensive review. *Global journal of health science*. 4(1):65.
- Torregrosa, I., Montoliu, C., Urios, A., Jesus, M., Costa, A., Gimenez-Garzo, C., *et.al.* 2015. Urinary KIM-1, NGAL dan L-FABP for the diagnosis of AKI in patients with acute coronary syndrome or heart failure undergoing coronary angiography. *Heart Vessels*; 30:703–711.
- Vuurmans, T., Byrne, J., Fretz, E., *et al.*, 2010. Chronic kidney injury in

patients after cardiac catheterisation or percutaneous coronary intervention: a comparison of radial dan femoral approaches (from the British Columbia Cardiac dan Renal Registries). *Heart*; 96: 1538-1542.

- Wang, K., Li, H.-L., Bei, W.-J., Guo, X.-S., *et al.* 2017. Association of left ventricular ejection fraction with contrast-induced nephropathy and mortality following coronary angiography or intervention in patients with heart failure. *Ther. Clin. Risk Manag.* 13: 887–895.
- Wang HW, Jiang MY. 2021. Higher volume of water intake is associated with lower risk of albuminuria dan chronic kidney disease. *Medicine.* 2021;100(20):e26009. doi:10.1097/MD.00000000000026009
- Widimsky P, *et al.*, 2010. Reperfusion therapy for ST elevation acute myocardial infarction in Europe: description of the current situation in 30 countries. *Eur Heart J.* 31:943-957.
- Wijns W, *et al.*, 2010. Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) dan the European Association for Cardio-Thoracic Surgery (EACTS). *Eur Heart J.* 31:2501-2555.
- Xie W, Zhou Y, Liao Z, Lin B. 2021. Effect of Oral Hydration on Contrast-Induced Acute Kidney Injury among Patients after Primary Percutaneous Coronary Intervention. *Cardiorenal Med.* 2021;11(5-6):243-251. doi:10.1159/000520088
- Yang J qing, Ran P, Chen J yan, *et al.*, 2014. Development of Contrast-Induced Acute Kidney Injury after Elective Contrast Media Exposure in Patients with Type 2 Diabetes Mellitus: Effect of Albuminuria. *Burdmann EA, ed. PLoS ONE.* 2014;9(9):e106454. doi:10.1371/journal.pone.0106454