



Daftar Pustaka

- Abdel-kader, K., Unruh, M. L., & Weisbord, S. D. (2009). Symptom Burden , Depression , and Quality of Life in Chronic and End-Stage Kidney Disease, 1057–1064. <https://doi.org/10.2215/CJN.00430109>
- Al saraireh, F. A., Aloush, S. M., Al Azzam, M., & Al Bashtawy, M. (2018). The Effectiveness of Cognitive Behavioral Therapy versus Psychoeducation in the Management of Depression among Patients Undergoing Haemodialysis. *Issues in Mental Health Nursing*, 39(6), 514–518. <https://doi.org/10.1080/01612840.2017.1406022>
- An, G. J. (2011). Effect of e-mail education on stress and compliance in Korean elderly on hemodialysis. *Hong Kong Journal of Nephrology*, 13(2), 68–73. <https://doi.org/10.1016/j.hkjn.2011.10.002>
- Archentari, K. A., Gasela, V., Nuriyyatiningrum, N. A. H., & Iskandarsyah, A. (2017). Harga Diri Dan Kualitas Hidup Pada Pasien Dengan Chronic Kidney Disease Yang Menjalani Hemodialisis. *Jurnal Psikologi*, 16(2), 138. <https://doi.org/10.14710/jp.16.2.138-146>
- Badiee Aval, M., Samari, A., & Badiee Aval, S. (2020). Comparing the effect of supportive-expressive and cognitive-behavioral psychotherapies on depression and adherence to treatment in hemodialysis patients focusing on improving physician-patient relationship. *Journal of Fundamentals of Mental Health*, 22(1), 44–57.
- Baraz, S., Zarea, K., & Dashtbozorgi, B. (2014). Comparing the effect of two educational programs on the quality of life of hemodialysis patients in Iran. *Iranian Red Crescent Medical Journal*, 16(8), 1–7. <https://doi.org/10.5812/ircmj.19368>
- Berding, A., Witte, C., Gottschald, M., Kaltz, B., Weiland, R., Gerlich, C., ... Faller, H. (2016). Beneficial Effects of Education on Emotional Distress, Self-Management, and Coping in Patients with Inflammatory Bowel Disease: A Prospective Randomized Controlled Study. *Inflammatory Intestinal Diseases*, 1(4), 182–190. <https://doi.org/10.1159/000452989>
- Bernhofer, E. I. (2015). Reviewing the literature: Essential first step in research, quality improvement, and implementation of evidence-based practice. *Journal for Nurses in Professional Development*, 31(4), 191–196. <https://doi.org/10.1097/NND.0000000000000171>
- Bikbov, B., Purcell, C. A., Levey, A. S., Smith, M., Abdoli, A., Abebe, M., ... Murray, C. J. L. (2020). Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 395(10225), 709–733. [https://doi.org/10.1016/S0140-6736\(20\)30045-3](https://doi.org/10.1016/S0140-6736(20)30045-3)



- Bolderston, A. (2008). Writing an Effective Literature Review. *Journal of Medical Imaging and Radiation Sciences*, 39(2), 86–92. <https://doi.org/10.1016/j.jmir.2008.04.009>
- Chen, H. Y., Cheng, I. C., Pan, Y. J., Chiu, Y. L., Hsu, S. P., Pai, M. F., ... Wu, K. D. (2011). Cognitive-behavioral therapy for sleep disturbance decreases inflammatory cytokines and oxidative stress in hemodialysis patients. *Kidney International*, 80(4), 415–422. <https://doi.org/10.1038/ki.2011.151>
- Chen, T. K., Knicely, D. H., & Grams, M. E. (2019). Chronic Kidney Disease Diagnosis and Management: A Review. *Physiology & behavior*, 322(13), 1294–1304. <https://doi.org/10.1001/jama.2019.14745.Chronic>
- Chiaranai, C. (2016). The Lived Experience of Patients Receiving Hemodialysis Treatment for End-Stage Renal Disease: A Qualitative Study. *Journal of Nursing Research*, 24(2), 101–108. <https://doi.org/10.1097/jnr.0000000000000100>
- Crown, S., Vogel, J. A., & Hurlock-Chorostecki, C. (2017). Enhancing Self-Care Management of Interdialytic Fluid Weight Gain in Patients on Hemodialysis: A Pilot Study Using Motivational Interviewing. *Nephrology nursing journal : journal of the American Nephrology Nurses' Association*, 44(1), 49–55.
- Currid, T. J., Nikčević, A. V., & Spada, M. M. (2011). Cognitive behavioural therapy and its relevance to nursing. *British Journal of Nursing*, 20(22), 1443–1447. <https://doi.org/10.12968/bjon.2011.20.22.1443>
- Damery, S., Brown, C., Sein, K., Nicholas, J., Baharani, J., & Combes, G. (2019). The prevalence of mild-To-moderate distress in patients with end-stage renal disease: Results from a patient survey using the emotion thermometers in four hospital Trusts in the West Midlands, UK. *BMJ Open*, 9(5), 1–10. <https://doi.org/10.1136/bmjopen-2018-027982>
- Dashtidehkordi, A., Shahgholian, N., Maghsoudi, J., & Sadeghian, J. (2018). The effects of motivational interviewing on the health status of patients undergoing hemodialysis. *Iranian Journal of Nursing and Midwifery Research*, 23(4), 287–291. https://doi.org/10.4103/ijnmr.IJNMR_75_17
- Daugirdas, J. T., Blake, P. G., & Ing, T. S. (2014). *Handbook of dialysis: Fifth edition. Handbook of Dialysis: Fifth Edition*.
- Duarte, P. S., Miyazaki, M. C., Blay, S. L., & Sesso, R. (2009). Cognitive-behavioral group therapy is an effective treatment for major depression in hemodialysis patients. *Kidney International*, 76(4), 414–421. <https://doi.org/10.1038/ki.2009.156>
- Espahbodi, F., Hosseini, H., Mirzade, M. M., & Shafaat, A. B. (2015). Effect of psycho education on depression and anxiety symptoms in patients on hemodialysis. *Iranian Journal of Psychiatry and Behavioral Sciences*, 9(1), 1–5. <https://doi.org/10.5812/ijpbs.227>



- Faridah, V. N., Nursalam, Aris, A., Sholikhah, S., & Rukmawati, F. S. (2021). Improving the Quality of Life of Patients with Chronic Kidney Disease Undergoing Hemodialysis through Family Supportive Therapy. *Proceedings of the 1st Paris Van Java International Seminar on Health, Economics, Social Science and Humanities (PVJ-ISHESSH 2020)*, 535, 624–627. <https://doi.org/10.2991/assehr.k.210304.140>
- Fenn, K., & Byrne, M. (2013). The key principles of cognitive behavioural therapy. *InnovAiT: Education and inspiration for general practice*, 6(9), 579–585. <https://doi.org/10.1177/1755738012471029>
- Fink, G. (2016). *Stress: Concepts, Cognition, Emotion, and Behavior. Stress: Concepts, Cognition, Emotion, and Behavior.* <https://doi.org/10.1016/c2013-0-12842-5>
- Fraser, S., & Blakeman, T. (2016). Chronic kidney disease: identification and management in primary care. *Pragmatic and Observational Research, Volume 7*, 21–32. <https://doi.org/10.2147/por.s97310>
- Ghazavi, Z., Khaledisardashti, FirouzKeshani, F., & Smaeilzadeh, M. (2018). Effect of hope therapy on the mood status of patients with diabetes. *Iranian Journal of Nursing and Midwifery Research*, 23(4), 281–286. https://doi.org/10.4103/ijnmr.IJNMR_36_16
- Gilbar, O., Or-Han, K., & Plivazky, N. (2005). Mental adjustment, coping strategies, and psychological distress among end-stage renal disease patients. *Journal of Psychosomatic Research*, 58(6), 471–476. <https://doi.org/10.1016/j.jpsychores.2005.01.004>
- Hala Mohamed, M. B., Aml Khalil, I., & Elizabeth, B. W. (2017). The Efficacy of an Empowerment Program for End-Stage Renal Disease Patients Treated with Hemodialysis. *JOJ Nursing & Health Care*, 1(3). <https://doi.org/10.19080/jojnhc.2017.01.555565>
- Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., Callaghan, A. O., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *PLoS ONE*, 1–18. <https://doi.org/10.5061/dryad.3s7rd.Funding>
- Hosseini, S. H., Espahbodi, F., & Goudarzi, S. M. M. (2012). Citalopram versus psychological training for depression and anxiety symptoms in hemodialysis patients. *Iranian Journal of Kidney Diseases*, 6(6), 446–451.
- Husna, I. W., Kusnanto, K., & Herawati, L. (2021). Perbandingan Psikoedukasi Langsung dan Tidak Langsung terhadap Kepatuhan Terapi Pasien Hemodialisis: A Systematic Review, 6(November), 790–797.
- Idier, L., Untas, A., Koleck, M., Chauveau, P., & Rasclé, N. (2011). Assessment and effects of Therapeutic Patient Education for patients in hemodialysis: A systematic review. *International Journal of Nursing Studies*, 48(12), 1570–



1586. <https://doi.org/10.1016/j.ijnurstu.2011.08.006>
- Jackson, E. M. (2013). Stress Relief: The Role of Exercise in Stress Management. *ACSM's HEALTH & FITNESS JOURNAL*, 17(3), 14–19.
- JBI. (2017). JBI Critical Appraisal tool. Diambil 23 Maret 2019, dari <https://jbi.global/critical-appraisal-tools>
- Jo Weaver, L., & Karasz, A. (2022). SSM - Mental Health “ Tension ” and distress in South Asia: A systematic literature review. *SSM - Mental Health*, 2(December 2021), 1–19. <https://doi.org/10.1016/j.ssmmh.2022.100092>
- Julien, D., & O'Connor, K. (2016). Comparing Treatment Efficacy of Cognitive-Behavior Therapy and Short-Term Dynamic Psychotherapy in High-Quality Studies: A Systematic Review and Effect Size Approach. *Journal of Psychology & Clinical Psychiatry*, 5(4). <https://doi.org/10.15406/jpcpy.2016.05.00293>
- Kaakinen, P., Leena, P.-P., Maria, K., & Helvi, K. (2012). Counseling chronically ill adults in the healthcare setting: An integrative literature review. *Journal of Nursing Education and Practice*, 2(3). <https://doi.org/10.5430/jnep.v2n3p185>
- Kashani, F. L., Vaziri, S., Akbari, M. E., Mousavi, S. M., & Far, N. S. (2014). Effectiveness of Four-Factor Psychotherapy in Decreasing Distress of Women with Breast Cancer. *Procedia - Social and Behavioral Sciences*, 159, 214–218. <https://doi.org/10.1016/j.sbspro.2014.12.359>
- Knowles, S., Swan, L., Salzberg, M., Castle, D., & Langham, R. (2014). Exploring the relationships between health status, illness perceptions, coping strategies and psychological morbidity in a chronic kidney disease cohort. *American Journal of the Medical Sciences*, 348(4), 271–276. <https://doi.org/10.1097/MAJ.0000000000000242>
- Lai, J., Song, H., Ren, Y., Li, S., & Xiao, F. (2021). Effectiveness of Supportive-Expressive Group Therapy in Women with Breast Cancer: A Systematic Review and Meta-Analysis. *Oncology Research and Treatment*, 44(5), 252–260. <https://doi.org/10.1159/000515756>
- Lau, F., & Kuziemsky, C. (2016). *Handbook of eHealth Evaluation: An Evidence-based Approach*. *Handbook of eHealth Evaluation: An Evidence-based Approach*. Diambil dari https://www.ncbi.nlm.nih.gov/books/NBK481590/pdf/Bookshelf_NBK481590.pdf
- Lazarus, E. R. (2018). Effectiveness of education and exercise on quality of life among patients undergoing hemodialysis. *Clinical Epidemiology and Global Health*, (October 2017), 0–1. <https://doi.org/10.1016/j.cegh.2018.07.003>
- Leite, D. F. B., Padilha, M. A. S., & Cecatti, J. G. (2019). Approaching literature review for academic purposes: The literature review checklist. *Clinics*, 74, 1–8. <https://doi.org/10.6061/clinics/2019/e1403>



- Lerma, A., Perez-Grovas, H., Bermudez, L., Peralta-Pedrero, M. L., Robles-García, R., & Lerma, C. (2017). Brief cognitive behavioural intervention for depression and anxiety symptoms improves quality of life in chronic haemodialysis patients. *Psychology and Psychotherapy: Theory, Research and Practice*, 90(1), 105–123. <https://doi.org/10.1111/papt.12098>
- Leszcz, M. (2020). Group Therapy for Patients With Medical Illness. *Am J Psychother*, 131–136. <https://doi.org/10.1176/appi.psychotherapy.20200005>
- Li, X., Feng, Y., Xia, J., Zhou, X., Chen, N., Chen, Z., ... Du, Q. (2021). Effects of Cognitive Behavioral Therapy on Pain and Sleep in Adults with Traumatic Brain Injury: A Systematic Review and Meta-Analysis. *Neural Plasticity*, 2021. <https://doi.org/10.1155/2021/6552246>
- Ling, C., Evans, D., Zhang, Y., Luo, J., Hu, Y., Ouyang, Y., ... Kuang, Z. (2020). The effects of cognitive behavioural therapy on depression and quality of life in patients with maintenance haemodialysis: A systematic review. *BMC Psychiatry*, 20(1), 1–14. <https://doi.org/10.1186/s12888-020-02754-2>
- Litbang Depkes. (2018). *Hasil Utama RISKESDAS 2018*. Indonesia.
- Lumban Gaol, N. T. (2016). Teori Stres: Stimulus, Respons, dan Transaksional. *Buletin Psikologi*, 24(1), 1–11. <https://doi.org/10.22146/bpsi.11224>
- Maggio, L. A., Sewell, J. L., & Artino, A. R. (2016). The Literature Review: A Foundation for High-Quality Medical Education Research. *Journal of graduate medical education*, 8(3), 297–303. <https://doi.org/10.4300/JGME-D-16-00175.1>
- Mansouri, S., Jalali, A., Rahmati, M., & Salari, N. (2020). Educational supportive group therapy and the quality of life of hemodialysis patients. *BioPsychoSocial Medicine*, 14(1), 1–11. <https://doi.org/10.1186/s13030-020-00200-z>
- Maslakpak, M. H., & Shams, S. (2015). Original Article A Comparison of Face to Face and Video- Based Self Care Education on Quality of Life of Hemodialysis Patients. *IJCBNM*, 3(3), 234–243.
- Matejek, E. T. (2019). *The explanatory role of Eustress and Distress in the relationship between Extraversion and Depression*. University of Twente.
- Matthews, G. (2016). *Distress. Stress: Concepts, Cognition, Emotion, and Behavior: Handbook of Stress*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-800951-2.00026-1>
- McGillion, M., Arthur, H., Victor, J., Watt-Watson, J., & Cosman, T. (2008). Effectiveness of Psychoeducational Interventions for Improving Symptoms, Health-Related Quality of Life, and Psychological well Being in Patients with Stable Angina. *Current Cardiology Reviews*, 4(1), 1–11. <https://doi.org/10.2174/157340308783565393>
- Milik, A., & Hrynkiewicz, E. (2014). On translation of LD, IL and SFC given



according to IEC-61131 for hardware synthesis of reconfigurable logic controller. *IFAC Proceedings Volumes (IFAC-PapersOnline)*, 19(1), 4477–4483. <https://doi.org/10.3182/20140824-6-za-1003.01333>

Moattari, M., Ebrahimi, M., Sharifi, N., & Rouzbeh, J. (2012). The effect of empowerment on the self-efficacy, quality of life and clinical and laboratory indicators of patients treated with hemodialysis: A randomized controlled trial. *Health and Quality of Life Outcomes*, 10, 1–11. <https://doi.org/10.1186/1477-7525-10-115>

Mozooni, M., Heravi-Karimooi, M., Rejeh, N., Rahmani, M. A., & Sharif Nia, H. (2017). The Effect of Individual Hope Therapy Program on Reduction of Depression in Elderly Patients with Unstable Angina Hospitalized in Cardiac Care Unit. *Journal of Critical Care Nursing*, 10(4). <https://doi.org/10.5812/ccn.57665>

Nisa, N. K., Soedarsono, S., & Makhfudli, M. (2019). The Effectiveness of Psychoeducation in Improving Psychological and Emotional Health Patients with Chronic Diseases (Tuberculosis): A Systematic Review, (Inc), 734–737. <https://doi.org/10.5220/0008331907340737>

Nowak, Z., & Laudański, K. (2014). The perception of the illness with subsequent outcome measure in more favorable in continuos peritoneal dialysis vs hemodialysis in the framework of appraisal model of stress. *International Journal of Medical Sciences*, 11(3), 291–297. <https://doi.org/10.7150/ijms.5431>

Nurmayunita, M. (2019). Pengaruh Pendidikan Kesehatan dengan Media Audiovisual terhadap Perilaku Perawatan Hipertensi pada Lansia di dusun Beji Wetan Sendangsari Pajangan Bantul Yogyakarta. *Unisa Yogyakarta*. Diambil dari <http://digilib.unisyogya.ac.id/4613/>

Obbarius, N., Fischer, F., Liegl, G., Obbarius, A., & Rose, M. (2021). A Modified Version of the Transactional Stress Concept According to Lazarus and Folkman Was Confirmed in a Psychosomatic Inpatient Sample. *Frontiers in Psychology*, 12(March), 1–12. <https://doi.org/10.3389/fpsyg.2021.584333>

Ok, E., & Kutlu, Y. (2021). The Effect of Motivational Interviewing on Adherence to Treatment and Quality of Life in Chronic Hemodialysis Patients: A Randomized Controlled Trial. *Clinical Nursing Research*, 30(3), 322–333. <https://doi.org/10.1177/1054773820974158>

Pahlavanzadeh, S., Abbasi, S., & Alimohammadi, N. (2017). The effect of group cognitive behavioral therapy on stress, anxiety, and depression of women with multiple sclerosis. *Iranian Journal of Nursing and Midwifery Research*, 22(4), 271–275. <https://doi.org/10.4103/1735-9066.212987>

Palli, A. (2017). Psychoeducation: The way to Make Patients Manage their Illness and Fill their Future with Life Short Communication. *Mental Health in Family Medicine*, 13(April), 528–531. Diambil dari



- <http://www.mhfmjournal.com/open-access/psychoeducation-the-way-to-make-patients-manage-their-illness-and-fill-their-future-with-life.pdf>
- PERNEFRI. (2018). 11th Report Of Indonesian Renal Registry 2018. *Report Of Indonesian Renal Registry*, 1–46. Diambil dari <https://www.indonesianrenalregistry.org/data/IRR 2018.pdf>
- Prajayanti, E. D., & Sari, I. M. (2020). Pemberian Intervensi Support Group Menurunkan Kecemasan Pada Pasien Yang Menjalani Hemodialisis. *Gaster*, 18(1), 76. <https://doi.org/10.30787/gaster.v18i1.524>
- Rahimipour, M., Shahgholian, N., & Yazdani, M. (2015). Effect of hope therapy on depression, anxiety, and stress among the patients undergoing hemodialysis. *Iranian Journal of Nursing and Midwifery Research*, 20(6), 694–699. <https://doi.org/10.4103/1735-9066.170007>
- Raphi, F., Bani, S., Farvareshi, M., Hasanpour, S., & Mirghafourvand, M. (2021). Effect of hope therapy on psychological well-being of women after abortion: a randomized controlled trial. *BMC Psychiatry*, 21(1), 1–10. <https://doi.org/10.1186/s12888-021-03600-9>
- Retnowati, S., Ramadiyanti, D. W., Suciati, A. A., Sokang, Y. A., & Viola, H. (2015). Hope Intervention Against Depression in the Survivors of Cold Lava Flood from Merapi Mount. *Procedia - Social and Behavioral Sciences*, 165, 170–178. <https://doi.org/10.1016/j.sbspro.2014.12.619>
- Ricci, Z., Romagnoli, S., & Ronco, C. (2016). Renal Replacement Therapy. *F1000Research*, 5(0). <https://doi.org/10.12688/f1000research.6935.1>
- Rice, V. H. (2001). Handbook of stress, coping, and health: implications for nursing research, theory, and practice. *Choice Reviews Online*, 38(05), 38-2774-38–2774. <https://doi.org/10.5860/choice.38-2774>
- Richardson, K. M., & Rothstein, H. R. (2008). Effects of Occupational Stress Management Intervention Programs: A Meta-Analysis. *Journal of Occupational Health Psychology*, 13(1), 69–93. <https://doi.org/10.1037/1076-8998.13.1.69>
- Ridner, S. H. (2004). Psychological distress : concept analysis. *Blackwell Publishing Ltd.*
- Royani, Z., Rayyani, M., Behnampour, N., Arab, M., & Goleij, J. (2013). The effect of empowerment program on empowerment level and self-care self-efficacy of patients on hemodialysis treatment. *Iranian journal of nursing and midwifery research*, 18(1), 84–87. Diambil dari <http://www.ncbi.nlm.nih.gov/pubmed/23983734%0Ahttp://www.ncbi.nlm.nih.gov/articlerender.fcgi?artid=PMC3748561>
- Sahin, Z., Barber, J. P., & Luborsky, L. (2017). Supportive-expressive dynamic psychotherapy. *The Curated Reference Collection in Neuroscience and Biobehavioral Psychology*, 745–750. <https://doi.org/10.1016/B978-0-12>



809324-5.05426-2

- Salleh, M. R. (2008). Life event, stress and illness. *Malaysian Journal of Medical Sciences*, 15(4), 9–18.
- Shafi, T., & Coresh, J. (2010). *Chronic Kidney Disease: Definition, Epidemiology, Cost, and Outcomes. Chronic Kidney Disease, Dialysis, and Transplantation* (Fourth Edi). Elsevier Inc. <https://doi.org/10.1016/B978-1-4377-0987-2.00001-7>
- Snyder, H. (2019). Literature review as a research methodology: An overview and guidelines. *Journal of Business Research*, 104(March), 333–339. <https://doi.org/10.1016/j.jbusres.2019.07.039>
- Thomas, D., Joseph, J., Francis, B., & Mohanta, G. P. (2009). Effect of patient counseling on quality of life of hemodialysis patients in India. *Pharmacy Practice*, 7(3), 181–184. <https://doi.org/10.4321/S1886-36552009000300009>
- Timiyatun, E. (2016). *Faktor-faktor yang memengaruhi ibu bekerja untuk menyusui: Literature Review*. Universitas Gadjah Mada.
- Tuong, W., Larsen, E. R., & Armstrong, A. W. (2014). Videos to influence: A systematic review of effectiveness of video-based education in modifying health behaviors. *Journal of Behavioral Medicine*, 37(2), 218–233. <https://doi.org/10.1007/s10865-012-9480-7>
- Vadakedath, S., & Kandi, V. (2017). Dialysis: A Review of the Mechanisms Underlying Complications in the Management of Chronic Renal Failure. *Cureus*, 9(8). <https://doi.org/10.7759/cureus.1603>
- Valsaraj, B. P., Bhat, S. M., & Latha, K. S. (2016). Cognitive behaviour therapy for anxiety and depression among people undergoing haemodialysis: A randomized control trial. *Journal of Clinical and Diagnostic Research*, 10(8), VC06-VC10. <https://doi.org/10.7860/JCDR/2016/18959.8383>
- Victoria, B. j. . (2017). *The Grapple with Dialysis - A Qualitative Literature Study on The Experiences of Adult Dialysis Patients*.
- Wang, R., Tang, C., Chen, X., Zhu, C., Feng, W., Li, P., & Lu, C. (2016). Poor sleep and reduced quality of life were associated with symptom distress in patients receiving maintenance hemodialysis. *Health and Quality of Life Outcomes*, 14(1), 1–8. <https://doi.org/10.1186/s12955-016-0531-6>
- Wasalamah, B. (2018). *Pengaruh Supportive Educative Nursing Intervention (SENI) Terhadap Self-Efficacy dan Nilai Interdialytic Weight Gain (IDWG) Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisa*. Universitas Gadjah Mada.
- Wijaya, Y. D. (2014). Pelatihan Pengelolaan Emosi Dengan Teknik Mindfulness Untuk Menurunkan Distress Pada Penyandang Diabetes Mellitus Tipe 2 di Puskesmas Kebon Jeruk Jakarta. *Jurnal Psikologi*, 12(2), 48–53.



- Wirawan, A. A., Hutajulu, S. H., & Haryani, H. (2020). The Effect of Prechemotherapy Education Using Audio Visual Methods on the Distress of Patients with Cancer. *Journal of Cancer Education*. <https://doi.org/10.1007/s13187-020-01830-1>
- Wright, F. K. (1967). Principles of haemodialysis. In *Nursing times* (Fourth Edi, Vol. 63, hal. 5–7). Elsevier Inc. <https://doi.org/10.1016/b978-0-323-52978-5.00022-7>
- Yang, Q., Wu, Z., Xie, Y., Xiao, X., Wu, J., Sang, T., ... Xu, X. (2021). The impact of health education videos on general public's mental health and behavior during COVID-19. *Global Health Research and Policy*, 6(1). <https://doi.org/10.1186/s41256-021-00211-5>
- Zabolypour, S., Alishapour, M., Behnammoghadam, M., Larki, R. A., & Zoladl, M. (2020). A comparison of the effects of teach-back and motivational interviewing on the adherence to medical regimen in patients with hypertension. *Patient Preference and Adherence*, 14, 401–410. <https://doi.org/10.2147/PPA.S231716>
- Zegarow, P., Manczak, M., Rysz, J., & Olszewski, R. (2020). The influence of cognitive-behavioral therapy on depression in dialysis patients - Meta-analysis. *Archives of Medical Science*, 16(6), 1271–1278. <https://doi.org/10.5114/AOMS.2019.88019>
- Zhao, Q., Zhang, S., & Yu, R. (2021). Impact of Pre-Transplantation Psychological Counseling in Improving the Mental Well-Being of Patients on Hemodialysis. *Frontiers in Psychiatry*, 12(February), 1–6. <https://doi.org/10.3389/fpsyg.2021.594670>