

- Ahring, B.K., 1995, Methanogenesis in thermophilic biogas reactors., Antonie Van Leeuwenhoek, 67 (1), 91–102.
- Ahring, B.K., Ibrahim, A.A. and Mladenovska, Z., 2001, Effect of temperature increase from 55 to 65 degrees C on performance and microbial population dynamics of an anaerobic reactor treating cattle manure., Water Res, 35 (10), 2446–52.
- Ahring, B.K., Mladenovska, Z., Iranpour, R. and Westermann, P., 2002, State of the art and future perspectives of thermophilic anaerobic digestion., Water Sci Technol, 45 (10), 293–8.
- Ai, S., Liu, H., Wu, M., Zeng, G. and Yang, C., 2018, Roles of acid-producing bacteria in anaerobic digestion of waste activated sludge, Frontiers of Environmental Science & Engineering, 12 (6), 3.
- Akunna, J.C., 2012, Anaerobic treatment of distillery and brewery wastewaters, Distilled Spirits, 5, 111–114.
- Albuquerque, D.J.N., Orellana, M.R., Ratusznei, S.M. and Rodrigues, J.A.D., 2019, THERMOPHILIC BIOMETHANE PRODUCTION BY VINASSE IN AN AnSBBR: START-UP STRATEGY AND PERFORMANCE OPTIMIZATION, Brazilian Journal of Chemical Engineering, 36 (02), 717–731.
- Angenent, L.T., Sung, S. and Raskin, L., 2002, Methanogenic population dynamics during startup of a full-scale anaerobic sequencing batch reactor treating swine waste, Water Research, Elsevier Ltd, 36 (18), 4648–4654.
- APHA/AWWA/WEF., 2017, “5220 CHEMICAL OXYGEN DEMAND (COD)”, Standard Methods for the Examination of Water and Wastewater, 23th ed., Washington, DC, USA, p. S-18.
- Atasoy, M., Owusu-Agyeman, I., Plaza, E. and Cetecioglu, Z., 2018, Bio-based volatile fatty acid production and recovery from waste streams: Current status and future challenges, Bioresource Technology, Elsevier Ltd, 1 November.
- Aulia, F., 2020, *ANALISIS METAGENOM 16S DALAM SELEKSI INOKULUM UNTUK PROSES PRODUKSI BIOGAS DARI VINASSE*, Universitas Gadjah Mada.
- Baez-Smith, C., 2006, Anaerobic Digestion of Vinasse for the Production Of Methane in the Sugar Cane Distillery, SPRI Conference of Sugar Processing, 268–287.
- Barrera, E.L., Spanjers, H., Solon, K., Amerlinck, Y., Nopens, I. and Dewulf, J., 2015, Modeling the anaerobic digestion of cane-molasses vinasse: Extension of the Anaerobic Digestion Model No. 1 (ADM1) with sulfate reduction for a very high strength and sulfate rich wastewater, Water Research, Elsevier Ltd, 71, 42–54.
- Barros, V.G. de, Duda, R.M., Vantini, J. da S., Omori, W.P., Ferro, M.I.T. and Oliveira, R.A. de., 2017, Improved methane production from sugarcane vinasse with filter cake in thermophilic UASB reactors, with predominance of Methanothermobacter and Methanosarcina archaea and Thermotogae bacteria, Bioresource Technology, 244 (Pt 1), 371–381.

Batstone, D.J. and Angelidaki, I., 2014, Anaerobic digestion model No 1 (ADM1) The IWA Anaerobic Digestion Model No 1 (ADM1), 1 (1).

Batstone, D.J., Keller, J., Angelidaki, I., Kalyuzhnyi, S.V., Pavlostathis, S.G., Rozzi, A., Sanders, W.T.M., *et al.*, 2002, The IWA Anaerobic Digestion Model No 1 (ADM1), Water Science and Technology, IWA Publishing, 45 (10), 65–73.

Bayu, A.I., 2021, *PENGUJIAN INOKULUM TERAKLIMATISASI PADA PRODUKSI BIOGAS DARI LIMBAH VINASSE DAN PALM OIL MILL EFFLUENT SECARA ANAEROBIK TERMOFILIK*, Universitas Gadjah Mada.

Bayu, A.I., Lestary, R.A., Dewayanto, N., Mellyanawaty, M., Wicaksono, A., Alvania Kartika, R.W., Sakka, D.F., *et al.*, 2022, Kinetic study of thermophilic anaerobic digestion of sugarcane vinasse in a single-stage continuous stirred tank reactor, Results in Engineering, 14, 100432.

Bendixen, H.J., 1994, Safeguards against pathogens in danish biogas plants, Water Science and Technology, 30 (12), 171–180.

Berk, Z., 2009, Reaction Kinetics, Food Process Engineering and Technology, Elsevier, pp. 115–127.

Bodaghabadi, M.B., Salehi, M.H., Martínez-Casasnovas, J.A., Mohammadi, J., Toomanian, N. and Esfandiarpour Borujeni, I., 2011, Using Canonical Correspondence Analysis (CCA) to identify the most important DEM attributes for digital soil mapping applications, CATENA, 86 (1), 66–74.

Boltz, J.P., Johnson, B.R., Daigger, G.T. and Sandino, J., 2009, Modeling Integrated Fixed-Film Activated Sludge and Moving-Bed Biofilm Reactor Systems I: Mathematical Treatment and Model Development, Water Environment Research, Wiley, 81 (6), 555–575.

Boltz, J.P., Morgenroth, E., Brockmann, D., Bott, C., Gellner, W.J. and Vanrellegheem, P.A., 2015, Critical components of biofilm models for engineering practice, WWTmod2010 - 2nd IWA/WEF Wastewater Treatment Modelling Seminar.

Bolzonella, D., Battistoni, P., Mata-Alvarez, J. and Cecchi, F., 2003, Anaerobic digestion of organic solid waste: Process behaviour in transient conditions, Water Science and Technology, IWA Publishing, 48 (4), 1–8.

Boone, D.R., Chynoweth, D.P., Mah, R.A., Smith, P.H. and Wilkie, A.C., 1993, Ecology and microbiology of biogasification, Biomass and Bioenergy, Pergamon, 5 (3–4), 191–202.

Borja, R., Banks, C.J. and Wang, Z., 1995, Effect of organic loading rate on anaerobic treatment of slaughterhouse wastewater in a fluidised-bed reactor, Bioresource Technology, 52 (2), 157–162.

Borja, R., Weiland, P., Travieso, L. and Martin, A., 1994, Kinetics of anaerobic digestion of cow manure with biomass immobilized on zeolite, The Chemical Engineering Journal, 54, B9–B14.

Borowiak, K., Zbierska, J. and Jusik, S., 2011, Canonical Correspondence Analysis (CCA) as a Tool for Interpretation of Bioindicator Plant to Ambient Air Pollution, Fresenius Environmental Bulletin, 20 (9), 2264–2270.

- Bos, R., Mei, H.C., Gold, J. and Busscher, H.J., 2000, Retention of bacteria on a substratum surface with micro-patterned hydrophobicity, *FEMS Microbiology Letters*, 189 (2), 311–315.
- Botheju, D. and Bakke, R., 2008, Implementation of Adm 1 Model in Aquasim Biofilm Reactor Compartment, *Scansims.Org*, 9.
- Boušková, A., Dohányos, M., Schmidt, J.E.E. and Angelidaki, I., 2005, Strategies for changing temperature from mesophilic to thermophilic conditions in anaerobic CSTR reactors treating sewage sludge, *Water Research*, 39 (8), 1481–1488.
- Bowen, E.J., Dolfing, J., Davenport, R.J., Read, F.L. and Curtis, T.P., 2014, Low-temperature limitation of bioreactor sludge in anaerobic treatment of domestic wastewater, *Water Science and Technology*, 69 (5), 1004–1013.
- Brar, R.S., 1994, *Stability Enhancement of Thermophilic Anaerobic Digesters Treating Municipal Sewage Sludge*.
- Buhr, H.O. and Andrews, J.F., 1977, The thermophilic anaerobic digestion process, *Water Research*, 11 (2), 129–143.
- Bułkowska, K., Białobrzewski, I., Klimiuk, E. and Pokój, T., 2018, Kinetic parameters of volatile fatty acids uptake in the ADM1 as key factors for modeling co-digestion of silages with pig manure, thin stillage and glycerine phase, *Renewable Energy*, Elsevier Ltd, 126, 163–176.
- Canganella, F. and Wiegel, J., 2014, Anaerobic thermophiles, *Life*, 4 (1), 77–104.
- Cassman, N.A., Lourenço, K.S., Do Carmo, J.B., Cantarella, H. and Kuramae, E.E., 2018, Genome-resolved metagenomics of sugarcane vinasse bacteria, *Biotechnology for Biofuels*, 11 (1), 1–16.
- Chang, I.-S., Kim, C.-I. and Nam, B.-U., 2005, The influence of poly-vinyl-alcohol (PVA) characteristics on the physical stability of encapsulated immobilization media for advanced wastewater treatment, *Process Biochemistry*, 40 (9), 3050–3054.
- Characklis, W.G., 1981, *Fouling Biofilm Development: A Process Analysis*, *Biotechnology and Bioengineering*, Montana, XXIII, 1923–1960.
- Chauhan, A. and Ogram, A., 2005, Evaluation of support matrices for immobilization of anaerobic consortia for efficient carbon cycling in waste regeneration, *Biochemical and Biophysical Research Communications*, 327 (3), 884–893.
- Chelliapan, S., Wilby, T., Yuzir, A. and Sallis, P.J., 2011, Influence of organic loading on the performance and microbial community structure of an anaerobic stage reactor treating pharmaceutical wastewater, *Desalination*, 271 (1–3), 257–264.
- Chen, M., 1983, Adaptation of mesophilic anaerobic sewage fermentor populations to thermophilic temperatures, *Applied and Environmental Microbiology*, 45 (4), 1271–1276.
- Chen, X., Chen, Z., Wang, X., Huo, C., Hu, Z., Xiao, B. and Hu, M., 2016, Application of ADM1 for modeling of biogas production from anaerobic digestion of *Hydrilla verticillata*, *Bioresource Technology*, Elsevier Ltd, 211, 101–107.
- Chen, Y., Cheng, J.J. and Creamer, K.S., 2008, Inhibition of Anaerobic Digestion Process: A Review, *Bioresource Technology*, Vol. 99, pp. 4044–4064.

Cheng, J.J., 2018, Biomass to Renewable Energy Process, edited by Cheng, J.J., 2nd ed., CRC Press, New York.

Chernicharo, C.A. de L., 2007, Anaerobic Reactors, Biological Wastewater Treatment Series, available at: <https://www.iwapublishing.com/sites/default/files/ebooks/9781780402116.pdf>.

Cláudia, S., Martins, S., Martins, C.M., Maria, L., Guedes, C. and Santaella, S.T., 2013, Immobilization of microbial cells : A promising tool for treatment of toxic pollutants in industrial wastewater, 12 (28), 4412–4418.

Demirel, B. and Scherer, P., 2008, The roles of acetotrophic and hydrogenotrophic methanogens during anaerobic conversion of biomass to methane: A review, Reviews in Environmental Science and Biotechnology, 7 (2), 173–190.

Demirer, G.N. and Chen, S., 2005, Two-phase anaerobic digestion of unscreened dairy manure, Process Biochemistry, 40 (11), 3542–3549.

Detman, A., Mielecki, D., Pleśniak, Ł., Bucha, M., Janiga, M., Matyasik, I., Chojnacka, A., *et al.*, 2018, Methane-yielding microbial communities processing lactate-rich substrates: a piece of the anaerobic digestion puzzle, Biotechnology for Biofuels, 11 (1), 116.

Deublein, D. and Steinhauser, A., 2008, Biogas from Waste and Renewable Resources, Wiley-VCH Verlag GmbH & Co. KGaA, Germany.

Deublein, D. and Steinhauser, A., 2010, Biogas from Waste and Renewable Resources, Biogas from Waste and Renewable Resources, Wiley-VCH Verlag GmbH and Co. KGaA., Germany, available at: <https://doi.org/10.1002/9783527632794>.

Dias, M.F., Colturato, L.F., de Oliveira, J.P., Leite, L.R., Oliveira, G., Chernicharo, C.A. and de Araújo, J.C., 2016, Metagenomic analysis of a desulphurisation system used to treat biogas from vinasse methanisation, Bioresource Technology, 205, 58–66.

Dong, X., Xin, Y., Jian, W., Liu, X. and Ling, D., 2000, Bifidobacterium thermacidophilum sp. nov., isolated from an anaerobic digester., International Journal of Systematic and Evolutionary Microbiology, 50 (1), 119–125.

Duong, T.H., Grolle, K., Nga, T.T.V., Zeeman, G., Temmink, H. and van Eekert, M., 2019, Protein hydrolysis and fermentation under methanogenic and acidifying conditions, Biotechnology for Biofuels, 12 (1), 254.

Dutta, A., Davies, C. and Ikumi, D.S., 2018, Performance of upflow anaerobic sludge blanket (UASB) reactor and other anaerobic reactor configurations for wastewater treatment: A comparative review and critical updates, Journal of Water Supply: Research and Technology - AQUA, 67 (8), 858–884.

El-Hadj, T.B., Dosta, J., Mata-Alvarez, J., El-Hadj, T.B., Dosta, J. and Mata-Álvarez, J., 2007, Start-up and HRT influence in thermophilic and mesophilic anaerobic digesters seeded with waste activated sludge, Chemical and Biochemical Engineering Quarterly, 21 (2), 145–150.

España-Gamboa, E., Mijangos-Cortes, J., Barahona-Perez, L., Dominguez-Maldonado, J., Hernández-Zarate, G. and Alzate-Gaviria, L., 2011, Vinasses: Characterization and treatments, Waste Management and Research, 29 (12), 1235–1250.

- Etchebehere, C., Pavan, M.E., Zorzopulos, J., Soubes, M. and Muxi, L., 1998, *Coprothermobacter platensis* sp. nov., a new anaerobic proteolytic thermophilic bacterium isolated from an anaerobic mesophilic sludge, *International Journal of Systematic Bacteriology*, 48 (4), 1297–1304.
- Fang, H.H.P. and Liu, H., 2002, Effect of pH on hydrogen production from glucose by a mixed culture, *Bioresource Technology*, 82 (1), 87–93.
- Fang, H.H.P. and Yu, H., 2002, Mesophilic acidification of gelatinaceous wastewater, *Journal of Biotechnology*, 93 (2), 99–108.
- Fernández, N., Montalvo, S., Borja, R., Guerrero, L., Sánchez, E., Cortés, I., Colmenarejo, M.F., *et al.*, 2008, Performance Evaluation of Anaerobic FLuidized Bed Reactor with Natural Zeolite as Support Material When Treating High-Strength Distillery Wastewater, *Renewable Energy*, Vol. 33, pp. 2458–2466.
- Ferraz Júnior, A.D.N., Koyama, M.H., de Araújo Júnior, M.M. and Zaiat, M., 2016, Thermophilic anaerobic digestion of raw sugarcane vinasse, *Renewable Energy*, Pergamon, 89, 245–252.
- Ferry, J.G., 2011, Fundamentals of methanogenic pathways that are key to the biomethanation of complex biomass, *Current Opinion in Biotechnology*, June.
- Fezzani, B. and Cheikh, R. ben., 2008, Implementation of IWA anaerobic digestion model No. 1 (ADM1) for simulating the thermophilic anaerobic co-digestion of olive mill wastewater with olive mill solid waste in a semi-continuous tubular digester, *Chemical Engineering Journal*, 141 (1–3), 75–88.
- Fuess, L.T., Kiyuna, L.S.M., Ferraz, A.D.N., Persinoti, G.F., Squina, F.M., Garcia, M.L. and Zaiat, M., 2017, Thermophilic two-phase anaerobic digestion using an innovative fixed-bed reactor for enhanced organic matter removal and bioenergy recovery from sugarcane vinasse, *Applied Energy*, Elsevier Ltd, 189, 480–491.
- Garny, K., Horn, H. and Neu, T.R., 2008, Interaction between biofilm development, structure and detachment in rotating annular reactors, *Bioprocess and Biosystems Engineering*, 31 (6), 619–629.
- Gavala, H.N., Angelidaki, I. and Ahring, B.K., 2003, Kinetics and modeling of anaerobic digestion process., *Adv Biochem Eng Biotechnol*, 81, 57–93.
- Gerardi, M.H., 2003, *The Microbiology of an Anaerobic Digesters*, John Willey & Sons, Inc., Canada.
- Gillett, A., Waugh, D.G. and Lawrence, J., 2016, Laser Surface Modification of Polymeric Surfaces for Microbiological Applications, *Laser Surface Modification of Biomaterials: Techniques and Applications*, Elsevier Ltd, available at: <https://doi.org/10.1016/B978-0-08-100883-6.00007-1>.
- Ginting, A.Br., Anggraini, D., Indaryati, S. and Kriswarini, R., 2007, KARAKTERISASI KOMPOSISI KIMIA, LUAS PERMUKAAN PORI DAN SIFAT TERMAL DARI ZEOLIT BAYAH, TASIKMALAYA, DAN LAMPUNG, *Jurnal Teknologi Bahan Nuklir*, 3 (1), 38–48.
- Gomez, R.R., 2011, *UPFLOW ANAEROBIC SLUDGE BLANKET REACTOR: MODELLING*, 10^o Congresso USP de Iniciação Científica Em Contabilidade, Royal Institute of Technology, Sweden.

- Goux, X., Calusinska, M., Lemaigre, S., Marynowska, M., Klocke, M., Udelhoven, T., Benizri, E., *et al.*, 2015, Microbial community dynamics in replicate anaerobic digesters exposed sequentially to increasing organic loading rate, acidosis, and process recovery, *Biotechnology for Biofuels*, 8 (1), 122.
- Gu, Y., Chen, X., Liu, Z., Zhou, X. and Zhang, Y., 2014, Effect of inoculum sources on the anaerobic digestion of rice straw, *Bioresource Technology*, 158, 149–155.
- Halim, L., 2015, *Peningkatan Produksi Biogas Dari Stillage Dengan Imobilisasi Bakteri Anaerobik Pada Media Padatan Berpori*, Universitas Gadjah Mada.
- Hao, L., Lü, F., Li, L., Wu, Q., Shao, L. and He, P., 2013, Self-adaption of methane-producing communities to pH disturbance at different acetate concentrations by shifting pathways and population interaction, *Bioresource Technology*, 140, 319–327.
- Hattori, S., Kamagata, Y., Hanada, S. and Shoun, H., 2000, *Thermacetogenium phaeum* gen. nov., sp. nov., a strictly anaerobic, thermophilic, syntrophic acetate-oxidizing bacterium., *International Journal of Systematic and Evolutionary Microbiology*, 50 (4), 1601–1609.
- Hatzigeorgiou, M., Owsenek, B., Alkema, T., Sieger, R. and Pallansch, K., 2006, Startup of Anaerobic Mesophilic Digesters, *Proceedings of the Water Environment Federation*, 2006 (13), 415–428.
- He, L., Yu, J., Lin, Z., Huang, Y., He, X., Shi, S. and Zhou, J., 2022, Organic matter removal performance, pathway and microbial community succession during the construction of high-ammonia anaerobic biosystems treating anaerobic digestate food waste effluent, *Journal of Environmental Management*, 317, 115428.
- Ho, L. and Ho, G., 2012, Mitigating ammonia inhibition of thermophilic anaerobic treatment of digested piggery wastewater: Use of pH reduction, zeolite, biomass and humic acid, *Water Research*, 46 (14), 4339–4350.
- Hori, T., Haruta, S., Sasaki, D., Hanajima, D., Ueno, Y., Ogata, A., Ishii, M., *et al.*, 2015, Reorganization of the bacterial and archaeal populations associated with organic loading conditions in a thermophilic anaerobic digester, *Journal of Bioscience and Bioengineering*, 119 (3), 337–344.
- Hwang, M.H., Jang, N.J., Hyun, S.H. and Kim, I.S., 2004, Anaerobic bio-hydrogen production from ethanol fermentation: the role of pH, *Journal of Biotechnology*, Elsevier, 111 (3), 297–309.
- Iltchenko, J., Almeida, L.G., Beal, L.L., Marconatto, L., dos Anjos Borges, L.G., Giongo, A. and Paesi, S., 2020, Microbial consortia composition on the production of methane from sugarcane vinasse, *Biomass Conversion and Biorefinery*, 10 (2), 299–309.
- Iranpour, R., Cox, H.H.J., Shao, Y.J., Moghaddam, O., Kearney, R.J., Deshusses, M.A., Stenstrom, M.K., *et al.*, 2002, Changing Mesophilic Wastewater Sludge Digestion into Thermophilic Operation at Terminal Island Treatment Plant, *Water Environment Research*, 74 (5), 494–507.
- Ivontianti, W.D., Budhijanto, W. and Syamsiah, S., 2016, *Evaluasi Waktu Start Up Pada Proses Peruraian Limbah Stillage Secara Anaerobik Menggunakan Reaktor Fixed*

Bed Kontinyu Dengan Zeolit Sebagai Media Imobilisasi, Prosiding Seminar Nasional Teknik Kimia “Kejuangan” Pengembangan Teknologi Kimia Untuk Pengolahan Sumber Daya Alam Indonesia, Universitas Gadjah Mada.

- Jaafari, J., Mesdaghinia, A., Nabizadeh, R., Hoseini, M., Kamani, H. and Mahvi, A.H., 2014, Influence of upflow velocity on performance and biofilm characteristics of Anaerobic Fluidized Bed Reactor (AFBR) in treating high-strength wastewater, *Journal of Environmental Health Science and Engineering*, 12 (1), 1–10.
- Jiang, J., Zhang, Y., Li, K., Wang, Q., Gong, C. and Li, M., 2013, Volatile fatty acids production from food waste: Effects of pH, temperature, and organic loading rate, *Bioresource Technology*, 143, 525–530.
- Kaparaju, P., Buendia, I., Ellegaard, L. and Angelidakia, I., 2008, Effects of mixing on methane production during thermophilic anaerobic digestion of manure: Lab-scale and pilot-scale studies, *Bioresource Technology*, Elsevier, 99 (11), 4919–4928.
- Karakashev, D., Batstone, D.J. and Angelidaki, I., 2005, Influence of Environmental Conditions on Methanogenic Compositions in Anaerobic Biogas Reactors, *Applied and Environmental Microbiology*, 71 (1), 331–338.
- Karim, K., Hoffmann, R., Thomas Klasson, K. and Al-Dahhan, M.H., 2005, Anaerobic digestion of animal waste: Effect of mode of mixing, *Water Research*, Pergamon, 39 (15), 3597–3606.
- Karki, A.B., Shrestha, J.N. and Bajgain, S., 2005, *Biogas as Renewable Source of Energy in Nepal : Theory and Development*, BSP-Nepal, Kathmandu.
- Kiani, K.D.M., Parsaee, M. and Mahdaviifar, Z., 2021, Biogas production from sugarcane vinasse at mesophilic and thermophilic temperatures by static granular bed reactor (SGBR), *Sustainable Energy Technologies and Assessments*, Elsevier Ltd, 48 (December), 101569.
- Kim, J., Park, C., Kim, T.-H., Lee, M., Kim, S., Kim, S.-W. and Lee, J., 2003, Effects of various pretreatments for enhanced anaerobic digestion with waste activated sludge, *Journal of Bioscience and Bioengineering*, 95 (3), 271–275.
- Kim, M., Ahn, Y.-H. and Speece, R.E., 2002, Comparative process stability and efficiency of anaerobic digestion; mesophilic vs. thermophilic, *Water Research*, Pergamon, 36 (17), 4369–4385.
- Kleyböcker, A., Liebrich, M., Verstraete, W., Kraume, M. and Würdemann, H., 2012, Early warning indicators for process failure due to organic overloading by rapeseed oil in one-stage continuously stirred tank reactor, sewage sludge and waste digesters, *Bioresource Technology*, 123, 534–541.
- Kobayashi, T., Yasuda, D., Li, Y.Y., Kubota, K., Harada, H. and Yu, H.Q., 2009, Characterization of start-up performance and archaeal community shifts during anaerobic self-degradation of waste-activated sludge, *Bioresource Technology*, Elsevier Ltd, 100 (21), 4981–4988.
- Kong, D., Zhang, K., Liang, J., Gao, W. and Du, L., 2019, Methanogenic community during the anaerobic digestion of different substrates and organic loading rates, *Microbiologyopen*, 8 (5), e00709.

- Kotsopoulos, T.A., Karamanlis, X., Dotas, D. and Martzopoulos, G.G., 2008, The impact of different natural zeolite concentrations on the methane production in thermophilic anaerobic digestion of pig waste, *Biosystems Engineering*, 99 (1), 105–111.
- Labatut, R.A., Angenent, L.T. and Scott, N.R., 2014, Conventional mesophilic vs. thermophilic anaerobic digestion: A trade-off between performance and stability?, *Water Research*, Pergamon, 53, 249–258.
- Lackner, N., Wagner, A.O., Markt, R. and Illmer, P., 2020, pH and Phosphate Induced Shifts in Carbon Flow and Microbial Community during Thermophilic Anaerobic Digestion, *Microorganisms*, 8 (2), 286.
- Landini, P., Antoniani, D., Burgess, J.G. and Nijland, R., 2010, Molecular mechanisms of compounds affecting bacterial biofilm formation and dispersal, *Applied Microbiology and Biotechnology*, 86 (3), 813–823.
- Lee, D.H., Behera, S.K., Kim, J.W. and Park, H.S., 2009, Methane production potential of leachate generated from Korean food waste recycling facilities: A lab-scale study, *Waste Management*, 29 (2), 876–882.
- Lee, J., Han, G., Shin, S.G., Koo, T., Cho, K., Kim, W. and Hwang, S., 2016, Seasonal monitoring of bacteria and archaea in a full-scale thermophilic anaerobic digester treating food waste-recycling wastewater: Correlations between microbial community characteristics and process variables, *Chemical Engineering Journal*, Elsevier B.V., 300, 291–299.
- Leitão, R.C., van Haandel, A.C., Zeeman, G. and Lettinga, G., 2006, The effects of operational and environmental variations on anaerobic wastewater treatment systems: A review, *Bioresource Technology*, Elsevier, 97 (9), 1105–1118.
- Lembo, G., Rosa, S., Mazzurco Miritana, V., Marone, A., Massini, G., Fenice, M. and Signorini, A., 2020, Thermophilic Anaerobic Digestion of Second Cheese Whey: Microbial Community Response to H₂ Addition in a Partially Immobilized Anaerobic Hybrid Reactor, *Processes*, 9 (1), 43.
- Li, J., Jin, Y., Ren, J. and Zhu, W., 2014, Impact of organic load shock on the dynamic transition of microbial communities during the anaerobic start-up process, *Energy Procedia*, Elsevier B.V., 61, 2737–2740.
- Lier, J.B. van, Martin, J.L.S. and Lettinga, G., 1996, Effect of Temperature on the Anaerobic Thermophilic Conversion of Volatile Fatty Acids by Dispersed and Granular Sludge, *Water Research*, 30 (1), 199–207.
- Lin, Q., Vrieze, D.J., Li, C., Li, J., Li, J., Yao, M., Hedenec, P., *et al.*, 2017, Temperature regulates deterministic processes and the succession of microbial interactions in anaerobic digestion process, *Water Research*, 123, 134–143.
- Liu, X., Yan, Z. and Yue, Z.-B., 2011, Biogas, *Comprehensive Biotechnology*, Elsevier, pp. 99–114.
- Madsen, M., Holm-Nielsen, J.B. and Esbensen, K.H., 2011, Monitoring of anaerobic digestion processes: A review perspective, *Renewable and Sustainable Energy Reviews*, Pergamon, 15 (6), 3141–3155.

Manchala, K.R., Sun, Y., Zhang, D. and Wang, Z.-W., 2017, Anaerobic Digestion Modelling, *Advances in Bioenergy*, Vol. 2, Elsevier Ltd, available at:<https://doi.org/10.1016/bs.aibe.2017.01.001>.

Masse, L., Massé, D.I., Kennedy, K.J. and Chou, S.P., 2002, Neutral fat hydrolysis and long-chain fatty acid oxidation during anaerobic digestion of slaughterhouse wastewater., *Biotechnol Bioeng*, 79 (1), 43–52.

Mburu, N., Rousseau, D.P.L., Stein, O.R. and Lens, P.N.L., 2014, Simulation of batch-operated experimental wetland mesocosms in AQUASIM biofilm reactor compartment, *Journal of Environmental Management*, 134 (February), 100–108.

Meegoda, J.N., Li, B., Patel, K. and Wang, L.B., 2018, A Review of the Processes, Parameters, and Optimization of Anaerobic Digestion., *Int J Environ Res Public Health*, Multidisciplinary Digital Publishing Institute (MDPI), 15 (10), available at:<https://doi.org/10.3390/ijerph15102224>.

Mellyanawaty, M., Nakakoji, S., Tatara, M., Marbelia, L., Sarto, Prijambada, I.D., Budhijanto, W., *et al.*, 2021, Enrichment of thermophilic methanogenic microflora from mesophilic waste activated sludge for anaerobic digestion of garbage slurry, *Journal of Bioscience and Bioengineering*, Elsevier, 132 (6), 630–639.

Mellyanawaty, M., Purnomo, C.W. and Budhijanto, W., 2017, Pengaruh Penambahan Zeolit Alam Termodifikasi sebagai Media Imobilisasi Bakteri terhadap Dekomposisi Material Organik secara Anaerob, *Jurnal Rekayasa Proses*, 11 (1), 36–4236.

Melo, L.F., 2003, Biofilm formation and its role in fixed film processes, in Mara, D. and Horan, N. (Eds.), *Handbook of Water and Wastewater Microbiology*, Portugal, pp. 459–469.

Metcalf & Eddy Inc., 2003, *Wastewater Engineering : Treatment and Reuse*, Boston: McGraw-Hill.

Milán, Z., Sánchez, E., Weiland, P., Borja, R., Martín, A. and Ilangovan, K., 2001, Influence of different natural zeolite concentrations on the anaerobic digestion of piggery waste, *Bioresource Technology*, 80 (1), 37–43.

Milán, Z., Villa, P., Sánchez, E., Montalvo, S., Borja, R., Ilangovan, K. and Briones, R., 2003, Effect of natural and modified zeolite addition on anaerobic digestion of piggery waste., *Water Science and Technology : A Journal of the International Association on Water Pollution Research*, 48 (6), 263–9.

Moestedt, J., Müller, B., Nagavara Nagaraj, Y. and Schnürer, A., 2020, Acetate and Lactate Production During Two-Stage Anaerobic Digestion of Food Waste Driven by *Lactobacillus* and *Aeriscardovia*, *Frontiers in Energy Research*, 8, available at:<https://doi.org/10.3389/fenrg.2020.00105>.

Mohajan, H., 2012, Dangerous Effects of Methane gas in the Atmosphere, *Journal of Economic and Political Integration*, 2 (1), 3–10.

Moraes, B.S., Zaiat, M. and Bonomi, A., 2015, Anaerobic digestion of vinasse from sugarcane ethanol production in Brazil: Challenges and perspectives, *Renewable and Sustainable Energy Reviews*, Elsevier, 44, 888–903.

- Morgenroth, E., 2008, *Biofilms in Wastewater Treatment*, 2nd ed., IWA Publishing, London.
- Nicolella, C., Chiarle, S., Di Felice, R. and Rovatti, M., 1997, Mechanisms of biofilm detachment in fluidized bed reactors, *Water Science and Technology*, Elsevier Science Ltd, 36 (1), 229–235.
- Nicolella, C., van Loosdrecht, M.C.M. and Heijnen, J.J., 2000, Wastewater treatment with particulate biofilm reactors, *Journal of Biotechnology*, Elsevier, 80 (1), 1–33.
- O’Flaherty, V., Collins, G. and Mahony, T., 2006, The microbiology and biochemistry of anaerobic bioreactors with relevance to domestic sewage treatment, *Reviews in Environmental Science and Biotechnology*, 5 (1), 39–55.
- Oktaviani, R., Hindryawati, N. and Panggabean, A.S., 2019, MODIFIKASI DAN KARAKTERISASI ZEOLIT ALAM TASIKMALAYA DENGAN Fe₂O₃, *Jurnal Atomik*, 4 (1), 30–35.
- Oliveira, B.G., Mendes, L.W., Smyth, E.M., Tsai, S.M., Feigl, B.J. and Mackie, R.I., 2020, Assessment of microbial diversity associated with CH₄ emission from sugarcane vinasse storage and transportation systems, *Journal of Environmental Management*, 269, 110748.
- Ordaz-Diaz, L.A. and Bailon-Salas, A.M., 2020, Molecular identification of microbial communities in the methane production from vinasse: A review, *BioResources*, 15 (2), 4528–4552.
- Palatsi, J., Gimenez-Lorang, A., Ferrer, I. and Flotats, X., 2009, Start-up strategies of thermophilic anaerobic digestion of sewage sludge, *Water Science and Technology*, 59 (9), 1777–1784.
- Palatsi, J., Viñas, M., Guivernau, M., Fernandez, B. and Flotats, X., 2011, Anaerobic digestion of slaughterhouse waste: Main process limitations and microbial community interactions, *Bioresource Technology*, 102 (3), 2219–2227.
- Pant, D. and Adholeya, A., 2007, Biological approaches for treatment of distillery wastewater: A review, *Bioresource Technology*.
- Parawira, W., Murto, M., Read, J.S. and Mattiasson, B., 2005, Profile of hydrolases and biogas production during two-stage mesophilic anaerobic digestion of solid potato waste, *Process Biochemistry*, 40 (9), 2945–2952.
- Parkin, G.F. and Owen, W.F., 1986, Fundamentals of Anaerobic Digestion of Wastewater Sludges, *Journal of Environmental Engineering*, 112 (5), 867–920.
- Parsaee, M., Kiani Deh Kiani, M. and Karimi, K., 2019, A review of biogas production from sugarcane vinasse, *Biomass and Bioenergy*, Elsevier Ltd, 122 (January), 117–125.
- Pérez, M., Romero, L.I. and Sales, D., 1999, Anaerobic thermophilic fluidized bed treatment of industrial wastewater: Effect of F:M relationship, *Chemosphere*, 38 (14), 3443–3461.
- Pérez-García, M., Romero-García, L.I., Rodríguez-Cano, R. and Sales-Márquez, D., 2005, High rate anaerobic thermophilic technologies for distillery wastewater treatment, *Water Science and Technology*, 51 (1), 191–198.

- Pitombo, L.M., do Carmo, J.B., de Hollander, M., Rossetto, R., López, M. V., Cantarella, H. and Kuramae, E.E., 2016, Exploring soil microbial 16S rRNA sequence data to increase carbon yield and nitrogen efficiency of a bioenergy crop, *GCB Bioenergy*, 8 (5), 867–879.
- Poirier, S., Madigou, C., Bouchez, T. and Chapleur, O., 2017, Improving anaerobic digestion with support media: Mitigation of ammonia inhibition and effect on microbial communities, *Bioresource Technology*, 235, 229–239.
- Pommier, S., Chenu, D., Quintard, M. and Lefebvre, X., 2007, A logistic model for the prediction of the influence of water on the solid waste methanization in landfills, *Biotechnology and Bioengineering*, 97 (3), 473–482.
- Prakash, N.B., Sockan, V. and Raju, V.S., 2014, Anaerobic Digestion of Distillery Spent Wash, *ARPN Journal of Science and Technology*, 4 (3), 134–140.
- Prakash, O., Nimonkar, Y. and Shouche, Y.S., 2013, Practice and prospects of microbial preservation, *FEMS Microbiology Letters*, Oxford University Press, 339 (1), 1–9.
- Prasetyo, D.J., 2021, *OPTIMALISASI PREPARASI ZEOLIT ALAM UNTUK MEDIA IMOBILISASI BAKTERI PADA PROSES PERURAIAN ANAEROBIK TERMOFILIK LIMBAH VINASSE*, Universitas Gadjah Mada.
- Prasetyo, D.J., Kurnianto, R.W., Wahono, S.K. and Budhijanto, W., 2021, PERURAIAN ANAEROBIK TERMOFILIK LIMBAH VINASSE: PENGARUH ZEOLIT ALAM TERAKTIVASI ASAM DAN BASA TERHADAP PERFORMA PROSES, *Jurnal Riset Teknologi Industri*, 15 (2).
- Puñal, A., Trevisan, M., Rozzi, A. and Lema, J.M., 2000, Influence of C:N ratio on the start-up of up-flow anaerobic filter reactors, *Water Research*, 34 (9), 2614–2619.
- Purnomo, C.W., Mellyanawaty, M. and Budhijanto, W., 2017, Simulation and Experimental Study on Iron Impregnated Microbial Immobilization in Zeolite for Production of Biogas, *Waste and Biomass Valorization*, 8 (7), available at:<https://doi.org/10.1007/s12649-017-9879-z>.
- Rabii, A., Aldin, S., Dahman, Y. and Elbeshbishy, E., 2019, A Review on Anaerobic Co-Digestion with a Focus on the Microbial Populations and the Effect of Multi-Stage Digester Configuration, *Energies (Basel)*, 12 (6), 1106.
- Rademacher, A., Nolte, C., Schönberg, M. and Klocke, M., 2012, Temperature increases from 55 to 75 °C in a two-phase biogas reactor result in fundamental alterations within the bacterial and archaeal community structure, *Appl Microbiol Biotechnol*, 96 (2), 565–576.
- Ramadhani, L.I., Damayanti, S.I., Sudibyo, H., Azis, M.M. and Budhijanto, W., 2021, The Impact of Hydraulic Retention Time on the Biomethane Production from Palm Oil Mill Effluent (POME) in Two-Stage Anaerobic Fluidized Bed Reactor, *Int. Journal of Renewable Energy Development*, 10 (1), 11–16.
- Ramadhani, L.I., Damayanti, S.I., Sudibyo, H. and Budhijanto, W., 2018, Kinetics of Anaerobic Digestion of Palm Oil Mill Effluent(POME) in Double-Stage Batch Bioreactor with Recirculation and Fluidization of Microbial Immobilization Media, *Materials Science and Engineering*, 316.

- Reis, C.E.R. and Hu, B., 2017, Vinsasse from sugarcane ethanol production: Better treatment or better utilization?, *Frontiers in Energy Research*, *Frontiers*, 5 (APR), 7.
- Reis, D.C.M., Carosia, M.F., Sakamoto, I.K., Amâncio Varesche, M.B. and Silva, E.L., 2015, Evaluation of hydrogen and methane production from sugarcane vinasse in an anaerobic fluidized bed reactor, *International Journal of Hydrogen Energy*, 40 (27), 8498–8509.
- Rodríguez, J., Kleerebezem, R., Lema, J.M. and Van Loosdrecht, M.C.M., 2006, Modeling product formation in anaerobic mixed culture fermentations, *Biotechnology and Bioengineering*, 93 (3), 592–606.
- Röske, I., Sabra, W., Nacke, H., Daniel, R., Zeng, A.-P., Antranikian, G. and Sahm, K., 2014, Microbial community composition and dynamics in high-temperature biogas reactors using industrial bioethanol waste as substrate, *Applied Microbiology and Biotechnology*, Springer Berlin Heidelberg, 98 (21), 9095–9106.
- Rosnani, A., Siti, B.M., Ali, Y., Mohd, F.M.D. and Shreeshivadasan, C., 2011, Performance of an innovative multi-stage anaerobic reactor during start-up period, *African Journal of Biotechnology*, 10 (54), 11294–11302.
- Rubia, M.A. de la, Romero, L.I., Sales, D. and Perez, M., 2005, Temperature conversion (mesophilic to thermophilic) of municipal sludge digestion, *AIChE Journal*, 51 (9), 2581–2586.
- Sahlström, L., 2003, A review of survival of pathogenic bacteria in organic waste used in biogas plants, *Bioresource Technology*, Elsevier, 87 (2), 161–166.
- Saleh, M.M.. A.. and Mahmood, U.F., 2004, Anaerobic Digestion Technology for Industrial Wastewater Treatment, *Water Technology*, 817–833.
- Santos, M.L.V., Ventura Ramos, E., Rodríguez Morales, J.A. and Oliver, H., 2020, Effect of inoculum source on the anaerobic digestion of mezcal vinasses at different substrate-inoculum ratios, *Revista Internacional de Contaminacion Ambiental*, 36 (1), 81–95.
- Sasaki, K., Morita, M., Hirano, S. ichi, Ohmura, N. and Igarashi, Y., 2009, Effect of adding carbon fiber textiles to methanogenic bioreactors used to treat an artificial garbage slurry, *Journal of Bioscience and Bioengineering*, The Society for Biotechnology, Japan, 108 (2), 130–135.
- Sasaki, K., Sasaki, D., Morita, M., Hirano, S.I., Matsumoto, N., Ohmura, N. and Igarashi, Y., 2010, Efficient treatment of garbage slurry in methanogenic bioreactor packed by fibrous sponge with high porosity, *Applied Microbiology and Biotechnology*, 86 (5), 1573–1583.
- Satyawali, Y. and Balakrishnan, M., 2008, Wastewater treatment in molasses-based alcohol distilleries for COD and color removal: A review, *Journal of Environmental Management*, 86 (3), 481–497.
- Schnürer, A. and Jarvis, Å., 2010, *Microbiological Handbook for Biogas Plants*, Swedish.
- Sekiguchi, Y., Kamagata, Y. and Harada, H., 2001, Recent advances in methane fermentation technology, *Current Opinion in Biotechnology*, Elsevier Current Trends, 12 (3), 277–282.

Shin, J., Jang, H.M., Shin, S.G. and Kim, Y.M., 2019, Thermophilic anaerobic digestion: Effect of start-up strategies on performance and microbial community, *Science of the Total Environment*, Elsevier B.V., 687, 87–95.

Shukla, P.R., Wang, S., Ang, H.M. and Tadé, M.O., 2009, Synthesis, characterisation, and adsorption evaluation of carbon-natural-zeolite composites, *Advanced Powder Technology*, The Society of Powder Technology Japan., 20 (3), 245–250.

Shuler, M.L. and Kargi, F., 2002, *Bioprocess Engineering*, 2nd ed., Prentice-Hall, Inc., USA.

Siegert, I. and Banks, C., 2005, The effect of volatile fatty acid additions on the anaerobic digestion of cellulose and glucose in batch reactors, *Process Biochemistry*, 40 (11), 3412–3418.

Soenara, T. and Husaini, H., 2009, PERCOBAAN PENGGERUSAN ZEOLIT TASIKMALAYA DAN UJI KAPASITAS TUKAR KATIONNYA PADA SETIAP UKURAN HASIL GERUS, *Jurnal Teknologi Mineral Dan Batubara*, 5 (4), 191–197.

Soutschek, E., Winter, J., Schindler, F. and Kandler, O., 1984, *Acetomicrobium flavidum*, gen. nov., sp. nov., a thermophilic, anaerobic bacterium from sewage sludge, forming acetate, CO₂ and H₂ from Glucose, *Systematic and Applied Microbiology*, 5 (3), 377–390.

Sriatun and Darmawan, A., 2005, Dealuminasi Zeolit Alam Cipatujah Melalui Penambahan Asam dan Oksidator, *J. Kim. Sains & Apl.*, 8 (2).

Stolze, Y., Bremges, A., Rummig, M., Henke, C., Maus, I., Pühler, A., Sczyrba, A., *et al.*, 2016, Identification and genome reconstruction of abundant distinct taxa in microbiomes from one thermophilic and three mesophilic production-scale biogas plants, *Biotechnology for Biofuels*, 9 (1), 156.

Sun, W., Yu, G., Louie, T., Liu, T., Zhu, C., Xue, G. and Gao, P., 2015, From mesophilic to thermophilic digestion: the transitions of anaerobic bacterial, archaeal, and fungal community structures in sludge and manure samples, *Applied Microbiology and Biotechnology*, Springer Verlag, 99 (23), 10271–10282.

Suryawanshi, P.C., Chaudhari, A.B. and Kothari, R.M., 2010, Thermophilic anaerobic digestion: The best option for waste treatment, *Critical Reviews in Biotechnology*, 30 (1), 31–40.

Sydney, E.B., Larroche, C., Novak, A.C., Nouaille, R., Sarma, S.J., Brar, S.K., Letti, L.A.J., *et al.*, 2014, Economic process to produce biohydrogen and volatile fatty acids by a mixed culture using vinasse from sugarcane ethanol industry as nutrient source, *Bioresource Technology*, 159, 380–386.

Szilágyi, Á., Bodor, A., Tolvai, N., Kovács, K.L., Bodai, L., Wirth, R., Bagi, Z., *et al.*, 2021, A comparative analysis of biogas production from tomato bio-waste in mesophilic batch and continuous anaerobic digestion systems, *PLOS ONE*, 16 (3), e0248654.

Taruyanon, K. and Tejasen, S., 2010, Modelling of two-stage anaerobic treating wastewater from a molasses-based ethanol distillery with the IWA anaerobic digestion model no.1, *Engineering Journal*, 14 (1), 25–36.

- Thanikal, J. V., Torrijos, M., Habouzit, F. and Moletta, R., 2007, Treatment of distillery vinasse in a high rate anaerobic reactor using low density polyethylene supports, *Water Science and Technology*, Vol. 56, pp. 17–24.
- Vrieze, D.J., Henebel, T., Boon, N. and Verstraete, W., 2012, Methanosarcina: The rediscovered methanogen for heavy duty biomethanation, *Bioresour Technol*, 112, 1–9.
- Vrieze, D.J., Raport, L., Willems, B., Verbrugge, S., Volcke, E., Meers, E., Angenent, L.T., *et al.*, 2015, Inoculum selection influences the biochemical methane potential of agro-industrial substrates, *Microbial Biotechnology*, Wiley-Blackwell, 8 (5), 776–786.
- Walter, M., Safari, A., Ivankovic, A. and Casey, E., 2013, Detachment characteristics of a mixed culture biofilm using particle size analysis, *Chemical Engineering Journal*, Elsevier B.V., 228, 1140–1147.
- Wang, S., Hovland, J. and Bakke, R., 2013, Efficiency of the anaerobic digestion of amine wastes, *Biotechnology Letters*, 35 (12), 2051–2060.
- Wang, S. and Peng, Y., 2010, Natural zeolites as effective adsorbents in water and wastewater treatment, *Chemical Engineering Journal*, 156 (1), 11–24.
- Wanner, O. and Reichert, P., 1996, Mathematical modeling of mixed-culture biofilms, *Biotechnology and Bioengineering*, John Wiley & Sons, Ltd, 49 (2), 172–184.
- Wardani, N.A., 2020, *Seleksi Inokulum Untuk Peruraian Anaerob Termofilik Limbah Vinasse PT. Madubaru*, Universitas Gadjah mada.
- Weinrich, S. and Nelles, M., 2015, Critical comparison of different model structures for the applied simulation of the anaerobic digestion of agricultural energy crops, *Bioresource Technology*, Elsevier, 178, 306–312.
- Weiß, S., Tauber, M., Somitsch, W., Meincke, R., Müller, H., Berg, G. and Guebitz, G.M., 2010, Enhancement of biogas production by addition of hemicellulolytic bacteria immobilised on activated zeolite, *Water Research*, 44 (6), 1970–1980.
- Westerholm, M., Moestedt, J. and Schnürer, A., 2016, Biogas production through syntrophic acetate oxidation and deliberate operating strategies for improved digester performance, *Applied Energy*, Elsevier Ltd, 1 October.
- Westerholm, M., Roos, S. and Schnürer, A., 2010, *Syntrophaceticus schinkii* gen. nov., sp. nov., an anaerobic, syntrophic acetate-oxidizing bacterium isolated from a mesophilic anaerobic filter, *FEMS Microbiology Letters*, no-no.
- Widhyasih, K., 2016, *EVALUASI WAKTU START UP DAN PENGARUH HYDRAULIC RETENTION TIME PADA PROSES PERURAIAN STILLAGE SECARA ANAEROBIK MENGGUNAKAN REAKTOR FLUIDIZED BED KONTINU DENGAN ZEOLIT SEBAGAI MEDIA IMOBILISASI*, Universitas Gadjah Mada.
- Wijesinghe, D.T.N., Dassanayake, K.B., Scales, P. and Chen, D., 2018, Developing an anaerobic digester with external Zeolite filled column for enhancing methane production from swine manure – A feasibility study, *Journal of Environmental Science and Health, Part B*, 53 (11), 751–760.

- Wilkie, A.C., Riedesel, K.J. and Owens, J.M., 2000, Stillage characterization and anaerobic treatment of ethanol stillage from conventional and cellulosic feedstocks, *Biomass and Bioenergy*, 19 (2), 63–102.
- Wilson, C.A., Murthy, S.M., Fang, Y. and Novak, J.T., 2008, The effect of temperature on the performance and stability of thermophilic anaerobic digestion, *Water Science and Technology*, 57 (2), 297–304.
- Windiastruti, E., 2020, *PENGARUH SUHU TERHADAP KOMUNITAS MIKROBA YANG TERLIBAT DALAM PRODUKSI METANA DARI SUMBER KARBON VINASSE DAN INOKULUM DARI KOTORAN SAPI TERDEGRADASI*.
- Xing, J., Criddle, C. and Hickey, R., 1997, Effects of a long-term periodic substrate perturbation on an anaerobic community, *Water Research*, Pergamon, 31 (9), 2195–2204.
- Xu, F., Shi, J., Lv, W., Yu, Z. and Li, Y., 2013, Comparison of different liquid anaerobic digestion effluents as inocula and nitrogen sources for solid-state batch anaerobic digestion of corn stover, *Waste Management*, 33 (1), 26–32.
- Yin, D.-M., Westerholm, M., Qiao, W., Bi, S.-J., Wandera, S.M., Fan, R., Jiang, M.-M., *et al.*, 2018, An explanation of the methanogenic pathway for methane production in anaerobic digestion of nitrogen-rich materials under mesophilic and thermophilic conditions, *Bioresource Technology*, Elsevier, 264, 42–50.
- Yu, G.-H., He, P.-J., Shao, L.-M. and He, P.-P., 2008, Toward understanding the mechanism of improving the production of volatile fatty acids from activated sludge at pH 10.0, *Water Research*, 42 (18), 4637–4644.
- Zamorano-López, N., Greses, S., Aguado, D., Seco, A. and Borrás, L., 2019, Thermophilic anaerobic conversion of raw microalgae: Microbial community diversity in high solids retention systems, *Algal Research*, 41, 101533.
- Zhang, L., Loh, K.C., Sarvanantharajah, S., Tong, Y.W., Wang, C.H. and Dai, Y., 2019, Mesophilic and thermophilic anaerobic digestion of soybean curd residue for methane production: Characterizing bacterial and methanogen communities and their correlations with organic loading rate and operating temperature, *Bioresource Technology*, Elsevier, 288 (April), 121597.
- Zhao, X., Li, L., Wu, D., Xiao, T., Ma, Y. and Peng, X., 2019, Modified Anaerobic Digestion Model No. 1 for modeling methane production from food waste in batch and semi-continuous anaerobic digestions, *Bioresource Technology*, Elsevier Ltd, 271, 109–117.
- Ziganshin, A.M., Liebetrau, J., Pröter, J. and Kleinstaub, S., 2013, Microbial community structure and dynamics during anaerobic digestion of various agricultural waste materials, *Applied Microbiology and Biotechnology*, 97 (11), 5161–5174.
- Ziganshina, E.E., Bulynina, S.S. and Ziganshin, A.M., 2022, Impact of Granular Activated Carbon on Anaerobic Process and Microbial Community Structure during Mesophilic and Thermophilic Anaerobic Digestion of Chicken Manure, *Sustainability*, 14 (1), 447.

Ziganshina, E.E., Ibragimov, E.M., Vankov, P.Y., Miluykov, V.A. and Ziganshin, A.M., 2017, Comparison of anaerobic digestion strategies of nitrogen-rich substrates: Performance of anaerobic reactors and microbial community diversity, *Waste Management*, 59, 160–171.

Zinder, S.H., 1990, *Conversion of Acetic Acid to Methane by Thermophiles*, FEMS Microbiology Review, Vol. 75, available at: <https://doi.org/10.1111/j.1574-6968.1990.tb04090.x>.

Zinder, S.H., Cardwell, S.C., Anguish, T., Lee, M. and Koch, M., 1984, Methanogenesis in a Thermophilic (58 degrees C) Anaerobic Digester: Methanothrix sp. as an Important Aceticlastic Methanogen., *Appl Environ Microbiol*, American Society for Microbiology (ASM), 47 (4), 796–807.