



DAFTAR PUSTAKA

- Bose, S. N., Greenstein, J. L., Fackler, J. C., Sarma, S. V., Winslow, R. L. dan Bembea, M. M. .2021. Early Prediction of Multiple Organ Dysfunction in the Pediatric Intensive Care Unit. *Front Pediatr*, 9: 1–13.
- Cruz, A. T., Lane, R. D., Balamuth, F., Aronson, P. L., Ashby, D. W., Neuman, M. I., *et al.* 2020. Updates on pediatric sepsis. *J Am Coll Emerg Physicians Open*, 1(5): 981–93.
- Dahlan, M. S. 2010. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. 3rd ed, Salemba Medika, Jakarta.
- Devina, T., Lubis, M., Mutiara, E., Yanni, G. N., Saragih, R. A. C., Trisnawati, Y., *et al.* 2017. Red cell distribution width and mortality in pediatric sepsis. *Paediatr Indones*, 56(6): 320-4.
- Dewi, R. 2011. Sepsis pada Anak: Pola Kuman dan Uji Kepekaan. *Majalah Kedokteran Indonesia*, 61(3): 101-6.
- Fang, X., Wang, Z., Yang, J., Cai, H., Yao, Z., Li, K, *et al.* 2018. Clinical Evaluation of Sepsis-1 and Sepsis-3 in the ICU. *Chest*, 153(5):1169–76.
- Farrell, C. A. 2020. Diagnosis and management of severe sepsis in the paediatric patient. *Paediatrics & Child Health*, 25(7): 475.
- Fleischmann-Struzek, C., Goldfarb, D. M., Schlattmann, P., Schlapbach, L. J., Reinhart, K. dan Kisson, N. 2018. The global burden of paediatric and neonatal sepsis: a systematic review. *Lancet Respir*, 6(3): 223–30.
- Gogia, P., Koreti, S. dan Patel, G. S. 2015. SOFA (Sequential Organ Failure Assessment) and PELOD (Pediatric Logistic Organ Dysfunction). *Sch J App Med Sci*, 3(4A): 1645–8.
- Goldstein, B., Giroir, B. dan Randolph, A. 2005. International pediatric sepsis consensus conference: Definitions for sepsis and organ dysfunction in pediatrics. *Pediatr Crit Care Med*, 6(1): 1-8.
- Gotts, J. E. dan Matthay, M. A. (2016). Sepsis: Pathophysiology and clinical management. *BMJ (Online)*, [serial on the Internet], [cited 2021 Oct 2] 353: 1–20. Available from: <https://pubmed.ncbi.nlm.nih.gov/27217054/>.
- Guclu, E., Durmaz, Y. dan Karabay, O. 2013. Effect of severe sepsis on platelet count and their indices. *Afr Health Sci*, 13(2): 333–8.
- Gül, F., Arslantaş, M. K., Cinel, İ. dan Kumar, A. 2017. Changing definitions of sepsis. *Turk J Anaesthesiol ReanimT*, 45(3): 129–138.
- Hajian-Tilaki, K. 2014. Sample size estimation in diagnostic test studies of biomedical informatics, *J Biomed Inform*, 48: 193–204.
- Harley, A., Latour, J. dan Schlapbach, L. J. 2019. The role of parental concerns in the recognition of sepsis in children: A literature review, *Front Pediatr*, 7: 1–10.
- Henning, D. J., Puskarich, M.A., Self, W. H., Howell, M. D., Donnino, M. W., Yealy, D. M., *et al.* 2017. An Emergency Department validation of the SEP-3 Sepsis and Septic Shock definitions and comparison with 1992 Consensus



- definitions. *Ann Emerg Med*, 70(4): 544–52.
- Henriquez-Camacho, C. dan Losa, J. 2014. Biomarkers for sepsis. *BioMed Res Int*, [serial on the Internet], [cited 2021 Sept 18], 2014. Available from: <https://pubmed.ncbi.nlm.nih.gov/24800240/>
- Huang, M., Cai, S. dan Su, J. 2019. The pathogenesis of sepsis and potential therapeutic targets. *Int J Mol Sci*, 20(5376): 1-31.
- Ikatan Dokter Anak Indonesia. 2016. *Konsensus Diagnosis dan Tatalaksana Sepsis pada Anak*. Badan Penerbit IDAI, Jakarta.
- Jaramillo-Bustamante, J. C., Marín-Agudelo, A., Fernández-Laverde, M. dan Bareño-Silva, J. 2012. Epidemiology of sepsis in pediatric intensive care units: First Colombian Multicenter Study. *Pediatr Crit Care Med*, 13(5): 501–8
- Kementerian Kesehatan Republik Indonesia. 2021. *Pedoman Nasional Pelayanan Kedokteran Diagnosis dan Tata Laksana Sepsis pada Anak*. Jakarta.
- Kent, P. and Hancock, M. J. 2016. Interpretation of dichotomous outcomes: sensitivity, specificity, likelihood ratios, and pre-test and post-test probability. *J Physiother*, 62(4), pp. 231–3.
- László, I., Trásy, D., Molnár, Z. dan Fazakas, J. 2015. Sepsis: From Pathophysiology to Individualized Patient Care. *J Immunol Res*[serial on the Internet], [cited 2021 Sept 16], 2015. Available from: <https://www.hindawi.com/journals/jir/2015/510436/>
- Matics, T. J. dan Sanchez-Pinto, L. N. 2017. Adaptation and validation of a pediatric sequential organ failure assessment score and evaluation of the Sepsis-3 definitions in critically ill children. *JAMA Pediatr*, 171(10):1–9.
- Melda, M., Triasih, R. dan Nurnaningsih. 2021. Modifying the pelod-2 score to predict mortality in critically ill patients. *Paediatr Indones*, 61(2): 61–8.
- Miyoshi, T., Yamashita, K., Arai, T., Yamamoto, K., Mizugishi, K. dan Uchiyama, T. 2010. The role of endothelial interleukin-8/NADPH oxidase 1 axis in sepsis. *Immunology*, 131(3): 331–9.
- Mossie, A. 2013. Pathophysiology of Sepsis. *World J Med Sci*, 1(8): 159–68.
- Murni, I. K., Duke, T., Daley, A. J., Kinney, S. dan Soenarto, Y. 2018. True pathogen or contamination: Validation of blood cultures for the diagnosis of nosocomial infections in a developing country. *J Trop Ped*, 64(5): 389–94
- Oduncu, A. F., Kıyan, G. S. dan Yalçınlı, S. 2021. Comparison of qSOFA, SIRS, and NEWS scoring systems for diagnosis, mortality, and morbidity of sepsis in emergency department. *Am J Emerg Med*, 48: 54–9
- Otani, T., Ichiba, T., Seo, K. dan Naito, H. 2021. Clinical prediction rule is more useful than qSOFA and the Sepsis-3 definition of sepsis for screening bacteremia. *Am J Emerg Med*, 46: 84–9.
- Patel, K. dan McElvania, E. 2019. Diagnostic Challenges and Laboratory Considerations for Pediatric Sepsis. *J Appl Lab Med*, 3(4): 587–600.
- Pierrakos, C., Velissaris, D., Bisdorff, M., Marshall, J. C. dan Vincent, J. L. 2020. Biomarkers of sepsis: Time for a reappraisal. *Crit Care*, 24(1): 1–15.



- Prout, A. J., Talisa, V. B., Carcillo, J. A., Decker, B. K. dan Yende, S. P. 2021. Bacterial and fungal etiology of sepsis in children in the United States: reconsidering empiric therapy. *Crit Care Med*, 48(3):1–15.
- Rhodes, A., Evans, L. E., Alhazzani, W., Levy, M. M., Antonelli, M., Ferrer, R., *et al.* 2017. Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. *Intensive Care Med*, 43(3): 304-77.
- Rudd, K. E., Johnson, S. C., Agesa, K. M., Shackelford, K. A., Tsoi, D., Kievlan, D. R., *et al.* 2020. Global, regional, and national sepsis incidence and mortality, 1990-2017: analysis for the Global Burden of Disease Study. *The Lancet*, 395: 200–11.
- Rudd, K. E., Kissoon, N., Limmathurotsakul, Di., Bory, S., Mutahunga, B., Seymour, C. W., *et al.* 2018. The global burden of sepsis: Barriers and potential solutions. *Crit Care*, 22(1): 1-11
- Rusmawatingtyas, D. dan Nurnaningsih, N. 2017. Mortality rates in pediatric septic shock. *Paediatr Indones*, 56(5): 304-310.
- Rusmawatingtyas, D., Rahmawati, A., Makrufardi, F., Mardhiah, N., Murni, I. K., Uiterwaal, C. S. P. M., *et al.* 2021. Factors associated with mortality of pediatric sepsis patients at the pediatric intensive care unit in a low-resource setting. *BMC Pediatr*, 21(1): 1–10.
- Sahoo, T., Aradhya, A. S. dan Gulla, K. M. 2020. International Guidelines 2020 for the Management of Septic Shock in Children. *Indian pediatrics*, 57(7): 671–5.
- Sankar, J., Dhochak, N., Kumar, K., Singh, M., Sankar, M. J. dan Lodha, R. 2019. Comparison of International Pediatric Sepsis Consensus Conference Versus Sepsis-3 Definitions for Children Presenting with Septic Shock to a Tertiary Care Center in India: A Retrospective Study. *Ped Crit Care Med*, 20(3): E122-9.
- Sankar, J. dan Singhi, S. 2020. Sepsis and septic shock: Pediatric Considerations. *Critical Care Update 2020*. 2nd editio, pp. 327–332.
- Scheer, C. S., Fuchs, C., Gründling, M., Vollmer, M., Bast, J., Bohnert, J. A., *et al.* 2019 Impact of antibiotic administration on blood culture positivity at the beginning of sepsis: a prospective clinical cohort study. *Clin Microbiol Inf*, 25(3): 326–31.
- Schett, G. 2018. Physiological effects of modulating the interleukin-6 axis. *Rheumatology (United Kingdom)*, 57: 43–50.
- Schlapbach, L. J. dan Kissoon, N. 2018. Defining Pediatric Sepsis. *JAMA Pediatr*, 172(2): 313–4.
- Schlapbach, L. J., Straney, L., Bellomo, R., MacLaren, G. dan Pilcher, D. 2018. Prognostic accuracy of age-adapted SOFA, SIRS, PELOD-2, and qSOFA for in-hospital mortality among children with suspected infection admitted to the intensive care unit, *Intensive Care Med*, 44(2): 179–88.
- Schwarzenbacher, J., Kuhn, S. O., Vollmer, M., Scheer, C., Fuchs, C., Rehberg,



- S., *et al.* 2019. On-site blood culture incubation shortens the time to knowledge of positivity and microbiological results in septic patients. *PLoS ONE*, 14(12): 1–13.
- Singer, M., Deutschman, Clifford S., Seymour, C., Shankar-Hari, M., Annane, D., *et al.* 2016. The third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA*, 315(8): 801–10.
- Southeast Asia Infectious Disease Clinical Research Network. 2017. Causes and outcomes of sepsis in southeast Asia a multinational multicentre cross-sectional study. *Lancet Glob Health*, 5: 157-67.
- De Souza, D. C., Barreira, E. R. dan Faria, L. S. 2017. The epidemiology of sepsis in childhood. *Shock*, 47(10): 2–5.
- De Souza, D. C., Shieh, H. H., Barreira, E. R., Ventura, A. M. C., Bousso, A. dan Troster, E. J. 2016. Epidemiology of sepsis in children admitted to PICUs in South America. *Pediatr Crit Care Med*, 17(8): 727–34.
- Suari, N. M. R., Latief, A. dan Pudjiadi, A. H. 2021. New pelod-2 cut-off score for predicting death in children with sepsis. *Paediatr Indones*, 61(1): 39–45.
- Supit, P., Mandei, J. M. dan Rampengan, N. H. 2016. Profil Anak Dengan Sepsis dan Syok Sepsis yang dilakukan Kultur Darah Periode Januari 2010-Juni 2015 DI RSUP Prof. Dr. R. D. Kandou Manado. *e-CliniC*, 4(1): 354-8..
- Szakmany, T., Pugh, R., Kopczynska, M., Lundin, R. M., Sharif, B., Morgan, P., Ellis, G., *et al.* 2018. Defining sepsis on the wards: results of a multi-centre point-prevalence study comparing two sepsis definitions. *Anaesthesia*, 73(2): 195–204.
- Tan, B., Wong, J. J. M., Sultana, R., Koh, J. C. J. W., Jit, M., Mok, Y. H. dan Lee, J. H. 2019. Global Case-Fatality Rates in Pediatric Severe Sepsis and Septic Shock: A Systematic Review and Meta-analysis. *JAMA Ped*, 173(4): 352–61.
- Wang, Y., Lin, X., Yue, H., Kissoon, N. dan Sun, B. 2019. Evaluation of systemic inflammatory response syndrome-negative sepsis from a Chinese regional pediatric network. *BMC Ped*, 19(1): 1–7.
- Weiss, S. L., Balamuth, F., Hensley, J., Fitzgerald, J. C., Bush, J., Nadkarni, V. M., *et al.* 2017. The Epidemiology of Hospital Death Following Pediatric Severe Sepsis: When, Why, and How Children with Sepsis Die. *Ped Crit Care Med*, 18(9): 823–30.
- Weiss, S. L., Peters, M. J., Alhazzani, W., Agus, M. S. D., Flori, H. R., Inwald, D. P., *et al.* 2020. Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. *Intensive Care Med*, 46(2): 10-67.
- World Health Organization. 2021. *Pneumonia*. Available at: <https://www.who.int/news-room/fact-sheets/detail/pneumonia> (Accessed: 17 March 2022).
- Wulandari, A., Martuti, S. dan Kaswadi, P. 2018. Perkembangan diagnosis sepsis pada anak. *Sari Pediatri*, 19(4): 237-44.



Wulandari, A., Pudjiastuti, P. dan Martuti, S. 2019. Severe sepsis criteria, PELOD-2, and pSOFA as predictors of mortality in critically ill children with sepsis. *Paediatr Indones*, 59(6): 318–24.