

DAFTAR PUSTAKA

- Abdulsalam, M. and Joubert, D., 2016, Structural, electronic and optical properties of TcX₂ (X = S, Se, Te) from first principles calculations, *Comput. Mater. Sci.*, 115, 177–183.
- Arul, N.S. and Nithya, V.D., 2019, Preparation methods of transition metal dichalcogenides synthesis, properties, and applications, .
- Barhoumi, M. and Said, M., 2020, Electronic and vibrational properties of TcS₂ and TcS₂/Stanene heterobilayer using density functional theory, *Phys. E Low-Dimensional Syst. Nanostructures*, 124, 114380.
- Basavarajappa, P.S., Patil, S.B., Ganganagappa, N., Reddy, K.R., Raghu, A. V., and Reddy, C.V., 2020, Recent progress in metal-doped TiO₂, non-metal doped/codoped TiO₂ and TiO₂ nanostructured hybrids for enhanced photocatalysis, *Int. J. Hydrogen Energy*, 45, 7764–7778.
- Bernardi, M., Ataca, C., Palumbo, M., and Grossman, J.C., 2017, Optical and electronic properties of two-dimensional layered materials, *Nanophotonics*, 6, 479–493.
- Binetti, E., El Koura, Z., Patel, N., Dashora, A., and Miotello, A., 2015, Rapid hydrogenation of amorphous TiO₂ to produce efficient H-doped anatase for photocatalytic water splitting, *Appl. Catal. A Gen.*, 500, 69–73.
- Cain, J.D., Hanson, E.D., Shi, F., and Dravid, V.P., 2016, Emerging opportunities in the two-dimensional chalcogenide systems and architecture, *Curr. Opin. Solid State Mater. Sci.*, 20, 374–387.
- Çakır, D., Sahin, H., and Peeters, F.M., 2014, Doping of rhenium disulfide monolayers: A systematic first principles study, *Phys. Chem. Chem. Phys.*, 16, 16771–16779.
- Chen, I.W.P., Chen, Y.S., Kao, N.J., Wu, C.W., Zhang, Y.W., and Li, H.T., 2015, Scalable and high-yield production of exfoliated graphene sheets in water and its application to an all-solid-state supercapacitor, *Carbon N. Y.*, 90, 16–24.
- Chia, X. and Pumera, M., 2018, Characteristics and performance of two-dimensional materials for electrocatalysis, *Nat. Catal.*, 1, 909–921.
- Escobar, J.C., Villanueva, M.S., Hernández, A.B., Cortés-Arriagada, D., and Anota, E.C., 2019, Interactions of B₁₂N₁₂ fullerenes on graphene and boron nitride nanosheets: A DFT study, *J. Mol. Graph. Model.*, 86, 27–34.
- Fadlallah, M.M., 2017, Magnetic, electronic, optical, and photocatalytic properties of nonmetal- and halogen-doped anatase TiO₂ nanotubes, *Phys. E Low-Dimensional Syst. Nanostructures*, 89, 50–56.
- Fawrin, H., Marlina, L.A., Hutama, A.S., and Trisunaryanti, W., 2021, Investigations of the influence of non-metal dopants on the electronic and photocatalytic properties of ZrTiO₄ by density functional theory calculations, *Comput. Condens. Matter*, 29, e00607.
- German, K.E., Shiryaev, A.A., Safonov, A. V., Obruchnikova, Y.A., Ilin, V.A., and Tregubova, V.E., 2015, Technetium sulfide - Formation kinetics, structure and particle speciation, *Radiochim. Acta*, 103, 199–203.

- Giannozzi, P., Baroni, S., Bonini, N., Calandra, M., Car, R., Cavazzoni, C., Ceresoli, D., Chiarotti, G.L., Cococcioni, M., Dabo, I., Dal Corso, A., De Gironcoli, S., Fabris, S., Fratesi, G., Gebauer, R., Gerstmann, U., Gougoussis, C., Kokalj, A., Lazzeri, M., et al., 2009, QUANTUM ESPRESSO: A modular and open-source software project for quantum simulations of materials, *J. Phys. Condens. Matter*, 21, .
- Habisreutinger, S.N., Schmidt-Mende, L., and Stolarczyk, J.K., 2013, Photocatalytic reduction of CO₂ on TiO₂ and other semiconductors, *Angew. Chemie - Int. Ed.*, 52, 7372–7408.
- Han, S.A., Bhatia, R., and Kim, S.W., 2015, Synthesis, properties and potential applications of two-dimensional transition metal dichalcogenides, *Nano Converg.*, 2, .
- Hasan, M.N., Nafiujjaman, M., and Lee, Y.K., 2019, 2D nanomaterials for gene delivery, Elsevier Inc.
- Huang, Y.C., Zhou, D., Chen, X., Liu, H., Wang, C., and Wang, S., 2016, First-principles study on doping of SnSe₂ monolayers, *ChemPhysChem*, 17, 375–379.
- Jariwala, D., Sangwan, V.K., Lauhon, L.J., Marks, T.J., and Hersam, M.C., 2014, Emerging device applications for semiconducting 2D TMDCs, *ACS Nano*, 8, 1102–1120.
- Jiang, X., Zhu, L., and Yao, K.L., 2018, Thermoelectric properties of TcX₂(X=S, Se, Te), *J. Alloys Compd.*, 764, 505–511.
- Jiao, Y., Zhou, L., Ma, F., Gao, G., Kou, L., Bell, J., Sanvito, S., and Du, A., 2016, Predicting single-layer technetium dichalcogenides (TcX₂, X = S, Se) with promising applications in photovoltaics and photocatalysis, *ACS Appl. Mater. Interfaces*, 8, 5385–5392.
- Lu, S., Li, C., Li, H.H., Zhao, Y.F., Gong, Y.Y., Niu, L.Y., Liu, X.J., and Wang, T., 2017, The effects of nonmetal dopants on the electronic, optical and chemical performances of monolayer g-C₃N₄ by first-principles study, *Appl. Surf. Sci.*, 392, 966–974.
- Luo, M., Yin, H.H., and Shen, Y.H., 2018, Tunable magnetic coupling of BN nanosheets with different nonmetal dopants: A first-principles study, *Optik (Stuttg.)*, 156, 797–802.
- M Ouma, C.N., Obodo, K.O., Braun, M., Onani, M.O., and Dejene, F.B., 2018, In silico insights into the tunable magnetic properties of transition metal doped monolayer SnS₂, *2018 Open Innov. Conf. OI 2018*, 120–123.
- Maqbool, M., Asif, M., Yousaf, M., Zhang, Y.F., Aftab, W., Ali, I., Guo, H., Abid, A.Y., and Bai, S., 2020, Microwaves heating strategy to synthesize few layer graphene for polymer composites towards thermal and electrical applications, *Compos. Sci. Technol.*, 200, 108402.
- Meetsma, A., Wieggers, G.A., and Boer, J.L. De, 1996, The crystal structure of some rhenium and technetium dichalcogenides, *241*, 34–39.
- Mouhat, F. and Coudert, F.X., 2014, Necessary and sufficient elastic stability conditions in various crystal systems, *Phys. Rev. B - Condens. Matter Mater. Phys.*, 90, 4–7.
- Naumis, G.G., 2020, Electronic properties of two-dimensional materials, INC.

- Novoselov, K.S., Geim, A.K., Morozov, S. V., Jiang, D., Zhang, Y., Dubonos, S. V., Grigorieva, I. V., and Firsov, A.A., 2004, Electric Field Effect in Atomically Thin Carbon Films, *Science* (80-.), 306, 666–669.
- Obodo, K.O., Ouma, C.N.M., Obodo, J.T., and Braun, M., 2017, Influence of transition metal doping on the electronic and optical properties of ReS₂ and ReSe₂ monolayers, *Phys. Chem. Chem. Phys.*, 19, 19050–19057.
- Obodo, K.O., Ouma, C.N.M., Obodo, J.T., Braun, M., and Bessarabov, D., 2019, First principles study of single and multi-site transition metal dopant ions in MoS₂ monolayer, *Comput. Condens. Matter*, 21, e00419.
- Ouma, C.N.M., Obodo, K.O., Braun, M., Amolo, G.O., and Bessarabov, D., 2019, Insights on hydrogen evolution reaction in transition metal doped monolayer TcS₂ from density functional theory calculations, *Appl. Surf. Sci.*, 470, 107–113.
- Ouma, C.N.M., Obodo, K.O., Parlak, C., and Amolo, G.O., 2020, Effect of 3d transition metal substitutional dopants and adatoms on mono layer TcS₂ ab initio insights, *Phys. E Low-Dimensional Syst. Nanostructures*, 123, .
- Ouma, C.N.M., Singh, S., Obodo, K.O., Amolo, G.O., and Romero, A.H., 2017, Controlling the magnetic and optical responses of a MoS₂ monolayer by lanthanide substitutional doping: A first-principles study, *Phys. Chem. Chem. Phys.*, 19, 25555–25563.
- Ray, S.J., 2016, First-principles study of MoS₂, phosphorene and graphene based single electron transistor for gas sensing applications, *Sensors Actuators, B Chem.*, 222, 492–498.
- Thambiratnam, K., Reduan, S.A., Tiu, Z.C., and Ahmad, H., 2020, Application of two-dimensional materials in fiber laser systems, Elsevier Inc.
- Tian, H., Chin, M.L., Najmaei, S., Guo, Q., Xia, F., Wang, H., and Dubey, M., 2016, Optoelectronic devices based on two-dimensional transition metal dichalcogenides, *Nano Res.*, 9, 1543–1560.
- Tsuneda, T., 2013, Density functional theory in quantum chemistry, Springer Japan.
- Wang, Y., Cao, Y., Liu, Y., and Yang, P., 2020, Effect of nonmetal element dopants on photo- and electro-chemistry performance of ultrathin g-C₃N₄ nanosheets, *Int. J. Hydrogen Energy*, 45, 16519–16527.
- Weck, P.F., Kim, E., and Czerwinski, K.R., 2013, Semiconducting layered technetium dichalcogenides: insights from first-principle, *Dalt. Trans*, 42, .
- Wolverson, D. and Hart, L.S., 2016, Lattice Dynamics of the Rhenium and Technetium Dichalcogenides, *Nanoscale Res. Lett.*, 11, 9–14.
- Wu, C.W. and Yao, D.X., 2019, Robust p-orbital half-metallicity and high Curie-temperature in the hole-doped anisotropic TcX₂ (X=S,Se) nanosheets, *J. Magn. Magn. Mater.*, 478, 68–76.
- Wu, W., Liu, Z., Jauregui, L.A., Yu, Q., Pillai, R., Cao, H., Bao, J., Chen, Y.P., and Pei, S.S., 2010, Wafer-scale synthesis of graphene by chemical vapor deposition and its application in hydrogen sensing, *Sensors Actuators, B Chem.*, 150, 296–300.
- Wu, Y., Xing, M., and Zhang, J., 2011, Gel-hydrothermal synthesis of carbon and boron co-doped TiO₂ and evaluating its photocatalytic activity, *J. Hazard. Mater.*, 192, 368–373.

- Xia, C. and Li, J., 2016, Recent advances in optoelectronic properties and applications of two-dimensional metal chalcogenides, *J. Semicond.*, 37, .
- Xiao, W., Liu, P., Zhang, J., Song, W., Feng, Y.P., Gao, D., and Ding, J., 2017, Dual-functional N dopants in edges and basal plane of MoS₂ nanosheets toward efficient and durable hydrogen evolution, *Adv. Energy Mater.*, 7, 1–10.
- Xu, Y. and Schoonen, M.A.A., 2000, The absolute energy positions of conduction and valence bands of selected semiconducting minerals, *Am. Mineral.*, 85, 543–556.
- Yalç, Y., Murat, K., and Zekiye, Ç., 2010, The Role of Non-Metal Doping in TiO₂ Photocatalysis, *J. Adv. Oxid. Technol.*, 13, 281–296.
- Yang, J., Guo, Y., Lu, W., Jiang, R., and Wang, J., 2018, Emerging applications of plasmons in driving CO₂ reduction and N₂ fixation, *Adv. Mater.*, 30, 1–21.
- Yang, K., Dai, Y., and Huang, B., 2008, First-principles calculations for geometrical structures and electronic properties of Si-doped TiO₂, *Chem. Phys. Lett.*, 456, 71–75.
- Yang, K., Dai, Y., Huang, B., and Whangbo, M.H., 2008, Density functional characterization of the band edges, the band gap states, and the preferred doping sites of halogen-doped TiO₂, *Chem. Mater.*, 20, 6528–6534.
- Young, D.C. and Young, D.C., 2001, *Chemistry Computational Chemistry A Practical Guide for Applying Techniques to Real-World Problems.*
- Zhang, C., Jia, Y., Jing, Y., Yao, Y., Ma, J., and Sun, J., 2013, Effect of non-metal elements (B, C, N, F, P, S) mono-doping as anions on electronic structure of SrTiO₃, *Comput. Mater. Sci.*, 79, 69–74.
- Zhao, Y., Ning, J., Hu, X., Tu, J., Zou, W., Ruan, X., Li, Y., Xu, Y., and He, L., 2020, Adjustable electronic, optical and photocatalytic properties of black phosphorene by nonmetal doping, *Appl. Surf. Sci.*, 505, 144488.
- Zhou, C., Gao, T., Liu, Q., Wang, Y., and Xiao, D., 2020, Preparation of quinone modified graphene-based fiber electrodes and its application in flexible asymmetrical supercapacitor, *Electrochim. Acta*, 336, 135628.