

REFERENCES

- Abreu, D. V. H. S., González, P. H., Mauri, G. R., Ribeiro, G. M., Orrico, R. D., Campos Júnior, N. F. R., and Abramides, C. A., 2020, Network sensor location problem with monitored lanes: Branch-and-cut and clustering search solution techniques, *Computers and Industrial Engineering*, 150, 106827.
- Azi, N., Gendreau, M., and Potvin, J. Y., 2007, An exact algorithm for a single-vehicle routing problem with time windows and multiple routes, *European Journal of Operational Research*, 178(3), 755–766.
- Baniamerian, A., Bashiri, M., and Zabih, F., 2018, A modified variable neighborhood search hybridized with genetic algorithm for vehicle routing problems with cross-docking, *Electronic Notes in Discrete Mathematics*, 66, 143-150.
- Barbarosoglu, G., and Ozgur, D., 1999, A tabu search algorithm for the vehicle routing problem, *Computers and Operations Research*, 26, 255-270.
- Benjamin, A. M., and Beasley, J. E., 2010, Metaheuristics for the waste collection vehicle routing problem with time windows, driver rest period and multiple disposal facilities, *Computers & Operations Research*, 37(12), 2270-2280.
- Bo, H., Chen, Y., Li, H., Han, P., and Qi, L., 2021, Time-sensitive supply chain disruption recovery and resource sharing incentive strategy, *Journal of Management Science and Engineering*, 6(2), 165–176.
- Bo, Y., Wang, J., Zhang, X., Yu, T., Yao, W., Shu, H., Zeng, F., and Sun, L., 2020, Comprehensive overview of meta-heuristic algorithm applications on PV cell parameter identification, *Energy Conversion and Management*, 208, 112595.
- Borhanazad, H., Mekhilef, Saad, Ganapathy, C. G., Modiri-Delshad, M., and Mirtaheeri, A., 2014, Optimization of micro-grid system using MOPSO, *Renewable Energy*, 71, 295-306.
- Cardoso, S. R., Paula Barbosa-Póvoa, A., Relvas, S., dan Novais, A. Q., 2015, Resilience metrics in the assessment of complex supply-chains performance operating under demand uncertainty, *Omega*, 56, 53–73.
- Carvalho, H., Barroso, A. P., MacHado, V. H., Azevedo, S., and Cruz-Machado, V., 2012, Supply chain redesign for resilience using simulation, *Computers and Industrial Engineering*, 62(1), 329–341.

- Chen, C., Demir, E., and Huang, Y., 2021, An adaptive large neighborhood search heuristic for the vehicle routing problem with time windows and delivery robots, *European Journal of Operational Research*, 294, 1164-1180.
- Chen, J., Wang, H., and Zhong, R. Y., 2021, A supply chain disruption recovery strategy considering product change under COVID-19, *Journal of Manufacturing Systems*, 60, 920–927.
- Chen, W., Zhang, Y., and Zhou, Y., 2022, Integrated scheduling of zone picking and vehicle routing problem with time windows in the front warehouse mode, *Computers & Industrial Engineering*, 163, 107823.
- Christopher, M. dan Peck, H., 2004, Building the Resilient Supply Chain, *International Journal of Logistics Management*, 15(2), 1–14.
- Coello Coello, C. A., Pulido, G. T., and Lechuga, M. S., 2004, Handling multiple objectives with particle swarm optimization, *IEEE Transactions on Evolutionary Computation*, 8(3), 256–279.
- Craighead, C. W., Blackhurst, J., Rungtusanatham, M. J., dan Handfield, R. B., 2007, The Severity of Supply Chain Disruptions: Design Characteristics and Mitigation Capabilities, *Decision Sciences*, 38(1), 131–156.
- Darom, N. A., Hishamuddin, H., Ramli, R., and Mat Nopiah, Z., 2018, An inventory model of supply chain disruption recovery with safety stock and carbon emission consideration, *Journal of Cleaner Production*, 197, 1011–1021.
- Deb, K., Pratap, A., Agarwal, S., and Meyarivan, T., 2002, A Fast and Elitist Multiobjective Genetic Algorithm: NSGA-II, *IEEE Transactions on Evolutionary Computation*, 6(2), 182-197.
- Dell’amico, M., Monaci, M., Pagani, C., and Vigo, D., 2007, Heuristic Approaches for the Fleet Size and Mix Vehicle Routing Problem with Time Windows, *Transportation Science*, 41(4), 516–526.
- Dixit, V., Seshadrinath, N., and Tiwari, M. K., 2016, Performance measures based optimization of supply chain network resilience: A NSGA-II + Co-Kriging approach, *Computers and Industrial Engineering*, 93, 205–214.
- Fathi, M., Khakifirooz, M., Diabat, A., and Chen, H., 2021, An integrated queuing-stochastic optimization hybrid Genetic Algorithm for a location-inventory supply chain network, *International Journal of Production Economics*, 237, 108139.
- Fattahi, M., Govinda, K., and Maihami, R., 2020, Stochastic optimization of disruption-driven supply chain network design with a new resilience metric, *International Journal of Production Economics*, 230, 107755.
- Fonseca-Galindo, J. C., de Castro Surita, G., Neto, J. M., de Castro, C. L., and Lemos, A. P., 2022, A multi-agent system for solving the Dynamic Capacitated Vehicle

- Routing Problem with stochastic customers using trajectory data mining, *Expert Systems with Applications*, 195, 116602.
- Foroutan, A., Rezaeian, R., J., and Mahdavi, I., 2020, Green vehicle routing and scheduling problem with heterogeneous fleet including reverse logistics in the form of collecting returned goods, *Applied Soft Computing Journal*, 94, 106402.
- Gholizadeh, H. and Fazlollahtabar, H., 2020, Robust optimization and modified genetic algorithm for a closed loop green supply chain under uncertainty: Case study in melting industry, *Computers & Industrial Engineering*, 147, 106653.
- Guerreiro, A. P., Fonseca, C. M., and Paquete, L., 2021, The hypervolume indicator: problems and algorithms, *ACM Computing Surveys*. 54(6), 119.
- Gutierrez, A., Dieulle, L., Labadie, N., and Velasco, N., 2018, A multi-population algorithm to solve the VRP with stochastic service and travel times, *Computers and Industrial Engineering*, 125, 144–156.
- Hollander, M., Wolfe, D. A., and Chicken, E., 2014, *Nonparametric Statistical Methods*, 3rd, John Wiley & Sons, Inc.
- Hishamuddin, H., Sarker, R. A., and Essam, D., 2013, A recovery model for a two-echelon serial supply chain with consideration of transportation disruption, *Computers and Industrial Engineering*, 64(2), 552–561.
- Hishamuddin, H., Sarker, R. A., and Essam, D., 2014, A recovery mechanism for a two echelon supply chain system under supply disruption, *Economic Modelling*, 38, 555–563.
- Ishibuchi, H., Imada, R., Setoguchi, Y., and Nojima. Y., 2018, How to specify a reference point in hypervolume calculation for fair performance comparison, *Evolutionary Computation*, 26(3), 411-440.
- Jabir, E., Panicker, V. V., and Sridharan, R., 2015, Multi-objective Optimization Model for a Green Vehicle Routing Problem, *Procedia - Social and Behavioral Sciences*, 189, 33–39.
- Jafarian, A., Rabiee, M., and Tavana, M., 2020, A novel multi-objective co-evolutionary approach for supply chain gap analysis with consideration of uncertainties, *International Journal of Production Economics*, 228, 107852.
- Jean-François Cordeau Cordeau, J., Desaulniers, G., Desrosiers, J., Solomon, M. M., and Soumis, F., 2002, VRP with Time Windows, In P. Toth and Vigo, D (Eds), *The Vehicle Routing Problem*, Philadelphia: Society for Industrial and Applied Mathematics, 157-186.
- Kennedy, J., and Eberhart, R. C., 1997, A discrete binary version of the particle swarm algorithm, IEEE International Conference on Systems, Man, and Cybernetics. *Computational Cybernetics and Simulation*, 5, 4104-4108.

- Ke-Wei, J., San-Yang, L., and Xiao-Jun, S., 2022, A hybrid algorithm for time-dependent vehicle routing problem with soft time windows and stochastic factors, *Engineering Applications of Artificial Intelligence*, 109, 104606.
- Khanduzi, R., and Sangaiah, A., K., 2019, A fast genetic algorithm for a critical protection problem in biomedical supply chain networks, *Applied Soft Computing Journal*, 75, 162-179.
- Kolen, A. W. J., Rinnooy Kan, A. H. G., and Trienekens, H. W. J. M., 1987, Vehicle routing with time windows, *Operations Research*, 35(2), 266–273.
- Kurihara, K., Li, Y. L., Nishiuchi, N., and Masuda, K., 2009, Flow shop scheduling for separation model of set-up and net process based on Branch-and-Bound method, *Computers and Industrial Engineering*, 57(2), 550–562.
- Kyriakakis, N. A., Sevastopoulos, I., Marinaki, M., and Marinakis, Y., 2022, A hybrid Tabu search – Variable neighborhood descent algorithm for the cumulative capacitated vehicle routing problem with time windows in humanitarian applications, *Computers & Industrial Engineering*, 164, 107868.
- Liu, M., Liu, Z., Chu, F., Dolgui, A., Chu, C., and Zheng, F., 2022, An optimization approach for multi-echelon supply chain viability with disruption risk minimization, *Omega*, 112, 102683.
- Malik, A. I., and Sarkar, B., 2020, Disruption management in a constrained multi-product imperfect production system, *Journal of Manufacturing Systems*, 56, 227-240.
- Mandal, P., and Mondal, S. C., 2021, Multi-objective optimization of Cu-MWCNT composite electrode in electro discharge machining using MOPSO-TOPSIS, *Measurement*, 169, 108347.
- Manupati, V. K., Schoenherr, T., Ramkumar, M., Panigrahi, S., Sharma, Y., and Mishra, P., 2022, Recovery strategies for a disrupted supply chain network: Leveraging blockchain technology in pre- and post-disruption scenarios, *International Journal of Production Economics*, 245, 108389.
- Miettinen, K., 1998, *Nonlinear multiobjective optimization*, 1st, Springer Science+Business Media.
- Montgomery, D. C., and Runger, G. C., 2002, *Applied Statistics and Probability for engineers*, 3rd, John Wiley & Sons, Inc.
- Ogden, J. A., Petersen, K. J., Carter, J. R., Carey, W. P., and Monczka, R. M., 2005, Supply management strategies for the future: a Delphi study, *The Journal of Supply Chain Management*, 41(3), 29-48.

- Olgun, B., Koç, Ç., and Altıparmak, F., 2021, A hyper heuristic for the green vehicle routing problem with simultaneous pickup and delivery, *Computers and Industrial Engineering*, 153, 107010.
- Paul, S. K., Sarker, R., and Essam, D., 2016, Managing risk and disruption in production-inventory and supply chain systems: A review, *Journal of Industrial and Management Optimization*, 12(3). 1009–1029.
- Paul, S. K., Sarker, R., and Essam, D., 2017, A quantitative model for disruption mitigation in a supply chain, *European Journal of Operational Research*, 257(3), 881–895.
- Perez-Rodriguez, R., and Hernandez-Aguirre, A., 2019, A hybrid estimation of distribution algorithm for the vehicle routing problem with time windows, *Computers & Industrial Engineering*, 130, 75-96.
- Prescott-Gagnon, E., Desaulniers, G., Drexler, M., Rousseau, L., 2010, European Driver Rules in Vehicle Routing with Time Windows, *Transportation Science*, 44(4), 455–473.
- Qi, X., Bard, J. F., and Yu, G., 2004, Supply chain coordination with demand disruptions, *Omega*, 32, 301-312.
- Rabbani, M., Navazi, F., Asl, H. F., and Balali, M. H., 2018, A sustainable transportation-location-routing problem with soft time windows for distribution systems, *Uncertain Supply Chain Management*, 6, 229-254.
- Saghafian, S. dan Oyen, M. P. V., 2016, Compensating for Dynamic Supply Disruptions: Backup Flexibility Design, *Operations Research*, 64(2), pp. 390–405.
- Soleimani, H., Chaharlang, Y., and Ghaderi, H., 2018, Collection and distribution of returned-remanufactured products in a vehicle routing problem with pickup and delivery considering sustainable and green criteria, *Journal of Cleaner Production*, 172, 960–970.
- Srinivas, N., and Deb, K., 1994, Multiobjective Optimization Using Nondominated Sorting in Genetic Algorithms, i, 2(3), 221–248.
- Srivastava, G., Singh, A., and Mallipeddi, R., 2021, NSGA-II with objective-specific variation operators for multiobjective vehicle routing problem with time windows, *Expert Systems With Applications*, 176, 114779.
- Talbi, E., 2009, *Metaheuristics: From Design to Implementation*, New Jersey: Wiley and sons, Inc.
- Tang, C. S., 2006, Perspectives in supply chain risk management, *International Journal of Production Economics*, 103(2), 451–488.

- Toth, P. and Vigo, D., 2002, An overview of vehicle routing problem, In P. Toth and Vigo, D (Eds), *The Vehicle Routing Problem*, Philadelphia: Society for Industrial and Applied Mathematics.
- Truden, C., Maier, K., and Armbrust, P., 2022, Decomposition of the vehicle routing problem with time windows on the time dimension, *Transportation Research Procedia*, 62, 131-138.
- Wang, Y., Ran, L., Guan, X., Fan, J., Sun, Y., Wang, H., 2022, Collaborative multicenter vehicle routing problem with time windows and mixed deliveries and pickups, *Expert Systems with Applications*, 197, 116690.
- Worawattawechai, T., Intiyot, B., Jeenanunta, C., and Ferrell, W. G., 2022, A learning enhanced golden ball algorithm for the vehicle routing problem with backhauls and time windows, *Computers and Industrial Engineering*, 168, 108044.
- Xia, Y., Yang, M., Golany, B., Gilbert, S. M., and Yu, G., 2004, Real-time disruption management in a two-stage production and inventory system, *IIE Transactions*, 36, 111-125.
- Xu, Z., Elomri, A., Pokharel, S., and Mutlu, F., 2019, A model for capacitated green vehicle routing problem with the time-varying vehicle speed and soft time windows, *Computers and Industrial Engineering*, 137, 106011.
- Wang, X., Chen, G., and Xu, S., 2022, Bi-objective green supply chain network design under disruption risk through an extended NSGA-II algorithm, *Cleaner Logistics and Supply Chain*, 3, 100025.
- Yang, W., Ke, L., Wang, D. Z. W., and Lam, J. S. L., 2021, branch-price-and-cut algorithm for the vehicle routing problem with release and due dates, *Transportation Research Part E: Logistics and Transportation Review*, 145, 102167.
- Zhang, W., Yang, D., Zhang, G., and Gem, M., 2020, Hybrid multiobjective evolutionary algorithm with fast sampling strategy-based global search and route sequence difference-based local search for VRPTW, *Expert Systems With Applications*, 145, 113151.
- Zulvia, F. E., Kuo, R. J., 2020, and Nugroho, D. Y., A many-objective gradient evolution algorithm for solving a green vehicle routing problem with time windows and time dependency for perishable products, *Journal of Cleaner Production*, 242, 118428.