

- Akhter, S., Ahmeed, T., Sarker, S., Sarmin, M., Shahid, A., Shahunja, K., et al. (2016) ‘Factors Associated with Klebsiella Bacteremia and Its Outcome in Under-Five Children Admitted with Diarrhea’, *International Journal of Pediatrics*, 2016, pp. 1–5. doi: 10.1155/2016/4760610.
- Angele, M. K., Pratschke, S., Hubbard, W., and Chaudry, I., (2014) ‘Gender differences in sepsis: Cardiovascular and immunological aspects’, *Virulence*, 5(1), pp. 12–19. doi: 10.4161/viru.26982.
- Aygün, F., Durak, C., Varol, F., Çoku ra, H., Camcıo lu, Y., Çam, H. (2020) ‘Evaluation of complete blood count parameters for diagnosis in children with sepsis in the pediatric intensive care unit’, *Cocuk Enfeksiyon Dergisi*, 14(2), pp. e55–e62. doi: 10.5578/ced.68886.
- Bindl, L., Buderus, S., Dahlem, P., Demirakca, S., Goldner, M., Huth, R. et al. (2003) ‘Gender-based differences in children with sepsis and ARDS: The ESPNIC ARDS Database Group’, *Intensive Care Medicine*, 29(10), pp. 1770–1773. doi: 10.1007/s00134-003-1948-z.
- Bobillo-Perez, S., Rodríguez-Fanjul, J. and Jordan Garcia, I. (2018) ‘Is Procalcitonin Useful in Pediatric Critical Care Patients?’, *Biomarker Insights*, 13. doi: 10.1177/1177271918792244.
- Bulatova, Y.Y., Maltabarova, N., Zhumabayev, M., Tatyana A., Ivanova, M (2020) ‘Modern diagnostics of sepsis and septic shock in children’, *Open Access Macedonian Journal of Medical Sciences*, 8(5), pp. 218–225. doi: 10.3889/oamjms.2020.4554.
- Buys, H., Muloiwa, R., Bamford, C., and Eley, B. (2016) ‘Klebsiella pneumoniae bloodstream infections at a South African children’s hospital 2006-2011, a cross-sectional study’, *BMC Infectious Diseases*, 16(1), pp. 1–10. doi: 10.1186/s12879-016-1919-y.
- Chen, M, Lu, X., Hu, L., Liu, P., Zhao,W., Yan, H., et al., (2017) ‘Development and validation of a mortality risk model for pediatric sepsis’, *Medicine (United States)*, 96(20). doi: 10.1097/MD.00000000000006923.
- Cruz, A. T., Lane, R.D., Balamuth, F.A., Paul L.A, D.W., Neuman, Mark I., et al., (2020) ‘Updates on pediatric sepsis’, *Journal of the American College of Emergency Physicians Open*, 1(5), pp. 981–993. doi: 10.1002/emp2.12173.
- Dewi, R. (2011) ‘Sepsis pada Anak : Pola Kuman dan Uji Kepekaan’, *Majalah Kedokteran Indonesia*, 61(3).
- Dewi, R. Christie C.D., Wardhana A., Fadhilah R., Pardede S.O. (2019) ‘Pediatric logistic organ dysfunction-2 (PELOD-2) score as a model for predicting mortality in pediatric burn injury’, *Annals of Burns and Fire Disasters*, 32(2), pp. 135–142.
- Dewi, R. and Fatimatuzzuhroh (2019) ‘Profil Pasien Sakit Kritis yang Dirawat di PICU RSCM berdasarkan sistem skoring PELOD -2’, *Sari Pediatri*, 21(1), pp. 37–43.

- Dierig, A., Berger, C., Agyeman, K.A., Bernhard, S., Giannoni, E., Stocker, M., Posfay, P., Klara, M., Niederer, L.A., Kahlert, C.R., Donas, A., Hasters, P., Relly, C., Riedel, T., Aebi, C., Schlapbach, L.J., Heininger, U. (2018) 'Time-to-positivity of blood cultures in children with sepsis', *Frontiers in Pediatrics*, 6(August). doi: 10.3389/fped.2018.00222.
- Downes, K. J., Weiss, S.L., Gerber, J.S., Klieger, S.B., Fitzgerald, J.C., Balamuth, F., et al., (2019) 'Implementation of a Pragmatic Biomarker-Driven Algorithm to Guide Antibiotic Use in the Pediatric Intensive Care Unit: The Optimizing Antibiotic Strategies in Sepsis (OASIS) II Study', *Journal of the Pediatric Infectious Diseases Society*, 9(1), pp. 36–43. doi: 10.1093/jpids/piy113.
- Goldstein, B., Giroir, B. and Randolph, A. (2005) 'International pediatric sepsis consensus conference: Definitions for sepsis and organ dysfunction in pediatrics', *Pediatric Critical Care Medicine*, 6(1). doi: 10.1097/01.PCC.0000149131.72248.E6.
- Gotts, J. E. and Matthay, M. A. (2016) 'Sepsis: Pathophysiology and clinical management', *BMJ (Online)*, 353, pp. 1–20. doi: 10.1136/bmj.i1585.
- Hadinegoro, S. R. S., Chairulfatah, A., Latief, A., Pudjiadi, A., Malisie, R.F., Alam, A., (2016) 'Diagnosis dan tatalaksana sepsis pada anak', *Pedoman nasional pelayanan kedokteran Ikatan Dokter Anak Indonesia*, pp. 1–47.
- Hazwani, T. R., Kazzaz, Y.M., Alsugheir, S., Aldelaijan, S., Alsugheir, F., Alali, H., et al., (2020) 'Association Between Culture-Negative Versus Culture-Positive Sepsis and Outcomes of Patients Admitted to the Pediatric Intensive Care Unit', *Cureus*, 12(8). doi: 10.7759/cureus.9981.
- Hendra, H., Runtunuwu, A. L. and Manoppo, J. I. C. (2010) 'Pediatric Logistic Organ Dysfunction (PELOD) Score as prognosis of multiple organ failure in sepsis', *Paediatrica Indonesiana*, 50(4), p. 226. doi: 10.14238/pi50.4.2010.226-31.
- Hotchkiss, R. S., Moldawer, L.L., Opal, S.M., Reinhart, K., Isaiah, R., Vincent, J.L., (2017) 'Sepsis and septic shock', pp. 1–47. doi: 10.1038/nrdp.2016.45.Sepsis.
- Huang, M., Cai, S. and Su, J. (2019) 'The pathogenesis of sepsis and potential therapeutic targets', *International Journal of Molecular Sciences*, 20(21). doi: 10.3390/ijms20215376.
- Jiang, J. Yang, J., Mei, J., Jin, Y., Lu, Y. (2018) 'Head-to-head comparison of qSOFA and SIRS criteria in predicting the mortality of infected patients in the emergency department: A meta-analysis', *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 26(1), pp. 1–11. doi: 10.1186/s13049-018-0527-9.
- Khan, M. S., Kareem, A., Fatima, K., Rauf, S., Khalid., (2021) '64 Microbial patterns and antibiotic susceptibility in blood culture isolates of septicemia suspected children in the pediatrics ward of a tertiary care hospital', p. A20.1-A20. doi: 10.1136/bmjpo-2021-rcpch.40.
- Lai, J., Zhu, Y., and Lin, X. (2021) 'Epidemiology and antimicrobial susceptibility of invasive *Escherichia coli* infection in neonates from 2012 to 2019 in Xiamen,

- Lamy, B., Dargère, S., Arendrup, M.C., Parienti, J., and Tattevin, P. (2016) 'How to optimize the use of blood cultures for the diagnosis of bloodstream infections? A state-of-the art', *Frontiers in Microbiology*, 7(MAY), pp. 1–13. doi: 10.3389/fmicb.2016.00697.
- Leclerc, F., Duhamel, A., Deken, F., Grandbastien, B., Leteurtre, S., Biarent, D., *et al.* (2018) 'Can the Pediatric Logistic Organ Dysfunction (PELOD) -2 Score on Day 1 Be Used in Clinical Criteria for Sepsis in Children? To cite this version : HAL Id : hal-01943157 Collaborators': doi: 10.1097/PCC.0000000000001182.
- Lubis, M., Lubis, A. D. and Nasution, B. B. (2020) 'The usefulness of c-reactive protein, procalcitonin, and PELOD-2 score as a predictive factor of mortality in sepsis', *Indonesian Biomedical Journal*, 12(2), pp. 102–108. doi: 10.18585/inabj.v12i2.1073.
- Lucignano, B., Ranno, S., Liesenfeld, O., Pizzorno, B., Putignani, L., Bernaschi, P., Menichella, D. (2011) 'Multiplex PCR allows rapid and accurate diagnosis of bloodstream infections in newborns and children with suspected sepsis', *Journal of Clinical Microbiology*, 49(6), pp. 2252–2258. doi: 10.1128/JCM.02460-10.
- Luiz, T., Eyer, F. and Matthes, G. (2019) 'Patients with burn injuries', *Notfall und Rettungsmedizin*, 22(4), pp. 282–283. doi: 10.1007/s10049-018-0561-1.
- Melda, M., Triasih, R. and Nurnaningsih (2021) 'Modifying the pelod-2 score to predict mortality in critically ill patients', *Paediatrica Indonesiana(Paediatrica Indonesiana)*, 61(2), pp. 61–68. doi: 10.14238/pi61.2.2021.61-8.
- Menon, K., Schlapbach, L.J., Akech, S., Argent, A., Chiotos, K., Jobayer, M., *et al.*, (2020) 'Pediatric Sepsis Definition—A Systematic Review Protocol by the Pediatric Sepsis Definition Taskforce', *Critical Care Explorations*, 2(6), p. e0123. doi: 10.1097/cce.0000000000000123.
- Mianling, Z., Yuge, H., Tufeng, L., Lu, X., Ting, T., Miaofen, L., Dongqiang, H. (2019) 'Performance of the pediatric sequential organ failure assessment score in assessing the prognosis of children with sepsis in a PICU of a developing country: A single-center retrospective observational study', *Iranian Journal of Pediatrics*, 29(5). doi: 10.5812/ijp.89024.
- Murni, I. K. Duke, T., Daley, A.J., Kinney, S., Soenarto, Y. (2018) 'True pathogen or contamination: Validation of blood cultures for the diagnosis of nosocomial infections in a developing country', *Journal of Tropical Pediatrics*, 64(5), pp. 389–394. doi: 10.1093/tropej/fmx081.
- Nannan Panday, R. S. Wang, S., Van De Ven, P. M., Hekker, T. A.M., Alam, N., Nanayakkara, P. W.B. (2019) 'Evaluation of blood culture epidemiology and efficiency in a large European teaching hospital', *PLoS ONE*, 14(3), pp. 1–11. doi: 10.1371/journal.pone.0214052.

- van Nassau, S. C., van Beek, R.H., Driessen, G.J., Hazelzet, J.A., van Wering, H.M., Boeddha, Navin P. . (2018) 'Translating Sepsis-3 criteria in children: Prognostic accuracy of age-adjusted quick SOFA score in children visiting the emergency department with suspected bacterial infection', *Frontiers in Pediatrics*, 6(October), pp. 1–7. doi: 10.3389/fped.2018.00266.
- Pereira, E. M., Mattos, C.S., dos Santos, O.C., ferreira, D.C., de oliveira, T.L., Laport, M.S., ferreira, E., *et al.* (2019) 'Staphylococcus hominis subspecies can be identified by SDS-PAGE or MALDI-TOF MS profiles', *Scientific Reports*, 9(1), pp. 1–7. doi: 10.1038/s41598-019-48248-4.
- Pontrelli, G., Crescenzo, F., Buzzetti, R., Jenkner, A., Balduzzi, S., Carducci, F. C., *et al.* (2017) 'Accuracy of serum procalcitonin for the diagnosis of sepsis in neonates and children with systemic inflammatory syndrome: A meta-analysis',
- Power, M., Fell, G. and Wright, M. (2013) 'Principles for high-quality , high-value testing', 18(1), pp. 5–10.
- Pudjiadi, A. H. (2020) 'Pedoman Resusitasi Syok Septik “ Surviving Sepsis Campaign ” Butuh Penyesuaian Surviving Sepsis Campaign Guidelines for Septic Shock Resuscitation Need an Adaptation', 21(6), pp. 329–332.
- Pudjiadi, A. H., Malisie, R. F. and Alam, A. (2019) 'Pedoman Nasional Pelayanan Kedokteran Diagnosis dan Tata Laksana Sepsis pada Anak', pp. 1–55.
- Rady, H. I., Mohamed, Shereen A., Mohssen, N.A., El Baz, M. (2014) 'Application of different scoring systems and their value in pediatric intensive care unit', *Egyptian Pediatric Association Gazette*, 62(3–4), pp. 59–64. doi: 10.1016/j.epag.2014.10.003.
- Rossaint, J. and Zarbock, A. (2015) 'Pathogenesis of Multiple Organ Failure in Sepsis', *Critical Reviews™ in Immunology*, 35(4):277– 291 (2015)
- Rusmawatiningsih, D., Rahmawati, A., Makrufardi, F., Mardhiah, N., Murni, I. K., Uiterwaal, C. S., *et al.* (2021) 'Factors associated with mortality of pediatric sepsis patients at the pediatric intensive care unit in a low-resource setting', *BMC Pediatr*, 21(1), pp. 1–10. doi: 10.1186/s12887-021-02945-0.
- Rusmawatiningsih, D. and Nurnaningsih, N. (2017) 'Mortality rates in pediatric septic shock', *Paediatr Indones*, 56(5), p. 304. doi: 10.14238/pi56.5.2016.304-10.
- Sagy, M., Al-qaqaa, Y. and Kim, P. (2013) 'De fi nitions and Pathophysiology of Sepsis', (December), pp. 260–263. doi: 10.1016/j.cppeds.2013.10.001.
- Salim, H., B, S. I. and Nym, B.-H. I. (2016) 'Penggunaan Skor Pediatric Logistic Organ Dysfunction Harian sebagai Prediktor Mortalitas Anak yang Dirawat di Unit Perawatan Intensif Anak', *Sari Pediatri*, 16(2), p. 141. doi: 10.14238/sp16.2.2014.141-6.
- Schwarzenbacher, J., Kuhn, S.o., Vollmer, M., Scheer, C., Fuchs, C., Rehberg, S., *et al.*, (2019) 'On-site blood culture incubation shortens the time to knowledge of positivity and microbiological results in septic patients', *PLoS ONE*, 14(12), pp. 1–13. doi: 10.1371/journal.pone.0225999.

- Sepanski, R. J., Godambe, S.A., Mangum, C.D., Bovat, C.S., Zaritsky, A.L., Shah, S.H. (2014) 'Designing a pediatric severe sepsis screening tool', *Frontiers in Pediatrics*, 2(JUN). doi: 10.3389/fped.2014.00056.
- Simanjuntak, Y. R., Saputra, I., Triratna, S., Bakri, A., Iriani, Y. (2020) 'Validation of PELOD-2 score as a predictor of life-threatening organ dysfunction in pediatric sepsis', *Paediatrica Indonesiana*, 60(5), pp. 227–32. doi: 10.14238/pi60.5.2020.227-32.
- Singer, M., Deutschman, C.S., Seymour, C., Shankar, H.M., Annane, D., Bauer, M., et al., (2016) 'The third international consensus definitions for sepsis and septic shock (sepsis-3)', *JAMA - Journal of the American Medical Association*, 315(8), pp. 801–810. doi: 10.1001/jama.2016.0287.
- de Souza, D. and Machado, F. (2019) 'Epidemiology of Pediatric Septic Shock', *Journal of Pediatric Intensive Care*, 08(01), pp. 003–010. doi: 10.1055/s-0038-1676634.
- Srinivasan, L. (2019) 'Performance of Pediatric Systemic Inflammatory Response Syndrome and Organ Dysfunction Criteria in Late-Onset Sepsis in a Quaternary Neonatal Intensive Care Unit: A Case-Control Study', *The Journal of Pediatrics*, pp. 1–8. doi: 10.1016/j.jpeds.2019.12.064.
- Stoll, B. J., Puopolo, K.M., Hansen, N., Sánchez, P., Bell, E., Carlo, W., Cotten, M., et al. (2020) 'Early-Onset Neonatal Sepsis 2015 to 2017, the Rise of *Escherichia coli*, and the Need for Novel Prevention Strategies', *JAMA Pediatrics*, 174(7), pp. 1–12. doi: 10.1001/jamapediatrics.2020.0593.
- Supit, P., Mandei, J. M. and Rampengan, N. H. (2016) 'Profil Anak Dengan Sepsis dan Syok Sepsis yang dilakukan Kultur Darah Periode Januari 2010-Juni 2015 DI RSUP Prof. Dr. R. D. Kandou Manado', *e-CliniC*, 4(1). doi: 10.35790/ec1.4.1.2016.10982.
- Szczuka, E., Krzymińska, S., Bogucka, N., and Kaznowski, A. (2018) 'Multifactorial mechanisms of the pathogenesis of methicillin-resistant *Staphylococcus hominis* isolated from bloodstream infections', *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 111(7), pp. 1259–1265. doi: 10.1007/s10482-017-1007-3
- Tran, C. A., Zschaebitz, J. V. and Spaeder, M. C. (2019) 'Epidemiology of Blood Culture Utilization in a Cohort of Critically Ill Children', pp. 144–147.
- Tran, C. A., Zschaebitz, J. V. and Spaeder, M. C. (2019) 'Epidemiology of Blood Culture Utilization in a Cohort of Critically Ill Children', pp. 144–147.
- Umemneku Chikere, C.M., Wilson, K.J., A., Allen, A.J., and Vale, L. (2021) 'Comparative diagnostic accuracy studies with an imperfect reference standard – a comparison of correction methods', *BMC Medical Research Methodology*, 21(1), pp. 1–12. doi: 10.1186/s12874-021-01255-4.

- Walter, S. D., Macaskill, P., Lord, S., and Irwig, L. (2012) 'Effect of dependent errors in the assessment of diagnostic or screening test accuracy when the reference standard is imperfect', *Statistics in Medicine*, 31(11–12), pp. 1129–1138. doi: 10.1002/sim.4444.
- Weiss, S. L., Peters, M.J., Alhazzani, W., Agus, Michael S.D., Flori, H.R., et al., (2020) 'Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children', *Intensive Care Medicine*, 46(s1), pp. 10–67. doi: 10.1007/s00134-019-05878-6.
- Wulandari, A., Pudjiastuti, P. and Martuti, S. (2019) 'Severe sepsis criteria, PELOD-2, and pSOFA as predictors of mortality in critically ill children with sepsis', *Paediatrica Indonesiana*, 59(6), pp. 318–24. doi: 10.14238/pi59.6.2019.318-24.
- Yoon, S. H., Kim, E. H., Kim, H.Y., and Ahn, J.G. (2019) 'Presepsin as a diagnostic marker of sepsis in children and adolescents: A systemic review and meta-analysis', *BMC Infectious Diseases*, 19(1), pp. 1–11. doi: 10.1186/s12879-019-4397-1.
- Zhong, M., Huang, Y., Li, T., Xiong, L., Lin, T., Li, M., He, D. (2020) 'Day-1 PELOD-2 and day-1 "quick" PELOD-2 scores in children with sepsis in the PICU', *Jornal de Pediatria*, 96(5), pp. 660–665. doi: 10.1016/j.jpmed.2019.07.007.



Lampiran 1

**Tabel 12. Data Collection Form**

Nama						
No RM						
Tgl lahir/ usia						
Jenis Kelamin	L					P
Status gizi						
	BB (kg):			TB (cm):		
Cara Masuk PICU	IGD	Bangsang	Poli			
Rujukan	Ya	Tidak				
Lama Perawatan di RS sebelumnya	<24 jam	24 - 48 jam	48 jam			
Antibiotik di RS sebelumnya						
Tanggal Masuk RS						
Tanggal Masuk PICU						
Indikasi perawatan PICU						
Diagnosis akhir						
CRP	Procalcitonin			NLR		
<b>A. Kriteria GOLDSTEIN</b>	Sepsis			Bukan sepsis		
Infeksi/ klinis						
Suhu (° C )						
Nadi (x/menit)						
RR (x/menit)						
Leukosit						
<b>B. PNPK sepsis 2019</b>	Sepsis			Bukan sepsis		
<b>1. Infeksi</b>						
a. Predisposisi infeksi						
b. Tanda Infeksi	Klinis: hipotermi/demam fokus infeksi					
	Laboratoris: Leukositosis/leukopenia Trombositosis/trombositopenia					
	NLR CRP Procalcitonin					
c. Reaksi Inflamasi	Demam Takikardi Bradikardi Takipnea					
<b>2. PELOD-2</b>	Poin berdasarkan tingkat keparahan					
	0	1	2	3	4	5 6
<b>Neurologi</b>						
GCS	11 5-10 3-4					
Pupillary reaction	Keduanya reaktif Keduanya Non Reaktif					
<b>Kardiovaskular</b>						
Laktatemia(mmol/)	< 5.0 5.0-10.9 11.0					
MAP(mmHg)						
0 - < 1 bulan	46	31 - 45	17-30	16		
1 - 11 bulan	55	39 - 54	25-38	24		
12 - 23 bulan	60	44 - 59	31-43	30		
24 - 59 bulan	62	46 - 61	32-45	31		
60 - 143 bulan	65	49 - 64	36-48	35		





**kat\_umur \* Kultur Crosstabulation**

			Kultur		Total
			tumbuh	tidak tumbuh	
kat_umur	1 bulan - < 1 tahun	Count	17	62	79
		Expected Count	15.0	64.0	79.0
		% within kat_umur	21.5%	78.5%	100.0%
		% within Kultur	44.7%	38.3%	39.5%
	1 tahun - < 5 tahun	Count	12	39	51
		Expected Count	9.7	41.3	51.0
		% within kat_umur	23.5%	76.5%	100.0%
		% within Kultur	31.6%	24.1%	25.5%
	5 tahun - < 12 tahun	Count	4	39	43
		Expected Count	8.2	34.8	43.0
		% within kat_umur	9.3%	90.7%	100.0%
		% within Kultur	10.5%	24.1%	21.5%
	12 tahun ≤ 18 tahun	Count	5	22	27
		Expected Count	5.1	21.9	27.0
		% within kat_umur	18.5%	81.5%	100.0%
		% within Kultur	13.2%	13.6%	13.5%
Total		Count	38	162	200
		Expected Count	38.0	162.0	200.0
		% within kat_umur	19.0%	81.0%	100.0%
		% within Kultur	100.0%	100.0%	100.0%

**Status.Gizi \* Kultur Crosstabulation**

			Kultur		Total
			tumbuh	tidak tumbuh	
Status.Gizi	Gizi Buruk	Count	12	39	51
		Expected Count	9.7	41.3	51.0
		% within Status.Gizi	23.5%	76.5%	100.0%
		% within Kultur	31.6%	24.1%	25.5%
	Gizi Kurang	Count	13	48	61
		Expected Count	11.6	49.4	61.0
		% within Status.Gizi	21.3%	78.7%	100.0%
		% within Kultur	34.2%	29.6%	30.5%
	Gizi baik	Count	11	71	82
		Expected Count	15.6	66.4	82.0
		% within Status.Gizi	13.4%	86.6%	100.0%
		% within Kultur	28.9%	43.8%	41.0%
	Gizi lebih	Count	2	4	6
		Expected Count	1.1	4.9	6.0
		% within Status.Gizi	33.3%	66.7%	100.0%
		% within Kultur	5.3%	2.5%	3.0%
Total		Count	38	162	200
		Expected Count	38.0	162.0	200.0
		% within Status.Gizi	19.0%	81.0%	100.0%
		% within Kultur	100.0%	100.0%	100.0%

	Status.Gizi		Statistic	Std. Error
bmi	Gizi Buruk	Mean	12.3457	.28405
		95% Confidence Interval for Mean	11.7752	
		Lower Bound	12.9162	
		Upper Bound		
		5% Trimmed Mean	12.2982	
		Median	12.1600	
		Variance	4.115	
		Std. Deviation	2.02855	
		Minimum	8.23	
		Maximum	17.19	
		Range	8.96	
		Interquartile Range	2.58	
		Skewness	.544	.333
		Kurtosis	.088	.656
	Gizi Kurang	Mean	15.0386	.33871
		95% Confidence Interval for Mean	14.3611	
		Lower Bound	15.7161	
		Upper Bound		
		5% Trimmed Mean	14.8456	
		Median	14.2772	
		Variance	6.998	
		Std. Deviation	2.64538	
		Minimum	10.68	
		Maximum	24.31	
		Range	13.63	
		Interquartile Range	2.93	
		Skewness	1.263	.306
		Kurtosis	1.834	.604
	Gizi baik	Mean	16.8512	.38700
		95% Confidence Interval for Mean	16.0812	
		Lower Bound	17.6212	
		Upper Bound		
		5% Trimmed Mean	16.6096	
		Median	16.1938	
		Variance	12.281	
		Std. Deviation	3.50441	
		Minimum	11.83	
		Maximum	32.08	
		Range	20.24	
		Interquartile Range	3.67	
		Skewness	1.491	.266
		Kurtosis	3.306	.526
	Gizi lebih	Mean	22.0134	.61178
		95% Confidence Interval for Mean	20.4407	
		Lower Bound	23.5860	
		Upper Bound		
		5% Trimmed Mean	22.0702	
		Median	22.0819	
		Variance	2.246	
		Std. Deviation	1.49854	
		Minimum	19.51	
		Maximum	23.49	
		Range	3.99	
		Interquartile Range	2.43	
		Skewness	-.868	.845
		Kurtosis	.440	1.741

			Kultur		Total
			tumbuh	tidak tumbuh	
fokus.infeksi	Respi	Count	18	80	98
		Expected Count	18.6	79.4	98.0
		% within fokus.infeksi	18.4%	81.6%	100.0%
		% within Kultur	47.4%	49.4%	49.0%
	SSP	Count	10	39	49
		Expected Count	9.3	39.7	49.0
		% within fokus.infeksi	20.4%	79.6%	100.0%
		% within Kultur	26.3%	24.1%	24.5%
	GUT	Count	1	7	8
		Expected Count	1.5	6.5	8.0
		% within fokus.infeksi	12.5%	87.5%	100.0%
		% within Kultur	2.6%	4.3%	4.0%
	GIT	Count	9	36	45
		Expected Count	8.6	36.5	45.0
		% within fokus.infeksi	20.0%	80.0%	100.0%
		% within Kultur	23.7%	22.2%	22.5%
Total	Count		38	162	200
	Expected Count		38.0	162.0	200.0
	% within fokus.infeksi		19.0%	81.0%	100.0%
	% within Kultur		100.0%	100.0%	100.0%

**Rujukan \* Kultur Crosstabulation**

			Kultur		Total
			tumbuh	tidak tumbuh	
Rujukan	Ya	Count	19	108	127
		Expected Count	24.1	102.9	127.0
		% within Rujukan	15.0%	85.0%	100.0%
		% within Kultur	50.0%	66.7%	63.5%
	Tidak	Count	19	54	73
		Expected Count	13.9	59.1	73.0
		% within Rujukan	26.0%	74.0%	100.0%
		% within Kultur	50.0%	33.3%	36.5%
	Count		38	162	200
	Expected Count		38.0	162.0	200.0
	% within Rujukan		19.0%	81.0%	100.0%
	% within Kultur		100.0%	100.0%	100.0%

**ab.sebelum.picu \* Kultur Crosstabulation**

			Kultur		Total
			tumbuh	tidak tumbuh	
ab.sebelum.picu		Count	8	38	46
		Expected Count	8.7	37.3	46.0
		% within ab.sebelum.picu	17.4%	82.6%	100.0%
		% within Kultur	21.1%	23.5%	23.0%
	amoxicilin, chloramphenicol	Count	0	1	1
		Expected Count	.2	.8	1.0
		% within ab.sebelum.picu	0.0%	100.0%	100.0%
		% within Kultur	0.0%	0.6%	0.5%
	amoxicilin	Count	0	1	1
		Expected Count	.2	.8	1.0
		% within ab.sebelum.picu	0.0%	100.0%	100.0%
		% within Kultur	0.0%	0.6%	0.5%
	amoxicilin iv	Count	0	1	1
		Expected Count	.2	.8	1.0



# EVALUASI PERFORMA PEDOMAN NASIONAL PELAYANAN KEDOKTERAN (PNPK) SEPSIS 2021 DALAM MENDIAGNOSIS SEPSIS BAKTERIAL PADA ANAK

Lilis Siti Asiyani, Dr. dr. Rr Ratni Indrawati, Sp.A(K)

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
amoxicilin, ceftriaxone	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampicilin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampicilin, gentamisin, metronidazole	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampisilin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampisilin sulbactam	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampisilin sulbactam, ciporofloxacin, meropenem, cotrimoxazole	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampisilin sulbactam, ciprofloxacin, meropenem, metronidazole, gentamisin	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
Ampisilin sulbactam, gentamisin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampisilin sulbactam, gentamisin, metronidazole, levofloxacin, meropenem, ceftazidime	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampisilin sulbactam, metronidazole	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampisilin, cefotaxime	Count	0	2	2
	Expected Count	.4	1.6	2.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	1.2%	1.0%
ampisilin, chloramphenicol, ceftriaxone	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
ampisilin, gentamisin	Count	3	6	9
	Expected Count	1.7	7.3	9.0
	% within ab.sebelum.picu	33.3%	66.7%	100.0%
	% within Kultur	7.9%	3.7%	4.5%
ampisilin, gentamisin, ampisilin sulbactam, amikasin, cefoperazone	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%



**EVALUASI PERFORMA PEDOMAN NASIONAL PELAYANAN KEDOKTERAN (PNPK) SEPSIS 2021  
DALAM MENDIAGNOSIS SEPSIS  
BAKTERIAL PADA ANAK**

Lilis Siti Asiyani, Dr. dr. Rr Ratni Indrawati, Sp.A(K)

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

ampisilin, gentamisin, cefotaxime, meropenem	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
ampisilin, meropenem, amoxicilin, clavulanate	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ampisilin, metronidazole, gentamisin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
cefadroxil, gentamicin, cefotraxime	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
cefepime, ciprofloxacin	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
cefixime	Count	1	3	4
	Expected Count	.8	3.2	4.0
	% within ab.sebelum.picu	25.0%	75.0%	100.0%
	% within Kultur	2.6%	1.9%	2.0%
cefixime, ampicilin, gentamisin, ampicilin sulbactam, ceftriaxone, meropenem	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
cefotaxime	Count	4	14	18
	Expected Count	3.4	14.6	18.0
	% within ab.sebelum.picu	22.2%	77.8%	100.0%
	% within Kultur	10.5%	8.6%	9.0%
cefotaxime, ampicilin sulbactam, gentamisin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
cefotaxime, ampicilin, gentamisin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
cefotaxime, ceftazidime	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
cefotaxime, gentamisin	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
cefotaxime, meropenem, metronidazole, levofloxacin, eritromisin	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
cefotaxime, metronidazole	Count	5	10	15
	Expected Count	2.9	12.2	15.0
	% within ab.sebelum.picu	33.3%	66.7%	100.0%
	% within Kultur	13.2%	6.2%	7.5%
cefotaxime, metronidazole, cefixime, cotrimoxazole	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%



**EVALUASI PERFORMA PEDOMAN NASIONAL PELAYANAN KEDOKTERAN (PNPK) SEPSIS 2021  
DALAM MENDIAGNOSIS SEPSIS  
BAKTERIAL PADA ANAK**

Lilis Siti Asiyani, Dr. dr. Rr Ratni Indrawati, Sp.A(K)

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftotaxime	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone	Count	3	37	40
	Expected Count	7.6	32.4	40.0
	% within ab.sebelum.picu	7.5%	92.5%	100.0%
	% within Kultur	7.9%	22.8%	20.0%
ceftriaxone metronidazole	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, ampisilin sulbactam	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, ampisilin, gentamisin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, azithromycin	Count	0	2	2
	Expected Count	.4	1.6	2.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	1.2%	1.0%
ceftriaxone, cefepime	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
ceftriaxone, cefotaxime	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
ceftriaxone, cefotaxime, amoxicilin, gentamicin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, cefotaxime, meropenem	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, ceftazidime, amikasin, gentamisin, meropenem	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, chloramphenicol	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, gentamicin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, gentamisin, amoxicilin,	Count	0	1	1
	Expected Count	.2	.8	1.0



# EVALUASI PERFORMA PEDOMAN NASIONAL PELAYANAN KEDOKTERAN (PNPK) SEPSIS 2021 DALAM MENDIAGNOSIS SEPSIS BAKTERIAL PADA ANAK

Lilis Siti Asiyani, Dr. dr. Rr Ratni Indrawati, Sp.A(K)

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

chloramphenicol	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, meropenem	Count	0	2	2
	Expected Count	.4	1.6	2.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	1.2%	1.0%
ceftriaxone, meropenem, azithromycin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, meropenem, gentamisin	Count	0	2	2
	Expected Count	.4	1.6	2.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	1.2%	1.0%
ceftriaxone, meropenem, metronidazole	Count	0	2	2
	Expected Count	.4	1.6	2.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	1.2%	1.0%
ceftriaxone, metronidazole	Count	0	3	3
	Expected Count	.6	2.4	3.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	1.9%	1.5%
ceftriaxone, metronidazole, chloramphenicol	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
ceftriaxone, metronidazole, meropenem	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
cotrimoxazole, ciprofloxacin, ceftriaxone	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
cotrimoxazole, ceftriaxone	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
cotrimoxazole(on therapy toxoplasmosis)	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
meropenem	Count	1	0	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	100.0%	0.0%	100.0%
	% within Kultur	2.6%	0.0%	0.5%
meropenem, azithromycin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
meropenem, cotrimoxazole	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
meropenem, levofloxacin, amikasin	Count	0	1	1
	Expected Count	.2	.8	1.0
	% within ab.sebelum.picu	0.0%	100.0%	100.0%
	% within Kultur	0.0%	0.6%	0.5%
meropenem,	Count	0	1	1





**EVALUASI PERFORMA PEDOMAN NASIONAL PELAYANAN KEDOKTERAN (PNPK) SEPSIS 2021  
DALAM MENDIAGNOSIS SEPSIS  
BAKTERIAL PADA ANAK**

Lilis Siti Asiyani, Dr. dr. Rr Ratni Indrawati, Sp.A(K)

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

metronidazole	Expected Count	.2	.8	1.0
		0.0%	100.0%	100.0%
	% within ab.sebelum.picu	0.0%	0.6%	0.5%
		0.0%	0.6%	0.5%
	Count	1	0	1
		.2	.8	1.0
	Expected Count	100.0%	0.0%	100.0%
		2.6%	0.0%	0.5%
	% within Kultur	2.6%	0.0%	0.5%
		2.6%	0.0%	0.5%
	Count	1	0	1
		.2	.8	1.0
	Expected Count	100.0%	0.0%	100.0%
		2.6%	0.0%	0.5%
	% within Kultur	2.6%	0.0%	0.5%
		2.6%	0.0%	0.5%
	Count	0	1	1
		.2	.8	1.0
	Expected Count	0.0%	100.0%	100.0%
		0.0%	0.6%	0.5%
	% within Kultur	0.0%	0.6%	0.5%
		0.0%	0.6%	0.5%
	Count	1	0	1
		.2	.8	1.0
	Expected Count	100.0%	0.0%	100.0%
		2.6%	0.0%	0.5%
	% within Kultur	2.6%	0.0%	0.5%
		2.6%	0.0%	0.5%
Total	Count	38	162	200
	Expected Count	38.0	162.0	200.0
	% within ab.sebelum.picu	19.0%	81.0%	100.0%
	% within Kultur	100.0%	100.0%	100.0%

**Kondisi.keluar.PICU \* Kultur Crosstabulation**

			Kultur		Total
			tumbuh	tidak tumbuh	
Kondisi.keluar.PICU	Hidup	Count	20	107	127
		Expected Count	24.1	102.9	127.0
		% within Kondisi.keluar.PICU	15.7%	84.3%	100.0%
		% within Kultur	52.6%	66.0%	63.5%
	Meninggal	Count	18	55	73
		Expected Count	13.9	59.1	73.0
		% within Kondisi.keluar.PICU	24.7%	75.3%	100.0%
		% within Kultur	47.4%	34.0%	36.5%
	Total	Count	38	162	200
		Expected Count	38.0	162.0	200.0
		% within Kondisi.keluar.PICU	19.0%	81.0%	100.0%
		% within Kultur	100.0%	100.0%	100.0%

**Goldstein \* Kultur Crosstabulation**

			Kultur		Total
			tumbuh	tidak tumbuh	
Goldstein	Sepsis	Count	24	82	106
		Expected Count	20.1	85.9	106.0
		% within Goldstein	22.6%	77.4%	100.0%
		% within Kultur	63.2%	50.6%	53.0%
	Bukan Sepsis	Count	14	80	94
		Expected Count	17.9	76.1	94.0
		% within Goldstein	14.9%	85.1%	100.0%
		% within Kultur	36.8%	49.4%	47.0%
	Total	Count	38	162	200
		Expected Count	38.0	162.0	200.0
		% within Goldstein	19.0%	81.0%	100.0%
		% within Kultur	100.0%	100.0%	100.0%

Descriptives				
	Kultur		Statistic	Std. Error
PELOD	tumbuh	Mean	6.89	.940
		95% Confidence Interval for Mean	Lower Bound 4.99	
			Upper Bound 8.80	
		5% Trimmed Mean	6.55	
		Median	5.00	
		Variance	33.610	
		Std. Deviation	5.797	
		Minimum	0	
		Maximum	21	
		Range	21	
		Interquartile Range	9	
		Skewness	.917	.383
		Kurtosis	-.218	.750
	tidak tumbuh	Mean	4.83	.282
		95% Confidence Interval for Mean	Lower Bound 4.27	
			Upper Bound 5.38	
		5% Trimmed Mean	4.62	
		Median	4.00	
		Variance	12.926	
		Std. Deviation	3.595	
		Minimum	0	
		Maximum	15	
		Range	15	
		Interquartile Range	5	
		Skewness	.757	.191
		Kurtosis	.017	.379





**PNPK.2019 \* Kultur Crosstabulation**






			Kultur		Total
			tumbuh	tidak tumbuh	
PNPK.2019	Sepsis	Count	11	20	31
		Expected Count	5.9	25.1	31.0
		% within PNPk.2019	35.5%	64.5%	100.0%
		% within Kultur	28.9%	12.3%	15.5%
	Bukan Sepsis	Count	27	142	169
		Expected Count	32.1	136.9	169.0
		% within PNPk.2019	16.0%	84.0%	100.0%
		% within Kultur	71.1%	87.7%	84.5%
Total		Count	38	162	200
		Expected Count	38.0	162.0	200.0
		% within PNPk.2019	19.0%	81.0%	100.0%
		% within Kultur	100.0%	100.0%	100.0%

			Kultur		Total
			tumbuh	tidak tumbuh	
kategori_PELOD	<7	Count	25	111	136
		Expected Count	25.8	110.2	136.0
		% within kategori_PELOD	18.4%	81.6%	100.0%
		% within Kultur	65.8%	68.5%	68.0%
	7-9	Count	2	31	33
		Expected Count	6.3	26.7	33.0
		% within kategori_PELOD	6.1%	93.9%	100.0%
		% within Kultur	5.3%	19.1%	16.5%
	>=10	Count	0	8	8
		Expected Count	1.5	6.5	8.0
		% within kategori_PELOD	0.0%	100.0%	100.0%
		% within Kultur	0.0%	4.9%	4.0%
	>=11	Count	11	12	23
		Expected Count	4.4	18.6	23.0
		% within kategori_PELOD	47.8%	52.2%	100.0%
		% within Kultur	28.9%	7.4%	11.5%
Total	Count		38	162	200
	Expected Count		38.0	162.0	200.0
	% within kategori_PELOD		19.0%	81.0%	100.0%
	% within Kultur		100.0%	100.0%	100.0%

### Jadwal Penelitian

BULAN	1			2			3			4			5			6		
Pembuatan proposal																		
Ujian proposal																		
Ethical clearance																		
Sampling																		
Mengumpulkan data																		
Pengolahan data																		
Analisis data																		
Menulis laporan																		
Menulis artikel																		

 <b>MEDICAL AND HEALTH RESEARCH ETHICS COMMITTEE (MHREC)</b> <b>FACULTY OF MEDICINE, PUBLIC HEALTH AND NURSING</b> <b>UNIVERSITAS GADJAH MADA – DR. SARDJITO GENERAL HOSPITAL</b> 	
<b>ETHICS COMMITTEE APPROVAL</b>	
Ref. No. : KE/FK/1035/EC/2021	
Title of the Research Protocol	: Uji Diagnostik Kriteria Goldstein dan Pelod-2 pada Pasien Anak dengan Dugaan Sepsis Bakterial yang Dirawat di PICU RSUP Dr. Sardjito
Document(s) Approved and version	: Study Protocol version 02 2021
Principle Investigator	: Lilis Siti Asiyani
Participating Investigator(s)	: 1. Dr. dr. Rr. Ratni Indrawanti, Sp.A(K). 2. dr. Desy Rusmawatiningsy, Sp.A(K).
Date of Approval	: <b>17 SEP 2021</b> (Valid for one year beginning from the date of approval)
Institution(s)/place(s) of research	: Catatan rekam medis pasien di PICU RSUP Dr. Sardjito Yogyakarta
<p>The Medical and Health Research Ethics Committee (MHREC) states that the document above meets the ethical principle outlined in the International and National Guidelines on ethical standards and procedures for researches with human beings.</p> <p>The Medical and Health Research Ethics Committee (MHREC) has the right to monitor the research activities at any time.</p> <p>The investigator(s) is/are obliged to submit:</p> <ul style="list-style-type: none"><li><input checked="" type="checkbox"/> Progress report as a continuing review (state its due time)</li><li><input checked="" type="checkbox"/> Report of any serious adverse events (SAE)</li><li><input checked="" type="checkbox"/> Final report upon the completion of the study</li></ul>	
 Dr. dr. Eti Nurwening Sholikhah, M.Kes., M.Med.Ed. Panel's vice chairperson	 dr. Rizka Humardewayanti A., Sp.PD-KPTI. Panel's secretary

 <b>MEDICAL AND HEALTH RESEARCH ETHICS COMMITTEE (MHREC)</b> FACULTY OF MEDICINE, PUBLIC HEALTH AND NURSING UNIVERSITAS GADJAH MADA – DR. SARDJITO GENERAL HOSPITAL		
<b>ETHICS COMMITTEE APPROVAL</b>		
Ref. No. : KE/FK/0430/EC/2022		
Title of the Research Protocol	: Evaluasi Performa Pedoman Nasional Pelayanan Kedokteran (PNPK) Sepsis 2021 dalam Mendiagnosis Sepsis Bakterial pada Anak	
Document(s) Approved and version	: Study Protocol version 02 2022	
Principle Investigator	: Lilis Siti Asiyani	
Participating Investigator(s)	: 1. Dr. dr. Rr Ratni Indrawati, Sp.A(K). 2. dr. Desy Rusmawatiningsy, M.Sc., Sp.A(K).	
Date of Approval	: <b>12 APR 2022</b> (Valid for one year beginning from the date of approval)	
Institution(s)/place(s) of research	: RSUP Dr. Sardjito Yogyakarta	
<p>The Medical and Health Research Ethics Committee (MHREC) states that the document above meets the ethical principle outlined in the International and National Guidelines on ethical standards and procedures for researches with human beings.</p> <p>The Medical and Health Research Ethics Committee (MHREC) has the right to monitor the research activities at any time.</p> <p>The investigator(s) is/are obliged to submit:</p> <ul style="list-style-type: none"><li><input checked="" type="checkbox"/> Progress report as a continuing review (state its due time)</li><li><input checked="" type="checkbox"/> Report of any serious adverse events (SAE)</li><li><input checked="" type="checkbox"/> Final report upon the completion of the study</li></ul>		
 Prof. Dr. dr. Sri Sumarna, Sp.S(K). Panel's chairperson	 dr. Yunita Widyastuti, Sp.An., M.Kes., KAP., Ph.D. Panel's secretary	
<p>P.S: This letter uses signature scan of the panel's chairperson and Secretary of the Ethics Committee. The hardcopy official letter with authority's signature will be issued when it is possible and are kept as an archive of the Ethics Committee</p>		
Validation number : 6253d3ae0375d ( <a href="http://komisietk.fk.ugm.ac.id/validasi">http://komisietk.fk.ugm.ac.id/validasi</a> )		
Recognized by Forum for Ethical Review Committees in Asia and the Western Pacific (FERCAP) 11-Apr-22		