



DAFTAR PUSTAKA

- Ábrigo, Johanna. Elorza, Alvaro A. Riedel, Claudia A Riedel. Vilos, Cristian. Simon, Felipe. Cabrera, Daniel Estrada, L. dan Cabello-verrugio, C. (2018) ‘Review Article Role of Oxidative Stress as Key Regulator of Muscle Wasting during Cachexia’, *Oxid. Med. Cell. Longev.*, 2018, p. 17. doi: 10.1155/2018/2063179.
- Akgul, M. S. dan Koz, M. (2019) ‘Effect of high intensity interval training under hypoxic conditions in a normobaric environment on moderately trained university students’ antioxidant status’, *J. Phys. educ.*, 23(5), pp. 217–222. doi: 10.15561/20755279.2019.0501.
- Amanat, S. Ghahri, S. Dianatinasab, A.Fararouei, M. Dianatinasab, M. (2020) ‘Exercise and Type 2 Diabetes’, *Adv. Exp. Med. Biol.*, 1228, pp. 91–105. doi: 10.1007/978-981-15-1792-1.
- American Diabetes Association (2019) *Classification of Diabetes Mellitus*. Arlington.
- American Diabetes Association (2022) ‘Introduction : Standards of Medical Care in Diabetes — 2022’, 45(January), pp. 2021–2022.
- Anagnostis, P. Gkekas, N K. Achilla, C. Pananastasiou, G. Taouxitou, P. Mitsiou, M., et al (2020) ‘Type 2 Diabetes Mellitus is Associated with Increased Risk of Sarcopenia: A Systematic Review and Meta-analysis’, *Calcif. Tissue Int.*, 107(5), pp. 453–463. doi: 10.1007/s00223-020-00742-y.
- Ato, S. Kido, K. Sato, K. Fujita, S. (2019) ‘Type 2 diabetes causes skeletal muscle atrophy but does not impair resistance training-mediated myonuclear accretion and muscle mass gain in rats’, *Exp.Physiol.*, 104(10), pp. 1518–1531. doi: 10.1113/EP087585.
- Bassil, M. S. dan Gougeon, R. (2013) ‘Muscle protein anabolism in type 2 diabetes’, *Curr. Opin. Clin. Nutr. Metab. Care*, 16(1), pp. 83–88. doi: 10.1097/MCO.0b013e32835a88ee.
- Baudet, J. Pelissier, P. Casoli, V. Caix, P. (2009) *Soleus flap, Plast. Reconstr. Surg.* Elsevier Inc. doi: 10.1007/978-3-319-40631-2_131.
- Bonaldo, P. dan Sandri, M. (2013) ‘Cellular and molecular mechanisms of muscle atrophy’, *DMM Dis. Models Mech.*, 6(1), pp. 25–39. doi: 10.1242/dmm.010389.



Bouviere, J. Fortunato, R S. Dupuy, C. Werneck-De-castro, J P. Carvalho, D P. Louzada, R A. (2021) ‘Exercise-stimulated ros sensitive signaling pathways in skeletal muscle’, *AO*, 10(4), pp. 1–21. doi: 10.3390/antiox10040537.

Chatterjee, S., Khunti, K. dan Davies, M. J. (2017) ‘Type 2 diabetes’, *Lancet*, 389(10085), pp. 2239–2251. doi: 10.1016/S0140-6736(17)30058-2.

Chen, G. Q. Mou, C Y. Yang, Y Q. Wang, S. Zhao, Z W.. (2011) ‘Exercise training has beneficial anti-atrophy effects by inhibiting oxidative stress-induced MuRF1 upregulation in rats with diabetes’, *Life Sci.*, 89(1–2), pp. 44–49. doi: 10.1016/j.lfs.2011.04.018.

Chen, Y. Yang, R. Yao, L. Sun, Z. Wang, R. Dai, Y. (2007) ‘Differential expression of neurotrophins in penises of streptozotocin- induced diabetic rats’, *J. Androl.*, 28(2), pp. 306–312. doi: 10.2164/jandrol.106.000794.

Cohen, S., Nathan, J. A. dan Goldberg, A. L. (2015) ‘Muscle wasting in disease : molecular mechanisms and promising therapies’, *Nature*, 14(1), pp. 58–74. doi: 10.1038/nrd4467.

Cui, X. Zhang, Y. Wang, Z. Jingjing, Y. Zhenxing, K. Ruzic, L. (2019) ‘High-intensity interval training changes the expression of muscle RING-finger.pdf’. *Exp Physiol*, pp. 1505–1517.

Dalle, S. dan Koppo, K. (2020) ‘Is inflammatory signaling involved in disease-related muscle wasting ? Evidence from osteoarthritis , chronic obstructive pulmonary disease and type II diabetes’, *Exp. Gerontol.*, 137(February), p. 110964. doi: 10.1016/j.exger.2020.110964.

Daou, H. N. (2020) ‘Exercise as an anti-inflammatory therapy for cancer cachexia: A focus on interleukin-6 regulation’, *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, 318(2), pp. R296–R310. doi: 10.1152/AJPREGU.00147.2019.

Daryabor, G. Atashzar, M R. Kabelitz, D. Meri, S. Kalantar, K. (2020) ‘The Effects of Type 2 Diabetes Mellitus on Organ Metabolism and the Immune System’, *Front. Immunol*, 11(July). doi: 10.3389/fimmu.2020.01582.

Ferrari, F. Bock, P. M. Motta, M T. Helal, L.. (2019) ‘Biochemical and molecular mechanisms of glucose uptake stimulated by physical exercise in insulin resistance state: Role of inflammation’, *Arq. Bras. Cardiol.*, 113(6), pp. 1139–1148. doi: 10.5935/abc.20190224.



Ferri, E. Marzetti, E. Calvani, R. Picca, A. Cesari, M. Arosio, B. (2020) ‘Role of age-related mitochondrial dysfunction in sarcopenia’, *Int. J. Mol. Sci.*, 21(15), pp. 1–12. doi: 10.3390/ijms21155236.

Francois, M. E. dan Little, J. P. (2015) ‘Effectiveness and safety of high-intensity interval training in patients with type 2 diabetes’, *Diabetes Spectr.*, 28(1), pp. 39–44. doi: 10.2337/diaspect.28.1.39.

Galicia-Garcia, U. Benito-Vicente, A. Jebari, S. Larrea-Sebal, A. Siddiqi, H. Uribe, K B. Ostolaza, H. *et al.* (2020) ‘Pathophysiology of type 2 diabetes mellitus’, *Int. J. Mol. Sci.*, pp. 1–34. doi: 10.3390/ijms21176275.

Geirdsdottir, O. G. Arnarson, A. Briem, K. Ramel, A. Jonsson, P. V. Thorsdottir. (2012) ‘Effect of 12-week resistance exercise program on body composition, muscle strength, physical function, and glucose metabolism in healthy, insulin-resistant, and diabetic elderly icelanders’, *J. Gerontol. A Biol. Sci. Med. Sci.*, 67(11), pp. 1259–1265. doi: 10.1093/gerona/gls096.

Grandl, G. dan Wolfrum, C. (2018) ‘Hemostasis, endothelial stress, inflammation, and the metabolic syndrome’, *Semin. Immunopathol.*, pp. 215–224.

Halim, M. dan Halim, A. (2019) ‘The effects of inflammation , aging and oxidative stress on the pathogenesis of diabetes mellitus (type 2 diabetes)’, *Diabetes Metab. Syndr.*, 13(2), pp. 1165–1172. doi: 10.1016/j.dsx.2019.01.040.

Hamoudi, D. Bouredji, Z. Marcadet, L. Yagita, H. Landry, L. Argaw, A. Frenette, J. (2020) ‘Muscle weakness and selective muscle atrophy in osteoprotegerin-deficient mice’, *Hum. Mol. Genet.*, 00(00), pp. 1–12. doi: 10.1093/hmg/ddz312.

Hassani, M. k. dan Ibrahim, M. K. (2018) ‘The effect of Diabetes mellitus (DM) induction on the Structure of Skeletal Muscle in experimental rats and the protective role of arginine on (DM) complications (Ultrastructural Study)’, *Res. J. Med. Sci.*, 02(07), pp. 113–123. doi: 10.37623/sjmr.2018.2702.

Henning, R. J. (2018) ‘Type-2 diabetes mellitus and cardiovascular disease’, *Future Cardiol.*, 14(6), pp. 491–509.

Heras, G. Namuduri, A. V. Traini, L. Shevchenko, G. Falk, A. Bergström Lind, S. Jia, M., *et al.* (2019) ‘Muscle RING-finger protein-1 (MuRF1) functions and cellular localization are regulated by SUMO1 post-translational modification’, *J. Mol. Cell. Biol.*, 11(5), pp. 356–370. doi: 10.1093/jmcb/mjy036.



Hoshino, S. Sakamoto, K. Vassilopoulos, S. M. Camus, S. A. Griffin, C. Esk, C. A. Torres, J.. *et al.* (2013) ‘The CHC22 Clathrin-GLUT4 Transport Pathway Contributes to Skeletal Muscle Regeneration’, *PLoS ONE*, 8(10). doi: 10.1371/journal.pone.0077787.

Hwang, C. L. L. Lim, J. Yoo, J K. Kim, H K. Hwang, M H. Handberg, E M. Petersen, J W. Holmer, B J. *et al.* (2019) ‘Effect of all-extremity high-intensity interval training vs. moderate-intensity continuous training on aerobic fitness in middle-aged and older adults with type 2 diabetes: A randomized controlled trial’, *Exp. Gerontol.*, 116, pp. 46–53. doi: 10.1016/j.exger.2018.12.013.

Ishimoto, T. Lanaska, M. A. Rivard, C. J. Roncal-jimenez, C A. Orlicky, D J. Cicerchi, C. *et al.* (2014) ‘Ishimoto T, Lanaska MA, Rivard CJ, Roncal-Jimenez CA, Orlicky DJ, Cicerchi C, et al. High-fat and high-sucrose (western) diet induces steatohepatitis that is dependent on fructokinase. *Hepatology*. 2013 Nov;58(5):1632-43.’, *J. Hepatol*, 58(5), pp. 1632–1643. doi: 10.1002/hep.26594.High.

Judge, A. dan Dodd, M. S. (2020) ‘Metabolism’, *Essays Biochem* :(6), pp. 607–647. <https://doi.org/10.1042/EBC20190041>

Keating, S. E. Atashzar, M R. Kabelitz, D. Meri, S. Kalantar, K. (2017) ‘A systematic review and meta-analysis of interval training versus moderate-intensity continuous training on body adiposity’, *Obes. Rev.*, 18(8), pp. 943–964. doi: 10.1111/obr.12536.

Kementrian kesehatan republik indonesia (2020) ‘Tetap Produktif, Cegah Dan Atasi Diabetes Mellitus’, *pusat data dan informasi kementerian kesehatan RI*.

Kirwan, J. P., Sack, J. dan Nieuwoudt, S. (2018) ‘The essential role of exercise in the management of type 2 diabetes’, *Clevel. Clin. J. Med.*, 84, pp. 1–14. doi: 10.3949/ccjm.84.s1.03.The.

Kitada, M. Ogura, Y. Monno, I. Koya, D.. (2019) ‘Sirtuins and type 2 diabetes: Role in inflammation, oxidative stress, and mitochondrial function’, *Fronti. Endocrinol.*, 10(MAR), pp. 1–12. doi: 10.3389/fendo.2019.00187.

Kumar, A. S. Maiya, A G. Shastry, B A. Vaishali, K. Ravishankar, N. Hazari, A *et al.* (2019) ‘Exercise and insulin resistance in type 2 diabetes mellitus : A systematic review and meta-analysis’, *Ann. Phys. Rehab. Med.*, 62(2), pp. 98–103. doi: 10.1016/j.rehab.2018.11.001.



L Maynard, R. dan Downes, N. (2019) *Anatomy and Histology of the Laboratory Rat in Toxicology and Biomedical Research, Anatomy and Histology of the Laboratory Rat in Toxicology and Biomedical Research.* London, United Kingdom: Academic Press. doi: 10.1016/b978-0-12-811837-5.00027-7.

Liu, T. Zhang, L. Joo, D. Sun, S-C. (2017) ‘NF-κB signaling in inflammation.pdf’. *Signal Transduc. Target. Ther.*, p. 2: 17023.

Lorenzo, I., Serra-Prat, M. dan Carlos Yébenes, J. (2019) ‘The role of water homeostasis in muscle function and frailty: A review’, *Nutrients*, 11(8), pp. 1–15. doi: 10.3390/nu11081857.

Luc, K. Schramm-Luc, A. Guzik, T. J. Mikolajczyk, Tomasz P. (2019) ‘Oxidative stress and inflammatory markers in prediabetes and diabetes’, *J. Physiol. Pharmacol.*, 70(6), pp. 809–824. doi: 10.26402/jpp.2019.6.01.

Magalhães, J. P. Santos, D A. Correia, I R. Rauth, M H. Ribeiro, R. Raposo, J. F. et al. (2020) ‘Impact of combined training with different exercise intensities on inflammatory and lipid markers in type 2 diabetes : a secondary analysis from a 1 year randomized controlled trial’, *Cardiovasc. Diabetol.*, pp. 1–11. doi: 10.1186/s12933-020-01136-y.

Mendes, R. Sousa, N. Themudo-Barata, J. Reis, V. (2019) ‘High-intensity interval training versus moderate-intensity continuous training in middle-aged and older patients with type 2 diabetes: A randomized controlled crossover trial of the acute effects of treadmill walking on glycemic control’, *Int. J. Environ. Res. Public Health*, 16(21), pp. 1–14. doi: 10.3390/ijerph16214163.

Nennig, S. E. dan Schank, J. R. (2017) ‘The role of NFkB in drug addiction: Beyond inflammation’, *Alcohol. Alcohol.*, 52(2), pp. 172–179. doi: 10.1093/alc/alc098.

Olioso, D. Dauriz, M. Bacchi, E. Negri, C. Santi, L. Bonora, E. et al. (2019) ‘Effects of aerobic and resistance training on circulating micro-RNA expression profile in subjects with type 2 diabetes’, *J. Clin. Endocrinol. Metab.*, 104(4), pp. 1119–1130. doi: 10.1210/jc.2018-01820.

Oluwafemi Omoniyi Oguntibeju (2019) ‘Type 2 diabetes mellitus, oxidative stress and inflammation: examining the links’, *Int. J. Physiol. Pathophysiol. Pharmacol.*, 11(3), pp. 45–63.

Parker, G. A. dan Picut, C. A. (2016) *Atlas of Histology of the Juvenile Rat.* Edited by P. Gonzales. United States: Tenney, S.



Perry, B. D. Caldow, M. K. Brennan-Speranza, T C. Sbaraglia, M. Jerums, G. Garnham, A . *et al.* (2016) ‘Muscle atrophy in patients with T2DM role of inflammatory pathways, physical activity and exercise’, *Exerc Immunol Rev*, 22, pp. 94–109.

Pinheiro-Dardis, C. M. Gutierrez, V O. Assis, R P. Peviani, S M. Delfino, G. Borges D *et al.* (2018) ‘Insulin treatment reverses the increase in atrogin-1 expression in atrophied skeletal muscles of diabetic rats with acute joint inflammation’, *Ther. Clin. Risk Manag.*, 14, pp. 275–286. doi: 10.2147/TCRM.S142948.

Rehman, K. dan Akash, M. S. H. (2017) ‘Mechanism of Generation of Oxidative Stress and Pathophysiology of Type 2 Diabetes Mellitus: How Are They Interlinked?’, *J. Cell. Biochem.*, 118(11), pp. 3577–3585. doi: 10.1002/jcb.26097.

Reljic, D. Dieterich, W. Herrmann, H J. Neurath, M F. Zopf, Y.. (2022) ““ HIIT the Inflammation ”: Comparative Effects of Low-Volume Interval Training and Resistance Exercises on Inflammatory Caloric Restriction”, *Nutrients*, I.

Richter, E. A. dan Hargreaves, M. (2013) ‘Exercise, GLUT4, and skeletal muscle glucose uptake’, *Physiol. Rev.*, 93(3), pp. 993–1017. doi: 10.1152/physrev.00038.2012.

Ryan, B. J. Schleh, M W. Ahn, C. Ludzki, A C. Gillen, J B. Varshney, P. *et al.* (2020) ‘Moderate-Intensity Exercise and High-Intensity Interval Training Affect Insulin Sensitivity Similarly in Obese Adults’, *J. Clin. Endocrinol. Metab.*, 105(8), pp. E2941–E2959. doi: 10.1210/clinem/dgaa345.

Skipworth, R. J. E. Stewart, G. D. Ross, J. A. Guttridge, D. C. Fearon, K. C.H. (2006) ‘The molecular mechanisms of skeletal muscle wasting: Implications for therapy’, *Surg.*, 4(5), pp. 273–283. doi: 10.1016/S1479-666X(06)80004-1.

Srinivasan, K. Viswanad, B. Asrat, L. Kaul, C. L. Ramarao, P. (2005) ‘Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: A model for type 2 diabetes and pharmacological screening’, *Pharmacological Research*, 52(4), pp. 313–320. doi: 10.1016/j.phrs.2005.05.004.

Szaro, P., Witkowski, G. dan Ciszek, B. (2012) ‘Anatomy of the common calcaneal tendon in rat (*Rattus Norvegicus*)’, *Pol. J. Nat. Sci.*, 27(3), pp. 339–346.

Thoma, A. dan Lightfoot, A. P. (2018) ‘Nf-kb and inflammatory cytokine signalling: Role in skeletal muscle atrophy’, *Adv. Exp. Med. Biol.*, 1088, pp. 267–279. doi: 10.1007/978-981-13-1435-3_12.



Torres-Villalobos, G. Hamdan-Pérez, N. Tovar, A R. Ordaz-Nava, G. Martínez-Benítez, B. Torre-Villalvazo, I. *et al.* (2015) ‘Combined high-fat diet and sustained high sucrose consumption promotes NAFLD in a murine model’, *Ann. Hepatol.*, 14(4), pp. 540–546. doi: 10.1016/s1665-2681(19)31176-7.

Treuting, P. M., Dintzis, S. M. dan Montine, K. S. (2018) *Comparative Anatomy And Histology: A Mouse, Rat, And Human Atlas Second Edition*. United Kingdom: Mica Haley.

Tsumiyama, W. Oki, S. Takamiya, N. Umei, N. Shumizu, M. E. Ono, T. (2014) ‘Induction of Muscle Hypertrophy in Rats through Low Intensity Eccentric Contraction’, *J. Physi. Ther. Sci.*, pp. 1623–1625.

Valladares-Ide, D. Peñailillo, L. Collao, N. Marambio, H. Deldicque, L. Zbinden-Foncea, H. (2019) ‘Activation of protein synthesis, regeneration, and MAPK signaling pathways following repeated bouts of eccentric cycling’, *Am. J. Physiol. Endocrinol. Metab.*, 317(6), pp. E1131–E1139. doi: 10.1152/AJPENDO.00216.2019.

Volpe, C. M. O. Villar-Delfino, P H. Dos Anjos, P M F. Nogueira-Machado, J A. (2018) ‘Cellular death, reactive oxygen species (ROS) and diabetic complications review-Article’, *Cell Death Dis*, 9(2). doi: 10.1038/s41419-017-0135-z.

Weber-carstens, S. S. Schneider, J. Wollersheim, T. Assmann, A. Bierbrauer, J. Marg, A. *et al.* (2013) ‘Critical Illness Myopathy and GLUT4 Significance of Insulin and Muscle Contraction’, *Am J Respir Crit Care Med*, 187(15), pp. 387–396. doi: 10.1164/rccm.201209-1649OC.

Webster, J. M. *et al.* (2020) ‘Inflammation and Skeletal Muscle Wasting During Cachexia’, *Front. Physiol.*, 11(11). doi: 10.3389/fphys.2020.597675..

Wood, N. Straw, S. Scalabrin, M. Roberts, L D. Witte, K. K. Bowen, T S. (2021) ‘Skeletal muscle atrophy in heart failure with diabetes: from molecular mechanisms to clinical evidence’, *ESC Heart Fail.*, 8(1), pp. 3–15. doi: 10.1002/ehf2.13121.

World Health Organization (2020) ‘Diagnosis and management of type 2 diabetes’, *Atencion Primaria*, 42(SUPPL. 1), pp. 2–8. Available at: <https://www.who.int/publications/i/item/who-ucn-ncd-20.1>.

Xu, F. Xu, J. Xiong, X. Deng, Y. (2019) ‘Salidroside inhibits MAPK, NF- κ B, and STAT3 pathways in psoriasis-associated oxidative stress via SIRT1 activation’, *Redox Rep.*, pp. 70–74. doi: 10.1080/13510002.2019.1658377.



UNIVERSITAS
GADJAH MADA

PENGARUH LATIHAN FISIK TERHADAP EKSPRESI mRNA SOD1, NfKB, MuRF1, GLUT 4, DAN GAMBARAN HISTOLOGI OTOT

TIKUS MODEL DIABETES MELITUS TIPE 2

M YUSRIN AL GIFARI, dr. R. Jajar Setiawan,M.Sc.,Ph.D;dr.Junaedy Yunus,M.Sc.,Ph.D

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yalamanchi, S. Stewart, K. J. Ji, N. Golden, S. Dobs, A. M Becker, D. (2017) ‘The Relationship of Fasting Hyperglycemia to Changes In Fat and Muscle Mass After Exercise Training Type 2 Diabetes’, *Physiol. behav.*, 176(3), pp. 139–148. doi: 10.1016/j.diabres.2016.09.026.The.

Yaribeygi, H. Sathyapalan, T. Atkin, S. L. Sahebkar, A. (2020) ‘Molecular Mechanisms Linking Oxidative Stress and Diabetes Mellitus’, *Oxid. Med. Cell. Longev.*, 2020. doi: 10.1155/2020/8609213.

Zhang, P. Li, T. Wu, X. Nice, E. C. Huang, C. Zhang, Y. (2020) ‘Oxidative stress and diabetes: antioxidative strategies’, *Front. Med.*, 14(5), pp. 583–600. doi: 10.1007/s11684-019-0729-1.