



DAFTAR PUSTAKA

- Abduo, J., Lyons, K., & Bennamoun, M. (2014). Trends in computer-aided manufacturing in prosthodontics: a review of the available streams. *International journal of dentistry*, 2014.
- Ahmad, K. W., Mohamad, Z., Othman, N., Man, S. H. C., & Jusoh, M. (2020). The mechanical properties of photopolymer prepared via 3d stereolithography printing: The effect of uv curing time and anisotropy. *Chemical Engineering Transactions*, 78, 565-570.
- Alharbi, N., Osman, R., & Wismeijer, D. (2016a). Effects of build direction on the mechanical properties of 3D-printed complete coverage interim dental restorations. *The Journal of prosthetic dentistry*, 115(6), 760-767.
- Alharbi, N., Osman, R., & Wismeijer, D. (2016b). Factors Influencing the Dimensional Accuracy of 3D-Printed Full-Coverage Dental Restorations Using Stereolithography Technology. *The International journal of prosthodontics*, 29(5), 503-510.
- Ambrosio, D., Gabrion, X., Malécot, P., Amiot, F., & Thibaud, S. (2020). Influence of manufacturing parameters on the mechanical properties of projection stereolithography-manufactured specimens. *The International Journal of Advanced Manufacturing Technology*, 106(1), 265-277.
- Arifvianto, B., Mahardika, M., Dewo, P., Iswanto, P. T., & Salim, U. A. (2011). Effect of surface mechanical attrition treatment (SMAT) on microhardness, surface roughness and wettability of AISI 316L. *Materials Chemistry and Physics*, 125(3), 418-426.
- Arifvianto, B., Putra, A. T., Prayoga, B. T., Dharmastiti, R., Salim, U. A., & Mahardika, M. (2019). Sliding wear characteristics of FDM-processed polylactic-acid in bovine blood serum. *Journal of Mechanical Engineering and Sciences*, 13(4), 5848-5861.
- Arifvianto, B., Wirawan, Y. B., Salim, U. A., Suyitno, S., & Mahardika, M. (2021). Effects of extruder temperatures and raster orientations on mechanical properties of the FFF-processed polylactic-acid (PLA) material. *Rapid Prototyping Journal*.
- Arnold, C., Monsees, D., Hey, J., & Schweyen, R. (2019). Surface quality of 3D printed models as a function of various parameter printings. *Materials*, 12(12), 1970.
- Arsu, N., Aydin, M., Yagci, Y., Jockusch, S., & Turro, N. J. (2006). One



component thioxanthone based Type II photoinitiators. *Photochemistry and UV curing: new trends*, 1, 17-29.

Asif, M., Lee, J. H., Lin-Yip, M. J., Chiang, S., Levaslot, A., Giffney, T., ... & Aw, K. C. (2018). A new photopolymer extrusion 5-axis 3D printer. *Additive Manufacturing*, 23, 355-361.

ASME International. (2020). Surface Texture (Surface Roughness, Waviness, and Lay). New York: ASME International.

ASTM International. (2003). Standard Test Method for Physical Dimensions of Solid Plastics Specimens. West Conshohocken: ASTM International.

ASTM International. (2016). Standard Test Method for Tensile Properties of Plastics. West Conshohocken: ASTM International.

Attaran, M. (2017). The rise of 3-D printing: The advantages of additive manufacturing over traditional manufacturing. *Business Horizons*, 60(5), 677-688.

Beal, V. E., Ahrens, C. H., & Wendhausen, P. A. (2004). The use of stereolithography rapid tools in the manufacturing of metal powder injection molding parts. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 26, 40-46.

Bekas, D. G., Hou, Y., Liu, Y., & Panesar, A. (2019). 3D printing to enable multifunctionality in polymer-based composites: A review. *Composites Part B: Engineering*, 179, 107540.

Berman, B. (2012). 3-D printing: The new industrial revolution. *Business horizons*, 55(2), 155-162.

Boca, M. A., Sover, A., & Slătineanu, L. (2021). The Printing Parameters Effects on the Dimensional Accuracy of the Parts Made of Photosensitive Resin. In *Macromolecular Symposia* (Vol. 396, No. 1, p. 2000287).

Braszkiewicz, M. (2021). Manufacturing of mechanical elements with properties of metamaterials using 3D printing technology. In *MATEC Web of Conferences* (Vol. 338, p. 01002). EDP Sciences.

Brydson, J.A. (1992). Plastics Materials, Butterworth-Heinemann publication, Oxford.

Canellidis, V., Giannatsis, J., & Dedoussis, V. (2009). Genetic-algorithm-based multi-objective optimization of the build orientation in stereolithography. *The International Journal of Advanced Manufacturing Technology*, 45(7), 714-730.



Chartoff, R. P., Flach, L., & Weissman, P. (1993). Material and process parameters that affect accuracy in stereolithography. In *1993 International Solid Freeform Fabrication Symposium*.

Chockalingam, K., Bharadwaj, S., Chandrasekar, U. And Jawahar, N. (2003), “Influence of layer thickness on mechanical properties in stereolithography process”, Proceeding of INCARF, IIT New Delhi in CD, paper code: 139.

Chockalingam, K., Jawahar, N., & Chandrasekhar, U. (2006). Influence of layer thickness on mechanical properties in stereolithography. *Rapid Prototyping Journal*.

Delfs, P., Tows, M., & Schmid, H. J. (2016). Optimized build orientation of additive manufactured parts for improved surface quality and build time. *Additive Manufacturing*, 12, 314-320.

Favero, C. S., English, J. D., Cozad, B. E., Wirthlin, J. O., Short, M. M., & Kasper, F. K. (2017). Effect of print layer height and printer type on the accuracy of 3-dimensional printed orthodontic models. *American Journal of Orthodontics and Dentofacial Orthopedics*, 152(4), 557-565.

Fouassier, J.-P. (1995). *Photoinitiation, photopolymerization, and photocuring: fundamentals and applications*. Munich:Hanser.

Frketic, J., Dickens, T., & Ramakrishnan, S. (2017). Automated manufacturing and processing of fiber-reinforced polymer (FRP) composites: An additive review of contemporary and modern techniques for advanced materials manufacturing. *Additive Manufacturing*, 14, 69-86.

Gebhardt, A. and Hotter, J.S. (2016). Additive manufacturing – 3D printing for prototyping and manufacturing. *Carl Hanser Verlag, Munich*.

Goh, G. D., Sing, S. L., & Yeong, W. Y. (2021). A review on machine learning in 3D printing: applications, potential, and challenges. *Artificial Intelligence Review*, 54(1), 63-94.

Gowda, R. B. S., Udayagiri, C. S., & Narendra, D. D. (2014). Studies on the process parameters of rapid prototyping technique (Stereolithography) for the betterment of part quality. *International Journal of Manufacturing Engineering*, 2014.

Gurr, M., Iwm, F.W., Mülhaupt, R. and Freiburg, A. (2012). *Rapid Prototyping, Polymer Science:A Comprehensive Reference*, Vol. 8, Elsevier B.V.

Hada, T., Kanazawa, M., Iwaki, M., Arakida, T., Soeda, Y., Katheng, A., ... & Minakuchi, S. (2020). Effect of printing direction on the accuracy of 3D-printed dentures using stereolithography technology. *Materials*, 13(15),



3405.

- Harris, R., Hopkinson, N., Newlyn, H., Hague, R., & Dickens, P. (2002). Layer thickness and draft angle selection for stereolithography injection mould tooling. *International journal of production research*, 40(3), 719-729.
- Hossain, M., Zhumabekova, A., Paul, S. C., & Kim, J. R. (2020). A Review of 3D Printing in Construction and its Impact on the Labor Market. *Sustainability*, 12(20), 8492.
- ISO/ASTM 52900. (2015). Additive Manufacturing - General - Principles Terminology.
- Jeong, Y. G., Lee, W. S., & Lee, K. B. (2018). Accuracy evaluation of dental models manufactured by CAD/CAM milling method and 3D printing method. *The journal of advanced prosthodontics*, 10(3), 245-251.
- Kafle, A., Luis, E., Silwal, R., Pan, H. M., Shrestha, P. L., & Bastola, A. K. (2021). 3D/4D Printing of polymers: Fused deposition modelling (FDM), selective laser sintering (SLS), and stereolithography (SLA). *Polymers*, 13(18), 3101.
- Kazemi, M., & Rahimi, A. R. (2015). Supports effect on tensile strength of the stereolithography parts. *Rapid Prototyping Journal*.
- Kermavnar, T., Shannon, A., & O'Sullivan, L. W. (2021). The application of additive manufacturing/3D printing in ergonomic aspects of product design: A systematic review. *Applied Ergonomics*, 97, 103528.
- Kowalska, A., Sokolowski, J., & Bociong, K. (2021). The photoinitiators used in resin based dental composite—a review and future perspectives. *Polymers*, 13(3), 470.
- Kruth, J. P., Mercelis, P., Van Vaerenbergh, J., Froyen, L., & Rombouts, M. (2005). Binding mechanisms in selective laser sintering and selective laser melting. *Rapid prototyping journal*.
- Kulkarni, P., Marsan, A., & Dutta, D. (2000). A review of process planning techniques in layered manufacturing. *Rapid prototyping journal*.
- Kurimoto, M., Manabe, Y., Mitsumoto, S., & Suzuki, Y. (2021). Layer interface effects on dielectric breakdown strength of 3D printed rubber insulator using stereolithography. *Additive Manufacturing*, 46, 102069.
- Lee, S. H., Park, W. S., Cho, H. S., Zhang, W., & Leu, M. C. (2001). A neural network approach to the modelling and analysis of stereolithography processes. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 215(12), 1719-1733.



Liao, H. (1998). *Stereolithography using compositions containing ceramic powders*. University of Toronto.

Low, Z. X., Chua, Y. T., Ray, B. M., Mattia, D., Metcalfe, I. S., & Patterson, D. A. (2017). Perspective on 3D printing of separation membranes and comparison to related unconventional fabrication techniques. *Journal of membrane science*, 523, 596-613.

Lubis, S., & Sutanto, D. (2014). Pengaturan Orientasi Posisi Objek pada Proses Rapid Prototyping Menggunakan 3D Printer Terhadap Waktu Proses dan Kwalitas Produk. *Jurnal Teknik Mesin*, 15(1), 26-33.

Magaldi, B. V., da Costa, M. D. O., da Silva Thiré, R. M., & Araujo, A. C. (2018). Comparison Of The Porosity Of Scaffolds Manufactured By Two Additive Manufacturing Technologies: SLA and FDM. In *24th International Congress of Mechanical Engineering*.

Madžarević, M., & Ibrić, S. (2021). Evaluation of exposure time and visible light irradiation in LCD 3D printing of ibuprofen extended release tablets. *European Journal of Pharmaceutical Sciences*, 158, 105688.

Melchels, F. P., Feijen, J., & Grijpma, D. W. (2010). A review on stereolithography and its applications in biomedical engineering. *Biomaterials*, 31(24), 6121-6130.

Mendes-Felipe, C., Oliveira, J., Etxebarria, I., Vilas-Vilela, J. L., & Lanceros-Mendez, S. (2019). State-of-the-art and future challenges of UV curable polymer-based smart materials for printing technologies. *Advanced Materials Technologies*, 4(3), 1800618.

Mostafa, K. G., Nobes, D. S., & Qureshi, A. J. (2020). Investigation of Light-Induced Surface Roughness in Projection Micro-Stereolithography Additive Manufacturing (μ SLA). *Procedia CIRP*, 92, 187-193.

Mueller, B., & Kochan, D. (1999). Laminated object manufacturing for rapid tooling and patternmaking in foundry industry. *Computers in Industry*, 39(1), 47-53.

Nazari, A., Bajaj, D., Zhang, D., Romberg, E., & Arola, D. (2009). Aging and the reduction in fracture toughness of human dentin. *Journal of the mechanical behavior of biomedical materials*, 2(5), 550-559.

Ngo, T. D., Kashani, A., Imbalzano, G., Nguyen, K. T., & Hui, D. (2018). Additive manufacturing (3D printing): A review of materials, methods, applications and challenges. *Composites Part B: Engineering*, 143, 172-196.

Nowacki, B., Kowol, P., Kozioł, M., Olesik, P., Wieczorek, J., & Waclawiak, K.



(2021). Effect of Post-Process Curing and Washing Time on Mechanical Properties of mSLA Printouts. *Materials*, 14(17), 4856.

Nsengimana, J., Van der Walt, J., Pei, E., & Miah, M. (2018). Effect of post-processing on the dimensional accuracy of small plastic additive manufactured parts. *Rapid Prototyping Journal*.

O'Neill, P. F. (2018). *Internal void fabrication via mask projection micro-stereolithography: a rapid repeatable microfluidic prototyping technique* (Doctoral dissertation, Dublin City University).

Özdilli, Ö. (2021). Comparison of the Surface Quality of the Products Manufactured by the Plastic Injection Molding and SLA and FDM Method. *International Journal of Engineering Research and Development*, 13(2), 428-437.

Pandey, P. M., Reddy, N. V., & Dhande, S. G. (2003). Slicing procedures in layered manufacturing: a review. *Rapid prototyping journal*.

Park, G. S., Kim, S. K., Heo, S. J., Koak, J. Y., & Seo, D. G. (2019). Effects of parameter printings on the fit of implant-supported 3D printing resin prosthetics. *Materials*, 12(16), 2533.

Papon, E. A., & Haque, A. (2018). Tensile properties, void contents, dispersion and fracture behaviour of 3D printed carbon nanofiber reinforced composites. *Journal of Reinforced Plastics and Composites*, 37(6), 381-395.

Pérez, M., Carou, D., Rubio, E. M., & Teti, R. (2020). Current advances in additive manufacturing. *Procedia Cirp*, 88, 439-444.

Pfaffinger, M. (2018). Hot Lithography—New Possibilities in Polymer 3D Printing: A newly developed stereolithography-based additive manufacturing technology combines good material properties with outstanding manufacturing precision. *Laser Technik Journal*, 15(4), 45-47.

Piedra-Cascón, W., Krishnamurthy, V. R., Att, W., & Revilla-León, M. (2021). 3D parameter printings, supporting structures, slicing, and post-processing procedures of vat-polymerization additive manufacturing technologies: A narrative review. *Journal of Dentistry*, 103630.

Pratama, J., Cahyono, S. I., Suyitno, S., Muflikhun, M. A., Salim, U. A., Mahardika, M., & Arifvianto, B. (2021). A review on reinforcement methods for polymeric materials processed using Fused Filament Fabrication (FFF). *Polymers*, 13(22), 4022.

Pszczółkowski, B., & Dzadz, Ł. (2020). Analysis of the influence of UV light



exposure time on hardness and density properties of SLA models. *Technical Sciences/University of Warmia and Mazury in Olsztyn*.

Puebla, K., Arcaute, K., Quintana, R., & Wicker, R. B. (2012). Effects of environmental conditions, aging, and build orientations on the mechanical properties of ASTM type I specimens manufactured via stereolithography. *Rapid Prototyping Journal*.

Quintana, R., Choi, J. W., Puebla, K., & Wicker, R. (2010). Effects of build orientation on tensile strength for stereolithography-manufactured ASTM D-638 type I specimens. *The International Journal of Advanced Manufacturing Technology*, 46(1-4), 201-215.

Rahmati, S., & Dickens, P. (1997). Stereolithography for injection mould tooling. *Rapid Prototyping Journal*.

Ravve, A. (2006). *Light-associated reactions of synthetic polymers*. New York: Springer.

Riccio, C., Civera, M., Grimaldo Ruiz, O., Pedullà, P., Rodriguez Reinoso, M., Tommasi, G., ... & Surace, C. (2021). Effects of Curing on Photosensitive Resins in SLA Additive Manufacturing. *Applied Mechanics*, 2(4), 942-955.

Roy, S., & Basu, B. (2008). Mechanical and tribological characterization of human tooth. *Materials Characterization*, 59(6), 747-756.

Sastranegara, A. (2009). Mengenal Uji Tarik dan Sifat-sifat Mekanik Logam. *Situs informasi mekanika, material, dan manufaktur*.

Shahrubudin, N., Lee, T. C. and Ramlan, R. (2019). An overview on 3D printing technology: Technological, materials, and applications, *Procedia Manufacturing*, 35, pp. 1286–1296. doi: 10.1016/j.promfg.2019.06.089.

Shim, J. S., Kim, J. E., Jeong, S. H., Choi, Y. J., & Ryu, J. J. (2019). Printing accuracy, sifat mekanis, surface characteristics, and microbial adhesion of 3D-printed resins with various printing orientations. *The Journal of prosthetic dentistry*, 124(4), 468-475.

Singh, S., & Ramakrishna, S. (2017). Biomedical applications of additive manufacturing: present and future. *Current opinion in biomedical engineering*, 2, 105-115.

Suchanek, W., & Yoshimura, M. (1998). Processing and properties of hydroxyapatite-based biomaterials for use as hard tissue replacement implants. *Journal of Materials Research*, 13(1), 94-117.



- Seprianto, D., Sugiantoro, R., & Erwin, M. (2020). The Effect of Rectangular Parallel Key Manufacturing Process Parameters Made with Stereolithography DLP 3D Printer Technology Against Impact Strength. In *Journal of Physics: Conference Series* (Vol. 1500, No. 1, p. 012028). IOP Publishing.
- Tajau, R., Ibrahim, M. I., Yunus, N. M., Mahmood, M. H., Salleh, M. Z., & Salleh, N. G. N. (2014). Development of palm oil-based UV-curable epoxy acrylate and urethane acrylate resins for wood coating application. In *AIP Conference Proceedings* (Vol. 1584, No. 1, pp. 164-169). American Institute of Physics.
- Takeda, Y., Lau, J., Nouh, H., & Hirayama, H. (2019). A 3D printing replication technique for fabricating digital dentures. *The Journal of prosthetic dentistry*, 124(3), 251-256.
- Tiwary, V. K., Arunkumar, P., Deshpande, A. S., & Rangaswamy, N. (2019). Surface enhancement of FDM patterns to be used in rapid investment casting for making medical implants. *Rapid Prototyping Journal*.
- Too, M. H., Leong, K. F., Chua, C. K., Du, Z. H., Yang, S. F., Cheah, C. M., & Ho, S. L. (2002). Investigation of 3D non-random porous structures by fused deposition modelling. *The International Journal of Advanced Manufacturing Technology*, 19(3), 217-223.
- Unkovskiy, A., Bui, P. H. B., Schille, C., Geis-Gerstorfer, J., Huettig, F., & Spintzyk, S. (2018). Objects build orientation, positioning, and curing influence dimensional accuracy and flexural properties of stereolithographically printed resin. *Dental Materials*, 34(12), e324-e333.
- Unkovskiy, A., Schmidt, F., Beuer, F., Li, P., Spintzyk, S., & Kraemer Fernandez, P. (2021). Stereolithography vs. direct light processing for rapid manufacturing of complete denture bases: An in vitro accuracy analysis. *Journal of Clinical Medicine*, 10(5), 1070.
- Wang, Y., Blache, R., & Xu, X. (2017). Selection of additive manufacturing processes. *Rapid prototyping journal*.
- Watters, M. P., & Bernhardt, M. L. (2018). Curing parameters to improve the mechanical properties of stereolithographic printed specimens. *Rapid Prototyping Journal*.
- Weissman, P. T., Chartoff, R. P., Rodrigues, S. J., & Linden, S. M. (1993, June). Real time measurements of linear shrinkage during laser photopolymerization: implications concerning post cure shrinkage. In *Proc. 4th Int. Conf. on Rapid Prototyping, Dayton, OH*, 263 (Vol.



269).

Wiedemann, B., Dusel, K. H., & Eschl, J. (1995). Investigation into the influence of material and process on part distortion. *Rapid Prototyping Journal*.

Worschec, C. C., Rodrigues, J. A., Martins, L. R. M., & Ambrosano, G. M. B. (2003). In vitro evaluation of human dental enamel surface roughness bleached with 35% carbamide peroxide and submitted to abrasive dentifrice brushing. *Pesquisa Odontológica Brasileira*, 17, 342-348.

You, S. G., You, S. M., Lee, B. I., Kim, D. Y., & Kim, J. H. (2020). Effect of layer thickness setting on the adaptation of stereolithography apparatus-fabricated metal frameworks for removable partial dentures: An in vitro study. *The Journal of Prosthetic Dentistry*.

You, S. M., You, S. G., Kang, S. Y., Bae, S. Y., & Kim, J. H. (2021). Evaluation of the accuracy (trueness and precision) of a maxillary trial denture according to the layer thickness: an in vitro study. *The Journal of prosthetic dentistry*, 125(1), 139-145.

Young, R. J., & Lovell, P. A. (2011). *Introduction to polymers*. CRC press.

Zakeri, S., Vippola, M., & Levänen, E. (2020). A comprehensive review of the photopolymerization of ceramic resins used in stereolithography. *Additive Manufacturing*, 35, 101177.

Zhang, Y. R., Du, W., Zhou, X. D., & Yu, H. Y. (2014). Review of research on the mechanical properties of the human tooth. *International journal of oral science*, 6(2), 61-69.

Zhu, C., Li, T., Mohideen, M. M., Hu, P., Gupta, R., Ramakrishna, S., & Liu, Y. (2021). Realization of Circular Economy of 3D Printed Plastics: A Review. *Polymers*, 13(5), 744.

Zou, R., Xia, Y., Liu, S., Hu, P., Hou, W., Hu, Q., & Shan, C. (2016). Isotropic and anisotropic elasticity and yielding of 3D printed material. *Composites Part B: Engineering*, 99, 506-513.