

DAFTAR PUSTAKA

- Abdollahi, M., Goli, S.A.H., Soltanizadeh, N. (2019). Physicochemical properties of foam-templated oleogel based on gelatin and xanthan gum. *European Journal of Lipid Science and Technology* 1900196: 1-9. Doi: 10.1002/ejlt.201900196
- Abdolghafour, B dan Saghir, A. (2014). Development in sausage production and practices-A review. *Journal of Meat Science and Technology* 2(3): 40-50
- Abdolmaleki, K., Alizadeh, L., Nayebyzadeh, K., Hosseini, S.M., Shahin, R. (2019). Oleogel production based on binary and ternary mixtures of sodium caseinate, xanthan gum, and guar gum: Optimization of hydrocolloids concentration and drying method. *Journal of Texture Studies* 2019:1–10. Doi: 10.1111/jtxs.12469
- Ahmad, S. dan Srivastava, P.K. (2007). Quality and shelf life evaluation of fermented sausages of buffalo meat with different levels of heart and fat. *Meat Science* 75: 603–609. Doi:10.1016/j.meatsci.2006.09.00
- Ahmadi, P., Jahanban-Esfahlan, A., Ahmadi, A., Tabibiazar, M., Mohammadifar, M. (2020). Development of ethyl cellulose-based formulations: a perspective on the novel technical methods. *Food Reviews International*: 1-48. Doi: 10.1080/87559129.2020.1741007
- Akbari, S. dan Nour, A.H. (2018). Emulsion types, stability mechanisms and rheology: A review. *International Journal of Innovative Research and Scientific Studies*, 1 (1) : 14-21
- Altuna, L., Herrera, M.L., Foresti, M.L. (2018). Synthesis and characterization of octenyl succinic anhydride modified starches for food applications. A review of recent literature. *Food Hydrocolloids* 80: 97-110. <https://doi.org/10.1016/j.foodhyd.2018.01.032>
- American Oil Chemists' Society. (2004). Official methods and recommended practices of the American Oil Chemists' Society (5th ed.). Champaign, IL: AOCS Press.
- Andiç, S., Zorba, Ö., Tunçtürk, Y. (2010). Effect of whey powder, skim milk powder and their combination on yield and textural properties of meat patties. *International Journal of Agriculture and Biology* 12: 871–876
- [AOAC] Analysis of the Association of Official Analytical Chemists. 1995. *Official Methods of Analysis of AOAC International*. Sixteenth Edition, 5th Revision, 1999. Vol. 2. USA : AOAC Inc

- [AOAC] Analysis of the Association of Official Analytical Chemists. (1998). *Official Methods of Analysis of the Association of Official Analytical Chemists*. Edisi ke-16. Washington, D.C.
- Arslana, F.N., Şapçı, A.N., Duru, F., Kara, H. (2017). A study on monitoring of frying performance and oxidative stability of cottonseed and palm oil blends in comparison with original oils. *International Journal of Food Properties* Vol. 20 (3): 704–717. <http://dx.doi.org/10.1080/10942912.2016.1177544>
- Aryanti, N. dan Abidin, K.H. (2015). Ekstraksi glukomanan dari porang lokal (*Amorphophallus oncophyllus* dan *Amorphophallus muerelli blume*). *METANA* Vol. 11(01): 21-30
- Ashkar, A., Laufer, S., Rosen-Kligvasser, J., Lesmes, U., Davidovich-Pinhas, M. (2019). Impact of different oil gelators and oleogelation mechanisms on digestive lipolysis of canola oil oleogels. *Food Hydrocolloids* 97 (2019) 105218: 1-9. <https://doi.org/10.1016/j.foodhyd.2019.105218>
- Badan Pusat Statistik (BPS). (2019). *Statistik Kelapa Sawit Indonesia 2018*. Badan Pusat Statistik, Jakarta
- Barbut, S., Wood, J., Marangoni, A. (2016). Potential use of organogels to replace animal fat in comminuted meat products. *Meat Science* 122:155–162. Doi: 10.1016/j.meatsci.2016.08.003
- Barbut, S. dan Marangoni, A. (2019). Organogels use in meat processing – Effects of fat/oil type and heating rate. *Meat Science* 149: 9–13. <https://doi.org/10.1016/j.meatsci.2018.11.003>
- Barroso, N.G., Okuro, P.K., Ribeiro, A.P.B., Cunha, R.L. (2020). Tailoring properties of mixed-component oleogels: wax and monoglyceride interactions towards flaxseed oil structuring. *Gels* 6 (5): 1-20. Doi:10.3390/gels6010005
- Bendjaballah, M., Canselier, J.P., Oumeddour, R. (2010). Optimization of oil-in-water emulsion stability: experimental design, multiple light scattering, and acoustic attenuation spectroscopy. *Journal of Dispersion Science and Technology* 31(9):1260-1272. DOI:10.1080/01932690903224888
- Benitez, L.O., Castagnini, J.M., Añón, M.C., Salgado, P.R. (2020). Development of oil-in-water emulsions based on rice bran oil and soybean meal as the basis of food products able to be included in ketogenic diets. *LWT - Food Science and Technology* 118 (2020) 108809: 1-8. <https://doi.org/10.1016/j.lwt.2019.108809>

- Benito-Roman, O., Sanz, T., Beltran, S. (2020). Microencapsulation of rice bran oil using pea protein and maltodextrin mixtures as wall material. *Heliyon* 6 e03615: 1-12. <https://doi.org/10.1016/j.heliyon.2020.e03615>
- Blake, A.I., Co, E.D., Marangoni, A.G. (2014). Structure and physical properties of plant wax crystal networks and their relationship to oil binding capacity. *Journal of The American Oil Chemists' Society* 91:885–903. DOI 10.1007/s11746-014-2435-0
- Bozic, M., Elschner, T., Tkauic, D., Bracic, M., Hribernik, S., Kleinschek, K.S., Kargl, R. (2018). Effect of different surface active polysaccharide derivatives on the formation of ethyl cellulose particles by the emulsi on solvent evaporation method. *Cellulose* 25: 6901–6922. <https://doi.org/10.1007/s10570-018-2062-2>
- Callau, M., Sow-Kébé, K., Nicolas-Morgantini, L., Fameau, A. (2020). Effect of the ratio between behenyl alcohol and behenic acid on the oleogel properties. *Journal of Colloid and Interface Science* 560: 874–884. <https://doi.org/10.1016/j.jcis.2019.10.111>
- Calligaris, S., Alongi, M., Lucci, P., Anese, M. (2020). Effect of different oleogelators on lipolysis and curcuminoid bioaccessibility upon in vitro digestion of sunflower oil oleogels. *Food Chemistry* 314 (2020) 126146: 1-7. <https://doi.org/10.1016/j.foodchem.2019.126146>
- Canti, M., Murdiati, A., Naruki, S., Supriyanto. (2021). Quality characteristics of chicken sausages using a combination of jack bean (*Canavalia ensiformis* L.) and soy protein isolate as a binder. *Food Research* 5 (3) : 249 – 261. [https://doi.org/10.26656/fr.2017.5\(3\).544](https://doi.org/10.26656/fr.2017.5(3).544)
- Cerqueira, M.A., Fasolin, L.H., Picone, C.S.F., Pastrana, L.M., Cunha, R.L., Vicente, A.A. (2017). Structural and mechanical properties of organogels: Role of oil and gelator molecular structure. *Food Research International* 96 (2017): 161–170. <http://dx.doi.org/10.1016/j.foodres.2017.03.021>
- Chang, F., He, X., Fu, X., Huang, Q., Qiu, Y. (2014). Preparation and characterization of modified starch granules with high hydrophobicity and flowability. *Food Chemistry* 152: 177–183. <http://dx.doi.org/10.1016/j.foodchem.2013.11.140>
- Chaves, K.F., Barrera-Arellano, D., Ribeiro, A.P.B. (2018). Potential application of lipid organogels for food industry. *Food Research International* 105: 863–872. <https://doi.org/10.1016/j.foodres.2017.12.020>

- Chen, J., Li, J., Li, B. (2011). Identification of molecular driving forces involved in the gelation of konjac glucomannan: Effect of degree of deacetylation on hydrophobic association. *Carbohydrate Polymers* 86: 865–871. doi:10.1016/j.carbpol.2011.05.025
- Chen, J. dan Liu, H. (2020). Nutritional Indices for Assessing Fatty Acids: A Mini-Review. *International Journal of Molecular Science* 21, (5695):1-24. Doi:10.3390/ijms21165695
- Chivero, P., Gohtani, S., Yoshii, H., Nakamura, A. (2016). Assessment of soy soluble polysaccharide, gum arabic and OSA-Starch as emulsifiers for mayonnaise-like emulsions. *LWT - Food Science and Technology* 69: 59-66. <http://dx.doi.org/10.1016/j.lwt.2015.12.064>
- Choi, J.S., dan Chin, K.B. (2020). Evaluation of physicochemical and textural properties of chicken breast sausages containing various combinations of salt and sodium tripolyphosphate. *Journal Animal Science and Technology* 62(4):577-586. <https://doi.org/10.5187/jast.2020.62.4.577>
- Clifton, P.M., dan Keogh, J.B. (2017). A systematic review of the effect of dietary saturated and polyunsaturated fat on heart disease. *Nutrition, Metabolism & Cardiovascular Diseases* 27: 1060-1080. <https://doi.org/10.1016/j.numecd.2017.10.010>
- Co, E.D. dan Marangoni, A.G. (2012). Organogels: An alternative edible oil-structuring method. *Journal of The American Oil Chemists' Society* 89:749–780. Doi: 10.1007/s11746-012-2049-3
- Cui, M., Mao, L., Lu, Y., Yuan, F., Gao, Y. (2019). Effect of monoglyceride content on the solubility and chemical stability of β -carotene in organogels. *Food Science and Technology* 106: 83–91. <https://doi.org/10.1016/j.lwt.2019.02.042>
- Cunningham, J., Nguyen, V., Adorno, P., Droulez, V. (2015). nutrient composition of retail samples of Australian beef sausages. *Nutrients* 7: 9602–9617. Doi:10.3390/nu7115491
- Dassanayake, L.S.K., Kodali, D.R., Ueno, S. (2011). Formation of oleogels based on edible lipid materials. *Current Opinion in Colloid & Interface Science* 16: 432–439. doi:10.1016/j.cocis.2011.05.005
- Davidovich-Pinhas, M., Barbut, S., Marangoni, A.G. (2015^a). The role of surfactants on ethylcellulose oleogel structure and mechanical properties. *Carbohydrate Polymers* 127: 355–362. <http://dx.doi.org/10.1016/j.carbpol.2015.03.085>

- Davidovich-Pinhas, M., Barbut, S., Marangoni, A.G. (2015^b). The gelation of oil using ethyl cellulose. *Carbohydrate Polymers* 117: 869–878. <http://dx.doi.org/10.1016/j.carbpol.2014.10.035>
- Dermoredjo, S.K., Azis, M., Saputra, Y.H., Susilowati, G., and Sayaka, B. 2021. Sustaining porang (*Amorphophallus muelleri* Blume) production for improving farmers' income. IOP *Conference Series: Earth and Environmental Science* 648 (1): 1–10. Doi : 10.1088/1755-1315/648/1/012032.
- de Carvalho, F.A.L., Munekata, P.E.S., Pateiro, M., Campagnol, P.C.B., Domínguez, R., Trindade, M.A., Lorenzo, J.M. (2020). Effect of replacing backfat with vegetable oils during the shelf-life of cooked lamb sausages. *LWT - Food Science and Technology* 122 (2020) 109052:1-10. <https://doi.org/10.1016/j.lwt.2020.109052>
- de Jong, M.R. (2015). Controlled release gels. Amerika Serikat. US 9180195 B2
- Demirkesen, I. dan Mert, B. (2019). Recent developments of oleogel utilizations in bakery products. *Critical Reviews In Food Science And Nutrition*. 1-20. <https://doi.org/10.1080/10408398.2019.1649243>
- Derawi, D., Abdullah, B.M., Huri, H.Z., Yusop, R.M., Salimon, J., Hairunisa, N., Salih, N. (2014). Palm olein as renewable raw materials for industrial and pharmaceutical products applications: chemical characterization and physicochemical properties studies. *Advances in Materials Science and Engineering* Vol. 2014: 1-12. <http://dx.doi.org/10.1155/2014/134063>
- Dhaka, D., Gulia, N., Ahlawat, K.S., Khatkar, B.S. (2011). Trans fats-sources, health risks and alternative approach. *Journal of Food Science and Technology* 48(5):534–541. Doi: 10.1007/s13197-010-0225-8
- Doan, C.D., de Walle, D.V., Dewettinck, K., Patel, A.R. (2015). Evaluating the oil-gelling properties of natural waxes in rice bran oil: rheological, thermal, and microstructural study. *Journal of The American Oil Chemists' Society* 92:801–811. Doi: 10.1007/s11746-015-2645-0
- Elbakheet, S.I., Elgasim, E.A., Algadi, M.Z. (2017). Sensorial assessment of beef sausage processed by wheat germ flour. *Journal of Food Processing and Technology* 8(2): 1-3. Doi: 10.4172/2157-7110.1000652
- El-Nashi, H. B., Abdel-Fattah, A. F. A. K., Abdel Rahman, N. R., El- Razik, M. M. A. (2015). Quality characteristics of beef sausage containing pomegranate peels during refrigerated storage. *Annals of Agricultural Sciences* 60(2): 403–412. <https://doi.org/10.1016/j.aoas.2015.10.002>

- Ergun, R., Thomson, B.S., Wallick, D. E., Meunier, D.M. (2014). Method of preparing an edible oleogel. Amerika Serikat. WO 2014/004018 A1. <https://patents.google.com/patent/WO2014004018A1/en>
- Ergun, R., Appell, R.B., Malotky, D.L. (2017). Process for preparing an oleogel. Amerika Serikat. US 9655376 B2
- Esper, M., Salvador, A., Sanz, T. (2020). Cellulose ether oleogels obtained by emulsion-templated approach without additional thickeners. *Food Hydrocolloids* 109(2020):1-10. <https://doi.org/10.1016/j.foodhyd.2020.106085>
- Essa, R.Y. dan Elsebaie, E.M. (2022). New fat replacement agent comprised of gelatin and soluble dietary fibers derived from date seed powder in beef burger preparation. *LWT Food Science and Technology* 156 (2022) 113051: 1-10. <https://doi.org/10.1016/j.lwt.2021.113051>
- Essien, E. (2003). *Sausage Manufacture: Principles and Practice*. CRC Press, New York
- Fayaz, G., Goli, S.A.H., Kadivar, M. (2017). A novel propolis wax-based organogel: effect of oil type on its formation, crystal structure and thermal properties. *Journal of the American Oil Chemists' Society* 94(1):47-55. Doi: 10.1007/s11746-016-2915-5
- Fayaz, G., Calligaris, S., Nicoli, M.C. (2020). Comparative study on the ability of different oleogelators to structure sunflower oil. *Food Biophysics* 15:42–49. <https://doi.org/10.1007/s11483-019-09597-9>
- Ferro, A.C., Okuro, P.K., Badan, A.P., Cunh, R.L. (2019). Role of the oil on glyceryl monostearate based oleogels. *Food Research International* 120: 610–619. <https://doi.org/10.1016/j.foodres.2018.11.013>
- Ferro, A.C., Paglarini, C.D., Pollonio, M.A.R., Lopes, Cunha, R.L. (2021). Glyceryl monostearate-based oleogels as a new fat substitute in meat emulsion. *Meat Science* 174 (2021) 108424: 1-10. <https://doi.org/10.1016/j.meatsci.2020.108424>
- Fonseca, S., Gómez, M., Domínguez, R., Lorenzo, J.M. (2015). Physicochemical and sensory properties of Celta dry-ripened “salchichón” as affected by fat content. *GRASAS Y ACEITES* 66 (1): 1-11. Doi: <http://dx.doi.org/10.3989/gya.0709142>
- Fu, H., Lo, Y.M., Yan, M., Li, P., Cao, Y. (2020). Characterization of thermo-oxidative behavior of ethylcellulose oleogels. *Food Chemistry* 305 (2020) 125470: 1-7. <https://doi.org/10.1016/j.foodchem.2019.125470>

- Gao, Y., Li, M., Zhang, L., Wang, Z., Yu, Q., Han, L. (2021). Preparation of rapeseed oil oleogels based on beeswax and its application in beef heart patties to replace animal fat. *LWT - Food Science and Technology* 149 (2021) 111986: 1-10. <https://doi.org/10.1016/j.lwt.2021.111986>
- Gaspersz, V. (1995). *Teknik Analisis dalam Penelitian Percobaan*. Penerbit Tarsito, Bandung
- Geraldo, N.F., Murdiati, A., Harmayani, E. (2021). Physicochemical nutritional and sensory properties of kluiklui supplemented with porang glucomannan and banana flour. *Indonesian Food and Nutrition Progress* 18(1): 9-15. Doi: 10.22146/ifnp.57223
- Gesteiro, E., Guijarro, L., Sánchez-Muniz, F.J., Vidal-Carou, M.D.C., Troncoso, A., Venanci, L., Jimeno, V., Quilez, J., Anadón, A., González-Gross, M. (2019). *Nutrients* 11 (2008):1-36. Doi:10.3390/nu11092008
- Ghosh, M., Begg, F., Bhattacharyya, D.K, Bandyopadhyaya, N., Ghosh, M. (2017). Nutritional evaluation of oleogel made from micronutrient rich edible oils. *Journal of Oleo Science* 66 (3): 217-226. Doi : 10.5650/jos.ess16165
- Glick, N.R. dan Fischer, M.H. (2013). The role of essential fatty acids in human health. *Journal of Evidence-Based Complementary & Alternative Medicine* 18(4): 268-289. Doi: 10.1177/2156587213488788
- Goff, H. D. (2018). The Structure and Properties of Ice Cream and Frozen Desserts. *Reference Module in Food Science*. Doi:10.1016/b978-0-08-100596-5.21703-4
- Gómez-Estaca, J., Herrero, A.M., Herranz, B., Álvarez, M.D., Jiménez-Colmenero, F., Cofrades, S. (2019). Characterization of ethyl cellulose and beeswax oleogels and their suitability as fat replacers in healthier lipid pâtés development. *Food Hydrocolloids* 87 (2019) 960–969: <https://doi.org/10.1016/j.foodhyd.2018.09.029>
- Gravelle, A.J., Barbut, S., Marangoni, A.G. (2012). Ethylcellulose oleogels: Manufacturing considerations and effects of oil oxidation. *Food Research International* 48 (2012) 578–583. Doi:10.1016/j.foodres.2012.05.020
- Gravelle, A.J., Barbut, S., Marangoni, A.G. (2013). Fractionation of ethylcellulose oleogels during setting. *Food Function* 4 (153):153-161. Doi: 10.1039/c2fo30227f

- Gravelle, A.J., Davidovich-Pinhas, M., Zetzl, A.K., Barbut, S., Marangoni, A.G. (2016). Influence of solvent quality on the mechanical strength of ethylcellulose oleogels. *Carbohydrate Polymers* 135 (2016) 169–179. <http://dx.doi.org/10.1016/j.carbpol.2015.08.050>
- Gurusmatika, S., Nishi, K., Harmayani, E., Pranoto, Y., Sugahara, T. (2017). Immunomodulatory activity of octenyl succinic anhydride modified porang (*Amorphophallus oncophyllus*) glucomannan on mouse macrophage-like j774.1 cells and mouse primary peritoneal macrophages. *Molecules* 22(1187): 1-13. Doi:10.3390/molecules22071187
- Gutiérrez, T.J., and González, G. (2016). Effects of exposure to pulsed light on surface and structural properties of edible films made from cassava and taro starch. *Food and Bioprocess Technology* 9 (11): 1812–1824. Doi : 10.1007/s11947-016-1765-3
- Hadi, N.A., Marefatia, A., Matosc, M., Wieged, B., Rayner, M. (2020). Characterization and stability of short-chain fatty acids modified starch Pickering emulsions. *Carbohydrate Polymers* 240 (116264): 1-11. <https://doi.org/10.1016/j.carbpol.2020.116264>
- Han, L., Li, L., Li, B., Zhao, L., Liu, G., Liu, X., Wang, X., (2014). Structure and physical properties of organogels developed by sitosterol and lecithin with sunflower oil. *Journal of The American Oil Chemists' Society* 91:1783–1792. DOI 10.1007/s11746-014-2526-y
- Harmayani, E., Aprilia, V., Marsono, Y. (2014). Characterization of glucomannan from *Amorphophallus oncophyllus* and its prebiotic activity in vivo. *Carbohydrate Polymers* 112: 475–479. <http://dx.doi.org/10.1016/j.carbpol.2014.06.019>
- Harris, L., Rosen-Kligvasser, J., Davidovich-Pinhas, M. (2019). Gelation of oil using combination of different free fatty acids. *Food Structure* 21 (2019) 100121: 1-11. <https://doi.org/10.1016/j.foostr.2019.100121>
- Haryani, K., Suryanto, Suharto. (2017). Porang flour (*Amorphophallus onchophyllus*) bleaching process using natrium metabisulfit and ascorbic acid. *International Journal of Innovative Research in Advanced Engineering*, 10(4), 2349–2163. <https://doi.org/10.26562/IJIRAE.2017.SPAE10090>
- Hashem, H.A., Shahat, M., El-Behairy, S.A., Sabry, A. (2017). Use of palm olein for improving the quality properties and oxidative stability of some vegetable oils during frying process. *Middle East Journal of Applied Science* 7(1): 68-79. <https://www.researchgate.net/publication/320893241>

- Hashem, H.A., Abd- Ellh, N.E., Abd-Eltawab, G.A., Abdel-Razek, A.G. (2018). Industrial scale production of palm super olein using modified and innovative dry fractionation technique. *Egyptian Journal of Chemistry* 61(1): 1-11. Doi: 10.21608/EJCHEM.2018.2293.1186
- Hashempour-Baltork, F., Torbati, M., Azadmard-Damirchi, S., Savage, G.P. (2016). Vegetable oil blending: a review of physicochemical, nutritional and health effects. *Trends in Food Science & Technology* 57: 52-58. <http://dx.doi.org/10.1016/j.tifs.2016.09.007>
- Hasibuan, H.A. (2012). Kajian mutu dan karakteristik minyak sawit Indonesia serta produk fraksinasinya. *Jurnal Standardisasi* 14 (1): 13 – 21
- Hayes, J.E., Stepanyan, V., Allen, P., O’Grady, M.N., Kerry, J.P. (2011). Evaluation of the effects of selected plant-derived nutraceuticals on the quality and shelf-life stability of raw and cooked pork sausages. *LWT - Food Science and Technology* 44: 164-172. Doi:10.1016/j.lwt.2010.05.020
- Hild, A., Knarr, M., Huebner-Keese, B., Ergun, R. (2019). Method of making oleogel. Amerika Serikat. US 2019/0075811 A1. <http://www.freepatentsonline.com/20190075811.pdf>
- Huda, N., Wei, L.H., Jean, A.T.L., Ismail, I. (2010). Physicochemical properties of Malaysian commercial chicken sausages. *International Journal of Poultry Science* 9(10): 954-958. <https://www.researchgate.net/publication/49965312>
- Hwang, H., Singh, M., Bakota, E.L., Winkler-Moser, J.K., Kim, S., Liu, S.X. (2013). Margarine from organogels of plant wax and soybean oil. *Journal of The American Oil Chemists’ Society* 90:1705–1712. DOI 10.1007/s11746-013-2315-z
- Hwang, H., Singh, M., Winkler-Moser, J.K., Bakota, E.L., Liu, S.X. (2014). Preparation of margarines from organogels of sunflower wax and vegetable oils. *Journal of Food Science*. 79(10):C1926-32. Doi: 10.1111/1750-3841.12596.
- Jagdish, K.S., Arvind, R.S., Ashok, B.R. (2015). Utilization of guar gum as stabilizer in ice cream. *International Journal of Current Microbiology and Applied Sciences* 4 (1):284-287. DOI:10.5958/0976-0563.2014.00614.9
- Jang, A., Bae, W., Hwang, H., Lee, H.G., Lee, S. (2015). Evaluation of canola oil oleogels with candelilla wax as an alternative to shortening in baked goods. *Food Chemistry* 187: 525–529. <http://dx.doi.org/10.1016/j.foodchem.2015.04.110>

- Ji, L., Xue, Y., Feng, D., Li, Z., Xue, C. (2017). Morphology and gelation properties of konjac glucomannan: effect of *microwave* processing. *International Journal of Food Properties* Vol. 20 (12): 3023–3032. <https://doi.org/10.1080/10942912.2016.1270962>
- Jian, W, Siu, K., Wu, J. (2015). Effects of pH and temperature on colloidal properties and molecular characteristics of Konjac glucomannan. *Carbohydrate Polymers*, 134(2015): 285–292. <http://dx.doi.org/10.1016/j.carbpol.2015.07.050>
- Jiang, Q., Du, L., Li, S., Liu, Y., Meng, Z. (2021). Polysaccharide-stabilized aqueous foams to fabricate highly oil-absorbing cryogels: Application and formation process for preparation of edible oleogels. *Food Hydrocolloids* 120 (2021) 106901: 1-12. <https://doi.org/10.1016/j.foodhyd.2021.106901>
- Juchen, P.T., Araujo, M.N., Hamerski, F., Corazza, M.L., Voll, F.A.P. (2019). Extraction of parboiled rice bran oil with supercritical CO₂ and ethanol as co-solvent: Kinetics and characterization. *Industrial Crops & Products* 139 (111506): 1-12. <https://doi.org/10.1016/j.indcrop.2019.111506>
- Jung, D., Oh, I., Lee, J., Lee, S. (2020). Utilization of butter and oleogel blends in sweet pan bread for saturated fat reduction: Dough rheology and baking performance. *Food Science and Technology* 125 (2020) 109194: 1-6. <https://doi.org/10.1016/j.lwt.2020.109194>
- Juntarasakul, O. dan Maneeintr, K. (2018). Evaluation of stability and viscosity measurement of emulsion from oil from production in northern oilfield in Thailand. *IOP Conf. Series: Earth and Environmental Science*, 140(1), 1-6. Doi :10.1088/1755-1315/140/1/012024
- Kang, Z., Chen, F., Ma, H. (2016). Effect of pre-emulsified soy oil with soy protein isolate in frankfurters: A physical-chemical and Raman spectroscopy study. *LWT - Food Science and Technology* 74 (2016) 465-471. <http://dx.doi.org/10.1016/j.lwt.2016.08.011>
- Kamali, E., Sahari, M.A., Barzegar, M., Gavlighi, H.A. (2019). Novel oleogel formulation based on amaranth oil: physicochemical characterization. *Food Science and Nutrition* 7:1986–1996. Doi: 10.1002/fsn3.1018
- Kašpar, L. dan Buchtová, H. (2015). Sensory evaluation of sausages with various proportions of *Cyprinus carpio* meat. *Czech Journal of Food Science* 33(1): 45-51. Doi: 10.17221/293/2014-CJFS
- Kaur, D., Tallman, D.A., Khosla, P. (2020). The health effects of saturated fats e the role of whole foods and dietary patterns. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews* 14: 151-153. <https://doi.org/10.1016/j.dsx.2020.02.002>

- Kaushik, I., Jain, A., Grewal, R.B, Siddiqui, S., Gahlot, R., Anju, R. (2017). Organogelation: it's food application. *MOJ Food Processing & Technology* 4(2):66–72. DOI: 10.15406/mojfpt.2017.04.00089
- Kazlauske, J., Gårdebjer, S., Almer, S., and Larsson, A. (2017). The importance of the molecular weight of ethyl cellulose on the properties of aqueous-based controlled release coatings. *International Journal of Pharmaceutics* 519 (1–2): 157–164. Doi : 10.1016/j.ijpharm.2016.12.021
- Khor, Y.P., Sim, B.I., Abas, F., Lai, O.M., Wang, Y., Wang, Y., Tan, C.P. (2019). Quality profile determination of palm olein: potential markers for the detection of recycled cooking oils. *International Journal of Food Properties* Vol. 22 (1): 1172–1182. <https://doi.org/10.1080/10942912.2019.1634098>
- Kim, M., Hwang, H., Jeong, S., Lee, S. (2022). Utilization of oleogels with binary oleogelator blends for filling creams low in saturated fat. *LWT - Food Science and Technology* 155 (2022) 112972: 1-8. <https://doi.org/10.1016/j.lwt.2021.112972>
- Koca, N., dan Metin, M. (2004). Textural, melting and sensory properties of low-fat fresh kashar cheeses produced by using fat replacers. *International Dairy Journal* 14: 365–373. doi:10.1016/j.idairyj.2003.08.006
- Kong, X., Qiu, D., Ye, X., Bao, J., Sui, Z., Fane, J., Xiang, W. (2015). Physicochemical and crystalline properties of heat-moisture-treated rice starch: combined effects of moisture and duration of heating. *Journal of the Science of Food and Agriculture* 95: 2874–2879. Doi: 10.1002/jsfa.7028
- Kori, A.H., Mahesar, S.A., Sherazi, S.T.H., Khatri, U.A., Laghari, Z.H., Panhwar, T. (2021). Effect of process parameters on emulsion stability and droplet size of pomegranate oil-in-water. *GRASAS Y ACEITES* 72 (2): 1-9. <https://doi.org/10.3989/gya.0219201>
- Kouzounis, D., Lazaridou, A., Katsanidis, E. (2017). Partial replacement of animal fat by oleogels structured with monoglycerides and phytosterols in frankfurter sausages. *Meat Science* 130: 38–46. <http://dx.doi.org/10.1016/j.meatsci.2017.04.004>
- Kumar, S., Zanzad, P.N., Ambadkar, R.K., Rindhe, S.N., Kumar, P., Karle, S.D. (2011). Storage stability of chicken sausage incorporated with selected levels of sodium caseinate. *Journal of Veterinary Public Health* 9 (1):33-37
- Kusum R., Bommayya, H., Fayaz Pasha, P., Ramachandran, H.D. (2011). Palm oil and rice bran oil: Current status and future prospects. *International Journal of Plant Physiology and Biochemistry* 3(8): 125-132. <http://www.academicjournals.org/ijppb>

- Laredo, T., Barbut, S., Marangoni, A.G. (2011). Molecular interactions of polymer oleogelation. *Soft Matter* 7: 2734–2743. Doi: 10.1039/c0sm00885k.
- Lee, H., Jung, E., Lee, S., Kim, J., Lee, J., Choi, Y. (2015). Effect of replacing pork fat with vegetable oils on quality properties of emulsion-type pork sausages. *Korean Journal for Food Science of Animal Resources* 35(1): 130–136. <http://dx.doi.org/10.5851/kosfa.2015.35.1.130>
- Li, J., Ye, T., Wu, X., Chen, J., Wang, S., Lin, L., and Li, B. (2014). Preparation and characterization of heterogeneous deacetylated konjac glucomannan. *Food Hydrocolloids* 40: 9–15. Doi : 10.1016/j.foodhyd.2014.02.001.
- Li, L dan Liu, G. (2019). Corn oil-based oleogels with different gelation mechanisms as novel cocoa butter alternatives in dark chocolate. *Journal of Food Engineering* 263: 114–122. <https://doi.org/10.1016/j.jfoodeng.2019.06.001>
- Li, C., Wu, K., Su, Y., Riffat, S.B., Ni, X., and Jiang, F. 2019. Effect of drying temperature on structural and thermomechanical properties of konjac glucomannan-zein blend films. *International Journal of Biological Macromolecules* 138: 135–143. Doi : 10.1016/j.ijbiomac.2019.07.007
- Li, J., Zhang, Q., Chang, C., Gu, L., Su, Y., Yang, Y., Han, Q. (2022). The slow release behavior of soy protein isolate/ κ -carrageenan composite hydrogel: Effect of konjac glucomannan. *European Polymer Journal* 173 (2022) 111242 : 1-8. <https://doi.org/10.1016/j.eurpolymj.2022.111242>
- Limpimwong, W., Kumrungsee, T., Kato, N., Yanaka, N., Thongngam, M. (2017). Rice bran wax oleogel: A potential margarine replacement and its digestibility effect in rats fed a high-fat diet. *Journal of Functional Foods* 39 (2017) 250–256. <http://dx.doi.org/10.1016/j.jff.2017.10.035>
- Liu, R., Liu, R., Shi, L., Zhang, Z., Zhang, T., Lu, M., Chang, M., Jin, Q., Wang, X. (2019a). Effect of refining process on physicochemical parameters, chemical compositions and in vitro antioxidant activities of rice bran oil. *LWT - Food Science and Technology* 109 (2019): 26–32. <https://doi.org/10.1016/j.lwt.2019.03.096>
- Liu, X., Ji, L., Zhang, T., Xue, Y., Xue, C. (2019b). Effects of pre-emulsification by three food-grade emulsifiers on the properties of emulsified surimi sausage. *Journal of Food Engineering* 247 (2019): 30–37. <https://doi.org/10.1016/j.jfoodeng.2018.11.018>

- Lu, F., Kuhnle, G.K., Cheng, Q. (2017). Vegetable oil as fat replacer inhibits formation of heterocyclic amines and polycyclic aromatic hydrocarbons in reduced fat pork patties. *Food Control* 81: 113-125. <http://dx.doi.org/10.1016/j.foodcont.2017.05.043>
- Lu, Y., Pan, D., Cao, J., Zhou, C., He, J., Sun, Y., Xia, Q. (2021). The technological and nutritional advantages of emulsified sausages with partial back-fat replacement by succinylated chicken liver protein and pre-emulsified sunflower oil. *LWT - Food Science and Technology* 149 (2021) 11182: 1-9. <https://doi.org/10.1016/j.lwt.2021.111824>
- Lupi, F.R., De Santo, M.P., Ciuchi, F., Baldino, N., Gabriele, D. (2018). The role of edible oils in low molecular weight organogels rheology and structure.. *Food Research International* 111: 399–407. <https://doi.org/10.1016/j.foodres.2018.05.050>
- Majoua, D. dan Christeians, S. (2018). Mechanisms of the bactericidal effects of nitrate and nitrite in cured meats. *Meat Science* 145: 273–284. <https://doi.org/10.1016/j.meatsci.2018.06.013>
- Maki, K.C., Dicklin, M.R., Kirkpatrick, C.F. (2021). Saturated fats and cardiovascular health: Current evidence and controversies. *Journal of Clinical Lipidology* 15(6): 765–772. <https://doi.org/10.1016/j.jacl.2021.09.049>
- Marangoni, A.G. (2015). Polymer gelation of oils. Amerika Serikat. US 8940354 B2.
- Marapana, R.A.U.J., Nayanarasi, H.A.D., Senanayaka, S., Perera, P.R.D., Kodagoda, KHGK. (2018). Effect of processing conditions on quality of chicken sausages stuffed in different casings. *Journal of Pharmacognosy and Phytochemistry* 2018; 7(5): 56-64
- Mba, O.I., Dumont, M., Ngadi, M. (2015). Palm oil: Processing, characterization and utilization in the food industry – A review. *Food Bioscience* 10: 26–41. Doi: 10.1016/j.fbio.2015.01.003
- Mbougueng, P.D., Tenin, D., Tchiégang, C., Scher, J. (2015). effect of starch type on the physicochemical and textural properties of beef patties formulated with local spices. *American Journal of Food Science and Technology* 3(2): 33-39. Doi:10.12691/ajfst-3-2-2
- McNamee, C.E., Sato, Y., Wiege, B., Furikado, I., Marefati, A., Nylander, T., Kappl, M., Rayner, M. (2018). Rice starch particle interactions at air/aqueous interfaces: Effect of particles hydrophobicity and solution ionic strength. *Original Research* 6(139):1-15. Doi : 10.3389/fchem.2018.00139

- Mello, N.A., Ribeiro, A.P.B., Bicas, J.L. (2021). Delaying crystallization in single fractionated palm olein with limonene addition. *Food Research International* 145 (2021) 110387: 1-9. <https://doi.org/10.1016/j.foodres.2021.110387>
- Meng, F., Zheng, L., Wang, Y., Liang, Y., Zhong, G. (2014). Preparation and properties of konjac glucomannan octenyl succinate modified by microwave method. *Food Hydrocolloids* 38: 205-210. <http://dx.doi.org/10.1016/j.foodhyd.2013.12.007>
- Meng, F., Lia, Y., Liu, D., Zhong, G., Guo, X. (2018a). The characteristics of konjac glucomannan octenyl succinate (KGOS) prepared with different substitution rates. *Carbohydrate Polymers* 181:1078–1085. <https://doi.org/10.1016/j.carbpol.2017.11.040>
- Meng, Z., Qi, K., Guo, Y., Wang, Y., Liu, Y. (2018b). Effects of thickening agents on the formation and properties of edible oleogels based on hydroxypropyl methyl cellulose. *Food Chemistry* 246 (2018): 137–149. <https://doi.org/10.1016/j.foodchem.2017.10.154>
- Meng, Z., Qi, K., Guo, Y., Wang, Y., Liu, Y. (2018c). Macro-micro structure characterization and molecular properties of emulsion-templated polysaccharide oleogels. *Food Hydrocolloids* 77 (2018): 17-29. <https://doi.org/10.1016/j.foodhyd.2017.09.006>
- Meng, F., Zhang, Q., Li, Y., Liu, S., Liu, D., Yu, H. (2020). In vitro fermentation and camellia oil emulsification characteristics of konjac glucomannan octenyl succinate. *Food Science and Nutrition* 2020 (00):1–11. Doi: 10.1002/fsn3.1702
- Mohan, A. (2014). Basics of Sausage Making Formulation, Processing & Safety. *UGA Extension Bulletin* 1437 : 1-47
- Moriana, R., Zhang, Y., Mischnick, P., Li, J., Ek, M. (2014). Thermal degradation behavior and kinetic analysis of spruce glucomannan and its methylated derivatives. *Carbohydrate Polymers* 106 (2014) 60–70. <http://dx.doi.org/10.1016/j.carbpol.2014.01.086>
- Moriano, M.E., dan Alamprese, C. (2017). Organogels as novel ingredients for low saturated fat ice creams. *LWT - Food Science and Technology* 86: 371-376. <http://dx.doi.org/10.1016/j.lwt.2017.07.034>
- Morshedi, A. dan Akbarian, M. (2014). Application of response surface methodology: design of experiments and optimization: a mini review. *Indian Journal of Fundamental and Applied Life Sciences* 4 (S4): 2434-2439

- Munk, M.B., Munk, D.M.E., Gustavsson, F., Risbo, J. (2018). Using ethylcellulose to structure oil droplets in ice cream made with high oleic sunflower oil. *Journal of Food Science* Vol. 0 (0): 1-7. Doi: 10.1111/1750-3841.14296
- Myers, R.H., Montgomery, D.C., Anderson-Cook, C.M. (2016). *Process and Product Optimization Using Designed Experiments*. Balding, D.J., Cressie, N.A.C., Fitzmaurice, G.M., Givens, G.H., Goldstein, H., Molenberghs, G., Scott, D.W., Smith, A.F.M., Tsay, R.S., Weisberg, S. (Ed). John Wiley and Sons, Canada
- Nawangasasi, I.R., Pramono, Y.B., Hintono, A., Paramita, V. (2018). Water-in-oil-in-Water (W/O/W) double emulsion morphology and its degradation on instant noodle seasoning. *Agritech*, 38 (2): 151-159. Doi: <http://doi.org/10.22146/agritech.27550>
- Nayik, G.A., Majid, I., Gull, A., Muzaffar, K. (2015). Rice bran oil, the future edible oil of india: a mini review. *Journal of Rice Research* Vol. 3(4): 1-3. <http://dx.doi.org/10.4172/2375-4338.1000151>
- Neves, M.A., Dejmek, P., Kobayashi, I., Nakajima, M. (2015). Size reduction of hydrophobically modified starch on beads mill: effect of dispersing medium and milling time. *Journal of Food Science and Engineering* 5: 103-111. Doi: 10.17265/2159-5828/2015.03.001
- No, J., Mun, S., Shin, M. (2019). Properties and digestibility of octenyl succinic anhydride-modified japonica-type waxy and non-waxy rice starches. *Molecules* 24(765): 1-15. Doi:10.3390/molecules24040765
- Nurlela, Ariesta, N., Santosa, E., and Muhandri, T. 2019. Effect of harvest timing and length of storage time on glucomannan content in porang tubers. *IOP Conference Series: Earth and Environmental Science* 299 (1): 1–8. Doi : 10.1088/1755-1315/299/1/012012.
- Nurlela, Ariesta, N., Laksono, D.S., Santosa, E., Muhandri, T. (2021). Characterization of glucomannan extracted from fresh porang tubers using ethanol technical grade. *Molekul* 16(1): 1-8. <https://doi.org/10.20884/1.jm.2021.16.1.632>
- Odoom, W. dan Edusei, V.O. (2015). Evaluation of saponification value, iodine value and insoluble impurities in coconut oils from Jomoro District in the Western Region of Ghana. *Asian Journal of Agriculture and Food Sciences* 03(05): 494-499
- Ögütçü, M. dan Yılmaz, E. (2015). Characterization of hazelnut oil oleogels prepared with sunflower and carnauba waxes. *International Journal of Food Properties* 18:1741–1755. Doi: 10.1080/10942912.2014.933352

- Ögütcü, M., Yılmaz, E., Güneser, O. (2015). Influence of storage on physicochemical and volatile features of enriched and aromatized wax organogels. *Journal of The American Oil Chemists' Society* 92:1429–1443. Doi: 10.1007/s11746-015-2719-z
- Oh, I.K. dan Lee, S. (2018). Utilization of foam structured hydroxypropyl methylcellulose for oleogels and their application as a solid fat replacer in muffins. *Food Hydrocolloids* 77: 796-802. <https://doi.org/10.1016/j.foodhyd.2017.11.022>
- Oh, I., Lee, J., Lee, H.G., Lee, S. (2019). Feasibility of hydroxypropyl methylcellulose oleogel as an animal fat replacer for meat patties. *Food Research International* 122: 566–572. <https://doi.org/10.1016/j.foodres.2019.01.012>
- O'Sullivan, C.M., Barbut, S., Marangoni, A.G. (2016). Edible oleogels for the oral delivery of lipid soluble molecules: Composition and structural design considerations. *Trends in Food Science & Technology* 57: 59-73. <http://dx.doi.org/10.1016/j.tifs.2016.08.018>
- Onacik-Gur, S. dan Zbikowska, A. (2019). Effect of high-oleic rapeseed oil oleogels on the quality of short-dough biscuits and fat migration. *Journal of Food Science and Technology (Article in press)*. <https://doi.org/10.1007/s13197-019-04193-8>
- Pakseresht, S. dan Tehrani, M.M. (2020). Advances in multi-component supramolecular oleogels-a Review. *Food Reviews International*. <https://doi.org/10.1080/87559129.2020.1742153>
- Pan, H., Xu, X., Qian, Z., Cheng, H., Shen, X., Chen, S., Ye, X. (2021). Xanthan gum-assisted fabrication of stable emulsion-based oleogel structured with gelatin and proanthocyanidins. *Food Hydrocolloids* 115 (2021) 106596: 1-10. <https://doi.org/10.1016/j.foodhyd.2021.106596>
- Panagiotopoulou, E., Moschakis, T., Katsanidis, E. (2016). Sunflower oil organogels and organogel-in-water emulsions (part II): Implementation in frankfurter sausages. *LWT - Food Science and Technology* 73 (2016) 351-356. <http://dx.doi.org/10.1016/j.lwt.2016.06.006>
- Park, S.H., Jo, Y., Chun, J., Hong, G., Davaatseren, M., Choi, M. (2015). Effect of frozen storage temperature on the quality of premium ice cream. *Korean Society for Food Science of Animal Resources* Vol. 35 (6): 793-799. <http://dx.doi.org/10.5851/kosfa.2015.35.6.793>

- Patel, A.R., Schatteman, D., Vos, W.H.D., Lesaffer, A., Dewettinck, K. (2013). Preparation and rheological characterization of shellac oleogels and oleogel-based emulsions. *Journal of Colloid and Interface Science* 411: 114–121. <http://dx.doi.org/10.1016/j.jcis.2013.08.039>
- Patel, A.R., Cludts, N., Dona Bin Sintang, M., Lesaffer, A., Dewettinck, K. (2014a). Edible oleogels based on water soluble food polymers: preparation, characterization and potential application. *Food Function* 5: 2833–2841. DOI: 10.1039/c4fo00624k
- Patel, A.R., Cludts, N., Sintang, M.D.B., Lewille, B., Lesaffer, A., Dewettinck, K. (2014b). Polysaccharide-based oleogels prepared with an emulsion-templated approach. *ChemPhysChem* 15: 3435 – 3439. Doi: 10.1002/cphc.201402473
- Patel, A.R. dan Dewettinck, K. (2016). Edible oil structuring: an overview and recent updates. *Food Function* 7: 20–29. Doi: 10.1039/c5fo01006c
- Patel, A.R., Nicholson, R.A., Marangoni, A.G. (2020). Applications of fat mimetics for the replacement of saturated and hydrogenated fat in food products. *Current Opinion in Food Science* 33:61–68. <https://doi.org/10.1016/j.cofs.2019.12.008>
- Pereira, J., Hu, H., Xing, L., Zhang, W., Zhou, G. (2020). Influence of rice flour, glutinous rice flour, and tapioca starch on the functional properties and quality of an emulsion-type cooked sausage. *Foods* 9(9):1-12. Doi:10.3390/foods9010009
- Phan, V.M., Tran, H.C., Sombatpraiwan, S. (2021). Rice bran oil extraction with mixtures of ethanol and hexane. *Songklanakarin Journal of Science and Technology* 43 (3): 630-637. <http://www.sjst.psu.ac.th>
- Porcar-Tost, O., Pi-Boleda, B., García-Anton, J., Illa, O., Ortuño, R.M. (2018). Cyclobutane-based peptides/terpyridine conjugates: Their use in metal catalysis and as functional organogelators. *Tetrahedron* 74: 7252-7260. <https://doi.org/10.1016/j.tet.2018.10.064>
- Posthuma, J.A., Rasmussen, F.D., Sullivan, G.A. (2018). Effects of nitrite source, reducing compounds, and holding time on cured color development in a cured meat model system. *LWT - Food Science and Technology* 95: 47–50. <https://doi.org/10.1016/j.lwt.2018.04.040>
- Prabpree, R. dan Pongsawatmanit, R. (2011). Effect of tapioca starch concentration on quality and freeze-thaw stability of fish sausage. *Kasetsart J. (Nat. Sci.)* 45 : 314 - 324

- Purba, J.H.V., dan Sipayung, T. (2017). Perkebunan kelapa sawit indonesia dalam perspektif pembangunan berkelanjutan. *Masyarakat Indonesia* Vol. 43(1):81-94
- Puscas, A., Muresan, V., Socasiu, C., Muste, S. (2020). Oleogels in food: a review of current and potential applications. *Foods* 9 (70):1-27. Doi:10.3390/foods9010070
- Puscas, A., Muresan, V., and Muste, S. (2021). Application of Analytical Methods for the Comprehensive Analysis of Oleogels—A Review. *Polymers* 13(1934): 1-23. <https://doi.org/10.3390/polym13121934>
- Rogers, M.A., Spagnuolo, P.A., Wang, T.M., Angka, L. (2017). A potential bioactive hard- stock fat replacer comprised of a molecular gel. *Food Science and Nutrition* 2017(5):579–587. Doi: 10.1002/fsn3.433
- Rozanski, A., Arnson, Y., Gransar, H., Hayes, S.W., Friedman, J.D., Thomson, L.E.J., Berman, D.S. (2020). Relation of intake of saturated fat to atherosclerotic risk factors, health behaviors, coronary atherosclerosis, and all-cause mortality among patients who underwent coronary artery calcium scanning. *The American Journal of Cardiology* 138: 40-45. <https://doi.org/10.1016/j.amjcard.2020.10.014>.
- Righetti, M.C., Cinelli, P., Mallegni, N., Massa, C.A., Irakli, M., Lazzeri, A. (2019). Effect of the addition of natural rice bran oil on the thermal, mechanical, morphological and viscoelastic properties of poly(lactic acid). *Sustainability* 11 (2783): 1-16. Doi:10.3390/su11102783
- Safitri, A.H., Tyagita, N., Nasihun, T. (2017). Porang glucomannan supplementation improves lipid profile in metabolic syndrome induced rats. *Journal of Natural Remedies* 17(4): 131-142. Doi: 10.18311/jnr/2017/18125
- Sahu, S., Ghosh, M., Bhattacharyya, D.K. (2020). Utilization of unsaponifiable matter from rice bran oil fatty acid distillate for preparing an antioxidant-rich oleogel and evaluation of its properties. *Grasas Aceites* 71 (1), e336:1-10. <https://doi.org/10.3989/gya.0938182>
- Salem, R.H. (2013). Quality characteristics of beef sausages with tomato peel as a colour and functional additive during frozen storage. *World Applied Sciences Journal* 22 (8): 1085-1093. Doi: 10.5829/idosi.wasj.2013.22.08.7294
- Sawadikiat, P. dan Hongsprabhas, P. (2014). Phytosterols and γ -oryzanol in rice bran oils and distillates from physical refining process. *International Journal of Food Science and Technology* 49 2030–2036. doi:10.1111/ijfs.12506

- Severson, T., Kris-Etherton, P.M., Robinson, J.G., Guyton, J.R. (2018). Roundtable discussion: Dietary fats in prevention of atherosclerotic cardiovascular disease. *Journal of Clinical Lipidology* 12: 574–582. <https://doi.org/10.1016/j.jacl.2018.05.006>
- Shah, D.K., Sagiri, S.S., Behera, B., Pal, K., Pramanik, K. (2013). Development of olive oil based organogels using sorbitan monopalmitate and sorbitan monostearate: a comparative study. *Journal of Applied Polymer Science* 129: 793–805. Doi: 10.1002/app.38834
- Shakeel, A., Farooq, U., Gabriele, D., Marangoni, A.G., Lupi, F.R. (2021). Bigels and multi-component organogels: An overview from rheological perspective. *Food Hydrocolloids* 111 (2021) 106190: 1–25. <https://doi.org/10.1016/j.foodhyd.2020.106190>
- Shanmugam, M. dan Marimuthu, M. (2017). Quality characteristics of ice cream prepared using stabilizers/emulsifiers blends created with semi-refined carrageenans (E407a) of commercial production at different fat levels. *Research Journal of Biology* Vol. 5(4): 1–17
- Shi, Y., Li, C., Zhang, L., Huang, T., Ma, D., Tu, Z. Cai, Wang, H., Xie, H., Zhang, N. Hai, and Ouyang, B. ling. (2016). Characterization and emulsifying properties of octenyl succinate anhydride-modified Acacia seyal gum (gum arabic). *Food Hydrocolloids* 65: 10–16. Doi : 10.1016/j.foodhyd.2016.10.043
- Si, H., Cheong, L., Huang, J., Wang, X., Zhang, H. (2016). Physical properties of soybean oleogels and oil migration evaluation in model praline system. *Journal of The American Oil Chemists' Society* 93:1075–1084. Doi: 10.1007/s11746-016-2846-1
- Singh, V.K., Pramanik, K., Ray, S.S., Pal, K. (2015). Development and characterization of sorbitan monostearate and sesame oil-based organogels for topical delivery of antimicrobials. *American Association of Pharmaceutical Scientists PharmSciTech*, 16(2): 293–305. Doi: 10.1208/s12249-014-0223-7
- Singh, A., Auzanneau, F.I., Rogers, M.A. (2017). Advances in edible oleogel technologies – A decade in review. *Food Research International* 97: 307–317. <http://dx.doi.org/10.1016/j.foodres.2017.04.022>
- Siraj, N., Shabbir, M.A., Ahmad, T., Sajjad, A., Khan, M.R., Khan, M.I., Butt, M.S. (2015). Organogelators as a saturated fat replacer for structuring edible oils. *International Journal of Food Properties* 18:1973–1989. Doi: 10.1080/10942912.2014.951891

- Sivakanthan, S., Fawzia, S., Madhujith, T., Karim, A. (2022). Synergistic effects of oleogelators in tailoring the properties of oleogels: A review. *Comprehensive Reviews In Food Science And Food Safety* (2022)21:3507–3539. Doi: 10.1111/1541-4337.12966
- Soares, F.A.S.D.M., Roberta Claro da Silva, da Silva, K.C.G., Lourenço, M.B., Soares, D.F., Gioielli, L.A. (2009). Effects of chemical interesterification on physicochemical properties of blends of palm stearin and palm olein. *Food Research International* 42: 1287–1294. Doi:10.1016/j.foodres.2009.03.022
- Sofyan, I., Ikrawan, Y., Yani L. (2018). Pengaruh konsentrasi bahan pengisi dan sodium tripolyphosphate ($\text{Na}_5\text{P}_3\text{O}_{10}$) terhadap karakteristik sosis jamur tiram putih (*Pleurotus ostreatus*). *Pasundan Food Technology Journal* 5(1): 25-36
- Sonawane, S., Pal, S., Tayade, S., Bisht, N. (2015). Application of surfactant in various. *International Journal of Scientific & Engineering Research* Vol. 6(12): 30-3
- Sousa, S.C., Fragoso, S.P., Penna, C.R.A., Arcanjo, N.M.O., Silva, F.A.P., Ferreira, V.C.S., Barreto, M.D.S., Araújo, I.B.S. (2017). Quality parameters of frankfurter-type sausages with partial replacement of fat by hydrolyzed collagen. *LWT - Food Science and Technology* 76 (2017): 320-325. <http://dx.doi.org/10.1016/j.lwt.2016.06.034>
- Stahl, M.A., Buscato, M.H.M., Grimaldi, R., Cardoso, L.P., Ribeiro, A.P.B. (2018). *Food Research International* 107: 61–72. <https://doi.org/10.1016/j.foodres.2018.02.012>
- Su, X., Lian, Z., Yuan, Y. (2019). Study on the effect of the oil-water ratio on the rheological properties of hydroxyethyl cellulose (HEC). *Geofluids* (2019): 1-12. <https://doi.org/10.1155/2019/7405702>
- Sujarwanta, R.O., Suryanto, E., Setiyono, Supadmo, Rusman. (2016). Kualitas sosis daging sapi yang difortifikasi dengan minyak ikan kod dan minyak jagung dan diproses menggunakan metode pemasakan yang berbeda. *Buletin Peternakan* Vol. 40 (1): 48-57
- Sun, P., Xia, B., Ni, Z., Wang, Y., Elam, E., Thakur, K., Ma, Y., Wei, Z. (2021). Characterization of functional chocolate formulated using oleogels derived from β -sitosterol with γ -oryzanol/lecithin/stearic acid. *Food Chemistry* 360 (2021) 130017:1-9. <https://doi.org/10.1016/j.foodchem.2021.130017>
- Supriati, Y. (2016). Keanekaragaman iles-iles (*Amorphophallus* spp.) dan potensinya untuk industri pangan fungsional, kosmetik, dan bioethanol. *Jurnal Litbang Pertanian* Vol. (2) 69-80. Doi: 10.21082/jp3.v35n2.2016.p69-80

- Swastike, W., Suryanto, E., Rusman, Hanim³, C., Jamhari, Erwanto, Y., Jumari. (2020). The substitution effects of tapioca starch and beetroot powder as filler on the physical and sensory characteristics of chicken sausage. *Jurnal Ilmu dan Teknologi Hasil Ternak* 15(2): 97-107. Doi: 10.21776/ub.jitek.2020.015.02.5
- Sweedman, M.C., Tizzotti, M.J., Schäfer, C., Gilbert, R.G. (2013). Structure and physicochemical properties of octenyl succinic anhydride modified starches: A review. *Carbohydrate Polymers* 92: 905–920. <http://dx.doi.org/10.1016/j.carbpol.2012.09.040>
- Teye, M., Teye, G.A., Odoi, F.N.A. (2012). Effects of egg albumen as binder, on yield and sensory characteristics of frankfurter sausages. *Scientific Journal of Animal Science* 1(3): 90-97
- Trujillo-Ramírez, D., Lobato-Calleros, C., Vernon-Carter, E.J., Alvarez-Ramirez, J. (2019). Cooling rate, sorbitan and glyceryl monostearate gelators elicit different microstructural, viscoelastic and textural properties in chia seed oleogels. *Food Research International* 119: 829–838. <https://doi.org/10.1016/j.foodres.2018.10.066>
- Urgu-Öztürk, M., Öztürk-Kerimoğlu, B., Serdaroğlu, M. (2020). Design of healthier beef sausage formulations by hazelnut-based preemulsion systems as fat substitutes. *Meat Science* 167 (2020) 108162: 1-9. <https://doi.org/10.1016/j.meatsci.2020.108162>
- Wahyudi, Subagyo, R., and Gapsari, F. (2019). Physical and chemical mechanisms of hydrophobicity of nanoparticle membranes (Mg+Al₂O₃). *Journal of Achievements in Material and Manufacturing Engineering* 96 (2): 57–68. Doi : 10.5604/01.3001.0013.7936
- Wang, S., Zhan, Y., Wu, X., Ye, T., Li, Y., Wang, L., Chen, Y., and Li, B. (2014). Dissolution and rheological behavior of deacetylated konjac glucomannan in urea aqueous solution. *Carbohydrate Polymer* 101 (1): 499–504. Doi : 10.1016/j.carbpol.2013.09.090
- Wang, Y., Liu, J., Li, Q., Wang, Y., Wang, C. (2015). Two natural glucomannan polymers, from Konjac and Bletilla, as bioactive materials for pharmaceutical applications. *Biotechnol Lett* (2015) 37:1–8. Doi:10.1007/s10529-014-1647-6
- Wang, X., Xie, Y., Lic, X., Liu, Y., Yan, W. (2018). Effects of partial replacement of pork back fat by a camellia oil gel on certain quality characteristics of a cooked style Harbin sausage. *Meat Science* 146: 154–159. <https://doi.org/10.1016/j.meatsci.2018.08.011>

- Wang, B., Tian, H. and Xiang, D. (2020). Stabilizing the oil-in-water emulsions using the mixtures of *Dendrobium officinale* polysaccharides and gum Arabic or propylene glycol alginate. *Molecules*, 25(3), 8–10. Doi:10.3390/molecules25030759
- Wardhani, D.H., Puspitosari, D., Ashidiq, M.A., Aryanti, N., Prasetyaningrum, A. (2017). Effect of deacetylation on functional properties of glucomannan. *AIP Conference Proceedings* 1855: 030020-1–030020-6. Doi: 10.1063/1.4985490
- Wardhani, D.H., Rahayu, L.H., Cahyono, H., Ulya, H.N. (2020). Purification of Glucomannan of porang (*Amorphophallus oncophyllus*) flour using combination of isopropyl alcohol and ultrasound-assisted extraction. *Reaktor* 20(4): 203-209. Website: <http://ejournal.undip.ac.id/index.php/reaktor/>
- Wendt, A., Abraham, K., Wernecke, C., Pfeiffer, J., Flöter, E. (2017). Application of β -Sitosterol + γ -Oryzanol-structured organogel as migration barrier in filled chocolate products. *Journal of The American Oil Chemists' Society* 94: 1131–1140 DOI:10.1007/s11746-017-3024-9
- Wijarnprecha, K., Aryusuk, K., Santiwattana, P., Sonwai, S., Rousseau, D. (2018). Structure and rheology of oleogels made from rice bran wax and rice bran oil. *Food Research International* 112: 199–208. <https://doi.org/10.1016/j.foodres.2018.06.005>
- Wolfer, T.L., Acevedo, N.C., Prusa, K.J., Sebraneka, J.G., Tarté, R. (2018). Replacement of pork fat in frankfurter-type sausages by soybean oil oleogels structured with rice bran wax. *Meat Science* 145: 352–362. <https://doi.org/10.1016/j.meatsci.2018.07.012>
- Wongwaiwech, D., Weerawatanakorn, M., Tharatha, S., Ho, C. (2019). Comparative study on amount of nutraceuticals in by-products from solvent and cold pressing methods of rice bran oil processing. *Journal of Food and Drug Analysis* 27: 71-82. <https://doi.org/10.1016/j.jfda.2018.06.006>
- Xu, Y., Huang, Q., Fu, X., and Jane, J. (2015). Modification of starch octenylsuccinate by β -amylase hydrolysis in order to increase its emulsification properties. *Food Hydrocolloids* 48: 55–61. Doi : 10.1016/j.foodhyd.2015.02.010
- Xu, D., Hao, J., Wang, Z., Liang, D., Wang, J., Ma, Y., Zhang, M. (2021). Physicochemical properties, fatty acid compositions, bioactive compounds, antioxidant activity and thermal behavior of rice bran oil obtained with aqueous enzymatic extraction. *LWT-Food Science and Technology* 149 (2021) 111817: 1-8. <https://doi.org/10.1016/j.lwt.2021.111817>

- Xue, S., Zou, Y., Chen, X., Yang, H., Xing, T., Xu, X., Zhou, G. (2016). Effects of sodium tripolyphosphate on functional properties of low-salt single-step high-pressure processed chicken breast sausage. *International Journal of Food Science and Technology* 51: 2106–2113. Doi:10.1111/ijfs.13189
- Yang, D., Yuan, Y., Wang, L., Wang, X., Mu, R., Pang, J., Xiao, J., Zheng, Y. (2017^a). A review on konjac glucomannan gels: microstructure and application. *International Journal of Molecular Sciences* 18 (2250): 1-18. Doi:10.3390/ijms18112250
- Yang, S., Li, G., Saleh, A.S.M., Yang, H., Wang, N., Wang, P., Yue, X., Xiao, Z. (2017^b). Functional characteristics of oleogel prepared from sunflower oil with β sitosterol and stearic acid. *Journal of The American Oil Chemists' Society* 94:1153–1164. Doi: 10.1007/s11746-017-3026-7
- Yang, S., Zhu, M., Wang, N., Cui, X., Xu, Q., Saleh, A.S.M., Duan, Y., Xiao, Z. (2018). Influence of oil type on characteristics of β -sitosterol and stearic acid based oleogel. *Food Biophysics* 13:362–373. <https://doi.org/10.1007/s11483-018-9542-7>
- Yanuriati, A., Marseno, D.W., Rochmadi, Harmayani, E. (2017). Characteristics of glucomannan isolated from fresh tuber of Porang (*Amorphophallus muelleri* Blume). *Carbohydrate Polymers* 156: 56–63. <http://dx.doi.org/10.1016/j.carbpol.2016.08.080>
- Ye, X., Li, P., Lo, Y.M., Fu, H., Cao, Y. (2019). Development of novel shortenings structured by ethylcellulose oleogels. *Journal of Food Science* Vol. 84(6): 1456-1464. Doi: 10.1111/1750-3841.14615
- Ye, S. Zhu, J., Shah, B.R., Wend-Soo, Z.A., Li, J., Zhan, F., Li, B.. (2022). Preparation and characterization of konjac glucomannan (KGM) and deacetylated KGM (Da-KGM) obtained by sonication. *Journal of The Science of Food and Agriculture* 102(10): 4333-4344. <https://doi.org/10.1002/jsfa.11786>
- Yi, J., Andersen, M.L., Skibsted, L.H. (2011). Interactions between tocopherols, tocotrienols and carotenoids during autoxidation of mixed palm olein and fish oil. *Food Chemistry* 127: 1792–1797. Doi:10.1016/j.foodchem.2011.02.061
- Yi, B., Kim, M., Lee, S.Y., Lee, J. (2017). Physicochemical properties and oxidative stability of oleogels made of carnauba wax with canola oil or beeswax with grapeseed oil. *Food Science and Biotechnology* 26(1): 79-87. Doi: 10.1007/s10068-017-0011-8

- Yolmeh, M., Habibi Najafi, M.B., dan Farhoosh, R. (2014). Optimisation of ultrasound-assisted extraction of natural pigment from annatto seeds by response surface methodology (RSM). *Food Chemistry* 155: 319–324. Doi : 10.1016/j.foodchem.2014.01.059
- Yoon, S.S., Carroll, M.D., Johnson, C.L., Gu, Q. (2011). Cholesterol management in the united states: the national health and nutrition examination survey, 1999 to 2006. *Annals of Epidemiology* 21: 318–326. Doi:10.1016/j.annepidem.2011.01.004
- Zainal Abiddin, N.F., Yusoff, A., and Ahmad, N. (2015). Optimisation of reaction conditions of octenyl succinic anhydride (OSA) modified sago starch using response surface methodology (RSM). *International Food Research Journal* 22 (3): 930–935. <http://www.ifrj.upm.edu.my>
- Zetzl, A.K., Marangoni, A.G., Barbut, S. (2012). Mechanical properties of ethylcellulose oleogels and their potential for saturated fat reduction in frankfurters. *Food Function* 3: 327–337. Doi: 10.1039/c2fo10202a
- Zhang, Y., Xie, B., Gan, X. (2005). Advance in the applications of konjac glucomannan and its derivatives. *Carbohydrate Polymers* 60: 27–31. Doi:10.1016/j.carbpol.2004.11.003
- Zhang, C., Chen, J., Yang, F. (2014). Konjac glucomannan, a promising polysaccharide for OCDDS. *Carbohydrate Polymers* 104: 175–181. <http://dx.doi.org/10.1016/j.carbpol.2013.12.081>
- Zhang, R., Zhang, T., Hu, M., Xue, Y., Xue, C. (2021). Effects of oleogels prepared with fish oil and beeswax on the gelation behaviors of protein recovered from Alaska Pollock. *LWT - Food Science and Technology* 137 (2021) 110423: 1–9. <https://doi.org/10.1016/j.lwt.2020.110423>
- Zhao, J., Zhang, D., Srzednicki, G., Kanlayanarat, S., Borompichaichartkul, C. (2010). Development of a low-cost two-stage technique for production of low-sulphur purified konjac flour. *International Food Research Journal* 17: 1113–1124
- Zhao, M., Lan, Y., Cui, L., Monono, E., Rao, J., Chen, B. (2020). Formation, characterization, and potential food application of rice bran wax oleogels: Expeller-pressed corn germ oil versus refined corn oil. *Food Chemistry* 309 (2020) 125704:1–9. <https://doi.org/10.1016/j.foodchem.2019.125704>
- Zheng, J., Sun, D., Li, X., Liu, D., Li, C., Zheng, Y., Yue, X., Shao, J. (2021). The effect of fatty acid chain length and saturation on the emulsification properties of pork myofibrillar proteins. *LWT - Food Science and Technology* 139 (2021) 110242:1–6. <https://doi.org/10.1016/j.lwt.2020.110242>

- Zhong, G., Meng, F., Li, Y., Liu, D., Guo, X., Zheng, L. (2018). Structure and rheological characterization of konjac glucomannan octenyl succinate (KGOS). *Food Hydrocolloids* 77 (2018) 386-396. <https://doi.org/10.1016/j.foodhyd.2017.10.015>
- Zhu, F. (2018). Modifications of konjac glucomannan for diverse applications. *Food Chemistry* 256 (2018) 419-426. <https://doi.org/10.1016/j.foodchem.2018.02.151>
- Zullig, L.L., Sanders, L.L., Thomas, S., Brown, J.N., Danusa, S., McCanta, F., Bosworth, H.B.. (2016). Health beliefs and desire to improve cholesterol levels among patients with hyperlipidemia. *Patient Education and Counseling* 99 (2016) 830-835. <http://dx.doi.org/10.1016/j.pec.2015.11.025>
- Zyriax, B.C., Borof, K., Walter, S., Augustin, M., Windler, E. (2022). Knowledge as to cholesterol reduction and use of phytosterol-enriched dietary foods in the general population: Insights from the Hamburg City Health Study. *Atherosclerosis* 341: 1-6. <https://doi.org/10.1016/j.atherosclerosis.2021.12.004>