

## DAFTAR PUSTAKA

- Abawi GS, & Lorbeer JW. (1972). Several Aspects of The Ecology and Pathology of *Fusarium oxysporum* f.sp. *cepae*. *Phytopathology*, 62(Phytopathology), 870–876.
- Alori, E. T., Glick, B. R., & Babalola, O. O. (2017). Microbial phosphorus solubilization and its potential for use in sustainable agriculture. *Frontiers in Microbiology*, 8(JUN), 1–8.
- Andrade, F. C., Fernandes, F., Oliveira Júnior, A., Rondina, A. B. L., Hungria, M., & Nogueira, M. A. (2021). Enrichment of organic compost with beneficial microorganisms and yield performance of corn and wheat TT - Enriquecimento de composto orgânico com microrganismos benéficos e desempenho produtivo do milho e trigo. *Revista Brasileira de Engenharia Agrícola E Ambiental*, 25(5), 332–339.
- Bayraktar, H., Türkkän, M., & Dolar, F. S. (2010). Characterization of *Fusarium oxysporum* f.sp. *cepae* from Onion in Turkey based on vegetative compatibility and rDNA RFLP analysis. *Journal of Phytopathology*, 158(10), 691–697.
- Berger, L. R., Stamford, N. P., Santos, C. E. R. S., Freitas, A. D. S., Franco, L. O., & Stamford, T. C. M. (2013). Plant and soil characteristics affected by biofertilizers from rocks and organic matter inoculated with diazotrophic bacteria and fungi that produce chitosan. *Journal of Soil Science and Plant Nutrition*, 13(3), 592–603.
- Berger, L. R., Stamford, N. P., Santos, C. E. R. S., Freitas, A. D. S., Franco, L. O., & Stamford, T. C. M. (2013). Plant and soil characteristics affected by biofertilizers from rocks and organic matter inoculated with diazotrophic bacteria and fungi that produce chitosan. *Journal of Soil Science and Plant Nutrition*, 13(3), 592–603.
- Chen, X., Huang, H., Zhang, S., Zhang, Y., Jiang, J., Qiu, Y., Liu, J., & Wang, A. (2021). *B. velezensis* wz-37, a new broad-spectrum biocontrol strain, promotes the growth of tomato seedlings. *Agriculture (Switzerland)*, 11(7), 1–14.
- Co kuntuna, A., & Özer, N. (2008). Biological control of onion basal rot disease using *Trichoderma harzianum* and induction of antifungal compounds in onion set following seed treatment. *Crop Protection*, 27(3-5), 330–336.
- Cramer, C. S. (2000). Breeding and genetics of *Fusarium* basal rot resistance in onion. *Euphytica*, 115(3), 159–166.
- Díaz-Gutiérrez, C., Arroyave, C., Llugany, M., Poschenrieder, C., Martos, S., & Peláez, C. (2021). *T. asperellum* as a preventive and curative agent to control *Fusarium* wilt in *Stevia rebaudiana*. *Biological Control*, 155(September 2020).
- Díaz-Gutiérrez, C., Arroyave, C., Llugany, M., Poschenrieder, C., Martos, S., & Peláez, C. (2021). *T. asperellum* as a preventive and curative agent to control *Fusarium* wilt in *Stevia rebaudiana*. *Biological Control*, 155.
- Dinakaran, D., Gajendran, G., Mohankumar, S., Karthikeyan, G., Thiruvudainambi, S., Jonathan, E. I., Samiyappan, R., Pfeiffer, D. G., Rajotte, E. G., Norton, G. W., Miller, S., & Muniappan, R. (2013). Evaluation of integrated pest and disease management module for shallots in Tamil Nadu, India: A Farmer's Participatory Approach. *Journal of Integrated Pest Management*, 4(2), 1–9.

- Dwimartina, F., Arwiyanto, T., & Joko, T. (2017). Potential of Endophytic and Rhizobacteria as an Effective Biocontrol for *Ralstonia syzygii* subsp. *syzygii*. *Asian Journal of Plant Pathology*, 11(4), 191–198.
- Eiler, A., Langenheder, S., Bertilsson, S., & Tranvik, L. J. (2003). Heterotrophic bacterial growth efficiency and community structure at different natural organic carbon concentrations. *Applied and Environmental Microbiology*, 69(7), 3701–3709. <https://doi.org/10.1128/AEM.69.7.3701-3709.2003>.
- Eiler, A., Langenheder, S., Bertilsson, S., & Tranvik, L. J. (2003). Heterotrophic bacterial growth efficiency and community structure at different natural organic carbon concentrations. *Applied and Environmental Microbiology*, 69(7), 3701–3709.
- Fan, X. H., Li, Y. C., & Alva, A. K. (2011). Effects of temperature and soil type on ammonia volatilization from slow-release nitrogen fertilizers. *Communications in Soil Science and Plant Analysis*, 42(10), 1111–1122.
- Friesen, N., Fritsch, R., & Blattner, F. (2006). Phylogeny and New Intrageneric Classification of *Allium* (Alliaceae) Based on Nuclear Ribosomal DNA ITS Sequences. *Aliso*, 22(1), 372–395.
- Fu, L., Penton, C. R., Ruan, Y., Shen, Z., Xue, C., Li, R., & Shen, Q. (2017). Inducing the rhizosphere microbiome by biofertilizer application to suppress banana *Fusarium* wilt disease. *Soil Biology and Biochemistry*, 104, 39–48.
- Fu, L., Ruan, Y., Tao, C., Li, R., & Shen, Q. (2016). Continuous application of bioorganic fertilizer induced resilient culturable bacteria community associated with banana *Fusarium* wilt suppression. *Scientific Reports*, 6(February), 1–11.
- Fukami, J., Cerezini, P., & Hungria, M. (2018). *Azospirillum*: benefits that go far beyond biological nitrogen fixation. *AMB Express*, 8(1), 1–12.
- Galeano, P., González, P. H., Fraguas, L. F., & Galván, G. A. (2014). Age-related resistance to *Fusarium oxysporum* f. sp. *cepae* and associated enzymatic changes in seedlings of *Allium cepa* and *A. fistulosum*. *Tropical Plant Pathology*, 39(5), 374–383. <https://doi.org/10.1590/S1982-56762014000500004>
- Gunaratna, L. R., Deshappriya, N., Rajapaksha, S., & Liyanage Jayaratne, D. (2020). Effect of *T. asperellum* and *Trichoderma virens* on *Allium cepa* L. Growth, Damping off and Basal Rot Disease Incidence and Severity in Sri Lanka. *Frontiers in Environmental Microbiology*, 6(3), 40.
- Gupta, R., & Gupta, R. (2014). Effect of Integrated Disease Management Packages on Diseases Incidence and Bulb Yield of Onion (*Allium cepa* L.). *SAARC Journal of Agriculture*, 11(2), 49–59. <https://doi.org/10.3329/sja.v11i2.18401>
- Gutierrez, J. A., & Cramer, C. S. (2005). Screening short-day onion cultivars for resistance to *Fusarium* basal rot. *HortScience*, 40(1), 157–160. <https://doi.org/10.21273/hortsci.40.1.157>
- Gutierrez, J. A., Molina-Bravo, R., & Cramer, C. S. (2006). Screening winter-sown, intermediate-day onion cultivars for resistance to *Fusarium* basal rot. *HortTechnology*, 16(1), 177–181.
- Haapalainen, M., Latvala, S., Kuivainen, E., Qiu, Y., Segerstedt, M., & Hannukkala, A. O. (2016). *Fusarium oxysporum*, *F. proliferatum* and *F. redolens* associated with basal rot of onion in Finland. *Plant Pathology*, 65(8), 1310–1320.

- Hadiawati, L., Suriadi, A., Sugianti, T., & Zulhaedar, F. (2020). Application of Trichoderma-Enriched Compost on Shallot Productivity and Storability in East Lombok, West Nusa Tenggara (Pemanfaatan Kompos Diperkaya Trichoderma pada Produktivitas dan Daya Simpan Bawang Merah di Lombok Timur, Nusa Tenggara Barat). *Jurnal Hortikultura*, 30(1), 57.
- Herlina, L., Istiaji, B., & Wiyono, S. (2021). The Causal Agenst of Fusarium Disease Infested Shallots in Java Islands of Indonesia. *E3S Web of Conferences*, 232(March).
- Herlina, L., Reflinur, Sobir, Maharijaya, A., & Wiyono, S. (2019). The genetic diversity and population structure of shallots (*Allium cepa* var. *aggregatum*) in indonesia based on R gene-derived markers. *Biodiversitas*, 20(3), 696–703.
- Hindersah, R., Kalay, A. M., Ngabalin, I. A., Jamlean, M., & Talahaturuson, A. (2021). Organic matter and mixed biofertilizer for plant growth and yield of shallot grown in fertile soil. *IOP Conference Series: Earth and Environmental Science*, 883(1).
- Hoffman, B. M., Lukoyanov, D., Yang, Z. Y., Dean, D. R., & Seefeldt, L. C. (2014). Mechanism of nitrogen fixation by nitrogenase: The next stage. *Chemical Reviews*, 114(8), 4041–4062.
- Huang, J., Pang, Y., Zhang, F., Huang, Q., Zhang, M., Tang, S., Fu, H., & Li, P. (2019). Suppression of Fusarium wilt of banana by combining acid soil ameliorant with biofertilizer made from *B. velezensis* H-6. *European Journal of Plant Pathology*, 154(3), 585–596.
- Huang, N., Wang, W., Yao, Y., Zhu, F., Wang, W., & Chang, X. (2017). The influence of different concentrations of bio-organic fertilizer on cucumber Fusarium wilt and soil microflora alterations. *PLoS ONE*, 12(2), 1–17.
- Ibáñez, A., Diez-Galán, A., Cobos, R., Calvo-Peña, C., Barreiro, C., Medina-Turienzo, J., Sánchez-García, M., & Coque, J. J. R. (2021). Using rhizosphere phosphate solubilizing bacteria to improve barley (*Hordeum vulgare*) plant productivity. *Microorganisms*, 9(8).
- Kintega, K. R., Zida, P. E., Soalla, R., Tarpaga, V. W., Sankara, P., & Sereme, P. (2020). Determination of <i>Fusarium</i> Species Associated with Onion Plants (<i>Allium cepa</i>) in Field in Burkina Faso Causing Damping-Off and Bulb Rots. *American Journal of Plant Sciences*, 11(01), 64–79.
- Köycü, N. D., & Özer, N. (1997). Determination of seedborne fungi in onion and their transmission to onion sets. *Phytoparasitica*, 25(1), 25–31.
- Kumar, N., & Khurana, S. M. P. (2021). Trichoderma-plant-pathogen interactions for benefit of agriculture and environment. *Biocontrol Agensts and Secondary Metabolites*, March, 41–63.
- Lahlali, R., Ezrari, S., Radouane, N., Kenfaoui, J., Esmaeel, Q., El Hamss, H., Belabess, Z., & Barka, E. A. (2022). Biological Control of Plant Pathogens: A Global Perspective. In *Microorganisms* (Vol. 10, Issue 3).
- Lang, J., Hu, J., Ran, W., Xu, Y., & Shen, Q. (2012). Control of cotton Verticillium wilt and fungal diversity of rhizosphere soils by bio-organic fertilizer. *Biology and Fertility of Soils*, 48(2), 191–203.

- Lasmini, Anjar., S., Kusuma, Z., Santoso, M., & Latif Abadi, A. (2015). Application Of Organic And Inorganic Fertilizer Improving The Quantity And Quality Of Shallot Yield On Dry Land. *International Journal of Scientific & Technology Research*, 4(04), 243–246. [www.ijstr.org](http://www.ijstr.org)
- Lasmini, S. A., Nasir, B., Hayati, N., & Edy, N. (2018). Improvement of soil quality using bokashi composting and NPK fertilizer to increase shallot yield on dry land. *Australian Journal of Crop Science*, 12(11), 1743–1749.
- Le, D., Audenaert, K., & Haesaert, G. (2021). Fusarium basal rot: profile of an increasingly important disease in *Allium* spp. *Tropical Plant Pathology*, 46(3), 241–253. <https://doi.org/10.1007/s40858-021-00421-9>
- Lee, J. H., Lee, S. J., Park, S., Jeong, S. W., Kim, C. Y., Jin, J. S., Jeong, E. D., Kwak, Y. S., Kim, S. T., Bae, D. W., Kim, G. S., & Shin, S. C. (2012). Determination of flavonoid level variation in onion (*Allium cepa* L.) infected by *Fusarium oxysporum* using liquid chromatography-tandem mass spectrometry. *Food Chemistry*, 133(4), 1653–1657.
- Lestiyani, A., Wibowo, A., & Subandiyah, S. (2021). Pathogenicity and Detection of Phytohormone (Gibberellic Acid and Indole Acetic Acid) Produced by *Fusarium* spp. that Causes Twisted Disease in Shallot. *Jpt: Jurnal Proteksi Tanaman (Journal of Plant Protection)*, 5(1), 24.
- Lestiyani, A., Wibowo, A., Subandiyah, S., Gambley, C., Ito, S., & Harper, S. (2016). Identification of *Fusarium* spp., the causal agent of twisted disease of shallot. *Acta Horticulturae*, 1128, 155–160.
- Lumsden, R. D., Lewis, J. A., & Millner, P. D. (1983). Effect of composted sewage sludge on several soilborne pathogens and diseases. In *Phytopathology* (Vol. 73, Issue 11, pp. 1543–1548).
- Madriz-ordeñana, K., Pazarlar, S., Jørgen, H., Jørgensen, L., Nielsen, T. K., Zhang, Y., Nielsen, K. L., Hansen, L. H., & Thordal-christensen, H. (2022). *The B. cereus* Strain EC9 Primes the Plant Immune System for Superior Biocontrol of *Fusarium oxysporum*. 1–19.
- MALATHI, S. (2015). Biological control of onion basal rot caused by *Fusarium oxysporum* f. sp. *cepae*. *Asian Journal of Bio Science*, 10(1), 21–26.
- Manurung, A. I., Sirait, B. A., Hulu, T., & Marpaung, R. G. (2019). PEMBERIAN PUPUK NITROGEN DAN PUPUK ORGANIK GRANUL TERHADAP PERTUMBUHAN DAN PRODUKSI BAWANG MERAH (*Allium cepa* L.). *Agrotekma: Jurnal Agroteknologi Dan Ilmu Pertanian*, 4(1), 21.
- Marrelli, M., Amodeo, V., Statti, G., & Conforti, F. (2019). Biological properties and bioactive components of *allium cepa* L.: Focus on potential benefits in the treatment of obesity and related comorbidities. *Molecules*, 24(1).
- Mehta, C. M., Palni, U., Franke-Whittle, I. H., & Sharma, A. K. (2014). Compost: Its role, mechanism and impact on reducing soil-borne plant diseases. *Waste Management*, 34(3), 607–622.
- Michielse, C. B., & Rep, M. (2009). Pathogen profile update: *Fusarium oxysporum*. *Molecular Plant Pathology*, 10(3), 311–324.
- Miljakovi, D., Marinkovi, J., & Baleševi-Tubi, S. (2020). The significance of *Bacillus* spp. in disease suppression and growth promotion of field and

vegetable crops. *Microorganisms*, 8(7), 1–19.  
<https://doi.org/10.3390/microorganisms8071037>

- Mishra, R. ., Jaiswal, R. ., Kumar, D., Saabale, P., & Singh, A. (2014). Management of major diseases and insect pests of onion and garlic: A comprehensive review. *Journal of Plant Breeding and Crop Science*, 6(11), 160–170.
- Morales-Ruiz, E., Priego-Rivera, R., Figueroa-López, A. M., Cazares-Álvarez, J. E., & Maldonado-Mendoza, I. E. (2021). Biochemical characterization of two chitinases from *B. cereus* sensu lato B25 with antifungal activity against *Fusarium verticillioides* P03. *FEMS Microbiology Letters*, 368(2), 1–8.
- Nifakos, K., Tsalgatidou, P. C., Thomludi, E. E., Skagia, A., Kotopoulis, D., Baira, E., Delis, C., Papadimitriou, K., Markellou, E., Venieraki, A., & Katinakis, P. (2021). Genomic analysis and secondary metabolites production of the endophytic *B. velezensis* bvel1: A biocontrol agent against botrytis cinerea causing bunch rot in post-harvest table grapes. *Plants*, 10(8), 1–18.
- Nilupa Rasangi Gunaratna, L., Deshappriya, N., Rajapaksha, S., & Liyanage Jayaratne, D. (2020). Effect of *T. asperellum* and *Trichoderma virens* on *Allium cepa* L. Growth, Damping off and Basal Rot Disease Incidence and Severity in Sri Lanka. *Frontiers in Environmental Microbiology*, 6(3), 40.
- Özer, N., Köycü, N. D., Chilosi, G., & Magro, P. (2004). Resistance to fusarium basal rot of onion in greenhouse and field and associated expression of antifungal compounds. *Phytoparasitica*, 32(4), 388–394.
- Pal, K.K.; Scholar, V.; Gardener, B.M. *Biological Control of Plant Pathogens*; American Psychopathological Society: St. Paul, MN, USA, 2006; pp. 1–25.
- Pareek, S., Sagar, N. A., Sharma, S., & Kumar, V. (2017). *Onion ( Allium cepa L .)*. May.
- Patil, V. (2011). *Production of Indole Acetic Acid by Azotobacter sp .* 3(12), 14–16.
- Poromarto, S. H., Supyani, Supriyadi, Indriani, S., & Hadiwiyono. (2021). *Trichoderma and Bacillus as Combined Biocontrol Agenst of Moler Disease on Shallots. Proceedings of the International Seminar on Promoting Local Resources for Sustainable Agriculture and Development (ISPLRSAD 2020)*, 13(Isplrsad 2020), 92–95.
- Qiu, M., Zhang, R., Xue, C., Zhang, S., Li, S., Zhang, N., & Shen, Q. (2012). Application of bio-organic fertilizer can control *Fusarium* wilt of cucumber plants by regulating microbial community of rhizosphere soil. *Biology and Fertility of Soils*, 48(7), 807–816.
- Rabbee, M. F., Sarafat Ali, M., Choi, J., Hwang, B. S., Jeong, S. C., & Baek, K. hyun. (2019). *B. velezensis*: A valuable member of bioactive molecules within plant microbiomes. *Molecules*, 24(6), 1–13.
- Rahma, A. A., Suryanti, Somowiyarjo, S., & Joko, T. (2020). Induced disease resistance and promotion of shallot growth by *B. velezensis* B-27. *Pakistan Journal of Biological Sciences*, 23(9), 1113–1121.
- Rahma, A. A., Suryanti, Somowiyarjo, S., & Joko, T. (2020). Induced disease resistance and promotion of shallot growth by *B. velezensis* B-27. *Pakistan Journal of Biological Sciences*, 23(9), 1113–1121.
- Ramírez, V., Martínez, J., Bustillos-Cristales, M. del R., Catañeda-Antonio, D., Munive, J. A., & Baez, A. (2022). *B. cereus* MH778713 elicits tomato plant

protection against *Fusarium oxysporum*. In *Journal of Applied Microbiology* (Vol. 132, Issue 1).

- Ruiz-García, C., Béjar, V., Martínez-Checa, F., Llamas, I., & Quesada, E. (2005). *B. velezensis* sp. nov., a surfactant-producing bacterium isolated from the river Vélez in Málaga, southern Spain. *International Journal of Systematic and Evolutionary Microbiology*, 55(1), 191–195.
- Saxena, A., & Cramer, C. S. (2009). Screening of onion seedlings for resistance against New Mexico isolates of *Fusarium oxysporum* f. sp. cepae. *Journal of Plant Pathology*, 91(1), 199–202.
- Schwartz, H. F., Mohan, S. K., Gent, H. D., Gitaitis, R. D., & Davis, R. M. (2008). Diseases Caused by Bacteria and Yeast. In *Compendium of Onion and Garlic Diseases and Pests*.
- Sekara, A., Pokluda, R., Del Vacchio, L., Somma, S., & Caruso, G. (2017). Interactions among genotype, environment and agronomic practices on production and quality of storage onion (*Allium cepa* L.) - A review. *Horticultural Science*, 44(1), 21–42.
- Setyorini, D., Saraswati, R., & Anwar, E. A. K. (2006). Kompos. *Pupuk Organik Dan Pupuk Hayati*, 11–40.
- Sharma, P., Prakash Verma, P., & Kaur, M. (2017). Phytohormones Production and Phosphate Solubilization Capacities of Fluorescent *Pseudomonas* sp. Isolated from Shimla Dist. of Himachal Pradesh. *International Journal of Current Microbiology and Applied Sciences*, 6(8), 2447–2454.
- Singh, A., Singh, V. K., Dwivedy, A. K., Deepika, Tiwari, S., Dwivedi, A., & Dubey, N. K. (2020). Biological Control of Plant Diseases: Opportunities and Limitations. *Plant Microbiome Paradigm*, 121–146.
- Sintayehu, A., Sakhuja, P. K., Fininsa, C., & Ahmed, S. (2011). Management of fusarium basal rot (*Fusarium oxysporum* f. sp. cepae) on shallot through fungicidal bulb treatment. *Crop Protection*, 30(5), 560–565.
- Stankovic, S., Levic, J., Petrovic, T., Logrieco, A., & Moretti, A. (2007). Pathogenicity and mycotoxin production by *Fusarium proliferatum* isolated from onion and garlic in Serbia. *European Journal of Plant Pathology*, 118(2), 165–172.
- Sumardiyono, C., Wibowo, A., & Suryanti. (2007). Pengendalian Penyakit Layu Pisang Dengan *Fusarium* Non Patogenik Dan Fluorescent *Pseudomonads*. *Jurnal Perlindungan Tanaman Indonesia*, 13(2), 142–150.
- Supriyadi, A., S., I. R., & Djauhari, S. (2013). KEJADIAN PENYAKIT PADA TANAMAN BAWANG MERAH YANG DIBUDIDAYAKAN SECARA VERTIKULTUR DI SIDOARJO Ade Supriyadi 1) , Ika Rochdjatun S. 2) , Syamsuddin Djauhari 2). *Jurnal HPT*, 1(September), 27–40.
- Supriyadi, Supyani, Poromarto, S. H., & Hadiwiyono. (2021). Moler disease and cultivation practiced by shallot farmers in Brebes Central Java. *IOP Conference Series: Earth and Environmental Science*, 883(1).
- Taylor, A., Teakle, G. R., Walley, P. G., Finch-Savage, W. E., Jackson, A. C., Jones, J. E., Hand, P., Thomas, B., Havey, M. J., Pink, D. A. C., & Clarkson, J. P. (2019). Assembly and characterisation of a unique onion diversity set identifies resistance to *Fusarium* basal rot and improved seedling vigour. *Theoretical and Applied Genetics*, 132(12), 3245–3264.

- Taylor, A., Vagany, V., Barbara, D. J., Thomas, B., Pink, D. A. C., Jones, J. E., & Clarkson, J. P. (2013). Identification of differential resistance to six *Fusarium oxysporum* f. sp. *cepae* isolates in commercial onion cultivars through the development of a rapid seedling assay. *Plant Pathology*, 62(1), 103–111.
- Upadhyay, R. K. (2016). Nutraceutical, pharmaceutical and therapeutic uses of *Allium cepa*: A review. *International Journal of Green Pharmacy*, 10(1), S46–S64.
- Wahyono, S. (2018). Tinjauan Manfaat Kompos Dan Aplikasinya Pada Berbagai Bidang Pertanian. *Jurnal Rekayasa Lingkungan*, 6(1), 29–38.
- Wang, C., Hu, H. J., Li, X., Wang, Y. F., Tang, Y. Y., Chen, S. L., & Yan, S. Z. (2018). Effects of varying environmental factors on the biological control of *Meloidogyne incognita* in tomato by *B. cereus* strain BCM2. *Biocontrol Science and Technology*, 28(4), 359–376.
- Weert, S. D. E., & Bloemberg, G. V. (2006). Sandra De Weert and Guido V . Bloemberg Rhizosphere Competence and the Role of Toot Colonizaation in Biocontrol. *BioControl*, 317–333.
- Wiyatiningsih, S., Wibowo, A., & Endang, T. P. (2009). Keparahan Penyakit Moler pada Enam Kultivar Bawang Merah Karena Infeksi *Fusarium Oxysporum* di Tiga Daerah Sentra Produksi. *Seminar Nasional: Akselerasiss Pengembangan Teknologi Pertanian Dalam Mendukung Revitalisasi Pertanian*, 47(2), 10–13.
- Wu, X., Shan, Y., Li, Y., Li, Q., & Wu, C. (2020). The Soil Nutrient Environment Determines the Strategy by Which *B. velezensis* HN03 Suppresses *Fusarium* wilt in Banana Plants. *Frontiers in Plant Science*, 11(November), 1–19.
- Xu, T., Zhu, T., & Li, S. (2016). -1,3-1,4-Glucanase Gene From *B. velezensis* Zj20 Exerts Antifungal Effect on Plant Pathogenic Fungi. *World Journal of Microbiology and Biotechnology*, 32(2), 1–9.
- Yanuarti, A. Ridha, dan M. D. Afsari. 2016. Profil komoditas barang kebutuhan pokok dan barang penting komoditas bawang merah. Cetakan 2016. Kementerian Perdagangan RI.
- Ye, X., Wang, C., Ng, T. B., & Zhang, W. (2021). Study on the biocontrol potential of antifungal peptides produced by *B. velezensis* against *fusarium solani* that infects the passion fruit *passiflora edulis*. *Journal of Agricultural and Food Chemistry*, 69(7), 2051–2061.
- Zhang B, Zhang P, Chen X. Factors affecting colonization of introduced microorganisms on plant roots. *Ying Yong Sheng Tai Xue Bao*. 2000 Dec;11(6):951-3.
- Zhao, S., Liu, D., Ling, N., Chen, F., Fang, W., & Shen, Q. (2014). Bio-organic fertilizer application significantly reduces the *Fusarium oxysporum* population and alters the composition of fungi communities of watermelon *Fusarium* wilt rhizosphere soil. *Biology and Fertility of Soils*, 50(5), 765–774.
- Zhou, H., Ren, Z. H., Zu, X., Yu, X. Y., Zhu, H. J., Li, X. J., Zhong, J., & Liu, E. M. (2021). Efficacy of Plant Growth-Promoting Bacteria *B. cereus* YN917 for *Biocontrol of Rice Blast*. *Frontiers in Microbiology*, 12(July), 1–9.