

DAFTAR PUSTAKA

- Abrahao, F. R., Rocha, L. C. R., Santos, T. A., Carmo, E. L. do, Pereira, L. A. S., Borges, S. V., Pereira, R. G. F. A., & Botrel, D. A. (2019). Microencapsulation of bioactive compounds from espresso spent coffee by spray drying. *LWT- Food Science and Technology*, 103, 116–124.
- Adawiyah, R., Widyastuti, S., Werdiningsih, W., & Teknologi Pangan dan Agroindustri, F. (2016). Pengaruh pengemasan vakum terhadap kualitas mikrobiologis ayam bakar asap selama penyimpanan [*The Effect of Vacuum Packaging on Microbiological of Smoked Roasted-Chicken during Storage*], *Pro Food (Jurnal Ilmu dan Teknologi Pangan)*, 2(2), 152-157.
- Aini, N.N. (2020) Pendugaan Umur Simpan Permen Cokelat probiotik *Lactobacillus plantarum* Dad-13 yang diproduksi di Taman Teknologi Pertanian Nglanggeran, Gunung Kidul. Universitas Gadjah Mada, Yogyakarta.
- Aliakbarian, B., Casazza, A. A., Nani, A., & Perego, P. (2017). Production of chocolate powdered beverage with enhanced instant properties. *Chemical Engineering Transactions*, 57, 877–882. <https://doi.org/10.3303/CET1757147>
- Ardanareswari, K., Utami, T., & Rahayu, E. S. (2017). Effect of heat adaptation and pH adjustment on the survival of spray-dried *Lactobacillus paracasei* SNP2. *British Food Journal*, 119(10), 2267–2276.
- Arepally, D., Reddy, R. S., & Goswami, T. K. (2020). Studies on survivability, storage stability of encapsulated spray dried probiotic powder. *Current Research in Food Science*, 3, 235–242.
- Asiah, N., Cempaka, L., & David, W. (2018). *Pendugaan umur simpan produk pangan*. Press Universitas Bakrie: Jakarta Selatan.
- Binda, S., Hill, C., Johansen, E., Obis, D., Pot, B., Sanders, M. E., Tremblay, A., & Ouwehand, A. C. (2020). Criteria to qualify microorganisms as “Probiotic” in foods and dietary supplements. *Frontiers in Microbiology*, 11, 1662, 1-9. <https://doi.org/10.3389/fmicb.2020.01662>
- BPOM (2005) ‘Peraturan Kepala BPOM RI nomor HK 00.05.52.0685’, Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia, pp. 1–13. Available at: https://jdihn.go.id/files/491/PER_Kbpom_No.Hk.00.05.52.0685_Th_2005_Tentang_Ketentuan_Pokok_Pe_2005.Pdf.

BPOM (2016). Badan pengawas obat dan makanan Republik Indonesia.

Budi, D., Mushollaeni, W., Yusianto., & Rahmawati, A. (2020). Karakterisasi kopi bubuk robusta (*Coffea canephora*) tulungrejo terfermentasi dengan ragi *Saccharomyces cerevisiae* [Characterization of robusta coffee (*Coffea canephora*) from tulungrejo fermented with *Saccharomyces cerevisiae*]. *Jurnal Agroindustri*, 10(2), 129-138.

Caliskan, G., & Dirim, S. N. (2016). The effect of different drying processes and the amounts of maltodextrin addition on the powder properties of sumac extract powders. *Powder Technology*, 287, 308–314.

Champagne, C. P., Raymond, Y., Guertin, N., & Bélanger, G. (2015). Effects of storage conditions, microencapsulation and inclusion in chocolate particles on the stability of probiotic bacteria in ice cream. *International Dairy Journal*, 47, 109–117. <https://doi.org/10.1016/j.idairyj.2015.03.003>

Chen, M. J., Tang, H. Y., & Chiang, M. L. (2017). Effects of heat, cold, acid and bile salt adaptations on the stress tolerance and protein expression of kefir-isolated probiotic *Lactobacillus kefirifaciens* M1. *Food Microbiology*, 66, 20–27. <https://doi.org/10.1016/j.fm.2017.03.020>

Cheng, H., Zhu, R. G., Erichsen, H., Soerensen, J., Petersen, M. A., & Skibsted, L. H. (2017). High temperature storage of infant formula milk powder for prediction of storage stability at ambient conditions. *International Dairy Journal*, 73, 166–174. <https://doi.org/10.1016/j.idairyj.2017.05.007>

Chew, S. C., Tan, C. P., & Nyam, K. L. (2018). Microencapsulation of refined kenaf (*Hibiscus cannabinus* L.) seed oil by spray drying using β -cyclodextrin/gum arabic/sodium caseinate. *Journal of Food Engineering*, 237, 78–85. <https://doi.org/10.1016/j.jfoodeng.2018.05.016>

Cielecka-Piontek, J., Dziedziński, M., Szczepaniak, O., Kobus-Cisowska, J., Telichowska, A., & Szymanowska, D. (2020). Survival of commercial probiotic strains and their effect on dark chocolate synbiotic snack with raspberry content during the storage and after simulated digestion. *Electronic Journal of Biotechnology*, 48, 62–71.

Dantas, D., Pasquali, M. A., Cavalcanti-Mata, M., Duarte, M. E., & Lisboa, H. M. (2018). Influence of spray drying conditions on the properties of avocado powder drink. *Food Chemistry*, 266, 284–291.

- Deotale, S. M., Dutta, S., Moses, J. A., & Anandharamakrishnan, C. (2020). Stability of instant coffee foam by nanobubbles using spray-freeze drying technique. *Food and Bioprocess Technology*, 13, 1866-1877.
- Duarte, G., Fernandes, C. O., Lemos, M. M., Felberg, I., & Farah, A. (2016). The effect of instant arabica coffee on the viability of *Lactobacillus acidophilus* and *Bifidobacterium bifidum* in a probiotic, lacto-free dessert. XXV Congresso Brasileiro de Ciencia e Tecnologia de Alimentos, X CIGR IV International Technical Symposium, 24 & 27. FAURGS, GRAMADO/RS.
- Erdiandini, I., Candra Sunarti, T., & Meryandini, A. (2015). Seleksi bakteri asam laktat dan pemanfaatannya sebagai starter kering menggunakan matriks tapioka asam. *Jurnal Sumberdaya HAYATI*, 1(1), 26-33. <http://biologi.ipb.ac.id/jurnal/index.php/jsdhayati>
- FAO/WHO. *Report of a joint FAO/WHO expert consultation on guidelines for the evaluation of probiotics in food*. London: World Health Organization and Food and Agriculture Organization of the United Nations, 2002. <http://www.fao.org/es/ESN/Probio/probio.htm>
- Farah, A., & Donangelo, C. M. (2006). Phenolic compounds in coffee. *Braz. J. Plant Physiol*, 18(1), 23-36.
- Fazaeli, M., Emam-Djomeh, Z., Kalbasi Ashtari, A., & Omid, M. (2012). Effect of spray drying conditions and feed composition on the physical properties of black mulberry juice powder. *Food and Bioprocess Technology*, 90(4), 667-675. <https://doi.org/10.1016/j.fbp.2012.04.006>
- Food and Drug Administration, *BAM Chapter 3: Aerobic Plate Count*. FDA, Maryland, U.S, 2001. <http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm063346.htm>
- Fu, N., & Chen, X. D. (2011). Towards a maximal cell survival in convective thermal drying processes. *Food Research International*, 44(5), 1127-1149
- Gafar, P. A. (2018). Proses penginstanan aglomerasi kering dan pengaruhnya terhadap sifat fisiko kimia kopi bubuk robusta (*Coffea robusta* Lindl. Ex De Will). *Jurnal Dinamika Penelitian Industri*, 29(2), 163-169.
- George Kerry, R., Patra, J. K., Gouda, S., Park, Y., Shin, H. S., & Das, G. (2018). Benefaction of probiotics for human health: A review. *Journal of Food and Drug Analysis*, 26, (3), pp. 927-939).

- Hartwig, V. G., Cevallos, P. A. P., Schmalko, M. E., & Brumovsky, L. A. (2013). Effects of spray drying conditions on the stability and antioxidant properties of spray-dried soluble maté. *International Journal of Food Engineering*, 10(1), 131–138. <https://doi.org/10.1515/ijfe-2012-0124>
- Heidebach, T., Först, P., & Kulozik, U. (2010). Influence of casein-based microencapsulation on freeze-drying and storage of probiotic cells. *Journal of Food Engineering*, 98(3), 309–316.
- Horison, R., & Surono, I. S. (2020). Half-life estimation of encapsulated *Enterococcus faecium* IS-27526 by Accelerated Shelf Life Testing (ASLT). *IOP Conference Series: Earth and Environmental Science*, 426(1). <https://doi.org/10.1088/1755-1315/426/1/012179>
- Horuz, E., Altan, A., & Maskan, M. (2012). Spray drying and process optimization of unclarified pomegranate (*Punica granatum*) juice. *Drying Technology*, 30(7), 787–798. <https://doi.org/10.1080/07373937.2012.663434>
- Hudaya, A., Radiastuti, N., Sukandar, D., & Djajanegara, I. (2014). Uji aktivitas antibakteri ekstrak air bunga kecombrang terhadap bakteri *E. coli* dan *S. aureus* sebagai bahan pangan fungsional. *Al-Kauniyah Jurnal Biologi*, 7(1), 9-15.
- Ijabadeniyi, O. A., & Pillay, Y. (2017). Microbial safety of low water activity foods: Study of simulated and durban household samples. *Journal of Food Quality*, 2017, 1-7. <https://doi.org/10.1155/2017/4931521>
- Jayadi, A., Anwar, B., Sukainah, A., Program, A., Pendidikan, S., & Pertanian, T. (2016). Pengaruh suhu penyimpanan dan jenis kemasan terhadap mutu abon ikan terbang. *Jurnal Pendidikan Teknologi Pertanian*, 2(2016), 62-69.
- Kandansamy, K., & Somasundaram, P. D. (2012). Microencapsulation of colors by spray drying-A review. *International Journal of Food Engineering*, 8(2), 1-15. <https://doi.org/10.1515/1556-3758.2647>
- Kearney, N., Meng, X. C., Stanton, C., Kelly, J., Fitzgerald, G. F., & Ross, R. P. (2009). Development of a spray dried probiotic yoghurt containing *Lactobacillus paracasei* NFBC 338. *International Dairy Journal*, 19(11), 684–689. <https://doi.org/10.1016/j.idairyj.2009.05.003>
- Kebede, B. T., Grauwet, T., Magpusao, J., Palmers, S., Michiels, C., Hendrickx, M., & Loey, A. van. (2015). An integrated fingerprinting and kinetic approach to accelerated shelf-life testing of chemical changes in thermally treated carrot puree. *Food Chemistry*, 179, 94–102.

- Kim, G. Y., Lee, J., Lim, S., Kang, H., Ahn, S. il, Jhoo, J. W., & Ra, C. S. (2019). Effect of antioxidant addition on milk beverage supplemented with coffee and shelf-life prediction. *Food Science of Animal Resources*, 39(6), 903–917. <https://doi.org/10.5851/kosfa.2019.e76>
- Ko, B. S., Lim, S. H., & Han, S. H. (2017). Quality characteristics of instant coffee with probiotics and microground coffee. *Culinary Science & Hospitality Research*, 23(8), 153–162. <https://doi.org/10.20878/cshr.2017.23.8.015>
- Labuza, T.P., & Schmidl. (1985). Open shelf-life dating foods. Food Science and Nutrition. Press Inc., Westport, Connecticut.
- Lamberti, M., & Escher, F. (2007). Aluminium foil as a food packaging material in comparison with other materials. *Food Reviews International*, 23(4), 407–433. <https://doi.org/10.1080/87559120701593830>
- Lascano, R. A., Gan, M. G. L. D., Sulabo, A. S. L., Santiago, D. M. O., Ancheta, L. B., & Zubia, C. S. (2020). Physico-chemical properties, probiotic stability and sensory characteristics of *Lactobacillus plantarum* S20 – supplemented passion fruit (*Passiflora edulis* f. *flavicarpa* deg.) juice powder. *Food Research*, 4(2), 320–326. [https://doi.org/10.26656/fr.2017.4\(2\).295](https://doi.org/10.26656/fr.2017.4(2).295)
- Lee, Y.K., & Salminen. S. (2009). Handbook of probiotics and prebiotics. John Wiley & Sons, Inc., Hoboken, New Jersey, Canada.
- Lira de Medeiros, A. C., Thomazini, M., Urbano, A., Pinto Correia, R. T., & Favaro-Trindade, C. S. (2014). Structural characterisation and cell viability of a spray dried probiotic yoghurt produced with goats' milk and *Bifidobacterium animalis* subsp. *lactis* (BI-07). *International Dairy Journal*, 39(1), 71–77. <https://doi.org/10.1016/j.idairyj.2014.05.008>
- López-Froilán, Ramírez-Moreno E B, S C , Pérez-Rodríguez, P. N., Baroni M V, Wunderlin D, & Sánchez-Mata M. (2016). In vitro assessment of potential intestinal absorption of some phenolic families and carboxylic acids from commercial instant coffee samples. *Food & Function*, 7(6), 2706-11.
- Majeed, M., Majeed, S., Nagabhushanam, K., Arumugam, S., Beede, K., & Ali, F. (2019). Evaluation of probiotic *Bacillus coagulans* MTCC 5856 viability after tea and coffee brewing and its growth in GIT hostile environment. *Food Research International*, 121, 497–505.
- Makri, E., Tsimogiannis, D., Dermesonluoglu, E. K., & Taoukisa, P. S. (2011). Modeling of Greek coffee aroma loss during storage at different temperatures and

- water activities. *Procedia Food Science*, 1, 1111–1117. <https://doi.org/10.1016/j.profoo.2011.09.166>
- Mulyawan, I. B., Handayani, B. R., Dipokusumo, B., Werdiningsih, W., & Siska, A. I. (2019). Pengaruh Teknik pengemasan dan jenis kemasan terhadap mutu dan daya simpan ikan pindang bumbu kuning. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(3), 464-475.
- Nuallkaekul, S., Deepika, G., & Charalampopoulos, D. (2012). Survival of freeze dried *Lactobacillus plantarum* in instant fruit powders and reconstituted fruit juices. *Food Research International*, 48(2), 627–633.
- Ou, F., McGoverin, C., Swift, S., & Vanholsbeeck, F. (2019). Near real-time enumeration of live and dead bacteria using a fibre-based spectroscopic device. *Scientific Reports*, 9(1), 1-10. <https://doi.org/10.1038/s41598-019-41221-1>
- Pamungkaningtyas, F. H., Mariyatun, M., Kamil, R. Z., Setyawan, R. H., Hasan, P. N., Wiryohanjoyo, D. V., Nurfiani, S., Zulaichah, E., Utami, I. S., Utami, T., & Rahayu, E. S. (2018). Sensory evaluation of yogurt-like set and yogurt-like drink produced by indigenous probiotic strains for market test. *Indonesian Food and Nutrition Progress*, 15(1), 1-10.
- Paramita, I. A. M. I., Mulyani, S., & Hartiati, A. (2015). Pengaruh konsentrasi maltodekstrin dan suhu pengeringan terhadap karakteristik bubuk minuman sinom. *Jurnal Rekayasa dan Manajemen Agroindustri*, 3(2), 58-68.
- Poltronieri, P., & Rossi, F. (2016). Challenges in Specialty Coffee Processing and Quality Assurance. *Challenges*, 7(2), 19.
- Portela, C. da S., Almeida, I. F. de, Mori, A. L. B., Yamashita, F., & Benassi, M. de T. (2021). Brewing conditions impact on the composition and characteristics of cold brew Arabica and Robusta coffee beverages. *LWT-Food Science and Technology*, 143, 1-9. <https://doi.org/10.1016/j.lwt.2021.111090>
- Purwandhani, S. N., Utami, T., Millati, R., & Rahayu, E. S. (2018). Potensi *Lactobacillus plantarum* yang diisolasi dari dadih dalam meningkatkan kadar folat susu fermentasi. *Agritech*, 37(4), 395.
- Rahayu, E. S., Nursiwi, A., N, B. S., & Supriyanto, S. (2018). Development of the traditional tape ketan into probiotic drink. *Indonesian Food and Nutrition Progress*, 15(1), 11. <https://doi.org/10.22146/ifnp.33387>
- Rahayu, E. S., Rusdan, I. H., Athennia, A., Kamil, R. Z., Pramesi, P. C., Marsono, Y., Utami, T., & Widada, J. (2019). Safety Assessment of Indigenous Probiotic Strain

Lactobacillus plantarum Dad-13 Isolated from Dadih Using Sprague Dawley Rats as a Model . *American Journal of Pharmacology and Toxicology*, 14(1), 38–47.
<https://doi.org/10.3844/ajptsp.2019.38.47>

Rahayu, E. S., Yogeswara, A., Windiarti, L., Utami, T., & Watanabe, K. (2015). Molecular characteristics of indigenous probiotic strains from indonesia. *International Journal of Probiotics and Prebiotics*, 10(4), 109–116.
www.newcenturyhealthpublishers.com

Rawat, K., Kumari, A., Kumar, R., Ahlawat, P., & Sindhu, S. C. (2022). Spray-dried lassi powder: Process optimisation using RSM and physicochemical properties during storage at room and refrigerated temperature. *International Dairy Journal*, 131, 1-10.

Santivarangkna, C., Kulozik, U., & Foerst, P. (2008). Inactivation mechanisms of lactic acid starter cultures preserved by drying processes. *Journal of Applied Microbiology*, 105(1), pp. 1–13.

Shaviklo, A. R., Azaribeh, M., Moradi, Y., & Zangeneh, P. (2015). Formula optimization and storage stability of extruded puffed corn-shrimp snacks. *LWT-Food Science and Technology*, 63(1), 307–314.

Shishir, M. R. I., Taip, F. S., Saifullah, M., Aziz, N. A., & Talib, R. A. (2017). Effect of packaging materials and storage temperature on the retention of physicochemical properties of vacuum packed pink guava powder. *Food Packaging and Shelf Life*, 12, 83–90.

SNI 2983:2014. *Kopi Instan*. Badan Standardisasi Nasional, Jakarta.

Soares, M. B., Martinez, R. C. R., Pereira, E. P. R., Balthazar, C. F., Cruz, A. G., Ranadheera, C. S., & Sant'Ana, A. S. (2019). The resistance of *Bacillus*, *Bifidobacterium*, and *Lactobacillus* strains with claimed probiotic properties in different food matrices exposed to simulated gastrointestinal tract conditions. *Food Research International*, 125, 1-11.

Stefanello, N., Spanevello, R. M., Passamonti, S., Porciúncula, L., Bonan, C. D., Olabiyi, A. A., Teixeira da Rocha, J. B., Assmann, C. E., Morsch, V. M., & Schetinger, M. R. C. (2019). Coffee, caffeine, chlorogenic acid, and the purinergic system. *Food and Chemical Toxicology*, 123, 298–313.
<https://doi.org/10.1016/j.fct.2018.10.005>

Subaeni, E., Badrudin, R., & Reswita. (2017). Analisis nilai tambah dan cost volume profit usaha pengolahan kopi sahabat di kota lubuk linggau sumatera selatan. *Jurnal Agribisnis Terpadu*, 10(2), 175-186.

- Sucipta, N., Suriasih, K., & Kencana, P. K. D. (2017). *Pengemasan Pangan. Kajian Pengemasan yang Aman, Nyaman, Efektif dan Efisien*. (Edisi Pertama). Udayana University Press.
- Suhaemi, E., Basuki, E., & Prarudiyanto, A. (2017). Pengaruh kombinasi jenis dan teknik pengemasan terhadap sifat kimia, mikrobiologi dan organoleptik bumbu ayam taliwang khas lombok selama penyimpanan. (The Effect of Combination of Packaging Types and Techniques on Chemical, Microbiology and Sensory Properties of Lombok's Ayam Taliwang Spices During Storage). *Reka Pangan*, 11(2), 51-61.
- Sukasih, E., Permata, A. C., Bintang, B., & Setyadjit. (2019). Kinetics of shallot powder (*Allium ascalonicum*) quality change during storage and its shelf life. *International Conference on Agriculture Postharvest Handling and Processing*. IOP Conf. Earth and Environmental Science 309(2019)012050. <https://doi.org/10.1088/1755-1315/309/1/012050>
- Surahman, D. N., Ekafitri, R., Desnilasari, D., Ratnawati, L., Miranda, J., Cahyadi, W., & Indriati, A. (2020). Pendugaan umur simpan snack bar pisang dengan metode arrhenius pada suhu penyimpanan yang berbeda (Estimation of Banana Snack Bar Shelf Life with Different Storage Temperatures Using Arrhenius Method). *Biopropal Industri*, 11(2), 127-137.
- Sutrisno, A. D., Ikrawan, Y., & Sarah, F. (2021). The effect of the composition of a blend of arabica coffee (*coffea arabica*) with robusta coffee (*coffe acanephora*) and maltodextrin concentration on the characteristics of instant coffee. *Volatiles & Essent. Oils*, 8(4), 10504-10520.
- Syafira., Supardianningsih., & Nugraha, M. (2018). Identification of Water Vapour Transmission Rate (WVTR) of Aluminum Foil Packaging Barrier using The Gravimetric Testing Method. *Jurnal Publipreneur: Politeknik Negeri Media Kreatif*, 6(1),
- Tripathi, M. K., & Giri, S. K. (2014). Probiotic functional foods: Survival of probiotics during processing and storage. In *Journal of Functional Foods*, 9(1), pp. 225–241. <https://doi.org/10.1016/j.jff.2014.04.030>
- Utami, T., Kasmianti., Harmayani, E., & Rahayu, E. S. (2016). Survival of *Lactobacillus plantarum* dad 13 during spray drying and its application for yoghurt fermentation. *International Research Journal of Biological Sciences*, 5(2), 16-22.

- Utami, T., Pangastuti, P. M., & Rahayu, E. S. (2011). Acid production and antioxidant activity in peanut milk fermented with *Lactobacillus paracasei* SNP2 and *Lactobacillus plantarum* DAD 13. Proceeding of International Food Conference “Life Improvement Through Food Technology”, Surabaya, October 28-29th, pp. 73-79.
- Xia, T., Zhang, B., Duan, W., Zhang, J., & Wang, M. (2020). Nutrients and bioactive components from vinegar: A fermented and functional food. *Journal of Functional Foods*, 64, 1-14. <https://doi.org/10.1016/j.jff.2019.103681>
- Yashin, A., Yashin, Y., Xia, X., & Nemzer, B. (2017). Chromatographic methods for coffee analysis: A review. *Journal of Food Research*, 6(4), 60-82. <https://doi.org/10.5539/jfr.v6n4p60>
- Ying, D. Y., Phoon, M. C., Sanguansri, L., Weerakkody, R., Burgar, I., & Augustin, M. A. (2010). Microencapsulated *Lactobacillus rhamnosus* GG powders: relationship of powder physical properties to probiotic survival during storage. *Journal of Food Science*, 75(9), 88-95. <https://doi.org/10.1111/j.1750-3841.2010.01838.x>
- Yolandari, A. C., & Chairiyah Batubara, S. (2019). Formulasi minuman serbuk instan mentimun menggunakan metode mixture design. *Jurnal Reknologi Pangan dan Kesehatan*, 1(2), 75-92.
- Yonejima, Y., Hisa, K., Kawaguchi, M., Ashitani, H., Koyama, T., Usamikrank, Y., Kishida, N., Kishino, S., & Ogawa, J. (2015). Lactic acid bacteria-containing chocolate as a practical probiotic product with increased acid tolerance. *Biocatalysis and Agricultural Biotechnology*, 4(4), 773–777. <https://doi.org/10.1016/j.bcab.2015.09.001>
- Zhang, Q., Ma, L., E, J., He, Z., Yao, C., Chen, Z., Ma, R., Wang, R., Sun, R., Cao, J., & Wang, J. (2021). Effects of initial pH on heat resistance of *Lactobacillus plantarum* LIP-1. *LWT- Food Science and Technology*, 138, 1-9.