

DAFTAR PUSTAKA

- Anjum, S. A., Xie, X., Wang, L., Saleem, M. F., Man, C., & Lei, W. (2011). *Morphological , physiological and biochemical responses of plants to drought stress*. 6(9), 2026–2032. <https://doi.org/10.5897/AJAR10.027>
- Aradilla, A.R. 2016. Phased Planting: Determining the Best Time to Plant Adlay (*Coix lacryma-jobi* L.) in Southern Bukidnon, Mindanao, Philippines. *International Journal of Education and Research* 4(5): 419-430.
- Aradilla, A.R. 2018. Phenology, Growth and Yield Performance of Adlay (*Coix lacryma-jobi* L.) Grown in Adverse Climatic Conditions. *International Journal of Research and Review* 5(3): 16-24.
- Ariani, M dan Ashari. 2003. Arah, kendala dan pentingnya diversifikasi konsumsi pangan di Indonesia. *Forum Penelitian Agro Ekonomi* 21(2): 99 – 112.
- Assi, A.T., Blake, J., Mohtar, R.H. dan Braudeau, E. 2019. Soil aggregates structure-based approach for quantifying the field capacity, permanent wilting point and available water capacity. *Irrigation Science* 37(4): 511-522.
- Bacelar, E.L., Moutinho-Pereira, J.M., Gonçalves, B.M., Brito, C.V., Gomes-Laranjo, J., Ferreira, H.M. and Correia, C.M., 2012. Water use strategies of plants under drought conditions. In *Plant responses to drought stress* (pp. 145-170). Springer, Berlin, Heidelberg.
- Badan Perencanaan Pembangunan Nasional. 2013. *Proyeksi Penduduk Indonesia 2010-2035*. Badan Pusat Statistik, Jakarta.
- Balai Penelitian dan Pengembangan Pertanian. 2020. Gerakan Diversifikasi Pangan, 'Kenyang Gak Harus Nasi'. <<https://www.litbang.pertanian.go.id/info-aktual/4034/>> (diakses pada 29 November 2021).
- Balai Penelitian dan Pengembangan Pertanian. 2019. Hanjeli dan Potensinya sebagai Bahan Pangan. <<https://new.litbang.pertanian.go.id/tahukah-anda/99/>> (diakses pada 4 Desember 2021).
- BPTP Jawa Barat. 2018. *Panduan Teknis Cara Membuat Arang Sekam Padi*. BPTP Jawa Barat, Lembang, Bandung Barat.
- BPTP Kaltim. 2018. Menilik Jelai Sumber Pangan Lokal dari Pedalaman Kaltim. <http://kaltim.litbang.pertanian.go.id/ind/index.php?option=com_content&view=article&id=1020:menilik-jelai-sumber-pangan-lokal-dari-pedalaman-kaltim&catid=4:info-aktual&Itemid=5> (diakses pada 15 Maret 2021).
- Burnette, R. 2012. Three cheers for job's tears: Asia's other indigenous grain. *ECHO Asia Notes: A Regional Upplement to ECHO Development Notes*. London.
- Chaisiricharoenkul, J., Tongta, S. dan Intarapichet, K.O. 2011. Structure and chemical and physicochemical properties of Job's tear (*Coix lacryma-jobi* L.) kernels and flours. *Suranaree Journal of Science Technology* 18(2): 109-122.
- Dama, H., Aisyah, S. I., & Dewi, A. K. (2018). *Respon Kerapatan Stomata dan Kandungan Klorofil Padi (Oryza sativa L .) Mutan terhadap Toleransi Kekeringan Response of Stomata Density and Chlorophyll Content Rice (*

Oryza sativa L.) *Mutants to Drought Tolerance*. 1–6.

- Demidchik, V., 2015. Mechanisms of oxidative stress in plants: from classical chemistry to cell biology. *Environmental and experimental botany* 109: 212-228.
- Efeoğlu, B., Ekmekçi, Y., & Çiçek, N. (2009). Physiological responses of three maize cultivars to drought stress and recovery. *South African Journal of Botany*, 75(1), 34–42. <https://doi.org/10.1016/j.sajb.2008.06.005>
- El Soda M., Nadakuduti S.S., Pillen K., and Uptmoor R., 2010. Stability parameter and genotype mean estimates for drought stress effects on root and shoot growth of wild barley pre-introgression lines. *Molecular Breeding* 26: 583-593.
- Endriani, E. and Kurniawan, A., 2018. Konservasi tanah dan karbon melalui pemanfaatan biochar pada pertanaman kedelai. *Jurnal Ilmiah Ilmu Terapan Universitas Jambi* 2(2): 93-106.
- Fauzi, A.M., Widayat, D. and Nurmala, T., 2020. Pengaruh Perlakuan Ratur, Jenis Hanjeli dan Kadar Air terhadap Pertumbuhan Tanaman Hanjeli Jenis Pulut (*Coix lacryma-jobi* var. *ma-yuen*) dan Batu (*Coix lacryma-jobi* var. *stenocarpa*). *Agrikultura* 31(3):288-294.
- Flexas, J., Gallé, A., Galmés, J., Ribas-Carbo, M. and Medrano, H., 2012. The response of photosynthesis to soil water stress. In *Plant Responses to Drought Stress* (pp. 129-144). Springer, Berlin, Heidelberg.
- Ghorbani, M., Asadi, H. dan Abrishamkesh, S. 2019. Effects of rice husk biochar on selected soil properties and nitrate leaching in loamy sand and clay soil. *International Soil and Water Conservation Research* 7(3): 258-265.
- Gomaa, M.A., Kandil, E.E., El-Dein, A.A.Z., Abou-Donia, M.E., Ali, H.M. dan Abdelsalam, N.R. 2021. Increase maize productivity and water use efficiency through application of potassium silicate under water stress. *Scientific Reports* 11(1): 1-8.
- Guida, G., Sellami, M.H., Mistretta, C., Oliva, M., Buonomo, R., De Mascellis, R., Patanè, C., Rouphael, Y., Albrizio, R. dan Giorio, P. 2017. Agronomical, physiological and fruit quality responses of two Italian long-storage tomato landraces under rain-fed and full irrigation conditions. *Agricultural Water Management* 180: 126-135.
- Gill, S. S., & Tuteja, N. (2010). Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology and Biochemistry*, 48(12), 909–930. <https://doi.org/10.1016/j.plaphy.2010.08.016>
- Handayani, F., Sumarmiyati, S. dan Rahayu, S.P. 2019. Morphological characteristic of local accessions job's tears (*Coix lacryma-jobi*) of East Kalimantan. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia* 5(2): 228-233.
- Histifarina, D., Rahadian, D. and Ratna, P.N. 2020. Hanjeli utilization as a functional food to support food sovereignty. In *IOP Conference Series: Earth and Environmental Science* 443(1): 1-6.

- Hossain, M.A., Sarkar, M.A.R. and Paul, S.K., 2011. Growth analysis of late transplant *Aman* rice (cv. BR 23) raised from tiller seedlings. *Libyan Agriculture Research Center Journal Internation*, 2(6): 265-273.
- Ilyas, M., Nisar, M., Khan, N., Hazrat, A., Khan, A. H., Hayat, K., Fahad, S., Khan, A., & Ullah, A. (2021). Drought Tolerance Strategies in Plants: A Mechanistic Approach. *Journal of Plant Growth Regulation*, 40(3): 926–944. <https://doi.org/10.1007/s00344-020-10174-5>
- Ishibashi, Y., Yamaguchi, H., Yuasa, T., Iwaya-Inoue, M., Arima, S. and Zheng, S.H. 2011. Hydrogen peroxide spraying alleviates drought stress in soybean plants. *Journal of plant physiology* 168(13): 1562-1567.
- Irawanto, R., Lestari, D.A. dan Hendrian, R. 2017. Jali (*Coix lacryma-jobi* L.): Biji, Perkecambahan, dan Potensinya. Prosiding Simposium Nasional Masyarakat Biodiversitas Indonesia 3(1): 147-153.
- Juhaeti, T., Setyowati, N. dan Syarif, F., 2020. The chlorophyll contents and growth performances of West Java (Indonesia) jobtears (*Coix lacryma-jobi*) accessions under low light intensity conditions. *Biodiversitas Journal of Biological Diversity* 21(11): 5178-5185.
- Juhaeti, T., 2015. Jali (*Coix Lacryma-Jobi* L.; Poaceae) Untuk Diversifikasi Pangan: Produktivitas pada Berbagai Taraf Pemupukan. *Berita Biologi* 14(2): 163-168.
- Jama-Rodzeńska, A., Walczak, A., Adamczewska-Sowińska, K., Janik, G., Kłosowicz, I., Głąb, L., Sowiński, J., Chen, X. and Pęczkowski, G., 2020. Influence of variation in the volumetric moisture content of the substrate on irrigation efficiency in early potato varieties. *Plos one* 15(4): 1-20.
- Kang, S.H., Kim, B., Choi, B.S., Lee, H.O., Kim, N.H., Lee, S.J., Kim, H.S., Shin, M.J., Kim, H.W., Nam, K. dan Kang, K.D. 2020. Genome Assembly and Annotation of Soft-Shelled Adlay (*Coix lacryma-jobi* Variety *ma-yuen*), a Cereal and Medicinal Crop in the Poaceae Family. *Frontiers in Plant Science* 11: 630.
- Kementerian Perdagangan Republik Indonesia. 2014. Profil Komoditas Beras. <https://ews.kemendag.go.id/sp2kp-landing/assets/pdf/130827_ANL_UPK_Beras.pdf> (diakses pada 29 November 2021).
- Koyama, S. dan Hayashi, H. 2017. Rice yield and soil carbon dynamics over three years of applying rice husk charcoal to an Andosol paddy field. *Plant Production Science* 20(2): 176-182.
- Kumar, R., Kumawat, N. dan Shukla, U.N. 2014. Job's tears: An unexploited multipurpose shrub in North Eastern hilly region of India. *Popular Kheti*, 2(4): 118-122.
- Kumar, R., Yhokha, K., Rajesha, G. and Deka, B.C. 2017. Performance of Jobs Tears Lines (*Coix lacryma-jobi*) under Food Hill Condition of Nagaland. *Environment and Ecology* 35(1):440-444.
- Kumar, S., Sachdeva, S., Bhat, K.V. dan Vats, S. 2018. Plant responses to drought stress: Physiological, biochemical and molecular basis. Biotic and abiotic stress tolerance in plants: 1-25.

- Lima, J.R.D.S., de Moraes Silva, W., de Medeiros, E.V., Duda, G.P., Corrêa, M.M., Martins Filho, A.P., Clermont-Dauphin, C., Antonino, A.C.D. dan Hammecker, C. 2018. Effect of biochar on physicochemical properties of a sandy soil and maize growth in a greenhouse experiment. *Geoderma* 319: 14-23.
- Lo, T.H., Heeren, D.M., Mateos, L., Luck, J.D., Martin, D.L., Miller, K.A., Barker, J.B. dan Shaver, T.M. 2017. Field characterization of field capacity and root zone available water capacity for variable rate irrigation. *Applied Engineering in Agriculture* 33(4): 559-572.
- Mahdya, A.S., Nurmala, T. and Yuwariah, Y., 2020. Pengaruh frekuensi penyiraman terhadap pertumbuhan, hasil, dan fenologi tanaman hanjeli ratun di dataran medium. *Kultivasi*, 19(3), pp.1196-1201.
- Masulili, A., Utomo, W.H. dan Syechfani, M.S. 2010. Rice husk biochar for rice based cropping system in acid soil 1. The characteristics of rice husk biochar and its influence on the properties of acid sulfate soils and rice growth in West Kalimantan, Indonesia. *Journal of Agricultural Science* 2(1): 39.
- Mateus, R.U.P.A., Kantur, D.O.N.A.T.U.S. and Moy, L.M., 2017. Pemanfaatan Biochar Limbah Pertanian sebagai Pembenah Tanah untuk Perbaikan Kualitas Tanah dan Hasil Jagung di Lahan Kering. *Agrotrop* 7(2): 99-108.
- Miranda, M. T., Da Silva, S. F., Silveira, N. M., Pereira, L., Machado, E. C., & Ribeiro, R. V. (2021). Root Osmotic Adjustment and Stomatal Control of Leaf Gas Exchange are Dependent on Citrus Rootstocks Under Water Deficit. *Journal of Plant Growth Regulation*, 40(1), 11–19. <https://doi.org/10.1007/s00344-020-10069-5>
- Mishra, A., Taing, K., Hall, M.W. dan Shinogi, Y. 2017. Effects of rice husk and rice husk charcoal on soil physicochemical properties, rice growth and yield. *Agricultural Sciences* 8(9): 1014-1032.
- Mukami, A., Ngetich, A., Mweu, C., Oduor, R. O., Muthangya, M., & Mwema, W. (2019). Differential characterization of physiological and biochemical responses during drought stress in finger millet varieties. *Physiology and Molecular Biology of Plants*, 25(4), 837–846. <https://doi.org/10.1007/s12298-019-00679-z>
- Mulyono, E., Kusuma, A., Dewandari, K.T. dan Darniadi, S. 2019. Preliminary Study of Hanjeli (*Coix lacryma-jobi* L) Flour for Food Uses. *IOP Conference Series: Earth and Environmental Science* 309(1): 012057.
- Musa, R., Pallu, M. S., Samang, L., & Putra, M. (2013). *Experimental Study of Estimation Model for Direct Run-off Volume with Soil Conservation Service (SCS) Model (Case Study of Bantimurung Catchment Area in Maros Regency of South Sulawesi)*. 03, 3–6.
- Myint, C.C., Win, S., San Win, K. dan Sann, K.K. 2020. Morphological and Anatomical Characteristics of Coix Species in Upper Myanmar. *3rd Myanmar Korea Conference Research Journal* 3(1): 81-86.
- Nurmala, T., Irwan, A. W., & Surbakti, A. (2019). Respons pertumbuhan dan hasil tanaman hanjeli (*Coix lacryma-jobi* L.) terhadap kombinasi jarak tanam dan jenis pupuk kandang di dataran medium Sukasari, Sumedang Growth responses and yield of job ' s tears (*Coix lacryma-jobi* L.) to the

combination pla. *Kultivasi*, 18(2), 903–911.

- Nurmala, T., Yuniarti, A. dan Syahfitri, N. 2016. Pengaruh berbagai takaran pupuk silika organik dan tingkat kekerasan biji terhadap pertumbuhan dan hasil tanaman hanjeli pulut (*Coix lacryma-Jobi*. L) genotip 37. *Kultivasi* 15(2): 133-142.
- Nurmala, T. 2011. Potensi dan prospek pengembangan hanjeli (*Coix lacryma jobi* L.) sebagai pangan bergizi kaya lemak untuk mendukung diversifikasi pangan menuju ketahanan pangan mandiri. *Pangan*, 20(1): 41-48.
- Nurida, N.L., Dariah, A. dan Rachman, A. 2008. November. Kualitas limbah pertanian sebagai bahan baku pembenah tanah berupa biochar untuk rehabilitasi lahan. *Prosiding seminar nasional dan dialog sumberdaya lahan pertanian*: 211-218.
- Osmolovskaya, N., Shumilina, J., Kim, A., Didio, A., Grishina, T., Bilova, T., Keltsieva, O.A., Zhukov, V., Tikhonovich, I., Tarakhovskaya, E. and Frolov, A.. 2018. Methodology of drought stress research: Experimental setup and physiological characterization. *International journal of molecular sciences* 19(12): 4089.
- Panda, R.K., Pandit, E., Swain, A., Mohanty, D.P., Baig, M.J., Kar, M. dan Pradhan, S.K. 2016. Response of physiological and biochemical parameters in deeper rooting rice genotypes under irrigated and water stress conditions. *Oryza* 53(4): 422-427.
- Ruggiero, A., Punzo, P., Landi, S., Costa, A., Oosten, M. J. Van, & Grillo, S. (2017). *Improving Plant Water Use Efficiency through Molecular Genetics*. 1–22. <https://doi.org/10.3390/horticulturae3020031>
- Ruminta, R., Nurmala, T., Yuwariah, Y., & Pratiwi, N. Y. (2018). Respon pertumbuhan dan hasil tanaman hanjeli pada panen awal akibat pemberian takaran pupuk biosilika dan paklobutrazol di lahan kering Jatinangor. *Kultivasi*, 17(3), 694–700. <https://doi.org/10.24198/kultivasi.v17i3.18438>
- Ruminta, R., Nurmala, T. dan Wicaksono, F.Y. 2017. Growth and yield of job's tears (*Coix lacryma-jobi* L.) response to different types of Oldeman climate classification and row spacing in West Java Indonesia. *Journal of Agronomy*, 16(2): 76-82.
- Ruminta, R., Nurmala, T., Irwan, A.W. and Surbakti, Y.A., 2019. Respons pertumbuhan dan hasil tanaman hanjeli (*Coix lacryma-jobi* L.) terhadap kombinasi jarak tanam dan jenis pupuk kandang di dataran medium Sukasari, Sumedang. *Kultivasi*, 18(2), pp.903-911.
- Rusdi, R.Y., A.R Tolangara, dan Sundari. 2019. Analysis of Proline Concentration in Several Poaceae Family Plant Groups. *International Journal of Science and Research Methodology* 11(4): 1-7.
- Rajput, R.D. dan Patil, R.P. 2017. The Comparative Study on Spectrophotometric Analysis of Chlorophyll and Carotenoids Pigments from Non-Leguminous Fodder Crops. *International Journal of Innovative Science Engineering and Technology* 7: 140-148.

- Sanders, G.J. and Arndt, S.K., 2012. Osmotic adjustment under drought conditions. In *Plant responses to drought stress* (pp. 199-229). Springer, Berlin, Heidelberg.
- Shinoto, Y., Sarobol, E. dan Maruyama, S. 2018. Effects of irrigation interval and manure application on growth and yield of field-grown maize in Thailand. *Tropical Agriculture and Development* 62(4): 177-185.
- Suhartono, S., Djunaedy, A., Suryono, E., & Widodo, A. B. 2021. Pengaruh Interval Pemberian Air Dan Jenis Pupuk Kandang Terhadap Pertumbuhan Dan Hasil Tanaman Kacang Hijau (*Vigna Radiata* L.). *Rekayasa*, 14(2), 282-287.
- Surachman, S. dan Santoso, E., 2020. Aplikasi biochar sekam padi dan pupuk NPK terhadap serapan N, P, K dan komponen hasil jagung manis di lahan gambut. *Jurnal Ilmiah Hijau Cendekia* 5(1):.42-49.
- Saifulloh, N., I. (2017). Pengaruh Intesitas Cahaya dan Jenis Tanah Terhadap Pertumbuhan Dan Hasil Kacang Hijau (*Vigna radiata* L.). *Repository Universitas PGRI Yogyakarta*, 1–10.
- Sallam, A., Alqudah, A. M., Dawood, M. F. A., Baenziger, P. S., & Börner, A. (n.d.). *Drought Stress Tolerance in Wheat and Barley: Advances in Physiology , Breeding and Genetics Research*.
- Seleiman, M.F., Al-Suhaibani, N., Ali, N., Akmal, M., Alotaibi, M., Refay, Y., Dindaroglu, T., Abdul-Wajid, H.H. and Battaglia, M.L., 2021. Drought stress impacts on plants and different approaches to alleviate its adverse effects. *Plants* 10(2): 259.
- Setiawan, T., 2012. Pengaruh Cekaman Kekeringan Terhadap Akumulasi Prolin Tanaman Nilam (*Pogostemon cablin* Benth.). *Ilmu Pertanian* 15(2): 85-99.
- Suyadi, Ince, R., & Andi, S. (2019). the Productivity and Prospective of *Coix Lacryma-Jobi* L. for Staple Food Crop Alternative in East Kalimantan of Indonesia. *Russian Journal of Agricultural and Socio-Economic Sciences*, 96(12), 69–76. <https://doi.org/10.18551/rjoas.2019-12.09>
- Tanaman, P., Varietas, P., & Dan, I. R. (2018). *Kerapatan stomata dan kaitannya terhadap kekeringan pada tanaman padi varietas ir64 dan ciherang 1,2*. *September*, 172–177.
- Tarigan, E., Hasanah, Y. and Mariati, M., 2017. Respons pertumbuhan dan produksi bawang merah (*allium ascalonicum* L.) terhadap pemberian abu vulkanik gunung sinabung dan arang sekam padi. *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 3(3):105140.
- Taufiq, A. (2014). Respons Tanaman Kedelai Terhadap Lingkungan Tumbuh. *Buletin Palawija*, 0(23), 13–26. <https://doi.org/10.21082/bulpalawija.v0n23.2012.p13-26>
- Theeba, M., Robert T. Bachmann, Illani Z., Husni M.H.A dan Samsuri A.WHusni, M.H.A. and Samsuri, A.W. 2012. Characterization of local mill rice husk charcoal and its effect on compost properties. *Malaysian Journal of Soil Science* 16: 89-102.
- Varela Milla, O., Rivera, E.B., Huang, W.J., Chien, C. and Wang, Y.M., 2013. Agronomic properties and characterization of rice husk and wood biochars

and their effect on the growth of water spinach in a field test. *Journal of soil science and plant nutrition* 13(2): 251-266.

- Verdiana, M.A., Sebayang, H.T. dan Sumarni, T. 2017. Pengaruh Berbagai Takaran Biochar Sekam Padi dan Pupuk NPK terhadap Pertumbuhan dan Hasil Tanaman Jagung (*Zea mays* L.). *Jurnal Produksi Tanaman* 4(8): 611-616.
- Wang, L., Chen, J., Xie, H., Ju, X. dan Liu, R.H. 2013. Phytochemical profiles and antioxidant activity of adlay varieties. *Journal of Agricultural and Food Chemistry* 61(21): 5103-5113.
- Wu, T.T., Charles, A.L. dan Huang, T.C. 2007. Determination of the contents of the main biochemical compounds of Adlay (*Coxi lachrymal-jobi*). *Food Chemistry* 104(4): 1509-1515.
- Yugi Rahayu, A., & Harjoso, T. (2011). Aplikasi Abu Sekam pada Padi Gogo (*Oryza sativa* L.) terhadap Kandungan Silikat dan Prolin Daun serta Amilosa dan Protein Biji. *Journal of Biota*, 16(1): 48–55. <https://doi.org/10.24002/biota.v16i1.58>
- Zotarelli, L., Dukes, M. D., & Morgan, K. T. 2010. *Interpretation of Soil Moisture Content to Determine Soil Field Capacity and Avoid Over-Irrigating Sandy Soils Using Soil Moisture Sensors* 1: 1–4.