

DAFTAR PUSTAKA

- Abbas, A.K., Lichtmann, A.H., and Pillai, S., 2016. Immunologi Dasar Abbas: Fungsi dan Kelainan Sistem Imun, 5th Indonesia edition. ELSEVIER, p: 43, 155-157, 173-178
- Abebe, F., Belay, M., Legasse, M., Franken, K.L.M.C., and Ottenhoff, T.H.M., 2018. IgA and IgG against *Mycobacterium tuberculosis* Rv2031 discriminate between pulmonary tuberculosis patients, *Mycobacterium tuberculosis*-infected and non-infected individuals. *PLoS One* 13(1): e0190989
- Achkar, J.M., Chan, J., Casadevall, A., 2015. Role of B Cells and Antibodies in Acquired Immunity against *Mycobacterium tuberculosis*. *Cold Spring Harbour Perspectives in Medicine*, 5:a018432
- Alderwick, L.J., Harrison, J., Lloyd, G.S., and Birch, H.L., 2015. The *Mycobacterial* cell wall – peptidoglycan and arabinogalactan. *Cold Spring Harbour Perspectives in Medicine*. doi: 10.1101/cshperspect.a021113
- Andersen, P., Askgaard, D., Gottschau, A., Bennedsen, J., Nagai, S., and Heron, I., 1992. Identification of immunodominant antigens during infection with *Mycobacterium tuberculosis*. *Scandinavian Journal Immunology*, 36:823–831
- Andersen, P., Andersen, A.B., Anne, L.S., and Sadamu, N., 1995. Recall of long-lived immunity to *Mycobacterium tuberculosis* infection in mice. *Journal of Immunology*, 154(7):3359-3372
- Anderson, P., Hoang, T., Agger, E.M., Claud, A., Dietrich, J., Cassidy, J.P., Dolganov, G., Gary, K.S., and Carina, V.L. 2013. ESAT-6 (EsxA) and TB10.4 (EsxH) based vaccines for pre-and post-exposure tuberculosis vaccination. *PLoS One*, 8 (12):e80579
- Anderson, P., Dietrich, J., and Weldingh, K., 2006. Prospects for a novel vaccine against tuberculosis. *Veterinary Microbiology*, 112: 163-169
- Arend, S.M., Geluk, A., Van-Meijgaarden, VanDissel, J.T., Theisen, M., Andersen, P., and Ottenhoff, T.H.M., 2000. Antigenic equivalence of human T-cell responses to *Mycobacterium tuberculosis*-specific RD1 mixtures of synthetic peptides. *Infection Immunology*. 68:3314-3321
- de Auroja, L.S., da Silva, N., de B.M., Leung, J.A.M., Mello, F.C.Q., Saad, M.H.F., 2018. IgG subclasses response to a set of mycobacterial antigens in different stages of *Mycobacterium tuberculosis* infection. *Tuberculosis*. 108:70-76
- Awan, N., Saqib, M.A., Arif, M., Shahzad, M.I., 2011. Expression and purification of *Mycobacterium tuberculosis* antigen for use immunoassays for serodetection of *M. tuberculosis* infections in TB patients. *Pakistan Journal of Zoology*. 44(1): 217-226.
- Babaki, M.K.Z., Soleimanpour, S., and Rezaee, S.A., 2017. Antigen 85 complex as a powerful *Mycobacterium tuberculosis* immunogene: Biology, immune-pathogenicity, applications in diagnosis, and vaccine design. *Microbial Pathogenesis*. 112:20-29

- Banuls, A.L., Sanou, A., Anh, N.T.V., and Godreuil, S., 2015. *Mycobacterium tuberculosis*: ecology and evaluation of a human bacterium. *Journal of Medical Microbiology*, 64:1261-1269
- Bekmurzayeva, A., Syipabekova, M., and Kanayeva, D., 2013. Tuberculosis diagnosis using immunodominant, secreted antigens of *Mycobacterium tuberculosis*. *Tuberculosis*. 93:381-388
- Besra, G.S., and Brennan, P.J., 1997. The mycobacterial cell wall: biosynthesis of arabinogalactan and lipoarabinomannan. *Biochemical Society Transaction*. 25:845-850
- Brandt, L., Oettinger, T., Holm, A., and Andersen, P., 1996. Key epitopes on the ESAT-6 antigen recognized in mice during the recall of protective immunity to *Mycobacterium tuberculosis*. *Journal Immunology*, 157:3527-3533.
- Brant, L., Elhay, M., Rosenkrands, I., Lindblad, B., and Andersen, P., 2000. ESAT-6 Subunit Vaccination against *Mycobacterium tuberculosis*. *Infection and Immunity*, 68(2):791-795
- Carroll M.V, Lack N., Sim E., Krarup A., and Sim R.B. 2009. Multiple routes of complement activation by *Mycobacterium bovis* BCG. *Molecular Immunology*, 46: 3367-3378
- Center for Disease Control and Prevention. 2013. Core Curriculum on Tuberculosis: What the Clinician Should Know, Sixth Edition. <https://www.cdc.gov/tb/education/corecurr/index.htm>
- Chan, J., Mehta, S., Bharrhan, S., Chen, Y., Achkar, J.M., Casadevall, and Flynn, J.A., 2014. The role of B cell and humoral immunity in *Mycobacterium tuberculosis* infection. *Seminars in Immunology*, 26:588-600
- Chen, L., Xu, M., Wang, Z.Y., Chen, B.W., Du, W.X., Su, C., Shen, X.B., Zhao, A.H., Dong, N., Wang, Y.J., and Wang, G.Z. 2010. The development and preliminary evaluation of a new *Mycobacterium tuberculosis* vaccine comparing Ag85B, HspX and CFP-10:ESAT-6 fusion protein with CpG DNA and aluminium hydroxide adjuvants. *Immunology and Medical Microbiology*. 59:42-52
- Chen, J.M., Zhang, M., Rybniker, J., Boy-Rottger, S., Dhar, N., Pojer, F., and Cole, S.T., 2013. *Mycobacterium tuberculosis* EspB binds phospholipids and mediates EsxA-independent virulence. *Molecular Microbiology*, 89(6): 1154-1166
- Cooper, A.M., and Torrado, E., 2012. Protection versus pathology in tuberculosis: recent insights. *Current Opinion in Immunology*, 24:1-7
- Crevel, R., Ottenhof, T.H.M, van der Meer, J.W.M. 2002. Innate Immunity to *Mycobacterium tuberculosis*. *Clinical Microbiology Review*, 15(2):294-309
- Deng, Y.H., Sun, Z., Yang, X.L., and Bao, L., 2010. Improved immunogenicity of recombinant *Mycobacterium bovis* Bacillus Calmette-Guérin strains expressing fusion protein Ag85A-ESAT-6 of *Mycobacterium tuberculosis*. *Scandinavian Journal of Immunology*, 72:332-338
- Departemen Kesehatan R.I., 2011. *Pedoman Nasional Penanggulangan Tuberculosis di Indonesia*. Depkes RI. Jakarta.

- Denis, O., Tanghe, A., Palfliet, K., Jurion F., van den Berg, T., Vanonckelen, A., Ooms, J., Saman, E., Ulmer, J.B., Content, J., and Huygen, K. 1998. Vaccination with plasmid DNA encoding Mycobacterial antigen 85A stimulates a CD4+ and CD8+ T cell epitopic repertoire broader than that stimulated by Mycobacterium tuberculosis H37Rv Infection. *American Society for Microbiology Infection and Immunity*, 66(4):1527-1533
- Dewi, D.N.S.S., Mertaniasih, N.M., Soedarsono., Yuriko, O., Wayan, T.A., Fihiruddin, Mamiko, N., Yoshitaka, T., Manabu, A., Sohkiichi, M., 2019. Characteristic profile of antibody response to PPD ESAT-6, and CFP-10 of *Mycobacterium tuberculosis* in pulmonary tuberculosis suspected cases in Surabaya, Indonesia. *Brazilian Journal of Infectious Disease* 23 (4):246-253
- Diel, R., Loddekemper, R., Meywald-Walter, K., Gottschalk, R., and Nienhaus, A., 2009. Comparative performance of tuberculin skin test, quanti FERON TB gold in tube assay, and T-spot. *TB Test in contact Investigation Tuberculosis, Chest*; 135:1010-1018
- Dillon, B.J., and Horwitz, M.A., 2000. Rekombinant bacillus Calmette-Guérin (BCG) vaccine expressing the *Mycobacterium tuberculosis* 30 kDa major secretory protein induce greater protective immunity against tuberculosis than conventional BCG vaccines in highly susceptible animal model. *Proceeding National Academy Sciences USA*, 97(25):13853-13858
- Doz E., Rose S., Nigou J., Gilleron M., Puzo G., and Erard F., 2007. Acylation determines the toll-like receptor (TLR)-dependent positive versus TLR2-, mannose receptor-, and SIGIRR1-independent negative regulation of pro-inflammatory cytokines by mycobacterial lipomannan. *Journal of Biological Chemistry*. 282(36):26014-26025
- D'souza, S., Roseels, V., Romano, M., Tanghe, A., Denis, O., Jurion, F., Castiglione, N., Vanonckelen, A., Palfliet, K., and Huygen, K., 2003. Mapping of murine Th1 helper T-cell epitopes of mycolyl transferase Ag85A, Ag85B, and Ag85C from *Mycobacterium tuberculosis*. *American society of Microbiology Infection and Immunity*, 71(1):483-493
- Feng, T.T., Shou, C.M., Shen, L., et al. 2011. Novel monoclonal antibodies to ESAT6 and CFP-10 antigens for ELISA-based diagnosis of pleural tuberculosis. *International Journal Tuberculosis Lung Disease*, 15:804–10.
- Fihiruddin, Artama, W.T., Wibawa, T., and Mertaniasih, N.M., 2019. Expression of Immunoglobulin, Granzyme-B, and perforin against Ag85A and Ag85B proteins of *Mycobacterium tuberculosis* in Balb/c mice. *African Journal Infectious Disease*, 13(2):13-20
- Fihiruddin, Artama, W.T., Wibawa, T., and Mertaniasih, N.M., 2020. Cloning, expression and T cell epitope prediction of fbpA and fbpB genes of *Mycobacterium tuberculosis* clinical isolates. *Journal of Microbiology, Biotechnology and Food Sciences*, 9(5):998-1002
- Flaherty, D.K., Vesosky B., Beamer G.L., Stromberg P., Turner J., 2006. Exposure to *Mycobacterium avium* can modulate established immunity against

- Mycobacterium tuberculosis* infection generated by *Mycobacterium bovis* BCG vaccination. *Jornal Leukocyte Biology*, 80:1262-71
- Forellad, M.A., Klepp, L.I., Gioffre, A., Garcia, R.S., Morbidoni, H.R., Santangelo, M., Cataldi, A.A., and Bigi, F., 2013. Virulence factors of the *Mycobacterium tuberculosis* complex. *Virulence*, 4: 1-66.
- Ganguly, P., Sharma, S., Sharma, P., and Ganguly, N., 2015. RD-1 region of *Mycobacterium tuberculosis*: Protein secretion and virulence. *Expert Reviews of Immunology Vaccines and Infomatics*. ISSN -2056-7812
- Gennaro, M.L., Affouf, M., Kanaujia, G.V., Brusasca, P.N., Mangura, B., Reichman, L. 2007. Antibody markers of incident tuberculosis among HIV-infected adults in the USA: A historical prospective study. *Interntional Journal Tuberculosis Lung Disease*, 11:624–31.
- Gengenbacher, M., and Kaufmann, S.H.E., 2012. *Mycobacterium tuberculosis*: Succes thorough dormancy. *FEMS Microbiology Review*, 36(3):514-532
- Guinn, K.M., Hickey, M.J., Mathur, S.K., Zakel, K.L., Grotzke, J.E., Lewinsohn, D.M., Smith, S., and Sherman, D.R., 2014. Individual RD1-region genes are required for export of ESAT-6/CFP-10 and for virulence of *Mycobacterium tuberculosis*. *Molecular Microbiology*, 51: 359-70.
- Harboe, M., Malin, A.S., Dockrell H.S., Wiker, H.G., Ulvund, G., Holm, A., Jorgensen, M.C., and Andersen, P., 1998. B-cell epitope and quantification of the ESAT-6 protein of *Mycobacterium tuberculosis*. *Infectious Immunology*, 66:717-723
- He, X.-Y., Li, J., Hao, J., Chen, H.-B., Zhao, Y.-Z., Huang, X.-Y., He, K., Xiao, L., Ye, L.-P., Qu, Y.-M., and Ge, L.-H., 2011. Assessment of five antigens from *Mycobacterium tuberculosis* for serodiagnosis of tuberculosis. *Clinical and Vaccine Immunology*. 18(4),565-570
- Hemmati, M., Seghatoleslam, A., Rasti, M., Ebadat, S., Mosavari, N., Habibagahi, M., Taheri, M., Sardarian, A.R., Mostafavi-Pour, Z., 2011. Expresion and purification of recombinant *Mycobacterium tuberculosis* (TB) antigens, ESAT-6, CFP-10, and ESAT-6/CFP-10 and their diagnosis potential for detection of TB patients. *Iranian Red Crescent Medical Journal*. 13(8):556-563
- Hughes, A.J., Hutchinson, P., Gooding, T., Freezer, N.J., Holdsworth, S.R., and Johnson, P.D.R., 2005. Diagnosis of *Mycobacterium tuberculosis* infection using ESAT-6 and intracellular cytokine cytometry. *Clinical and Experimental Immunology*. 142:132-139
- Islam, S.M.T., Zaman, S., Khan, M.K., Uddin, M.I., Chakraborty, S., Nishat, N.S., Ibnat, N., Alam. M.M., Bhuiyan, T.R., Qadri, F., and Seraj, R.I., 2018. Multi-epitop cluster Ep85B within the mycobacterial protein Ag85B elicits cell-mediated and humoral immune responses in mice. *Turkish Journal of Immunology*, 6(3):108-117
- Jiang, Y., Liu, H., Li, M., Li, G., Pang, H., MDou, X., Zhao, X., and Wan, K., 2015. Single nucleotide polymorphism in Ag85 genes of *Mycobacterium tuberculosis* complex : Analysis of 178 clinical isolates from China and 13 BCG strains. *International Journal Science*, 12(2):126-134

- Jo, E.K., 2008. Mycobacterial interaction with innate receptors; TLRs, C-type lectins, and NLRs. *Current Opinion Infectious Disease*, 21(3):279-286
- de Jonge, M.I., Pehau-Arnaudet, G., Fretz, M.M., Romain, F., Bottai, D., Brodin, P., Honore, N., Marchal, G., Jiskoot, W., England, P., Cole, S.T., and Brosch, E., 2007. ESAT-6 from *Mycobacterium tuberculosis* dissociates from its putative chaperone CFP-10 under acidic conditions and exhibits membrane-lysing activity. *Journal of Bacteriology*, 189: 6028-6034
- Kalscheuer, R., Palacios, A., Anso, I., Cifuentes, J., Anguita, J., Jacobs, W.R., Guerin, M.E., and Rosales, R.P., 2019. The *Mycobacterium tuberculosis*: a cell structure with key implication in pathogenesis. *Biochemical Journal*. 476(14):1995-2016
- Kashyap, R.S., Rajan, A.N., Ramteke, S.S., Agrawal, S.S., Kelkar, S.S., Purohit, H.J., Taori, G.M., and Dagainawala, H.F., 2007. Diagnosis of tuberculosis in an Indian population by indirect ELISA protocol based on detection of Antigen 85 complex: a prospective cohort study. *BMC Infectious Disease*, 7 (74):
- Kashyap, R.S., Shekhawat, S.D., Nayak, A.R., Purohit, H.J., Taori, G.M., and Dagainawala, H.F., 2013. Diagnosis of tuberculosis infection based on synthetic peptides from *Mycobacterium tuberculosis* antigen 85 complex. *Clinical and Neurosurgery*. 115:678-683
- Kaufmann, S.H.E., Weiner, J., and von Reyn, C.F., 2017. Novel approaches to tuberculosis vaccine development. *International Journal of Infectious Disease*, 56:263-367
- Kemenkes, R.I., Dirjen Bina Upaya Kesehatan dan Dirjen Pengendalian Penyakit dan Penyehatan Lingkungan., 2013. *Standar Prosedur Nasional Pemeriksaan Mikroskopis TB*.
- Khan, I.H., Ravindran, R., Yee J.A., Ziman, M., Lewinsohn, D.M., Gennaro, M.L., Flynn, J.A.L., Goulding, C.W., DeRiemer, K., Lerche, N.K., and Luciw, P.A., 2008. Profiling antibodies to *Mycobacterium tuberculosis* by multiplex microbead suspension arrays for serodiagnosis of tuberculosis. *Clinical and Vaccine Immunology*. 15(3): 433-438
- Krupka, M., Masek, J., Barkocziova, L., Knotigova, P.T., Kulich, P., Plockova, J., Lukac, R., Bartheldyova, E., Koudelka, S., Chaloupkova, R., Sebel, M., Zyka, D., Droz, L., Effenberg, R., Ledvina, M., Miller, A.D., Turanek, J., and Raska, M., 2016. The position of His-Tag in recombinant OspC and application of various adjuvants affects the intensity and quality of specific antibody response after immunization of experimental mice. *PLoS ONE*, 11(2): e0148497. doi:10.1371/journal.pone.0148497
- Kumar, G., Shankar, H., Dagur, P.K., Yadav, V.S., 2010. Serodiagnostic Efficacy of *Mycobacterium tuberculosis* 30/32-kDa Mycolyl Transferase Complexes, ESAT-6, and CFP-10 in patients with active tuberculosis. *Archivum immunologiae Therapiae Experimentalis*. 58 : 57-65
- Kuo, C.J., Ptak, C.P., Hsieh, C.L., Akey, B.L., and Chang, Y.F., 2013. Elastin, a novel extracellular matrix protein adhering to Mycobacterial antigen 85 complex. *The Journal of Biological Chemistry*. 288(6):3886-3896

- Lightbody, K., Ilghari, D., Waters, L., Carey, G., Bailey, M., Williamson, R., 2008. Molecular features governing the stability and specificity of functional complex formation by *Mycobacterium tuberculosis* CFP-10/ ESAT-6 family proteins. *Journal Biology Chemical*, 283(25):17681–90
- Li, W., Li, M., Deng, G., Zhao, L., Liu, X., and Wang, Y. 2015. Prime boost vaccination with Bacillus Calmette Guerin and recombinant adenovirus co-expressing CFP-10, ESAT-6, Ag85A, and Ag85Bof *Mycobacterium tuberculosis* induces robust antigen-specific immune responses in mice. *Molecular Medicine Reports*, 12:3073-3080
- Liu, Z., Qie, S., Li, L., Xiu, B., Yang, X., Dai, Z., Zhang, X., Duan, C., Que, H., Zhao, P., Johnson, H., Zhang, H., and Feng, X., 2016. Identification of novel RD1 Antigens and their combinations for diagnosis of sputum smear -/culture + TB patients. *BioMed Research International*. <http://dx.doi.org/10.1155/2016/7486425>
- Lu, Y., Xu, Y., Yang, E., Wang, C., Wang, H., Shen, H. 2012. Novel recombinant BCG coexpressing Ag85B, ESAT-6 and Rv2608 elicits significantly enhanced cellular immune and antibody responses in C57BL/6 Mice. *Scandinavia Journal Immunology*, 76:271–7
- Macedo, G.C., Bozzi, A., Weinreich, H.R., Bafica, A., Hendrique, C.T., Sergio, C.O., 2011. Human T cell and antibody-mediated response to the *Mycobacterium tuberculosis* recombinant 85A, 85B, and ESAT-6 antigens. *Clinical and Developmental Immunology* doi:10.1155/2011/351573
- Marei, A., Ghaemmaghami, A., Renshaw, P., Wiselka, M., Barer, M., Carr, M., and Ziegler-Heitbrock, L., 2005. Superior T cell activation by ESAT6 as compared with the ESAT-6-CFP-10 complex. *International Immunology*, 17: 1439-46
- Marrakechi, H., Lane elle, M.A., and Daffe, M., 2014. Mycolic acids structures byosynthesis and beyond. *Chemistry Biology*, 21:67-85
- Metcalf, H.J., Steinbach, S., Jones, G.J., Connelley, T., Morrison, W.I., Vordemeier, M., and Villareal-Ramos, B., 2016. Protection associated with a TB vaccine is linked to increased frequency Ag85B-specific CD+ T cell but not increase in avidity for Ag85A. *Vaccine*, 34:4520-4525
- Natarajan K, Latchumanan VK, Singh B., 2003. Downregulation of T helper 1 responses to mycobacterial antigens due to maturation of dendritic cells by 10-kDa mycobacterium tuberculosis secretory antigen. *Journal Infectious Disease*, 187: 914-928
- Nigou, J., Zelle-Rieser, C., Gilleron, M., Thurnher, M., and Puzo, G., 2001. Mannosylated lipoarabinomannans inhibit IL-12 production by human dendritic cells: evidence for a negative signal delivered thorough the mannose receptor. *Journal Immunology*.; 166(12):7477-7485
- Noss, E.H., Pai, R.K., Sellati, T.J., et al., 2001. Toll like receptor 2-dependent inhibition of macrophage class II MHC expression and antigen processing by 19-kDa lipoprotein of *Mycobacterium tuberculosis*. *Journal Immunology*.; 167(2):910-918

- Nunes-Alves, C., Booty, M.G., Carpenter, S.M., Jayaraman, P., Rothchild, A.C., and Behar, S.M., 2014. In search of a new paradigm for protective immunity to TB. *Nature Reviews, Microbiology*, 12:289-299
- O'Garra, A., Redford, P.S., McNab, F.W., Bloom, C. I., Wilkinson, R.J., and Berry, M.P.R., 2013. The Immune Response in Tuberculosis. *Annual Review of Immunology*. 31:475-537
- OsadaOka, M., Tateishi, Y., Hirayama, Y., Ozeki, Y., Niki, M., Kitada, S., Maekura, R., Tsujimura, K., Koide, Y., Ohara, N., Yamamoto, T., Kobayashi, K., Matsumoto, S., 2013. Antigen 85A and mycobacterial DNA-binding protein 1 are targets of immunoglobulin G in indivuals with past tuberculosis. *Microbiology and Immunology*. 57:30-37
- Pai, M., Denkinger, C.M., Kik, S.V., Rangaka, M.X., Zwerling, A., Oxlade, O., *et al.*, 2014. Gamma interferon release assays for detection of *Mycobacterium tuberculosis* infection. *Clinical Microbiololgy Review*, 27: 3–20
- Pathak, S.K., Basu, S., Basu, K.K., Banerjee, A., Pathak, S., Bhattacharyya, A., Kaisho, T., Kundu, M., and Basu, J., 2007. Direct extracellular interaction between the early secreted antigen ESAT-6 of *Mycobacterium tuberculosis* and TLR2 inhibits TLR signaling in macrophages. *Nature Immunology*, 8:610- 8
- van Pinxteren, L.A.H., Ravn, P., Agger, E.M., Pollock, J., and Andersen, P., 2000. Diagnosis of tuberculosis based on two specific antigens ESAT-6 and CFP-10. *Clinical and Diagnostic Laboratory Immunology*, 7(2):155-160
- Van Pittius, N.C., Warren, R.M., vand van Helden, P.D., 2002. Esat-6 and CFP-10: What is the diagnosis? Letter to the Editor. *Infectious Immunology*, 70 (11):6509-6511
- Phunpae, P., Chanwong, S., Tayapiwatana, C., Apiratmateekul, N., Makeudom, A., and Kasinrerker, W., 2014. Rapid diagnosis of tuberculosis by identification antigen 85 in mycobacterial culture system. *Diagnostic Microbiology and Infectious Disease*, 78:242-248
- Polomino, J., and Martin, A., 2014. Drug resistance mechanism in *Mycobacterium tuberculosis*. *Antibiotics*, 3:317-340
- Reece, R.J., 2004. *Analysis of Gene and Genome*. John Wiley & Sons, Ltd. England.
- Rodrigues, B.C., Mendes, A., Neves, M.C., and Nobrega, C., 2018. Ag85-focused T-cell immune response controls *Mycobacterium avium* chronic infection. *PLoS ONE*, 13(3): e0193596. <https://doi.org/10.1371/journal.pone.0193596>
- Roy A, Eisenhut M, Harris R.J, Rodrigues L.C, Sridhar S, Habermann S *et al.* 2014. Effect of BCG vaccination against *Mycobacterium tuberculosis* infection in children: systematic review and meta-analysis. *BMJ*. 5;349:g4643
- Rozov, S.M, Popova, N.A, and Deineko, E.V. 2016. Immunity against *Mycobacterium tuberculosis*: Defense Strategies. *Biology Bulletin Review*, 6(6):483-496
- Sanchez-Rodriguez, C., Estrada-Chavez, C., Vigil-Garcia, J., Sanchez-Laredo, F., Cherem-Halabe, J., Suarez-Pareira, A., Mancilla, R., 2002. An IgG

- antibody response to the antigen 85 complex is associated with good outcome in Mexican Totonaca Indians with pulmonary tuberculosis. *International Journal Tuberculosis Lung Disease*.6(8):706-712
- Silva, V.M.C., Kanaugia, G., Genarro, M.L., and Menzies, D. 2002. Factor associated with humoral response to ESAT-6, 38 kDa and 14 kDa in patients with a spectrum of tuberculosis. *International Journal Tuberculosis Lung*. 7(5):478-484
- Siregar, S.R., 2019. Extensively drug resistant tuberculosis (XDR-TB). *Jurnal Avverous*, 5(2):26-43
- Smith, I., 2003. *Mycobacterium tuberculosis* pathogenesis and molecular determinant of virulence. *Clinical Microbiology Review*, 16(3):463-496
- Song, F., Sun, X., Wang, X., Nai, Y., and Liu, Z., 2014. Early diagnosis of tuberculosis meningitis by an indirect ELISA protocol based on the detection of the antigen ESAT-6 in cerebrospinal fluid. *Ir Journal Medical Science, Springer* 183:85–88. DOI 10.1007/s11845-013-0980-4
- Sumi, S., Radhakrishnan, V.V., 2010. Diagnostic significance of Humoral immune responses to recombinant antigens of *Mycobacterium tuberculosis* in patient with pleural tuberculosis. *Journal Clinical Laboratory Analysis*, 24:283-288
- Tebianian, M., Hoseini, A.Z., Ebrahimi, S.M., Memarnejadian, A., Mokarram, A.R., Mahdavi, M., Sohrabi, N., and Taghizadeh, M., 2011. Cloning, expression, and immunogenicity of novel fusion protein of *Mycobacterium tuberculosis* based on ESAT-6 and truncated C-terminal fragment of HSP70. *Biologicals*, 39: 143-148
- Teitelbaum, R., Glatman-Freedman, A., Chen, B., Robbins, J.B., Unanue, E., Casadevall, A., 1998. A mAb recognizing a surface antigen of *Mycobacterium tuberculosis* enhances host survival. *Proceeding. National Academy Science USA*, 95:15688–93.
- Teixeira, H., 2007. Immunological diagnosis of tuberculosis: problems and strategies for success. *Journal Brasileiro Pneumology*, 33(3):323-334
- Tripathi, D.K., Srivastava, K., Nagpal, K.L., Shukla, P.K., and Srivastava, K.K., 2019. Exploration of some new secretory proteins to be employed for companion diagnosis of *Mycobacterium tuberculosis*. *Immunology Letters*, 209:67-74.
- World Health Organization. 2013. *Global Tuberculosis Report 2018*. WHO Report. WHO/HTM/TB/2013. World Health Organization, France.
- World Health Organization. 2014. *Global TB Programme. Xpert MTB/RIF implementation manual: technical and operational 'how-to': practical considerations*. Geneva: World Health Organization.
- WHO. https://www.who.int/tb/publications/implementing_TB_diagnostics/en/, 2015 [accessed 20.08.2021]
- World Health Organization. 2018. *Global Tuberculosis Report 2018*. WHO Report. Geneva, Switzerland.
- World Health Organization. 2020. *Global Tuberculosis Report 2020*. WHO Report. Geneva, Switzerland

- Xu, J.N., Chen, J.P., Chen, D.L., 2012. Serodiagnosis efficacy and immunogenicity of the fusion protein of *Mycobacterium tuberculosis* composed of the 10-kilodalton culture filtrate protein, ESAT-6 dan extracellular domain fragment of PPE68. *Clinical and Vaccine Immunology*. 19(4): 536-544
- Yuk, J.M., and Jo, E.K., 2014. Host immune response to mycobacterial antigens and their implication for the development of a vaccine to control tuberculosis. *Clinical and Experimental Vaccine Research*. 3(2),55-167
- Zhang, C., Song, X., Zhao, Y., Zhang, H., Zhao, S., Mao, F., Bai, B., Wu, S., and Shi, C., 2015. *Mycobacterium tuberculosis* secreted proteins as potential biomarkers for the diagnosis of active tuberculosis and latent tuberculosis infection. *Journal of Clinical Laboratory Analysis*, 29:375-382
- . Zvi, A., Naomi, A., John, F., Jerald, C.S., and Avigdor, S., 2008. Whole genome identification of *Mycobacterium tuberculosis* vaccine candidates by comprehensive data mining bioinformatics analysis. *BMC Medical Genomics*, 2-18