

DAFTAR PUSTAKA

- Amri, K., D. Manurung, J.L. Gaol, & M.S. Baskoro. 2013. Karakteristik suhu permukaan laut dan kejadian upwelling fase *Indian Ocean Dipole mode positif* di barat Sumatera dan selatan Jawa Barat. *Jurnal Segara*. 9(1): 23-35.
- Amri, K., A. Priatna dan Suprpto. 2014. Karakteristik oseanografi kelimpahan fitoplankton di perairan Selatan Sunda pada Musim Timur. *Bawal*. 6(1):11-20.
- Andrade, H.A., & C.A. Garcia. 1999. Skipjack tuna fishery in relation to sea surface temperature off the southern Brazilian coast. *Fish Oceanogr*. 8: 245-254.
- Austin, M.P. 1987. Models for the analysis of species response to environmental gradients. *Vegetatio*. 69: 35-45.
- Arrizabalaga, H., F. Dufour, L. Kell, G. Merino, L. Ibaibarriaga, G. Chust, X. Irigoien, J. Santiago, H. Murua, I. Fraile, M. Chifflet, N. Goikoetxea, Y. Sagarminaga, O. Aumont, L. Bopp, M. Herrera, J.M. Fromentin, and S. Bonhommeau,. 2015. Global habitat preferences of commercially valuable tuna. *Deep Sea Research II*. 112:102-112. DOI:<http://dx.doi.org/10.1016/j.dsr2.2014.07.001>
- Arrizabalaga, S. & Z. Li,. 2018. Factors influencing the assessment of albacore tuna resources in the Indian Ocean. *Ccamlr Science*. 25: 107-120.
- Barata, A., D. Novianto & A. Bahtiar. 2011. The distribution of tunas based on temperature and depth in Indian Ocean. *Indonesian Marine Science Journal*. 16(3):165-170.
- Bahtiar, A., A. Barata, & D. Novianto. 2013. Sebaran laju pancing rawai tuna di Samudea Hindia. *J. Lit. Perikan. Ind*. 19(4): 195-202. DOI: <http://dx.doi.org/10.15578/jppi.19.4.2013.195-202>
- Collette, B.B. and C.E. Nauen, 1983. *FAO Species Catalogue. Vol. 2. Scombrids of the world. An annotated and illustrated catalogue of tunas, mackerels, bonitos and related species known to date.* Rome: FAO. FAO Fish. Synop. 125(2):137 p.
- Chang, Y.J., C.L. Sun, Y. Chen, S.Z. Yeh, and G. Dinardo. 2012. Habitat suitability analysis and identification of potential fishing grounds for swordfish, *Xiphias gladius*, in the south Atlantic Ocean. *Inter. J. Remote Sensing*. 33:7523–7541. <http://dx.doi.org/10.1080/01431161.2012.685980>.
- Chen, I.C., P.F. Lee, & W.N. Tzeng. 2005. Distribution of albacore (*Thunnus alalunga*) in the Indian Ocean and its relation to environmental factors. *Fisheries Oceanography*. 14(1), 71-80.
- Chen, X., G. Li, B. Feng, & S. Tian. 2009. Habitat suitability index of Chub mackerel (*Scomber japonicus*) from July to September in the East China Sea. *Journal of Oceanography*, 65(1): 93–102. DOI: 10.1007/s10872-009-0009-9
- Davis, T.L.O., & R. Andamari. 2003. Analysis of 2001 dinas export packing list data by species, product and destination. *CCSBT Indonesian Catch Monitoring Review*, Queenstown, NewZealand, 1011April 2003. CCSBT-ICM/0304/7.

- Dipo, P., I.W. Nurjaya, & F. Syamsudin. 2011. Karakteristik oseanografi fisik di perairan Samudra Hindia timur pada saat fenomena Indian Ocean Dipole (IOD) fase positif tahun 1994/1995, 1997/1998, dan 2006/2007. *Jurnal Ilmu dan Teknologi Kelautan Tropis*. 3(2): 71-84.
- Dufour, F., H. Arrizabalaga, X. Irigoien, and J. Santiago. 2010. Climate impacts on albacore and bluefin tuna migration phenology and spatial distribution. *Progress In Oceanography*. 86(1-2): 283-290. DOI: 10.1016/j.pocean.2010.04.007
- Farley, J.H., A.J. Williams, S.D. Hoyle, C.R. Davies, & S.J. Nicol. 2013. Reproductive dynamics and potential annual fecundity of south Pacific albacore tuna (*Thunnus alalunga*). *PLoS ONE*. 8(4): e60577. DOI: 10.1371/journal.pone.0060577
- Froese, R. and D. Pauly. Editors. (2020). FishBase. *Thunnus alalunga* (Bonnaterre, 1788). Accessed through: IT IS Report at: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=172419#null on 2020-09-21
- Fukuda, S., B.D. Baets, W. Waegeman, J. Verwaeren, & A.M. Mouton. 2013. Habitat prediction and knowledge extraction for spawning European grayling (*Thymallus thymallus* L.) using a broad range of species distribution models. *Environ. Model. Softw.* 47:1-6. DOI:<http://dx.doi.org/10.1016/j.envsoft.2013.04.005>.
- Gaol, J.L., dan B. Sadhotomo. 2007. Karakteristik dan variabilitas parameter-parameter oseanografi Laut Jawa hubungannya dengan distribusi hasil tangkapan ikan. *J. Lit. Perikan. Ind.* 13(3): 201-211. DOI: <http://dx.doi.org/10.15578/jppi.13.3.2007.201-211>
- Giannoulaki, M., M. Pyrounaki, B. Liorzou, L. Leonori, V.D. Valavanis, K. Tsagarakis, J.L. Bigot, D. Roos, A.D. Felice, F. Campanella, S. Somarakis, E. Arneri, and A. Machias. 2011. Habitat suitability modelling for sardine juveniles (*Sardina pilchardus*) in the Mediterranean Sea. *Fisheries Ocean.* 20:367-382. <http://dx.doi.org/10.1111/j.13652419.2011.00590>.
- Goñi, N., C. Didouan, H. Arrizabalaga, M. Chifflet, I. Arregui, N. Goikoetxea, & J. Santiago. 2015. Effect of oceanographic parameters on daily albacore catches in the Northeast Atlantic. *Deep Sea Research Part II: Topical Studies in Oceanography*. 113: 73-80.
- Guisan, A., & N.E. Zimmermann. 2000. Predictive habitat distribution models in ecology. *Ecological Modelling*. 135(2-3):147-186. DOI: 10.1016/S0304-3800(00)00354-9
- Guisan, A., C.T. Edwards Jr, & T. Hastie. 2002. Generalized linear and generalized additive models in studies of species distributions: setting the scene. *Ecol. Model.* 157: 89-100.
- Hastie, T.J. and R. Tibshirani. 1990. *Generalized additive models*. London Chapman Hall. London. 352 p.
- Hermawan, E., & K. Komalaningsih. 2008. Karakteristik Indian Ocean Dipole Mode di Samudera Hindia hubungannya dengan perilaku curah hujan di kawasan

Sumatera Barat berbasis analisis Mother Wavelet. *J Sains Dirgantara*. 5(2):109–129.

- IOTC. 2017. Secretariat. (2017, November 15). Executive Summary : Albacore. Zenodo. DOI:<http://doi.org/10.5281/zenodo.3263271>
- IOTC. 2019. Report of the 22nd Session of the IOTC Scientific Committee. Karachi, Pakistan, 2-6 December 2019.
- ISSF. 2020. Status of the world fisheries for tuna. Mar. 2020. ISSF Technical Report 2020-12. International Seafood Sustainability Foundation, Washington, D.C., USA.
- Lan, K.W., H. Kawamura, M.A. Lee, H.J. Lu, T. Shimada, K. Hosoda, & F. Sakaida. 2012. Relationship between albacore (*Thunnus alalunga*) fishing grounds in the Indian Ocean and the thermal environment revealed by cloud-free microwave sea surface temperature. *Fisheries research*. 113(1): 1-7.
- Lee, T., I. Fukumori, D. Minemenlis, Z. Xing, & L.L. Fu. 2002. Effects of the Indonesian throughflow on the Pacific and Indian Oceans. *Journal of Physical Oceanography*. 32(5): 1404-1429. DOI:[https://doi.org/10.1175/1520-0485\(2002\)032%3C1404:EOTITO%3E2.0.CO;2](https://doi.org/10.1175/1520-0485(2002)032%3C1404:EOTITO%3E2.0.CO;2)
- Lee, M.A., A.H. Vayghan, D.C. Liu, & W.W. Yang. 2017. Potential and prospective seasonal distribution of hotspot habitat of albacore tuna (*Thunnus alalunga*) in the south Indian Ocean using the satellite data. In *Proceedings of the 2017 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*, FortWorth, TX, USA, 23–28 July 2017, 5747–5750.
- Lezama-Ochoa, A., G. Boyra, N. Goni, H. Arrizabalaga, & A. Bertrand. 2010. Investigating relationships between albacore tuna (*Thunnus alalunga*) CPUE and prey distribution in the Bay of Biscay. *Progress in Oceanography*. 86:105-114. DOI: 10.1016/j.pocean.2010. 04.006
- Miyake, M., P. Guillotreau, C-H. Sun, & G. Ishimura. 2010. Recent Developments in the Tuna Industry: Stocks, Fisheries, Management, Processing, Trade and Markets. *FAO Fisheries and Aquaculture Technical Paper 543*: 125p.
- Mondal, S., A.H. Vayghan, M.A. Lee, Y.C. Wang, & B. Semedi. 2021. Habitat suitability modeling for the feeding ground of immature albacore in the southern Indian Ocean using satellite-derived sea surface temperature and chlorophyll data. *Remote Sensing*. 13: 2669. DOI:<https://doi.org/10.3390/rs13142667>
- Mugo, R., S.I. Saitoh, A. Nihira, & T. Kuroyama. 2010. Habitat characteristics of skipjack tuna (*Katsuwonus pelamis*) in the Western North Pacific. *Fisheries Oceanography*. 19(5):382-396. DOI:10.1111/j.1365-2419.2010.00552.x
- Nishida, T. & M. Tanaka. 2004. General review of Indian Ocean albacore (*Thunnus alalunga*). In *Proceedings of the 1st Session of the Working Party on Temperate Tuna*. Shimizu, Japan, 2–5 August 2004: 8p.
- Nishida, T., & M. Tanaka. 2008. General reviews of Indian Ocean albacore (*Thunnus alalunga*). In *Working Party on Temperate Tuna (WPTT)*. Bangkok, Thailand, 1 November 2008. pp. 1-8.

- Novianto, D., T. Ozawa, I. W. Nuarsa. 2018. Study of albacore tuna (*Thunnus alalunga*) abundance using regional ocean modeling system (ROMS) data in Indian Ocean. *Int. J. Env. Geosci.* 2(2):76-88
- Nugraha, B. & Hufiadi. 2012. Produktivitas perikanan tuna longline di Bena. *Marine Fisheries.* 3(2):135-140. DOI: <http://journal.ipb.ac.id/index.php/jurnalikt514>
- Oktaviani, D., G. Handoyo, M. Helmi, & A. Wirasatriya. 2021. Karakteristik upwelling pada periode Indian Ocean Dipole (IOD) positif di perairan selatan Jawa Barat. *Indonesian Journal of Oceanography.* 3(4): 23-30.
- Phillips, A.J., L. Ciannelli, R. D. Brodeur, W. G. Pearcy, & J. Childers. 2014. Spatio-temporal associations of albacore CPUEs in the northeastern Pacific with regional SST and climate environmental variables. *ICES Journal of Marine Science.* 71: 1717-1727. DOI: 10.1093/icesjms/fst238
- Polovina, J.J., E. Howell, D.R. Kobayashi, & M.P. Seki. 2001. The transition zone chlorophyll front, a dynamic global feature defining migration and forage habitat for marine resources. *Progress In Oceanography,* 49(1): 469-483. DOI: 10.1016/S0079-6611(01)00036-2
- Proctor, C.H., R. Andamari, D. Retnowati, B.I. Prisantoso, F. Poisson, M. Herrera, & S. Fujiwara. (2007). The catch of SBT by the Indonesian longline fishery operating out of Bena, Bali in 2006. In CCSBT 8th Meeting of the Stock Assessment Group and 12 Meeting of the Extended Scientific Committee. Hobart, Australia, 4-8 September 2007 and 10-14 September 2007.
- Sagarminaga, Y. & H. Arrizabalaga. 2010. Spatio-temporal associations of albacore (*Thunnus alalunga*) catches in the Northwestern Atlantic: relationship with the thermal environment. *Fisheries oceanography.* 19(2): 121-134. DOI: 10.1111/j.1365-2419.2010.00532.x
- Scott, J.M., P.J. Heglund, F. Samson, J. Haufler, M. Morrison, M. Raphael, & B. Wall. 2002. *Predicting Species Occurrences: Issues of Accuracy and Scale.* Island Press, Covelo, California.
- Setiawati, M. D. 2015. Applications of Multi Sensor Satellite Data and Generalized Additive Model (GAM) for Open Ocean Tuna Habitat and Precipitation Studies. Doctoral Desertation. Yamaguchi University. Jepang.
- Setiawati, M.D., A.B. Sambah, F. Miura, T. Tanaka, & A.R. As-syakur. 2015. Characterization of bigeye tuna habitat in the Southern water of Java-Bali using remote sensing data. *Adv. Space Res.* 55:732-746. DOI:<http://dx.doi.org/10.1016/j.asr.2014.10.007>
- Setiawati, M. D., & T. Tanaka. 2017. Utilization of Scatterplot Smoothers to Understand the Environmental Preference of Bigeye Tuna in the Southern Waters off Java-Bali: Satellite Remote Sensing Approach. *Fishes.* 2(2):1-16. DOI:10.3390/fishes2010.
- Sihombing, E. G. 2021. Variabilitas suhu permukaan laut dan konsentrasi klorofil-a di Samudera Hindia bagian timur laut sebelah barat Sumatera. Skripsi. Institut Pertanian Bogor. Indonesia.

- Siregar, E.S.Y., V.P. Siregar, & S.B. Agus. 2018. Analisis daerah penangkapan ikan tuna sirip kuning *Thunnus albacares* di Perairan Sumatera Barat berdasarkan model GAM. *Jurnal Ilmu dan Teknologi Kelautan Tropis*. 10(2):501-516. DOI:<http://dx.doi.org/10.29244/jitkt.v10i2.21908>
- Store, R., & J. Jokimaki. 2003. A GIS based multi-scale approach to habitat suitability modeling. *Ecol. Model.* 169: 1–15.
- Susilo, E. dan T.A. Wibawa. 2017. Pemanfaatan data satelit oseanografi untuk memprediksi daerah penangkapan ikan lemuru berbasis rantai makanan dan pendekatan statistic GAM. *J. Kelautan Naional*. 11(2):77–87.
- Vaughan, A., M.A. Lee, J.S. Weng, S. Mondal, C.T. Lin, & Y.C. Wang. 2020. Multi Satellite-based feeding habitat suitability modeling of albacore tuna in the southern Atlantic Ocean. *Remote Sensing*. 12: 2515. DOI: 10.3390/rs12162515
- Wilson, C., J. Morales, S. Nayak, I. Asanuma, & G. Feldman. 2008. Ocean-color radiometry and fisheries. In: Platt, T., Hoepffner, N., Stuart, V., Brown, C. (Eds), *Why Ocean Color?*. Dartmouth-Canada: The societal benefits of ocean-color technology. Reports of the international ocean-color coordinating group 7. 47-58pp
- Wood, S.N. 2006. Generalized additive models: an introduction with R. *J. Statis. Soft.*, 16:1-12.
- Xu, L., & S.Q. Tian. 2011. A study of fisheries biology for albacore based on Chinese observer data. In *Proceedings of the 3rd Session of the Working Party on Temperate Tuna*. Busan, Korea, 20–22 September 2011: 3–11 pp.
- Yee, T.W., & N.D. Mitchell. 1991. Generalized additive models in plant ecology. *J. Veg. Sci.* 2:587-602.
- Yen, K.W., H.J. Lu, Y. Chang, & M.A. Lee. 2012. Using remote-sensing data to detect habitat suitability for yellowfin tuna in the western and central Pacific Ocean. *Int. J. Remote Sens.* 33:7507–7522. DOI:<http://dx.doi.org/10.1080/01431161.2012.685973>.
- Zainuddin, M., K. Saitoh, & S. Saitoh. 2008. Albacore (*Thunnus alalunga*) fishing ground in relation to oceanographic conditions in the western north pacific ocean using remotely sensed satellite data. *Fish. Oceanogr.* 17(2):61–73. DOI:<http://dx.doi.org/10.1111/j.13652419.2008.00461>.
- Zainuddin, M., A. Nelwan, S.A. Farhum, Najamuddin, M.I.H. Hajar, & M. Kurnia. 2013. Characterizing potential fishing zone of skipjack tuna during the southeast monsoon in the bone bay-flores sea using remotely sensed oceanographic data. *Int. J. Geosci.* 4:259–266. DOI:<http://dx.doi.org/10.1111/j.1365-2419.2008.00461>.
- Zainuddin, M., M.B. Selamat, A. Farhum, and S. Hidayat. 2016. Prediction of potential fishing zones for skipjack tuna during the northwest monsoon using remotely sensed satellite data. *J. Ilmu Kel.* 22(2):59–66. DOI:<http://dx.doi.org/10.14710/ik.ijms.22.2.59-66>.



Zuur, A., E. Ieno, and G. Smith. 2007. *Analysing ecological data*. Springer-Verlag. New York. 672p. DOI:<http://dx.doi.org/10.1007/978-0-38745972-1>.

Zuur, A., E. Ieno, N. Walker, A. Saveliev, and G. Smith. 2009. *Mixed effects models and extensions in ecology with R*. Springer. Springer-Verlag. New York. 574. DOI:<http://dx.doi.org/10.1007/978-0-387-87458-6>.