

DAFTAR PUSTAKA

- Aakermann, T., Skulberg, O.M., Liaaen-Jensen, S. (1992). Comparison of the Carotenoids of Strains of *Oscillatoria* and *Spirulina* (Cyanobacteria). *Biochemicals Systematics and Ecology*, Vol 20(8): 761-769.
- Abast, M. A., Koleangan, H., Pontoh, J. (2016). Analisis Asam Lemak dalam Minyak Kelapa Murni Menggunakan Derivatisasi Katalis Basa. *Jurnal Mipa Unstrat Online*, 5(1): 29-31.
- Akhilender. (2003). Vitamin C in Human Health and Disease in Still a Mustery? An Overview. Department of Biochemistry and Nutrition, Central Food Technological Research Institute. Mysore, India.
- Allen, T. C. (1992). Hematoxylin and Eosin. In: *Laboratory Methods in Histotechnology*. 9th edition. Washington DC: Armed Forces Institute of Pathology.
- Ariviani, S. (2009). Formulasi Mikroemulsi β -Karoten untuk Menghambat Kerusakan Vitamin C dalam Sistem Aqueous Akibat Fotooksidasi. [Tesis]. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Ariviani, S., Anggraini, S., Naruki, S., Raharjo, S. (2015). Characterization and Chemical Stability Evaluation of β -karoten Microemulsions Prepared by Spontaneous Emulsification Method Using VCO and Palm Oil As Oil Phase. *International Food Research Journal*, 22(6): 2432-2439.
- Ariviani, S., Raharjo, S., Anggraini, S., Naruki, S. (2015). Formulasi dan Stabilitas Mikroemulsi O/w dengan Metode Emulsifikasi spontan Menggunakan VCO dan Minyak Sawit Sebagai Fase Minyak: Pengaruh Rasio Surfaktan-Minyak. *Agritech*, Vol 35(1).
- Ariviani, S., Raharjo, S., Hastuti, P. (2011). Potensi Mikroemulsi β -karoten Dalam Menghambat Fotooksidasi Sistem Aqueous. *Jurnal Teknologi dan Industri Pangan*, XXII(1).
- Armstrong, G. A., Hearst, J. E. (1996). Carotenoids 2: Genetics and Molecular Biology of Carotenoid Pigment Biosynthesis. *The FASEB Journal*, 10(2): 228-237.
- Aulton, M. E., Diana, M. C. (1991). *Pharmaceutical Practice*. Longman Singapore publishers Ptc Ltd. Singapore.
- Becker, E. W. (1994). *Microalgae in Nutrition*. Cambridge University Press. Cambridge, UK.
- Beutner, S., Bloedorn, B., Hoffman, T., Martin, H.D. (2000). Synthetic Singlet Oxygen Quenchers, Dalam Packer L, Sies H (Eds). *Methods in Enzymology*. P 226 – 241. Academic Press. New York.
- Beutner, S., Bloedorn, B., Hoffman, T., Martin, H.D. (2002). *Methods in Enzymology*. Academic Press. New York.
- Bohm, V., Puspitasari-Nianaber, N.L., Ferruzi, M.G., Schwarts, S.J. (2002). Trolox Equivalen Antioxidant Capacity of Different Geometrical Isomer of β -carotene, α -carotene, Lycopene, and Zeaxanthin. *J. Agric. Food Chem*, 50: 221-226.

- Bos, M. A., Vliet, T. (2001). Interfacial Rheological Properties of Adsorbed Protein Layers and Surfactants: A Review. *Advanced in Colloid and Interface Science*, 91(3): 437-471.
- Britton, G., Jense, S.L., Pfander, H. (1995). *Carotenoids (IA): Isolation and Analysis*. Birkhauser Verlag. Switzerland.
- Budiardi, T., Utomo, N. B. P., Santosa, A. (2010). Pertumbuhan dan Kandungan Nutrisi *Spirulina* sp. pada Fotoperiode yang Berbeda. *Jurnal Akuakultur Indonesia*, 9(2): 146-156.
- Button, G., Liaaen-Jensen, S., and Fanden, H.P. (2008). *Carotenoids: vol 4*. Berlin: Binkhausen Inc.
- Cardenas-Toro, F. P., Alcazar-Alay, S. C., Coutinho, J. P., Godoy, H. T., Forster-Carneiro, T., Meireles, M. A. A. (2015). Pressurized Liquid Extraction and Low-pressure Solvent Extraction of Carotenoids from Pressed Palm Fiber. *Experimental and Economical Evaluation, Food and Bioproducts Processing*, 94: 90-100.
- Cho, Y.H., Kim, S., Bae, E.K., Mok, C.K., Park, J. (2008). Formulation of A Cosurfactant-free o/w Microemulsion Using Nonionic Surfactant Mixtures. *Journal of Food Science*, 73: 115-121.
- Choe E & Min, DB. (2006). Mechanisms and Factors for Edible Oil Oxidation. *CRFSFS, Vol 5*: 169 – 189.
- Christwardana M., Nur, M. M. A., Hadiyanto. (2013). *Spirulina platensis* : Potensinya Sebagai Bahan Pangan Fungsional. *Jurnal Aplikasi Teknologi Pangan*, 2(1).
- Del Campo, A. J., García-González, M., Guerrero, M. G. (2007). Outdoor Cultivation of Microalgae for Carotenoid Production: Current State and Perspectives. *Applied Microbiology and Biotechnology*, 74(6): 1163-1174.
- DeRosa, M.C. & Crutchley, R.J. (2002). Photosensitized singlet oxygen and its applications. *Coordination Chemistry Reviews*. 234(1): 351-371.
- Desai, J. D., Banat, I. M. (1997). Microbial Production of Surfactants and Their Commercial Potential. *Microbiology and Molecular Reviews*, 61(1): 47-64.
- Dungan, S. R. (1997). *Microemulsions in Food: Properties and Applications*. Marcel Dekker Inc. New York.
- Dutta. D., Chaudhuri, U., Chakraborty, R. (2005). Structure, Health Benefits, Antioxidant Property and Processing and Storage of Carotenoids. *African Journal of Biotechnology*, 4(13): 1510-1520.
- Estrada, J. E. P., Besco's, B. P., Fresno, A. M. V. D. (2001). Antioxidant Activity of Different Fractions of *Spirulina platensis* Protean Extract. *II Farmaco*, 56: 497-500.
- Fiyani, A., Saridewi, N., Suryaningsih, S. (2020). Analisis Konsep Kimia Terkait dengan Pembuatan Surfaktan dari Ampas Tebu. *Jurnal Riset Pendidikan Kimia*, 10(2).
- Flanagan, J & Singh, H. (2006). Microemulsions: A Potential Delivery System for Bioactive in Food. *Journal of Critical Reviews on Food Science and Nutrition*, 4: 221-237.

- Frete, H. De., Susanto, A.B., Prasetya, B., Limantara, L. (2012). Karotenoid dari Makroalgae dan Mikroalgae: Potensi Kesehatan Aplikasi dan Bioteknologi. *Jurnal Teknologi dan Industri Pangan*, XXIII(2).
- Gaonkar, A. G., Bagwe, R. P. (2003). Microemulsions in Foods: Challenges and Applications. *Surfactant Science Series*, 109: 407-430.
- Garti, N. (2002). *Food Emulsifiers Physical Properties of Lipids*. CRC Press.
- Ghaeni, M., Roomiani, L., Moradi, L. (2014). Evaluation of Carotenoids and Chlorophyll as Natural Resources for Food in *Spirulina* Microalgae. *Applied Food Biotechnology*, 1(2): 39-44.
- Gross, J. (1991). *Pigment in Vegetables (Chlorophylls and Carotenoids)*. Van Nostrand Reinhold. New York.
- Hariyadi, P. (2014). *Mengenal Minyak Sawit dengan Beberapa Karakter Unggulnya*. GAPKI. Jakarta Pusat.
- Harold McGee. (2004). *On Food and Cooking: The Science and Love of the Kitchen*. Scribner Edition.
- Henrikson, R. (1989). *Earth Food Spirulina*. Ronorc Enterprises, Inc. San Rafael, California, USA.
- Henry, J., Fryer, P., Frith, W., Norton, I. (2009). Emulsification Mechanism and Storage Instabilities of Hydrocarbon-in-water Sub-micron Emulsions Stabilised with Tweens (20 and 80), brij 96v and Sucrose Monoesters. *Journal of Colloid and Interface Science*, 338(1): 201-206.
- Hiemenz, P.C & Rejogopalan, R. (1997). *Principles of Colloid and Surface Science*, 3rd Edition. Dekker. New York.
- Hoeller, S., Sperger, A., Valenta, C. (2009). Lecithin Based Nanoemulsions : A Comparative Study of the Influence of Non-ionic Surfactants and the Cationic Phytosphingosine on Physicochemical Behaviour and Skin Permeation. *International Journal of Pharmaceutics*, 370(1-2): 181-186.
- Hosikian, A., Lim, S., Halim, R., Danquah, M. K. (2010). Chlorophyll Extraction from Microalgae: A Review on the Process Engineering Aspects. *International Journal of Chemical Engineering*.
- Hunter, D. C., Greenwood, J., Zhang, J., & Skinner, M. A. (2011). Antioxidant and 'natural protective' properties of kiwifruit. *Current Topics in Medicinal Chemistry*, 11, 1811–1820.
- Jung, M. Y., Kim, S. K., Kim, S. Y. (1995). Riboflavin Sensitized Photodynamic UV Spectrometry for Ascorbic Acid Assay in beverages. *Food Chemistry*, 53: 397-403.
- Kabede, E., Ahlgren, G. (1996). Optimum Growth Conditions and Light Utilization Efficiency of *Spirulina platensis* (*Arthrospira fusiformis*) from Lake Chitu, Ethiopia. *Hydrobiol*, 322: 99-109.
- Kabinawa, K. (2006). *Spirulina Ganggang Penggempur Aneka Penyakit*. Agromedia Pustaka. Jakarta.

- Kachick, F. (1997). Distribution of Carotenoids in Foods. *Journal Agric. Food Chem* : 1-14.
- Kale, S. N., Deore, S. L. (2017). Emulsion Micro Emulsion and Nano Emulsion: A Review. *Systematic Reviews in Pharmacy*, 39-47.
- Karadag, A., B. Ozcelik, & S. Saner. (2009). Review of Methods to Determine Antioxidant Capacities. *Food Analytical Methods*. Vol. 2:41-60.
- Khor, Y. P., Koh, S. P., Long, K., Long, S., Ahmad, S. Z. S., Tan, C. P. (2014). A Comparative Study of the Physicochemical Properties of A Virgin Coconut Oil Emulsion and Commercial Food Supplement Emulsions. *Molecules* 19(7): 9187-9202.
- Kim, O. S. (2005). Radical Scavenging Capacity and Antioxidant Activity of the E Vitamer Fraction in Rice Bran. *Journal of Food Science*, 70(3).
- Kline, M. A., Duncan, S. E., Bianchi, L. M., Eigel, W. N., III., O'Keefe, S. F. (2011). Light Wavelength Effects on a Lutein-Fortified Model Colloidal Beverage. *Journal of Agricultural and Food Chemistry*, 59: 7203-7210.
- Kumara, Ajar Tungga. (2011). Mikroemulsi Minyak Ikan dan β -karoten untuk Menghambat Fotooksidasi Vitamin C pada Model Minuman Sari Buah Apel. [Tesis]. Universitas Gadjah Mada.
- Kusmiati., Agustini, N. W. S., Tamat, S. R., Irawati, M. (2010). Ekstraksi dan Purifikasi Senyawa Lutein dari Mikroalga *Pyrenoidosa Galur Lokal* Ink. *Jurnal Kimia Indonesia*, 5: 3-34.
- Kusumaningrum, H.P & Zainuri, M. (2013). Aplikasi Pakan Alami Kaya Karotenoid untuk Post Larvae *Penaeus monodon* Fab. *Ilmu Kelautan*, Vol 18(3):143-149.
- Lawrence, M. J., Rees, G. D.(2000). Microemulsion-based As Novel Drug Delivery Systems. *Advanced Drug Delivery Reviews*, 45(1): 89-121.
- Lee, J. H. 2002. Photooxidation and Photosensitized Oxidation of Linoleic Acid, Milk, and Lard. Dissertation. The Ohio State University, Columbus, Ohio, USA.
- Lee, E. C & Min, D.B. (1988). Quenching Mechanism of β -carotene on the Chlorophyll Sensitized Photooxidation of Soybean Oil. *Journal Food Science*. Vol 53(6): 1894-1895.
- Li, Tsung-Lin., Joan, M. King., David, B. Min. (2000). Quenching Mechanisms and Kinetics of Carotenoids in Riboflavin Photosensitized Singlet Oxygen Oxidation of Vitamin D2, 24(6): 477-492.
- Lin, C. C., Lin, H. Y., Chen, H. C., Yu, M. W., Lee, M. H. (2009). Stability and Characterisation of Phospholipid based Curcumin-encapsulated Microemulsions. *Food Chemistry*, 116: 923-928.
- Lindahi, D., Liu, J., Khan, S., Karlsson, E. N., Turner, C. (2013). An On-line Method for Pressurized Hot Water Extraction and Enzymatic Hydrolysis of Quercetin Glucosides from Onions. *Analytica Chimica Acta*, 785: 50-59.
- Lu, G. W., Gao, P. (2010). Chapter 3 : Emulsions and Microemulsions for Topical and Transdermal Drug Delivery. *Handbook of Non-Invasive Drug Delivery Systems*. Elsevier Inc.

- Luengo, E., Alvarez, I., Rasi, J. (2014). Improving Carotenoid Extraction from Tomato Waste by Pulsed Electric Fields. *Front Nutr*, 1(12).
- Mahdi, J. (2006). Uji Stabilitas Sediaan Mikroemulsi Menggunakan Hidrolisat Pati (DE 35±40) Sebagai Stabilizer. FMIPA UI, Jakarta.
- Maleta, H. S., Indrawati, R., Limantara, L., Brotosudarmo, T. H. P. (2018). Ragam Metode Ekstraksi Karotenoid dari Sumber Tumbuhan dalam Dekade Terakhir (Telaah Literatud). *Jurnal Rekayasa Kimia dan Lingkungan*, Vol 13(1): 40-50.
- Manasika, Arina & Widjanarko, SB. (2015). Ekstraksi Pigmen Karotenoid Labu Kabocha Menggunakan Metode Ultrasonik (Kajian Rasio Bahan : Pelarut dan Lama Ekstraksi). *Jurnal Pangan dan Agroindustri*, Vol 3(3): 928-938.
- May, C. Y. (1994). Palm Oil Carotenoids. *Food and Nutrition Bulletin*, 15(2): 130-136.
- McClements, D. J. 2005. *Food Emulsions: Principles, Practices, and Techniques*. CRC Press, Boca Raton, FL.
- McClements, D.J., & Decker, E.A. (2000). Lipid oxidation in Oil in Water Emulsion : Impact of Molecular Environment on Chemical Reaction in Heterogeneous Food System. *Journal of Food Science* 65 : 1270-1282.
- McClements, D. J., Rao, J. Food Grade Nanoemulsions: Formulation, Fabrication, Properties, Performance, Biological Fate, and Potential Toxicity. *Critical Reviews in Food Science and Nutrition*, 51(4): 285-330.
- Mendoza, Jason., *et al.* (2007). Dietary Energy Density Is Associated With Obesity and the Metabolic Syndrome in U.S. Adults. *Diabetes Care*, Vol. 30(4): 974-979.
- Min, D.B. & Boff, J.M. (2002). Chemistry and reaction of oxygen singlet in food. *Food Science and Food Safety*. 1(1): 58-72.
- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*. 24 (6).
- Moslavac, T., Jokic, S., Subaric, D., Aladi, K., Vukajo, J., Prce, N. (2014). Pressing and Supercritical CO₂ Extraction of *Camelina Sativa* Oil. *Industrial Crops and Products*, Vol 54: 122-129.
- Mukhriani. Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan*. Vol VII(2).
- Ndiha, B. B. A., Limantara, L. (2009). Karotenoid pada Bahan Makanan. *Prosiding Seminar Nasional Biologi, Lingkungan dan Pembelajarannya*. Jurdik Biologi. FMIPA Universitas Negeri Yogyakarta. p. 75-84.
- Nevin, K. G., Rajamohan, T. (2004). Beneficial Effects of Virgin Coconut Oil on Lipid Parameters and in Vivo LDL Oxidation. *Clinical Biochemistry*, 37: 830-835.
- Nishiyama, I., Yamashita, Y., Yamanaka, M., Shimohashi, A., Fukuda, T., & Oota, T. (2004). Varietal difference in vitamin C content in the fruit of kiwifruit and other actinidia species. *Journal of Agricultural and Food Chemistry*, 52, 5472–5475.

- Nur, M.M Azimatun.(2014). Potensi Mikroalga Sebagai Sumber Pangan Fungsional di Indonesia (Overview). *Eksergi*, XI(2): 1-6.
- Pahlevi, Y. W., Estiasih, T., Saprianti, E. (2008). Mikroenkapsulasi Ekstrak Karoten dari Spora Kapang Oncom Merah (*Neurospora sp*) dengan Bahan Penyalut Berbasis Protein Menggunakan Metode Pengeringan Semprot. *Jurnal Teknologi Pertanian*, 9(1): 31-39.
- Paiva, S. A. R. & Russel, R. M. (1999). β – Carotene and Other Carotenoids as Antioxidants. *Journal of the American College of Nutrition*.
- Pamungkas, W. A & ., Kurniady, Y. E. (2010). Optimasi Proses Ekstraksi Pigmen Karotenoid dari *Spirulina Platensis*. Jurusan Teknik Kimia, Fakultas Teknik, Universitas Diponegoro.
- Patel, M. R., Patel, R. B., Parikh, J. R., Bhatt, K. K., Kundawala, A. J. (2007). Microemulsion : AS Novel Drug Delivery Vehicle. *Lates Rev*, 5(6).
- Permana., Manyun, I. D. G., Suhendra, L. (2015). Optimasi Konsentrasi VCO dalam Mikroemulsi O/W dengan Tiga Surfaktan Sebagai Pembawa Senyawa Bioaktif. *Media Ilmiah Teknologi Pangan*, 2(2): 106-114.
- Pichot, R., Spyropoulos, F., Norton, I. T. (2010). O/W Emulsions Stabilised by Both Low Molecular Weight Surfactants and Colloidal Particles : The Effect of Surfactant Type and Concentration. *Jouenal of Colloidal Interface Science*, 352(1) : 128-135.
- Piorkowski, D. T., McClements, D. J. (2014). Beverage Emulsions: Recent Developments in Formulation, Production, and Applications. *Food Hydrocolloids*, 42: 5-41.
- Plaza, M., Santoyo, S., Jaime, L., Reina, G. B., Herrero, M., Senoráns, F. J., Ibáñez, E. (2010). Screening for Bioactive Compounds from Algae. *Journal of Pharmaceutical and Biomedical Analysis*, 51(2): 450-455.
- Pokorny, J., Yanishlieva, N., Gordon, M. (2001). *Antioxidant in Food*. CRC Press. Boca Raton Boston New York, Washington, DC.
- Pomeranz, Yeshajahu., Meloan, Clifftin E. (1995). *Food Analysis Theory and Practice*. The British Journal of Psychiatry, Vol. 12.
- PORIM. (1995). *PORIM Test Methods*. Palm Oil Research Institute of Malaysia, Kuala Lumpur.
- Puri, M., Sharma, D., Barrow, C. J. (2012). Enzyme-assisted Extraction of Bioactives from Plants, *Cell Press*. 3: 37-44.
- Putra, A. A. B., Bogoriani, N. W., Diantariani, N. P., Sumadewi, N. L. U. (2014). Ekstraksi Zat Warna Alam dari Bonggol Tanaman Pisang (*Musa paradisiaca* L.) dengan Metode Maserasi, Refluks, dan Sokletasi. *Jurnal Kimia*, 8:113-119.
- Qian, C., Decker, E. D., Xiao, H., McClements, D. J. 2012. Physical and Chemical Stability of Beta Carotene-enriched Nanoemulsions: Influence of pH, Ionic Strength, Temperature and Emulsifier Type. *Food Chemistry*, 132: 1221-1229.

- Raso-Pueyo, J., Heinz, V. (2010). Pulsed Electric Fields Technology for the Food Industry: Fundamentals and Applications. Springer Science & Business Media. New York.
- Ridlo, A., Sedjati, S., Supriyantini, E. (2015). Aktivitas Anti Oksidan Fikosianin dari *Spirulina* sp. Menggunakan Metode Transfer Elektron dengan DPPH (1,1-difenil-2-pikrilhidrazil). *Jurnal Kelautan Tropis*, 18(2): 56-63.
- Rieger, M. M. 1996. Surfactants, in Lieberman, H. A., Rieger, M. M., Banker, G. S (eds), *Pharmaceutical Dosage Forms : Disperse System*, Vol. 1 : 226-227, Marcel dekker, Inc. New York.
- Rowe. R.C., Shesley, P. J., Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients*. 6th Edition. Pharmaceutical Press. USA.
- Sedjati, S., Yudiati, E., Suryono. (2012). Profil Pigmen Polar dan Non Polar Mikroalga Laut *Spirulina* sp. dan Potensinya Sebagai Pewarna Alami. *Ilmu Kelautan*, 17(3): 176-181.
- Setiaji, B., Prayugo, S. (2006). *Membuat VCO Berkualitas Tinggi*. Penebar Swadaya. Jakarta.
- Shalviri, A., Sharma, A., Patel, D., Sayani, A. (2011). Low Surfactant Microemulsions for Enhanced Topical Delivery of Poorly Soluble Drugs. *Journal of Pharmacy & Pharmaceutical Sciences*, 14(3): 315-324.
- Shi , J & Maguer M.L. (2000). Lycopene in Tomatoes: Chemical and Physical Properties Affected by Food Processing. *Crit Rev Food Sci Nutr*, 40:1.
- Singh, J. S, Kumar, A., Rai, A, N., Singh, D.P. (2016). A Precious Bio-resources in Agriculture, Ecosystem, and Environmental Sustainability. *Frontiers in Microbiology*, 7: 529.
- Sirshendu, D., Sourav, M. (2012). *Surfactants Micellar Enhanced Ultrafiltration*. CRC Press pp. 49-80.
- Suhendra, L., Raharjo, S., Hastuti, P., Hidayat, C. (2010). Singlet Oxygen Quenching Kinetics and Mechanism of Fucoxanthin on Photo-sensitized Oxidation of Linoleic Acid. *Proceeding International Seminar Emerging Issues and Technology Developments in Food and Ingredients*. September 29th-30th, 2010. Jakarta.
- Suhendra, L., Raharjo, S., Hastuti, P., Hidayat, C. (2012). Formulasi dan Stabilitas Mikroemulsi O/W Sebagai Pembawa Fucoxanthin. *Agritech*, 32(3).
- Suhendra, L., Raharjo, S., Hastuti, P., Hidayat, C. (2014). Stabilitas Mikroemulsi Fucoxanthin dan Efektifitasnya dalam Menghambat Foto Oksidasi Vitamin C pada Model Minuman. *Agritech*, 34(2).
- Sweetman, S. C. (2009). *Martindale The Complete Drug Reference*, 36th Edition. Pharmaceutical Press. New York.
- Tadros, w. T. (2005). *Applied Surfactants: Principle and Applications*. Wiley-VCH Verlag GmbH and Co. KgaA, Weinheim.
- Telang, P. S. (2013). Vitamin C in Dermatology. *Indian Dermatology Online Journal*, 4(2): 143-146.

- Thurnham, D. I., Bender, D. A., Scott, J., Halsted, C. H. (2000). Water Soluble Vitamins. Human Nutrition and Dietetics. Harcourt Publishers Limited, United Kingdom.
- Tokusoglu, O & Ünal, M. K. (2003). Biomass Nutrient Profiles of Three Microalgae: *Spirulina platensis*, *Chlorella vulgaris*, *Isochrysis galbana*. Journal of Food Science, Vol 68(4): 1144-1148.
- Vílchez, C., Forján, E., Cuaresma, M., Bédmar, F., Garbayo, I., Vega, J. M. (2011). Marine Carotenoids: Biological Functions and Commercial Applications. Marine Drugs, 9(3): 319-333.
- Viljaneen, K., Sundberg, S., Ohshima, T., Heinonen, M. (2002). Carotenoids as Antioxidants to Prevent Photooxidation, Vol 104(6): 353-359.
- Voight, R. (1994). Buku Pelajaran Teknologi Farmasi. UGM Press. Yogyakarta, p. 399-443.
- Wade, L. G. (2003). Organic Chemistry. Upper Saddle River: Pearson Education.
- Wang, Y. (2014). Preparation of Nano- and Microemulsions Using Phase Inversion and Emulsion Titration Methods. Auckland. Massey University.
- Wardani, I. E. (2007). Uji Kualitas VCO Berdasarkan Cara Pembuatan dari Proses Pengadukan Tanpa Pemancingan dan Proses Pengadukan dengan Pemancingan . [Skripsi]. Fakultas Teknologi Pertanian, Bogor.
- Whiddon, C., Bunton, C., and Soderman, O. (2003). Titration of Fatty Acid in Sugar-Derived (APG) Surfactant: A13 C NMR Study of the Effect of Headgroup Size, Chain Length, and Concentration on Fatty Acid pKa at a Nonionic Micellar Interface. Journal of Physical Chemistry. 107: 1001-1005.
- Wijngaard, H., Hossain, M. B., Rai, D. K., Brunton, N. (2012). Techniques to Extract Bioactive Compounds from Food By-Products of Plants Origin. Food Research International, 46: 505-513.
- Xu, D., Wang, X., Jiang, J., Yuan, F., Decker, E. A., Gao, Y. (2013). Influence of pH, EDTA, α -tocopherol, and WPI Oxidation on the Degradation of β -carotene in WPI-stabilized Oil-in-water Sodium Caseinate Emulsions. Food Hydrocolloids, 35:19-27.
- Yuwanti, S., Raharjo, S., Hastuti, P., Supriyadi. (2011). Inhibition of Riboflavin Photosensitized Off Flavor in Milk Products with O/W Microemulsion Containing astaxanthin and α -tocopherol. International Food Research Journal, 18(4): 1375-1379.
- Zhang, H., Shen, Y., Bao, Y., He, Y., Feng, F. dan Zheng, X. (2008). Characterization and synergistic antimicrobial activities of food-grade dilution-stable microemulsions against *Bacillus subtilis*. *Food Research International* 41: 495-499.
- Zhao, W., Yu, Z., Liu, J., Yu, Y., Yin, Y., Lin, S., Chen, F. (2010). Optimized Extraction of Polysaccharides from Corn Silk by Pulsed Electric Field and Response Surface Quadratic Design, *J Sci Food Agric*, 91: 2201-2209.