



DAFTAR PUSTAKA

- Abdallah, R. and Taha, S., 2012, Biosorption of methylene blue from aqueous solution by nonviable *Aspergillus fumigatus*, *Chem. Eng. J.*, 195–196, 69–76.
- Ali, I., Wani, W.A., Haque, A., and Saleem, K., 2013, Glutamic acid and its derivatives: Candidates for rational design of anticancer drugs, *Future Med. Chem.*, 5, 961–978.
- Allouss, D., Essamlali, Y., Amadine, O., Chakir, A., and Zahouily, M., 2019, Response surface methodology for optimization of methylene blue adsorption onto carboxymethyl cellulose-based hydrogel beads: Adsorption kinetics, isotherm, thermodynamics and reusability studies, *RSC Adv.*, 9, 37858–37869.
- Aoki, P.H.B., Volpati, D., Caetano, W., and Constantino, C.J.L., 2010, Study of the interaction between cardiolipin bilayers and methylene blue in polymer-based Layer-by-Layer and Langmuir films applied as membrane mimetic systems., In, *Vibrational Spectroscopy*. Elsevier, pp. 93–102.
- Ariyani, D., Cahaya, N., and Mujiyanti, D.R., 2018, Pengaruh pH dan Waktu Kontak Terhadap Adsorpsi Logam Zn(II) pada Komposit Arang Eceng Gondok Termodifikasi Kitosan-Epiklorohidrin, *J. Kim. Val.*, 4, 85–92.
- Awasthi, M.K., Azelee, N.I.W., Ramli, A.N.M., Rashid, S.A., Manas, N.H.A., Dailin, D.J., Illias, R.M., Rajagopal, R., Chang, S.W., Zhang, Z., and Ravindran, B., 2022, Microbial biotechnology approaches for conversion of pineapple waste in to emerging source of healthy food for sustainable environment, *Int. J. Food Microbiol.*, 373, 109714.
- Barkade, S.S., Bansod, P.G., Doss, V.R., and Mardikar, S.P., 2020, Development of Poly(aspartic-co-glutamic acid) Green Antiscalant for Calcium Carbonate Scale Inhibition, *Adv. Sci. Eng. Med.*, 12, 198–206.
- Barman, D.N., Haque, M.A., Hossain, M.M., Paul, S.K., and Yun, H.D., 2020, Deconstruction of Pine Wood (*Pinus sylvestris*) Recalcitrant Structure Using Alkali Treatment for Enhancing Enzymatic Saccharification Evaluated by Congo Red, *Waste and Biomass Valorization*, 11, 1755–1764.
- Bolio-López, G.I., Ross-Alcudia, R.E., Veleza, L., Azamar, J.A.B., Madrigal, G.C., Hernández-Villegas, M.M., Burelo, P. de la C., and Córdova, S.S., 2016, Extraction and Characterization of Cellulose from Agroindustrial Waste of Pineapple (*Ananas comosus* L. Merrill) Crowns, *Chem. Sci. Rev. Lett.*, 5, 198–204.
- Boonwong, T., Karnnasuta, S., and Srinorakutara, T., 2014, Agricultural wastes potential (pineapple crown , durian peel and sugarcane leaves) on reducing sugar production by using sulfuric acid pretreatment following enzymatic hydrolysis ., *KKU Res. J.*, 19, 361–370.
- Bouhdadi, R., Benhadi, S., Molina, S., George, B., El Moussaouiti, M., and Merlin, A., 2011, Chemical modification of cellulose by acylation: Application to adsorption of Methylene blue, *Maderas Cienc. y Tecnol.*, 13, 105–116.
- Budnyak, T.M., Aminzadeh, S., Pylypchuk, I. V., Sternik, D., Tertykh, V.A., Lindström, M.E., and Sevastyanova, O., 2018, Methylene Blue dye sorption by hybrid materials from technical lignins, *J. Environ. Chem. Eng.*, 6, 4997–5007.



- Budnyak, T.M., Vlasova, N.N., Golovkova, L.P., Slabon, A., and Tertykh, V.A., 2019, Bile acids adsorption by chitoan-fumed silica enterosorbent, *Colloids Interface Sci. Commun.*, 32, 100194.
- Daneshvar, E., Vazirzadeh, A., Niazi, A., Kousha, M., Naushad, M., and Bhatnagar, A., 2017, Desorption of Methylene blue dye from brown macroalga: Effects of operating parameters, isotherm study and kinetic modeling, *J. Clean. Prod.*, 152, 443–453.
- Daochalermwong, A., Chanka, N., Songsrirote, K., Dittanet, P., Niamnuy, C., and Seubsai, A., 2020, Removal of Heavy Metal Ions Using Modified Celluloses Prepared from Pineapple Leaf Fiber, *ACS Omega*, 5, 5285–5296.
- Dev, V. V., Nair, K.K., Baburaj, G., and Krishnan, K.A., 2022, Pushing the boundaries of heavy metal adsorption: A commentary on strategies to improve adsorption efficiency and modulate process mechanisms, *Colloid Interface Sci. Commun.*, 49, 100626.
- El-Bohy, M.N., Abdel-Monem, Y.K., Rabie, K.A., Farag, N.M., Mahfouz, M.G., Galhoum, A.A., and Guibal, E., 2017, Grafting of arginine and glutamic acid onto cellulose for enhanced uranyl sorption, *Cellulose*, 24, 1427–1443.
- El, G.A., Abd-elhamid, A.I., Farahat, O.O.M., El-bardan, A.A., Soliman, H.M.A., and Nayl, A.A., 2022, Adsorption of crystal violet and methylene blue dyes using a cellulose-based adsorbent from sugercane bagasse : characterization , kinetic and isotherm studies, *J. Mater. Res. Technol.*, 19, 3241–3254.
- Eskizeybek, V., Sari, F., Gülce, H., Gülce, A., and Avci, A., 2012, Preparation of the new polyaniline/ZnO nanocomposite and its photocatalytic activity for degradation of methylene blue and malachite green dyes under UV and natural sun lights irradiations, *Appl. Catal. B Environ.*, 119–120, 197–206.
- Fayoud, N., Tahiri, S., Alami Younssi, S., Albizane, A., Gallart-Mateu, D., Cervera, M.L., and de la Guardia, M., 2016, Kinetic, isotherm and thermodynamic studies of the adsorption of methylene blue dye onto agro-based cellulosic materials, *Desalin. Water Treat.*, 57, 16611–16625.
- Foo, K.Y. and Hameed, B.H., 2010, Insights into the modeling of adsorption isotherm systems, *Chem. Eng. J.*, 156, 2–10.
- Gago, D., Chagas, R., Ferreira, M., Velizarov, S., and Coelho, I., 2020, membranes A Novel Cellulose-Based Polymer for Efficient Removal of Methylene Blue, 1–17.
- Gidwani, B. and Vyas, A., 2014, Synthesis, characterization and application of Epichlorohydrin- β -cyclodextrin polymer, *Colloids Surfaces B Biointerfaces*, 114, 130–137.
- GRABI, H., OUKOUAK, A., KADOUACHE, S., LEMLIKCHI, W., DERRIDJ, F., and DIN, A.T.M., 2022, Mechanism and Adsorptive Performance of Ash Tree Seeds as a Novel Biosorbent for the Elimination of Methylene Blue Dye from Water Media, *Surfaces and Interfaces*, 30, 101947.
- Gurung, M., Adhikari, B.B., Gao, X., Alam, S., and Inoue, K., 2014, Sustainability in the metallurgical industry: Chemically modified cellulose for selective biosorption of gold from mixtures of base metals in chloride media, *Ind. Eng. Chem. Res.*, 53, 8565–8576.
- Hasanah, A.N., Elyani, I., Sriwidodo, Muchtaridi, Muhtadi, A., and Musfiroh, I.,



- 2015, Epichlorohydrin as crosslinking agent for synthesis of carboxymethyl cellulose sodium (Na-CMC) as pharmaceutical excipient from water hyacinth (*Eichornia Crassipes L.*), *Int. J. Chem. Sci.*, 13, 1227–1237.
- Ho, Y.S. and McKay, G., 1999, The sorption of lead(II) ions on peat, *Water Res.*, 33, 578–584.
- Hokkanen, S., Bhatnagar, A., and Sillanpää, M., 2016, A review on modification methods to cellulose-based adsorbents to improve adsorption capacity, *Water Res.*, 91, 156–173.
- Hussin, M.H., Pohan, N.A., Garba, Z.N., Kassim, M.J., Rahim, A.A., Brosse, N., Yemloul, M., Fazita, M.R.N., and Haafiz, M.K.M., 2016, Physicochemical of Microcrystalline Cellulose from Oil Palm Fronds as Potential Methylene Blue Adsorbents, *Int. J. Biol. Macromol.*, 92, 11–19.
- Ibrahim, N.A., Azraaie, N., Abidin, N.A.M.Z., Mamat Razali, N.A., Aziz, F.A., and Zakaria, S., 2015, XRD and FTIR Studies of Natural Cellulose Isolated from Pineapple (*Ananas comosus*) Leaf Fibres, *Adv. Mater. Res.*, 1087, 197–201.
- Irawati, H., Aprilita, N.H., and Sugiharto, E., 2018, Adsorpsi Zat Warna Kristal Violet Menggunakan Limbah Kulit Singkong (*Manihot esculenta*), *Bimipa*, 25, 17–31.
- Jilal, I., El-Barkany, S., Bahari, Z., Sundman, O., El-Idrissi, A., Abou-Salama, M., Loutou, M., Ablouh, E., and Amhamdi, H., 2019, New benzyloxyethyl cellulose (BEC) crosslinked EDTA: Synthesis, characterization and application for supramolecular self-assembling nanoencapsulation of Pb (II),. In, *Materials Today: Proceedings*. Elsevier Ltd, pp. 909–919.
- Jinap, S. and Hajeb, P., 2010, Glutamate. Its applications in food and contribution to health, *Appetite*, 55, 1–10.
- Johar, N., Ahmad, I., and Dufresne, A., 2012, Extraction, preparation and characterization of cellulose fibres and nanocrystals from rice husk, *Ind. Crops Prod.*, 37, 93–99.
- Julie Chandra, C.S., George, N., and Narayanankutty, S.K., 2016, Isolation and characterization of cellulose nanofibrils from arecanut husk fibre, *Carbohydr. Polym.*, 142, 158–166.
- Kibet, J.K., Khachatryan, L., and Dellinger, B., 2013, Molecular products from the thermal degradation of glutamic acid, *J. Agric. Food Chem.*, 61, 7696–7704.
- Kuang, Y., Zhang, X., and Zhou, S., 2020, Adsorption of Methylene Blue in Water onto Activated Carbon by Surfactant Modification, *Water 2020, Vol. 12, Page 587*, 12, 587.
- Kumar, K.Y., Muralidhara, H.B., Nayaka, Y.A., Balasubramanyam, J., and Hanumanthappa, H., 2013, Low-cost synthesis of metal oxide nanoparticles and their application in adsorption of commercial dye and heavy metal ion in aqueous solution, *Powder Technol.*, 246, 125–136.
- Lam, N.T., Chollakup, R., Smithipong, W., Nimchua, T., and Sukyai, P., 2017, Utilizing cellulose from sugarcane bagasse mixed with poly(vinyl alcohol) for tissue engineering scaffold fabrication, *Ind. Crops Prod.*, 100, 183–197.
- Laus, R., Costa, T.G., Szpoganicz, B., and Fávere, V.T., 2010, Adsorption and desorption of Cu(II), Cd(II) and Pb(II) ions using chitosan crosslinked with epichlorohydrin-triphosphate as the adsorbent, *J. Hazard. Mater.*, 183, 233–



241.

- Le-Minh, N., Sivret, E.C., Shammay, A., and Stuetz, R.M., 2018, Factors affecting the adsorption of gaseous environmental odors by activated carbon: A critical review, *Crit. Rev. Environ. Sci. Technol.*, 48, 341–375.
- Li, M., Liu, Z., Wang, L., James, T.D., Xiao, H.N., and Zhu, W.H., 2017, A glutamic acid-modified cellulose fibrous composite used for the adsorption of heavy metal ions from single and binary solutions, *Mater. Chem. Front.*, 1, 2317–2323.
- Lin, Q., Chang, J., Gao, M., and Ma, H., 2017, Synthesis of magnetic epichlorohydrin cross-linked carboxymethyl cellulose microspheres and their adsorption behavior for methylene blue, *J. Environ. Sci. Heal. Part A*, 52, 106–116.
- Lin, Q., Gao, M., Chang, J., and Ma, H., 2017, Highly effective adsorption performance of carboxymethyl cellulose microspheres crosslinked with epichlorohydrin, *J. Appl. Polym. Sci.*, 134, 1–11.
- Lindman, B., Medronho, B., Alves, L., Costa, C., Edlund, H., and Norgren, M., 2017, The relevance of structural features of cellulose and its interactions to dissolution, regeneration, gelation and plasticization phenomena, *Phys. Chem. Chem. Phys.*, 19, 23704–23718.
- Liu, C., Omer, A.M., and Ouyang, X. kun, 2018, Adsorptive removal of cationic methylene blue dye using carboxymethyl cellulose/k-carrageenan/activated montmorillonite composite beads: Isotherm and kinetic studies, *Int. J. Biol. Macromol.*, 106, 823–833.
- Long, B., Li, J., Song, Y., and Du, J., 2011, Temperature dependent solubility of α -Form 1 -glutamic acid in selected organic solvents: Measurements and thermodynamic modeling, *Ind. Eng. Chem. Res.*, 50, 8354–8360.
- Makeswari, M., Santhi, T., and Ezhilarasi, M.R., 2016, Adsorption of methylene blue dye by citric acid modified leaves of *Ricinus communis* from aqueous solutions, *Available online www.jocpr.com J. Chem. Pharm. Res.*, 8, 452–462.
- Mamani, D.C., Nole, K.S.O., Montoya, E.E.C., Huiza, D.A.M., Alta, R.Y.P., and Vitorino, H.A., 2020, Minimizing organic waste generated by pineapple crown: A simple process to obtain cellulose for the preparation of recyclable containers, *Recycling*, 5, 1–12.
- Mayangsari, N.E., Apriani, M., Dwi, E., Program, V., D4, S., Limbah, T.P., Perkapalan, P., and Surabaya, N., 2019, PEMANFAATAN LIMBAH DAUN NANAS (ANANAS COSMOSUS) SEBAGAI ADSORBEN LOGAM BERAT Cu, *J. Res. Technol.*, 5, .
- Melo, B.C., Paulino, F.A.A., Cardoso, V.A., Pereira, A.G.B., Fajardo, A.R., and Rodrigues, F.H.A., 2018, Cellulose nanowhiskers improve the methylene blue adsorption capacity of chitosan-g-poly(acrylic acid) hydrogel, *Carbohydr. Polym.*, 181, 358–367.
- Moussout, H., Ahlafi, H., Aazza, M., and Maghat, H., 2018, Critical of linear and nonlinear equations of pseudo-first order and pseudo-second order kinetic models, *Karbala Int. J. Mod. Sci.*, 4, 244–254.
- Natarajan, R., Saikia, K., Ponnusamy, S.K., Rathankumar, A.K., Rajendran, D.S., Venkataraman, S., Tannani, D.B., Arvind, V., Somanna, T., Banerjee, K.,



- Mohideen, N., and Vaidyanathan, V.K., 2022, Understanding the factors affecting adsorption of pharmaceuticals on different adsorbents – A critical literature update, *Chemosphere*, 287, 131958.
- Ningsih, D., Said, I., and Ningsih, P., 2016, Adsorption of Lead (Pb) from Its Solution by using Corn cob as an Adsorbent, *J. Akad. Kim.*, 5, 55–60.
- Ören, A.H. and Kaya, A., 2006, Factors affecting adsorption characteristics of Zn²⁺ on two natural zeolites, *J. Hazard. Mater.*, 131, 59–65.
- Pan, J., Zhou, L., Chen, H., Liu, X., Hong, C., Chen, D., and Pan, B., 2021, Mechanistically understanding adsorption of methyl orange, indigo carmine, and methylene blue onto ionic/nonionic polystyrene adsorbents, *J. Hazard. Mater.*, 418, 126300.
- Pascasarjana, P., 2017, Pengaruh Penambahan Epiklorohidrin Terhadap Sifat Mekanik dan Daya Serap Film Khitosan Sebagai Adsorben The Effect of the Addition of Epichlorohydrin on the Mechanical Property and Adsorption Capacity of Chitosan Film as Adsorbent, 12, 31–36.
- Pei, Y., Chu, S., Chen, Y., Li, Z., Zhao, J., Liu, S., Wu, X., Liu, J., Zheng, X., and Tang, K., 2017, Tannin-immobilized cellulose hydrogel fabricated by a homogeneous reaction as a potential adsorbent for removing cationic organic dye from aqueous solution, *Int. J. Biol. Macromol.*, 103, 254–260.
- Pereira, P.H.F., Ornaghi Júnior, H.L., Coutinho, L.V., Duchemin, B., and Cioffi, M.O.H., 2020, Obtaining cellulose nanocrystals from pineapple crown fibers by free-chlorite hydrolysis with sulfuric acid: physical, chemical and structural characterization, *Cellulose*, 27, 5745–5756.
- Prado, K.S. and Spinacé, M.A.S., 2019, Isolation and characterization of cellulose nanocrystals from pineapple crown waste and their potential uses, *Int. J. Biol. Macromol.*, 122, 410–416.
- Rafatullah, M., Sulaiman, O., Hashim, R., and Ahmad, A., 2010, Adsorption of methylene blue on low-cost adsorbents: A review, *J. Hazard. Mater.*, 177, 70–80.
- Rahaman, M.H., Islam, M.A., Islam, M.M., Rahman, M.A., and Alam, S.M.N., 2021, Biodegradable composite adsorbent of modified cellulose and chitosan to remove heavy metal ions from aqueous solution, *Curr. Res. Green Sustain. Chem.*, 4, 100119.
- Salazar-Rabago, J.J., Leyva-Ramos, R., Rivera-Utrilla, J., Ocampo-Perez, R., and Cerino-Cordova, F.J., 2017, Biosorption mechanism of Methylene Blue from aqueous solution onto White Pine (*Pinus durangensis*) sawdust: Effect of operating conditions, *Sustain. Environ. Res.*, 27, 32–40.
- Sharma, P. and Kaur, H., 2011, Sugarcane bagasse for the removal of erythrosin B and methylene blue from aqueous waste, *Appl. Water Sci.*, 1, 135–145.
- Shi, C., Tao, F., and Cui, Y., 2018, Evaluation of nitriloacetic acid modified cellulose film on adsorption of methylene blue, *Int. J. Biol. Macromol.*, 114, 400–407.
- Shyichuk, A. and Ziółkowska, D., 2016, Determination of Anionic Surfactants by Means of Photometric Titration with Methylene Blue Dye, *J. Surfactants Deterg.*, 19, 425–429.
- Silva, L.S., Ferreira, F.J.L., Silva, M.S., Citó, A.M.G.L., Meneguín, A.B., Sábio,



- R.M., Barud, H.S., Bezerra, R.D.S., Osajima, J.A., and Silva Filho, E.C., 2018, Potential of amino-functionalized cellulose as an alternative sorbent intended to remove anionic dyes from aqueous solutions, *Int. J. Biol. Macromol.*, 116, 1282–1295.
- Sohrabi, M.R. and Ghavami, M., 2008, Photocatalytic degradation of Direct Red 23 dye using UV/TiO₂: Effect of operational parameters, *J. Hazard. Mater.*, 153, 1235–1239.
- Sun, X.F., Sun, R.C., Su, Y., and Sun, J.X., 2004, Comparative Study of Crude and Purified Cellulose from Wheat Straw, *J. Agric. Food Chem.*, 52, 839–847.
- Suryanto, H., Aminuddin, Mahsuli, Wijaya, H.W., and Yanuhar, U., 2021, FTIR analysis of alkali treatment on bacterial cellulose films obtained from pineapple peel juice, *IOP Conf. Ser. Mater. Sci. Eng.*, 1034, 012145.
- Tibolla, H., Pelissari, F.M., Rodrigues, M.I., and Menegalli, F.C., 2017, Cellulose nanofibers produced from banana peel by enzymatic treatment: Study of process conditions, *Ind. Crops Prod.*, 95, 664–674.
- Torkaman, S., Rahmani, H., Ashori, A., and Najafi, S.H.M., 2021, Modification of chitosan using amino acids for wound healing purposes: A review, *Carbohydr. Polym.*, 258, 117675.
- Udoetok, I.A., Dimmick, R.M., Wilson, L.D., and Headley, J. V., 2016, Adsorption properties of cross-linked cellulose-epichlorohydrin polymers in aqueous solution, *Carbohydr. Polym.*, 136, 329–340.
- Verma, A.K., Dash, R.R., and Bhunia, P., 2012, A review on chemical coagulation/flocculation technologies for removal of colour from textile wastewaters, *J. Environ. Manage.*, 93, 154–168.
- Vijayalakshmi, V., Dhanasekaran, P., and Aarthi, J., 2022, Effect of ammonium chloride addition on crystal growth, structural, optical and biological applications of L-glutamic acid crystals, *Appl. Phys. A Mater. Sci. Process.*, 128, 1–7.
- Wang, J. and Guo, X., 2020, Adsorption kinetic models: Physical meanings, applications, and solving methods, *J. Hazard. Mater.*, 390, 122156.
- Wang, X., Zhang, H., Wei, Y., Bao, L., Liu, S., Yuan, Shideng, and Yuan, Shiling, 2022, Effect of pH on caffeine removal from aqueous media by graphene/graphene oxide adsorption, *Colloids Surfaces A Physicochem. Eng. Asp.*, 644, 128864.
- Wang, Y., Zhang, C., Zhao, L., Meng, G., Wu, J., and Liu, Z., 2017, Cellulose-based porous adsorbents with high capacity for methylene blue adsorption from aqueous solutions, *Fibers Polym.*, 18, 891–899.
- Weng, C.H., Lin, Y.T., and Tzeng, T.W., 2009, Removal of methylene blue from aqueous solution by adsorption onto pineapple leaf powder, *J. Hazard. Mater.*, 170, 417–424.
- Wu, J.S., Liu, C.H., Chu, K.H., and Suen, S.Y., 2008, Removal of cationic dye methyl violet 2B from water by cation exchange membranes, *J. Memb. Sci.*, 309, 239–245.
- Xiao, B., Sun, X.F., and Sun, R.C., 2001, Chemical, structural, and thermal characterizations of alkali-soluble lignins and hemicelluloses, and cellulose from maize stems, rye straw, and rice straw, *Polym. Degrad. Stab.*, 74, 307–



319.

- Ye, S., Jin, W., Huang, Q., Hu, Y., Li, Y., and Li, B., 2016, KGM-based magnetic carbon aerogels matrix for the uptake of methylene blue and methyl orange, *Int. J. Biol. Macromol.*, 92, 1169–1174.
- Yu, H., Liu, R., Shen, D., Wu, Z., and Huang, Y., 2008, Arrangement of cellulose microfibrils in the wheat straw cell wall, *Carbohydr. Polym.*, 72, 122–127.
- Yuen, T.W., Gopinath, S.C.B., Anbu, P., Kasim, F.H., Yaakub, A.R.W., Lakshmipriya, T., and Lee, C.G., 2019, Encapsulation of fungal extracellular enzyme cocktail in cellulose nanoparticles: Enhancement in enzyme stability, *Indian J. Biochem. Biophys.*, 56, 475–483.
- Zein, R., Purnomo, J.S., Ramadhani, P., Alif, M.F., and Safni, S., 2022, Lemongrass (*Cymbopogon nardus*) leaves biowaste as an effective and low-cost adsorbent for methylene blue dyes removal: isotherms, kinetics, and thermodynamics studies, *Sep. Sci. Technol.*,
- Zhou, C., Wu, Q., Lei, T., and Negulescu, I.I., 2014, Adsorption kinetic and equilibrium studies for methylene blue dye by partially hydrolyzed polyacrylamide/cellulose nanocrystal nanocomposite hydrogels, *Chem. Eng. J.*, 251, 17–24.